TCS CORPORATE WEBSITE

Design Style Guide

Role / audience	Development — Developers, technical leads, block owners, AI coding agents
Version	1.0
Status	Draft for review
Owner	UX/UI Lead plus Technical Lead (proposed)
Last validated	2026-11-13
Documents	1
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Design Style Guide
- Summary
- Figma relationship
- Design tokens
- Typography
- Colours
- Backgrounds and theme
- Spacing
- Layout and grid
- Breakpoints
- Responsive strategy
- Icons
- Images
- Borders, radius and shadows
- Motion
- Focus states
- Component variations
- Mapping Figma components and variations to blocks and dialog values
- Known gaps and open items
- Related
- Token inventory (read from the CSS)
- Media queries in use
- Screenshots
- Known limitations
- Open items
- Change history

Design Style Guide

Attribute	Value
Document ID	DEV-004
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	Typography, colours, spacing, layout, breakpoints, motion and states, with every token cited from the source CSS
Scope	—
Prerequisites	—
Owner	UX/UI Lead plus Technical Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	13 November 2026
Last validated	13 November 2026
Source files	styles/styles.css, styles/lazy-styles.css, styles/fonts.css, styles/motion.css, styles/card-list.css, docs/handover/knowledge-base/design-system.md
Related documents	—
Related AEM paths	—

This page summarises how the TCS.com Design System (Figma) is implemented in the TCS Corporate Website: the design tokens in `styles/styles.css`, typography and fonts, colours, the shared backgrounds and their theme contract, spacing, layout, breakpoints, icons, images, borders, radii, shadows, motion, focus states, the shared component variations and how a Figma component or variation becomes a block and a dialog value. It states only what the code implements and links to the block READMEs and the handover for detail.

1. Summary

- The tokens in `styles/styles.css` are, by the file's own comment, "extracted from the TCS.com Design System (Figma)". Mobile values are declared first; the type tokens step up at 900px, the section gutter at 600px and 1200px, the section spacing at 900px and 1200px.
- Three token layers: a **primitive palette** (`--brand-*`, `--grey-*`, `--slate-*`, `--black-*`, `--white-*`, `--warning-500`), **semantic tokens** (`--color-bg-*`, `--color-text-*`, `--color-icon-*`, `--color-border-*`, type, spacing, size, effects) and a few **legacy aliases** used by boilerplate code (`--link-color`, `--text-color`, …).
- Blocks use the semantic tokens, so dark backgrounds can re-theme everything inside them by overriding a handful of tokens (the theme contract).
- All sizes are in `rem` (1rem = 16px); only media query breakpoints are in px (600 / 900 / 1200). CSS is mobile first with `min-width` (range syntax `width >= …`) queries.
- One typeface: **Inter** (self-hosted variable font, weights 300–700) with three metric-matched fallback faces to prevent layout shift.
- A Figma component maps to a block, and a Figma variation to a dialog value (usually a block class); one block often covers several Figma frames (the Teaser covers six).

2. Figma relationship

The design source is the TCS.com Design System in Figma. The code and the block READMEs cite Figma **frame and component names** in comments; this knowledge base lists only those names (no file keys or node ids; the block READMEs and code comments keep the references they need).

Figma frame / component (as cited)	Implemented by	Cited in
"L1 Header" variations	Hero	`blocks/hero/hero.js`, `hero.css`
"Text & Image", "2 Slot Section", "Text Section - 2 Columns", "Secondary Page Header", "Careers", "Media Coverage", "Media Kit", "L3 Header"	Teaser (one block, several layouts)	`blocks/teaser/teaser.js`, `teaser.css`
"Secondary Page Header" / "L3 Header"	Page Header	`blocks/page-header/page-header.css`
"Text & Image Overlap"	Quote	`blocks/quote/quote.css`, `quote.js`
"Testimonial Block"	Testimonial	`blocks/testimonial/testimonial.css`, `testimonial.js`
"List" variations	List, Cards, Table List	`blocks/list/list.js`, `cards.js`, `table-list.js`; 14 Figma screenshots `list-figma-01` … `list-figma-14` in `../screenshots/`
"Chapter Nav"	Anchor List	`blocks/anchor-list/anchor-list.css`
"New Screens from New DS": Navigation, "Nav Bar-NEW", "Mobile Nav", home desktop / tablet	Header, TCS Header	`blocks/header/header.css`, `blocks/tcs-header/tcs-header.css`
"New Screens from New DS": Hero, Intelligent Personalisation Block, Footer, Floating menu, Full menu, "Full menu - No Pill", "L1 Media & Investors", Mobile Ask TCS	Conversation Canvas ("Variations" table)	`blocks/conversation-canvas/conversation-canvas.css`
402 / 1024 / 1440 frames (per breakpoint)	Separator	`blocks/separator/separator.css`
"Dark green" (Section Style, Teaser and Columns Container BG Color)	`--color-bg-dark-green: #003b39`	`styles/styles.css`

How the relationship is used:

- **Tokens** come from the Figma variables; values that Figma uses but the token set doesn't have are local custom properties in the block, labelled as such (for example `--teaser-divider: #b2b2b2` "Figma value with no site token: list dividers"; `--hero-navy: #01121f` "Figma: Color/01121F"; `--list-dark: #20293c` in `styles/card-list.css`).
- **Deliberate deviations for accessibility** are recorded: the secondary-text and brand-text tokens were changed to darker palette colours that pass WCAG 1.4.3 (Colours); the header's menu arrows use `--color-icon-default` because the Figma light grey fails 3:1 (handover Part 16, F-75).
- **Prototype behaviour** Figma doesn't show (scrolling, docking, the footer stop of the floating Canvas) was supplemented in code; the Conversation Canvas README records this under "Figma gaps and decisions".
- **Per-variation pixel comparison** against Figma is **Blocked**: it needs the Figma file per component (block ecosystem audit, section 9).

3. Design tokens

All tokens are custom properties on `:root` in `styles/styles.css`. Values below are copied from the file.

Primitive palette

Group	Tokens and values
Brand	`--brand-200: #cedff4`, `--brand-300: #a7c8f1`, `--brand-400: #216ac3`, `--brand-500: #4673db`, `--brand-600: #011627`

Group	Tokens and values
Warning	`--warning-500: #e8b931`
Grey	`--grey-100: #f5f5f5`, `--grey-200: #e6e6e6`, `--grey-300: #d9d9d9`, `--grey-400: #999`, `--grey-500: #525252`, `--grey-600: #444`, `--grey-700: #383838`, `--grey-800: #2c2c2c`, `--grey-900: #1e1e1e`, `--grey-1000: #111`
Slate	`--slate-100: #f3f3f3`, `--slate-200: #e3e3e3`, `--slate-300: #cdcdcd`, `--slate-400: #b2b2b2`, `--slate-500: #949494`, `--slate-600: #767676`, `--slate-700: #5a5a5a`, `--slate-800: #434343`, `--slate-900: #303030`, `--slate-1000: #242424`
Black alpha (base #0c0c0d)	`--black-100: #0c0c0d0d` … `--black-500: #0c0c0db2` … `--black-900: #0c0c0df2`, `--black-1000: #0c0c0d`
White alpha	`--white-100: #ffffff0d` … `--white-400: #fff6`, `--white-500: #ffffffb2`, `--white-600: #fffc` … `--white-1000: #fff`

Semantic colour tokens (representative)

Group	Representative tokens (value)
Background	`--color-bg-default` (`--white-1000`), `--color-bg-secondary` (`--grey-100`), `--color-bg-tertiary` (`--grey-300`), `--color-bg-disabled` (`--grey-200`), `--color-bg-brand` (`--brand-400`), `--color-bg-brand-hover` (`--brand-600`), `--color-bg-brand-secondary` (`--brand-300`), `--color-bg-neutral` (`--black-1000`), `--color-bg-neutral-secondary` (`--black-700`), `--color-bg-dark-green` (#003b39), `--color-bg-warning` (`--warning-500`), `--color-bg-opacity` (`--white-400`)
Text	`--color-text-default` (`--black-1000`), `--color-text-secondary` (`--slate-700`), `--color-text-tertiary` (`--grey-300`), `--color-text-disabled` (`--slate-400`), `--color-text-brand` (`--brand-400`), `--color-text-brand-secondary` (`--brand-600`), `--color-text-on-brand` / `--color-text-on-neutral` (`--white-1000`), `--color-text-neutral` (`--slate-900`), `--color-text-neutral-tertiary` (`--slate-600`), `--color-text-overlay` (`--black-400`), `--color-text-light-overlay` (`--white-600`)
Icon	`--color-icon-default` (`--grey-900`), `--color-icon-secondary` (`--grey-400`), `--color-icon-brand` (`--brand-500`), `--color-icon-brand-secondary` (`--brand-200`), `--color-icon-on-brand` (`--white-1000`), `--color-icon-on-disabled` (`--slate-400`), `--color-icon-neutral` (`--slate-900`)
Border	`--color-border-default` (`--grey-200`), `--color-border-secondary` (`--grey-400`), `--color-border-tertiary` (`--grey-500`), `--color-border-disabled` (`--slate-200`), `--color-border-brand` (`--brand-500`, also the focus ring), `--color-border-brand-secondary` (`--brand-400`), `--color-border-neutral` (`--slate-900`), `--color-border-neutral-tertiary` (`--slate-400`)
Legacy aliases	`--background-color`, `--light-color`, `--dark-color`, `--text-color`, `--link-color` (`--color-text-brand`), `--link-hover-color` (`--brand-600`)

Each group also has `-hover`, `-secondary` and `-tertiary` variants; read the file for the full list.

Other token groups

Group	Tokens
Typography	families, weights, display / heading / body / label sizes, button sizes (Typography)
Spacing	`--space-0` … `--space-6000`, `--spacing-xs` … `--spacing-xl` (Spacing)
Layout	`--page-max-width: 120rem`, `--content-max-width: 90rem`, `--section-padding-inline`, `--section-spacing` (Layout and grid)
Size	`--radius-*`, `--border-width-*`, `--icon-size-*` (Borders, radius and shadows)
Effects	`--shadow-100` … `--shadow-600`, `--shadow-inner-100` … `--shadow-inner-600`, `--blur-100: 0.25rem`

Group	Tokens
Header	`--nav-height` (4rem; 7.75rem from 1200px, "Figma: 124px"), `--header-reserved` (the space kept until the header loads)
Motion	`--motion-*` in `styles/motion.css` (Motion)

4. Typography

Token	Mobile (default)	From 900px
`--body-font-family`	`inter, inter-fallback, inter-fallback-roboto, inter-fallback-dejavu, sans-serif`	—
`--heading-font-family`	`var(--body-font-family)`	—
`--code-font-family`	`'Roboto Mono', ui-monospace, menlo, consolas, monospace`	—
`--font-weight-light` / `-regular` / `-medium` / `-semibold` / `-bold`	300 / 400 / 500 / 600 / 700	—
`--display-font-size-1` / `-2` / `-3`	2.75rem / 2.5rem / 2.25rem	5rem / 4rem / 2.5rem
`--display-line-height`	1.2	—
`--heading-font-size-xxl` / `-xl` / `-l`	2rem / 1.75rem / 1.5rem	3rem / 2.5rem / 1.75rem
`--heading-font-size-m` / `-s` / `-xs`	1.125rem / 1rem / 0.875rem	1.5rem / 1.25rem / 1rem
`--body-font-size-l` / `-m` / `-s` / `-xs` (Body 1 / 2 / 3)	1rem / 1rem / 0.75rem / 0.75rem	1.5rem / 1.125rem / 1rem / 0.875rem
`--body-line-height`	1.6	—
`--label-font-size` / `--label-line-height`	0.875rem / 1.4	—
`--button-font-size` / `--button-height` / `--icon-button-size`	1rem / 3.125rem / 2.75rem	—

Element defaults (`styles/styles.css`): `h1` … `h6` use `--heading-font-size-xxl` … `-xs` in order, regular weight (`h5` light, `h6` semibold), line height 1.4 (`h1` 1.2), margins derived from the font size (`0.8 ×` above, `0.25 ×` below) and a negative letter-spacing derived from the size (`h1 -0.03 ×`, `h2 -0.025 ×`, `h3 -0.02 ×`, `h4 -0.015 ×`, `h5 -0.01 ×`). The body is `--body-font-size-m` at regular weight with `letter-spacing: calc(-0.005 * var(--body-font-size-m))`; `strong` / `b` are semibold. AGENTS.md requires letter-spacing to be derived from the rule's font size and re-set wherever a rule resizes a heading, button or tag.

Blocks with an authored heading level render the element of that level and size it accordingly (for example the Teaser's Title Type H1–H6, labelled 64 / 48 / 40 / 28 / 24 / 20px in the dialog; the Hero's Title heading level H1 / H2).

Fonts

Item	Implementation
Typeface	Inter, self-hosted variable font `fonts/inter-variable.woff2` (48,256 bytes), weights `300 700`, `font-display: swap` (`styles/fonts.css`, "TCS.com Design System primary typeface")
Coverage	`unicode-range` limited to Latin (`U+0000-00FF` and selected punctuation / symbols); Chinese, Japanese and Korean text falls back to the system sans-serif (handover F-38, open, owner Design)
Loading	`fonts.css` loads in the eager phase only when `window.innerWidth >= 900` or the session flag `fonts-loaded` is set, otherwise at the end of the lazy phase (`loadFonts` in `scripts/scripts.js`); see performance.md

Item	Implementation
Fallback faces	`@font-face` rules in `styles/styles.css`, "a system font scaled to Inter's width and line metrics, so text doesn't reflow … when Inter arrives"

Fallback face	src	size-adjust	ascent-override	descent-override
`inter-fallback`	`local('Arial')`, `local('ArialMT')`, `local('Liberation Sans')`, `local('LiberationSans')`	107.06%	90.49%	22.56%
`inter-fallback-roboto`	`local('Roboto')`, `local('Roboto-Regular')`	107.21%	90.36%	22.53%
`inter-fallback-dejavu`	`local('DejaVu Sans')`, `local('DejaVuSans')`	93.97%	103.09%	25.70%

All three have `line-gap-override: 0%`. A face whose font isn't installed is skipped for the next. AGENTS.md ("Three-Phase Page Loading", module preloading paragraph): keep the faces when changing the font.

5. Colours

- Use the **semantic** tokens in blocks, not primitives, so dark backgrounds can re-theme them (AGENTS.md "Backgrounds and theme").
- Two semantic tokens deviate from the original values for contrast, with the measured ratio in a code comment: `--color-text-secondary: var(--slate-700)` "6.9:1 on white (WCAG 1.4.3; `--grey-400`: 2.84:1)"; `--color-text-brand` and `--color-bg-brand: var(--brand-400)` "5.4:1 … (`--brand-500`: 4.43:1)". The audit records that this change "needs design sign-off" (audit, sections 1 and 13).
- Block-local colours without a token exist (for example `--hero-navy`, `--teaser-divider`, `--list-dark`, `--list-gradient`, the Canvas outline `#494c4d`); they are listed in the block READMEs.

6. Backgrounds and theme

Shared background options

Teaser BG Color, Columns Container BG Color and Section Style share the classes and tokens and set **only the colour** (no padding; a Section's own spacing moves inside its colour).

Dialog value	Section Style (models/_section.json)	Columns Container BG Color (containerBgColor)	Teaser BG Color (bgColor)	Token
Default	`''`	`''`	`''`	none (page background)
Grey	`bg-grey`	`bg-grey`	`grey` → class `bg-grey`	`--color-bg-secondary`
Dark	`bg-dark`	`bg-dark`	`dark` → `bg-dark`	`--color-bg-neutral`
Dark green	`bg-dark-green` (label "Dark Green")	`bg-dark-green`	`dark-green` → `bg-dark-green`	`--color-bg-dark-green`

Other blocks have their own sets: Quote and Testimonial BG Color offer Default / Grey; the Hero's BG Color offers Default, "Light, no overlay" (`bg-light`), "Dark blue" (`bg-dark`), "Dark blue (subtle)" (`bg-dark-subtle`) and Black (`bg-black`), styled in `blocks/hero/hero.css`. The legacy section classes `light` / `highlight`, `dark` and `brand` are still styled in `styles/styles.css` for content authored before.

Theme contract of the dark backgrounds

`main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green)` overrides the tokens for everything inside:

Token	Inside Dark / Dark green	Reset inside a Grey Teaser or Grey Columns Container
`--color-text-default`	`var(--color-text-on-neutral)` (white)	`var(--black-1000)`
`--color-text-secondary`	`rgb(255 255 255 / 70%)`	`var(--slate-700)`
`--color-text-brand`	`var(--brand-300)`	`var(--brand-400)`
`--color-border-brand` (the focus ring)	`var(--brand-300)`	`var(--brand-500)`
`--link-color` / `--link-hover-color`	`var(--brand-300)` / `var(--color-text-on-neutral)`	`var(--brand-400)` / `var(--brand-600)`

Also: links in running text (`p a:not(.button)`) are underlined on the dark colours; Secondary and Tertiary buttons turn light; Primary buttons are **inverted** (white fill, `--black-1000` text; hover `--grey-300`); `styles/card-list.css` turns List / Cards image cards light. Blocks with their own dark theme (Teaser Dark, cards with a Card colour) keep their own colours. Measured on the combination page "Sections: colours with blocks" (dialog options report, section 10): axe 43 violations before the contract, 0 after; focus ring brand 300 11.34:1 on Dark and 7.23:1 on Dark Green (brand 500 was 2.81:1 on Dark Green); Grey islands brand 500 4.07:1; inverted Primary 19.6:1. Decision: handover revision 2.34, F-105.

Nested themes

Nesting	Result
Block inside a Dark / Dark green Section or Columns Container	Light tokens apply (contract above)
Grey Teaser or Grey Columns Container inside a dark one	Tokens reset to the light values for its content
Teaser with its own BG Color Dark / Dark green	The Teaser's own CSS switches text, eyebrow and stat values to light / brand 300; its Primary buttons aren't adapted (Teaser README, "Known Limitations")
Hero dark variants	The Hero's own CSS (not the contract)
Skeletons	Shapes take `currentcolor` at 10%, so they suit light and dark blocks

7. Spacing

Token	Value	Token	Value
`--space-0`	0	`--space-1200`	3rem
`--space-100`	0.25rem	`--space-1600`	4rem
`--space-200`	0.5rem	`--space-2000`	5rem
`--space-300`	0.75rem	`--space-2400`	6rem
`--space-400`	1rem	`--space-3000`	7.5rem
`--space-500`	1.25rem	`--space-4000`	10rem
`--space-600`	1.5rem	`--space-5000`	12.5rem
`--space-800`	2rem	`--space-6000`	15rem
`--space-1000`	2.5rem		

Aliases: `--spacing-xs` (`--space-300`), `--spacing-s` (`--space-600`), `--spacing-m` (`--space-1000`), `--spacing-l` (`--space-2000`), `--spacing-xl` (`--space-5000`).

The Additional tab's Padding / Margin fields (`classes_padding*` / `classes_margin*`) offer Default and `0`, `100` … `3000` as classes `pl-*`, `pr-*`, `pt-*`, `pb-*`, `ml-*`, `mr-*`, `mt-*`, `mb-*`, each mapped to the `--space-*` token of the same number (for example `pt-400` = `var(--space-400)`). The handover recommends leaving them on Default (handover Part 5, 5.6).

8. Layout and grid

Token / rule	Value
`--page-max-width`	120rem (the footer caps at it)
`--content-max-width`	90rem (Fixed Width sections)
`--section-padding-inline` (gutter of Fixed Width sections)	`--spacing-s` (1.5rem); `--spacing-m` (2.5rem) from 600px; `--spacing-l` (5rem) from 1200px; `0rem` in Full Width sections
`--section-spacing` (between sections)	`--spacing-m` (2.5rem); `--spacing-l` (5rem) from 900px; `--space-3000` (7.5rem) from 1200px
Section Width Type	Full Width (default, edge to edge, no gutter) or Fixed Width (`fixed-width`, centred at `--content-max-width`)
Rounded edge	`rounded`: `--radius-l` corners

There is no global column grid token. Grids are per block:

- **Columns Container** (README): CSS grid of equal columns (`repeat(var(--columns-container-count, 2), minmax(0, 1fr))`), stacked below the "Side by side from" breakpoint (Tablet 600px, Desktop 900px by default, Large desktop 1200px); Gap None (0), Small (`--space-400`), Medium (default `--space-800`), Large (`--space-1600`); Vertical alignment top / middle / bottom / stretch.
- **Card lists** (List, Cards, Filter List, `styles/card-list.css`): columns, gap, visible cards and card width per breakpoint as custom properties (`--list-columns`, `--list-gap`, `--list-visible`, `--list-card-width`), with container query units (`cqi`) for scrollers.

9. Breakpoints

Breakpoint	Query	Used for
Mobile	default (< 600px)	Base styles
Tablet	`@media (width >= 600px)`	Section gutter, side-by-side layouts (16 queries in block and global CSS)
Desktop	`@media (width >= 900px)`	Display / heading / body sizes, section spacing (18 queries)
Large desktop	`@media (width >= 1200px)`	Section gutter and spacing, desktop header (logo bar, `--nav-height: 7.75rem`) (18 queries)

`utils/viewport.js` `currentBreakpoint()` reports mobile (< 600px), tablet (600–1199px) and desktop (>= 1200px); the header switches to its desktop logo bar at 1200px (`matchMedia('(min-width: 1200px)')` in `blocks/header/header.js`). A few block rules use ranges (`width < 600px`, `600px <= width < 1200px`).

10. Responsive strategy

- **Mobile first**: base rules are the mobile design; `min-width` range queries (`width >= 600px` / `900px` / `1200px`) add tablet and desktop rules (AGENTS.md "CSS").
- **rem everywhere** (at most four decimals); px only in breakpoints. Pixel values from Figma are kept in comments next to the rem value (for example `--nav-height: 7.75rem` "Figma: 124px").

- **Tokens carry most responsive change**: type sizes step up at 900px, section gutter and spacing at 600 / 900 / 1200px, so blocks using the tokens follow without their own queries.
- **Per-breakpoint dialog values** exist where a design differs by device: Teaser Image position (mobile), Columns Container "Side by side from", List / Cards layout per breakpoint (columns, grid or scroll), Separator widths per breakpoint.
- Each block README has a "Responsive Behavior" section with the verified widths.

11. Icons

Item	Implementation
Files	22 SVGs in `icons/`: `arrow-down`, `arrow-left`, `arrow-right`, `arrow-up-right`, `chevron-down`, `chevron-left`, `chevron-right`, `close`, `download`, `facebook`, `filter`, `headphones`, `instagram`, `linkedin`, `menu`, `mic`, `pause`, `play`, `search`, `share`, `x`, `youtube`
Authored icons	`span.icon.icon-<name>` becomes an `<img src="/icons/<name>.svg" loading="lazy" width="16" height="16">` (`decorateIcons` in `scripts/aem.js`); `.icon` is sized `--icon-size-s`
Button icons	Drawn as a CSS `mask` tinted with `currentcolor`: the trailing arrow of `.button` (`icons/arrow-right.svg`), the chevron of `.link-button`, and icon buttons through `--icon-url` set by `decorators/button-decorator.js`
Button Block Icon values	Arrow right, Chevron right, Chevron down, Search (Button README)
Sizes	`--icon-size-s: 1.5rem`, `--icon-size-m: 2rem`, `--icon-size-l: 2.5rem`; icon button `--icon-button-size: 2.75rem` with a `--space-500` glyph

12. Images

- Authored images are delivered as optimised `/media_…` resources; `createOptimizedPicture` (`scripts/aem.js`) builds a `<picture>` with WebP and fallback sources, default widths 2000 (`min-width: 600px`) and 750.
- `buildImage` (`decorators/responsive-image-decorator.js`) optimises same-origin `/media_` URLs and uses other URLs as plain lazy `<img>`; section background images use 2000px (>= 600px) and 750px (`BACKGROUND_BREAKPOINTS` in `scripts/scripts.js`), `object-fit: cover`.
- `main img` is `max-width: 100%; height: auto`. Ratios, corners and positions are block options (for example Teaser Image ratio and Image corners; Hero Contained image; card image ratios in `styles/card-list.css`).
- Avatars (`.avatar`, sizes 2.5rem / 2rem / 1.5rem, circle or square) and avatar groups are global classes in `styles/styles.css`.
- Alt text rules are in accessibility.md; loading rules in performance.md.

13. Borders, radius and shadows

Group	Tokens
Radius	`--radius-s: 0.25rem`, `--radius-m: 0.5rem`, `--radius-l: 1rem`, `--radius-xl: 1.5rem`, `--radius-full: 624.9375rem` (pills)
Border width	`--border-width-100: 0.0625rem`, `--border-width-200: 0.125rem`, `--border-width-300: 0.1875rem`, `--border-width-500: 0.3125rem`
Shadow	`--shadow-100: 0 0.0625rem 0.25rem 0 rgb(12 12 13 / 5%)` … `--shadow-600: 0 1rem 2rem -0.5rem rgb(12 12 13 / 40%)`; inner shadows `--shadow-inner-100` … `--shadow-inner-600`
Blur	`--blur-100: 0.25rem`

14. Motion

styles/motion.css is loaded only on pages with an animated block (prepareMotion in decorators/motion-decorator.js).

Token	Value
--motion-duration / --motion-duration-background / --motion-stagger	Medium (default) 1000ms / 1500ms / 200ms; Fast (motion-fast) 500ms / 750ms / 100ms; Slow (motion-slow) 2000ms / 3000ms / 400ms
--motion-ease	cubic-bezier(0.4, 0, 0.2, 1)
--motion-distance / --motion-distance-slide	var(--space-1000) / var(--space-2000)
--motion-scale	0.9

Content effects (Animation Type): Fade in / up / down / left / right, Slide up / down / left / right, Scale in. Background effects (Background animation, on Hero, Teaser, Quote, Testimonial, Form Variations, Conversation Canvas): Fade in, Reveal from the centre, Wipe left to right / right to left / bottom to top, Scale reveal. Only opacity, transform and clip-path animate. Animations apply only with prefers-reduced-motion: no-preference, on screen, and never in Universal Editor edit mode. Transitions of interactive states (buttons, tags) are 0.2s. Details: animation report, AGENTS.md "Animation and skeletons".

15. Focus states

- Global: a:focus-visible, button:focus-visible { outline: var(--border-width-200) solid var(--color-border-brand); outline-offset: 0.125rem; } (brand 500 on light backgrounds, brand 300 inside the dark theme contract).
- Hover and focus share the same visual state for buttons, link buttons and tags (:hover, :focus-visible).
- Where the focused element is visually hidden or covered, the ring moves to a visible shape: the Filter List card link draws it on its ::before overlay; the Conversation Canvas search input shows it on the form (:focus-within).
- Editor-only outlines (hideblock blocks, Columns Container columns in edit mode) are dashed --color-border-secondary and appear only in Universal Editor edit mode.

16. Component variations

Component	Variations	Where
Button (.button)	Views button / icon / link; types Primary (neutral fill, --color-bg-neutral), Secondary (outline, brand on hover / focus), Tertiary (text and arrow, no container); disabled state via aria-disabled or :disabled; pill radius, --button-height 3.125rem	styles/styles.css, decorators/button-decorator.js, Button README
Icon button	Primary (brand fill), Secondary (brand outline), Tertiary (brand icon), disabled	styles/styles.css
Link button (.link-button)	Semibold underlined text with a chevron; light on dark sections	styles/styles.css
Button alignment	button-align-left / -center / -right	setButtonAlignment
Tag (.tag)	Default (boxed), tag-filter (pill, active / aria-current brand fill), tag-card (small uppercase, secondary text), tag-industry (with a leading bar)	styles/styles.css, decorators/tag-decorator.js
Avatar	Large / medium / small, circle / square, image or initial, groups (spaced or overlap, +N)	styles/styles.css
Card (List, Cards, Filter List)	Card style Image card / Panel / Report / Statistic / Mixed; Card colour Default for the style, Dark, Navy, Brand blue, Light blue, Light grey, Mid grey, Grey gradient, Image background	models/_card-list.json, styles/card-list.css

Component	Variations	Where
Skeleton	Bones line / title / media / pill, pulsing 1.6s (still for reduced motion)	`styles/styles.css`, `decorators/skeleton-decorator.js`

17. Mapping Figma components and variations to blocks and dialog values

The rule the code follows: **one Figma component → one block; a Figma variation → a dialog value on that block** (most select values arrive as block classes, for example Teaser Layout Card → `card`). A new block is created only when no existing block can express the design by options; the Teaser is the documented example of covering many frames with options "rather than separate blocks" (Teaser README, "For Architects"; handover 6.11).

Figma (as cited)	Block	Dialog values (field → value)
"Text & Image"	Teaser	Layout Image & Text; Image position Left / Right / Top / Bottom; Image ratio; Image corners
"Careers"	Teaser	Layout Image & Text with no image (or Hide Image): centred text
"Text Section - 2 Columns" (with stats)	Teaser	Layout Text split (`no-image`); Stat items (`teaser-stat`)
"L3 Header"	Teaser / Page Header	Teaser: Show Date, Reading time, Listen link, Download, Share, Display Tags, author fields; Page Header: Layout by page type
"Media Kit"	Teaser	Layout Card (`card`)
"L1 Header" variations	Hero	Hero Image type Default / Lotto (`lottie`); Hero View Contained image (`media-contained`); BG Color (`bg-light`, `bg-dark`, `bg-dark-subtle`, `bg-black`); Vertical / Horizontal / Text Alignment
"Text & Image Overlap"	Quote	Image Position (Desktop) Right / Left; Image Position (Mobile) Top / Bottom; BG Color Default / Grey
"Testimonial Block"	Testimonial	BG Color, show / hide options, Stat items
"List" variations 1–14 (screenshots `list-figma-*`)	List / Cards / Table List	Card style, Card colour, layout per breakpoint (grid or horizontal scroll), feature card (List README, "Visual Reference")
"Chapter Nav"	Anchor List	Sticky on / off; Anchor Link items
Full menu, "Full menu - No Pill", "L1 Media & Investors"	Conversation Canvas	Canvas Style Primary (sticky) (`primary`); Navigation style Pills (`''`) / Text links (`text-links`); BG Style Dark (Primary) (`dark`)
Filter tag (pills) / Footer CTA buttons	Conversation Canvas	Quick actions Auto / Pills (`action-pills`) / Buttons (`action-buttons`)
Button views and types	Button (`button-block`)	View Button / Icon / Link (`buttonView`); Type Primary / Secondary / Tertiary (`buttonVariant`); Icon; Alignment
"Dark green" band	Section / Columns Container / Teaser	Style / BG Color Dark green (`bg-dark-green`)

Mapping checklist for a new Figma variation (practice from AGENTS.md "Blocks" and "AEM delivery rules"):

1. Find the block whose README "Variations" already covers the frame; prefer a new option value on it over a new block.
2. Express the variation as a `select` value delivered as a class, within the model's three tabs (the last one Additional), and with a field name that doesn't collapse (no `…Type`, `…Title`, `…Text`, `…Alt` suffix for

values the code must read).
3. Use the semantic tokens; add a block-local custom property (commented "Figma value with no site token") only when no token fits.
4. Add the variation to the block library, check contrast inside the dark theme contract, update the block README and run `npm run build:json`, `npm run build:docs`, `npm run lint` and `npm test`.

18. Known gaps and open items

Item	Status	Source
Per-variation Figma comparison	Blocked: needs the Figma file per component	audit section 9
Secondary-text and brand token change for contrast	Requires validation: design sign-off	audit sections 1 and 13
CJK typography (Inter covers Latin only)	Open (F-38, owner Design)	handover Part 16
Header menu arrow colour and row gutters differ from Figma for accessibility	Open (F-75, design review)	handover Part 16
Teaser Primary buttons on the Teaser's own Dark / Dark green	Open (F-49)	Teaser README "Known Limitations"
Separator presentation uses site tokens "until the Figma designs are applied"	Not recorded	Separator README
Design token governance (who approves token changes, versioning)	Not recorded	—

19. Related

- accessibility.md: contrast, focus, motion and the theme contract from the accessibility side
- performance.md: fonts, images and CSS loading
- Other knowledge base pages: blocks.md, authoring.md, development-standards.md, architecture.md, testing-and-quality.md
- `styles/styles.css`, `styles/fonts.css`, `styles/motion.css`, `styles/card-list.css`
- `blocks/README.md` and each block's README ("Variations", "Responsive Behavior")
- AGENTS.md ("CSS"; "Backgrounds and theme" and "Animation and skeletons" in Blocks)
- Dialog options report, animation report
- Handover: Part 1 — 1.7.6 Responsiveness, Part 6 — Component Library, Part 16 — Findings

20. Token inventory (read from the CSS)

352 custom properties, each with its file, line and selector.

Token	Value	Source	Selector
`--brand-200`	`#cedff4`	styles/styles.css:21	:root
`--brand-300`	`#a7c8f1`	styles/styles.css:22	:root
`--brand-400`	`#216ac3`	styles/styles.css:23	:root
`--brand-500`	`#4673db`	styles/styles.css:24	:root

Token	Value	Source	Selector
--brand-600	#011627	styles/styles.css:25	:root
--warning-500	#e8b931	styles/styles.css:28	:root
--grey-100	#f5f5f5	styles/styles.css:31	:root
--grey-200	#e6e6e6	styles/styles.css:32	:root
--grey-300	#d9d9d9	styles/styles.css:33	:root
--grey-400	#999	styles/styles.css:34	:root
--grey-500	#525252	styles/styles.css:35	:root
--grey-600	#444	styles/styles.css:36	:root
--grey-700	#383838	styles/styles.css:37	:root
--grey-800	#2c2c2c	styles/styles.css:38	:root
--grey-900	#1e1e1e	styles/styles.css:39	:root
--grey-1000	#111	styles/styles.css:40	:root
--slate-100	#f3f3f3	styles/styles.css:43	:root
--slate-200	#e3e3e3	styles/styles.css:44	:root
--slate-300	#cdcdcd	styles/styles.css:45	:root
--slate-400	#b2b2b2	styles/styles.css:46	:root
--slate-500	#949494	styles/styles.css:47	:root
--slate-600	#767676	styles/styles.css:48	:root

Token	Value	Source	Selector
--slate-700	#5a5a5a	styles/styles.css:49	:root
--slate-800	#434343	styles/styles.css:50	:root
--slate-900	#303030	styles/styles.css:51	:root
--slate-1000	#242424	styles/styles.css:52	:root
--black-100	#0c0c0d0d	styles/styles.css:55	:root
--black-200	#0c0c0d1a	styles/styles.css:56	:root
--black-300	#0c0c0d33	styles/styles.css:57	:root
--black-400	#0c0c0d66	styles/styles.css:58	:root
--black-500	#0c0c0db2	styles/styles.css:59	:root
--black-600	#0c0c0dcc	styles/styles.css:60	:root
--black-700	#0c0c0dd9	styles/styles.css:61	:root
--black-800	#0c0c0de5	styles/styles.css:62	:root
--black-900	#0c0c0df2	styles/styles.css:63	:root
--black-1000	#0c0c0d	styles/styles.css:64	:root
--white-100	#ffffff0d	styles/styles.css:65	:root
--white-200	#ffffff1a	styles/styles.css:66	:root
--white-300	#fff3	styles/styles.css:67	:root
--white-400	#fff6	styles/styles.css:68	:root

Token	Value	Source	Selector
--white-500	#ffffffb2	styles/styles.css:69	:root
--white-600	#fffc	styles/styles.css:70	:root
--white-700	#ffffffd9	styles/styles.css:71	:root
--white-800	#ffffffe5	styles/styles.css:72	:root
--white-900	#fffffff2	styles/styles.css:73	:root
--white-1000	#fff	styles/styles.css:74	:root
--color-bg-default	var(--white-1000)	styles/styles.css:79	:root
--color-bg-default-hover	var(--grey-100)	styles/styles.css:80	:root
--color-bg-secondary	var(--grey-100)	styles/styles.css:81	:root
--color-bg-secondary-hover	var(--grey-200)	styles/styles.css:82	:root
--color-bg-tertiary	var(--grey-300)	styles/styles.css:83	:root
--color-bg-tertiary-hover	var(--grey-400)	styles/styles.css:84	:root
--color-bg-opacity	var(--white-400)	styles/styles.css:85	:root
--color-bg-disabled	var(--grey-200)	styles/styles.css:86	:root
--color-bg-brand	var(--brand-400); /* white text 5.4:1 (WCAG 1.4.3; --brand-500: 4.43:1) */	styles/styles.css:87	:root
--color-bg-brand-hover	var(--brand-600)	styles/styles.css:88	:root
--color-bg-brand-secondary	var(--brand-300)	styles/styles.css:89	:root
--color-bg-brand-secondary-hover	var(--brand-200)	styles/styles.css:90	:root

Token	Value	Source	Selector
--color-bg-brand-tertiary	var(--brand-400)	styles/styles.css:91	:root
--color-bg-brand-tertiary-hover	var(--brand-600)	styles/styles.css:92	:root
--color-bg-neutral	var(--black-1000)	styles/styles.css:93	:root
--color-bg-neutral-hover	var(--black-800)	styles/styles.css:94	:root
--color-bg-neutral-secondary	var(--black-700)	styles/styles.css:95	:root
--color-bg-neutral-secondary-hover	var(--black-600)	styles/styles.css:96	:root
--color-bg-neutral-tertiary	var(--black-500)	styles/styles.css:97	:root
--color-bg-neutral-tertiary-hover	var(--black-400)	styles/styles.css:98	:root
--color-bg-dark-green	#003b39; /* Figma "Dark green" (Section Style, Teaser and Columns Container BG Color) */	styles/styles.css:99	:root
--color-bg-warning	var(--warning-500)	styles/styles.css:100	:root
--color-text-default	var(--black-1000)	styles/styles.css:103	:root
--color-text-secondary	var(--slate-700); /* 6.9:1 on white (WCAG 1.4.3; --grey-400: 2.84:1) */	styles/styles.css:104	:root
--color-text-tertiary	var(--grey-300)	styles/styles.css:105	:root
--color-text-disabled	var(--slate-400)	styles/styles.css:106	:root
--color-text-brand	var(--brand-400); /* 5.4:1 on white (WCAG 1.4.3; --brand-500: 4.43:1) */	styles/styles.css:107	:root
--color-text-brand-secondary	var(--brand-600)	styles/styles.css:108	:root
--color-text-on-brand	var(--white-1000)	styles/styles.css:109	:root

Token	Value	Source	Selector
--color-text-neutral	var(--slate-900)	styles/styles.css:110	:root
--color-text-neutral-secondary	var(--slate-700)	styles/styles.css:111	:root
--color-text-neutral-tertiary	var(--slate-600)	styles/styles.css:112	:root
--color-text-on-neutral	var(--white-1000)	styles/styles.css:113	:root
--color-text-overlay	var(--black-400)	styles/styles.css:114	:root
--color-text-light-overlay	var(--white-600)	styles/styles.css:115	:root
--color-icon-default	var(--grey-900)	styles/styles.css:118	:root
--color-icon-secondary	var(--grey-400)	styles/styles.css:119	:root
--color-icon-tertiary	var(--grey-300)	styles/styles.css:120	:root
--color-icon-disabled	var(--slate-500)	styles/styles.css:121	:root
--color-icon-brand	var(--brand-500)	styles/styles.css:122	:root
--color-icon-brand-secondary	var(--brand-200)	styles/styles.css:123	:root
--color-icon-on-brand	var(--white-1000)	styles/styles.css:124	:root
--color-icon-on-disabled	var(--slate-400)	styles/styles.css:125	:root
--color-icon-neutral	var(--slate-900)	styles/styles.css:126	:root
--color-icon-on-neutral	var(--slate-100)	styles/styles.css:127	:root
--color-border-default	var(--grey-200)	styles/styles.css:130	:root

Token	Value	Source	Selector
--color-border-secondary	var(--grey-400)	styles/styles.css:131	:root
--color-border-tertiary	var(--grey-500)	styles/styles.css:132	:root
--color-border-disabled	var(--slate-200)	styles/styles.css:133	:root
--color-border-brand	var(--brand-500)	styles/styles.css:134	:root
--color-border-brand-secondary	var(--brand-400)	styles/styles.css:135	:root
--color-border-brand-tertiary	var(--brand-300)	styles/styles.css:136	:root
--color-border-neutral	var(--slate-900)	styles/styles.css:137	:root
--color-border-neutral-secondary	var(--slate-600)	styles/styles.css:138	:root
--color-border-neutral-tertiary	var(--slate-400)	styles/styles.css:139	:root
--background-color	var(--color-bg-default)	styles/styles.css:142	:root
--light-color	var(--color-bg-secondary)	styles/styles.css:143	:root
--dark-color	var(--color-text-neutral)	styles/styles.css:144	:root
--text-color	var(--color-text-default)	styles/styles.css:145	:root
--link-color	var(--color-text-brand)	styles/styles.css:146	:root
--link-hover-color	var(--brand-600)	styles/styles.css:147	:root
--body-font-family	inter, inter-fallback, inter-fallback-roboto, inter-fallback-dejavu, sans-serif	styles/styles.css:152	:root

Token	Value	Source	Selector
--heading-font-family	var(--body-font-family)	styles/styles.css:153	:root
--code-font-family	'Roboto Mono', ui-monospace, menlo, consolas, monospace	styles/styles.css:154	:root
--font-weight-light	300	styles/styles.css:157	:root
--font-weight-regular	400	styles/styles.css:158	:root
--font-weight-medium	500	styles/styles.css:159	:root
--font-weight-semibold	600	styles/styles.css:160	:root
--font-weight-bold	700	styles/styles.css:161	:root
--display-font-size-1	2.75rem	styles/styles.css:164	:root
--display-font-size-2	2.5rem	styles/styles.css:165	:root
--display-font-size-3	2.25rem	styles/styles.css:166	:root
--display-line-height	1.2	styles/styles.css:167	:root
--heading-font-size-xxl	2rem	styles/styles.css:170	:root
--heading-font-size-xl	1.75rem	styles/styles.css:171	:root
--heading-font-size-l	1.5rem	styles/styles.css:172	:root
--heading-font-size-m	1.125rem	styles/styles.css:173	:root
--heading-font-size-s	1rem	styles/styles.css:174	:root
--heading-font-size-xs	0.875rem	styles/styles.css:175	:root
--body-font-size-l	1rem	styles/styles.css:178	:root

Token	Value	Source	Selector
--body-font-size-m	1rem	styles/styles.css:179	:root
--body-font-size-s	0.75rem	styles/styles.css:180	:root
--body-font-size-xs	0.75rem	styles/styles.css:181	:root
--body-line-height	1.6	styles/styles.css:182	:root
--label-font-size	0.875rem	styles/styles.css:185	:root
--label-line-height	1.4	styles/styles.css:186	:root
--button-font-size	1rem	styles/styles.css:189	:root
--button-height	3.125rem	styles/styles.css:190	:root
--icon-button-size	2.75rem	styles/styles.css:191	:root
--space-0	0	styles/styles.css:194	:root
--space-100	0.25rem	styles/styles.css:195	:root
--space-200	0.5rem	styles/styles.css:196	:root
--space-300	0.75rem	styles/styles.css:197	:root
--space-400	1rem	styles/styles.css:198	:root
--space-500	1.25rem	styles/styles.css:199	:root
--space-600	1.5rem	styles/styles.css:200	:root
--space-800	2rem	styles/styles.css:201	:root
--space-1000	2.5rem	styles/styles.css:202	:root

Token	Value	Source	Selector
--space-1200	3rem	styles/styles.css:203	:root
--space-1600	4rem	styles/styles.css:204	:root
--space-2000	5rem	styles/styles.css:205	:root
--space-2400	6rem	styles/styles.css:206	:root
--space-3000	7.5rem	styles/styles.css:207	:root
--space-4000	10rem	styles/styles.css:208	:root
--space-5000	12.5rem	styles/styles.css:209	:root
--space-6000	15rem	styles/styles.css:210	:root
--spacing-xs	var(--space-300)	styles/styles.css:211	:root
--spacing-s	var(--space-600)	styles/styles.css:212	:root
--spacing-m	var(--space-1000)	styles/styles.css:213	:root
--spacing-l	var(--space-2000)	styles/styles.css:214	:root
--spacing-xl	var(--space-5000)	styles/styles.css:215	:root
--page-max-width	120rem	styles/styles.css:219	:root
--content-max-width	90rem	styles/styles.css:220	:root
--section-padding-inline	var(--spacing-s)	styles/styles.css:221	:root
--section-spacing	var(--spacing-m)	styles/styles.css:222	:root
--radius-s	0.25rem	styles/styles.css:227	:root

Token	Value	Source	Selector
--radius-m	0.5rem	styles/styles.css:228	:root
--radius-l	1rem	styles/styles.css:229	:root
--radius-xl	1.5rem	styles/styles.css:230	:root
--radius-full	624.9375rem	styles/styles.css:231	:root
--border-width-100	0.0625rem	styles/styles.css:234	:root
--border-width-200	0.125rem	styles/styles.css:235	:root
--border-width-300	0.1875rem	styles/styles.css:236	:root
--border-width-500	0.3125rem	styles/styles.css:237	:root
--icon-size-s	1.5rem	styles/styles.css:240	:root
--icon-size-m	2rem	styles/styles.css:241	:root
--icon-size-l	2.5rem	styles/styles.css:242	:root
--shadow-100	0 0.0625rem 0.25rem 0 rgb(12 12 13 / 5%)	styles/styles.css:245	:root
--shadow-200	0 0.25rem 0.5rem -0.0625rem rgb(12 12 13 / 5%), 0 0.0625rem 0.25rem 0 rgb(12 12 13 / 5%)	styles/styles.css:246	:root
--shadow-300	0 0.25rem 1rem -0.25rem rgb(12 12 13 / 5%), 0 0 1rem -0.25rem rgb(12 12 13 / 20%)	styles/styles.css:247	:root
--shadow-400	0 0.25rem 0.25rem -0.25rem rgb(12 12 13 / 5%), 0 1rem 2rem -0.25rem rgb(12 12 13 / 10%)	styles/styles.css:248	:root
--shadow-500	0 1rem 2rem -0.25rem rgb(12 12 13 / 5%), 0 0 1rem -0.0625rem rgb(12 12 13 / 40%)	styles/styles.css:249	:root
--shadow-600	0 1rem 2rem -0.5rem rgb(12 12 13 / 40%)	styles/styles.css:250	:root
--shadow-inner-100	inset 0 0.0625rem 0.25rem rgb(12 12 13 / 5%)	styles/styles.css:251	:root

Token	Value	Source	Selector
--shadow-inner-200	inset 0 0.0625rem 0.25rem rgb(12 12 13 / 5%)	styles/styles.css:252	:root
--shadow-inner-300	inset 0 0.25rem 0.25rem rgb(12 12 13 / 5%)	styles/styles.css:253	:root
--shadow-inner-400	inset 0 1rem 2rem rgb(12 12 13 / 10%)	styles/styles.css:254	:root
--shadow-inner-500	inset 0 1rem 1rem rgb(12 12 13 / 10%)	styles/styles.css:255	:root
--shadow-inner-600	inset 0 1rem 2rem rgb(12 12 13 / 40%)	styles/styles.css:256	:root
--blur-100	0.25rem	styles/styles.css:257	:root
--nav-height	4rem	styles/styles.css:260	:root
--header-reserved	var(--nav-height)	styles/styles.css:266	:root
--section-padding-inline	var(--spacing-m)	styles/styles.css:305	:root (@media (width >= 600px))
--display-font-size-1	5rem	styles/styles.css:312	:root (@media (width >= 900px))
--display-font-size-2	4rem	styles/styles.css:313	:root (@media (width >= 900px))
--display-font-size-3	2.5rem	styles/styles.css:314	:root (@media (width >= 900px))
--heading-font-size-xxl	3rem	styles/styles.css:317	:root (@media (width >= 900px))
--heading-font-size-xl	2.5rem	styles/styles.css:318	:root (@media (width >= 900px))
--heading-font-size-l	1.75rem	styles/styles.css:319	:root (@media (width >= 900px))
--heading-font-size-m	1.5rem	styles/styles.css:320	:root (@media (width >= 900px))
--heading-font-size-s	1.25rem	styles/styles.css:321	:root (@media (width >= 900px))
--heading-font-size-xs	1rem	styles/styles.css:322	:root (@media (width >= 900px))

Token	Value	Source	Selector
--body-font-size-l	1.5rem	styles/styles.css:325	:root (@media (width >= 900px))
--body-font-size-m	1.125rem	styles/styles.css:326	:root (@media (width >= 900px))
--body-font-size-s	1rem	styles/styles.css:327	:root (@media (width >= 900px))
--body-font-size-xs	0.875rem	styles/styles.css:328	:root (@media (width >= 900px))
--section-spacing	var(--spacing-l)	styles/styles.css:331	:root (@media (width >= 900px))
--section-padding-inline	var(--spacing-l)	styles/styles.css:337	:root (@media (width >= 1200px))
--section-spacing	var(--space-3000)	styles/styles.css:338	:root (@media (width >= 1200px))
--nav-height	7.75rem	styles/styles.css:341	:root (@media (width >= 1200px))
--header-overlay-space	var(--header-height, var(--header-reserved))	styles/styles.css:387	html[data-header-overlay='always'] body
--header-overlay-space	var(--header-height, var(--header-reserved))	styles/styles.css:391	html:not([data-header-overlay='never']) body:has(main > .section:first-child .hero:not(.bg-dark, .bg-dark-subtle, .bg-black, .bg-charcoal-80, .bg-navy-60, .bg-charcoal-40))
--tag-color	var(--color-text-neutral)	styles/styles.css:831	.tag
--tag-bg	var(--color-bg-default)	styles/styles.css:832	.tag
--tag-border	var(--color-border-default)	styles/styles.css:833	.tag
--tag-hover-color	var(--color-text-on-brand)	styles/styles.css:834	.tag
--tag-hover-bg	var(--color-bg-brand)	styles/styles.css:835	.tag
--tag-hover-border	var(--color-border-brand)	styles/styles.css:836	.tag
--tag-color	var(--color-text-default)	styles/styles.css:868	.tag-filter
--tag-color	var(--color-text-on-brand)	styles/styles.css:879	.tag-filter[aria-current]

Token	Value	Source	Selector
--tag-bg	var(--color-bg-brand)	styles/styles.css:880	.tag-filter[aria-current]
--tag-border	var(--color-border-brand)	styles/styles.css:881	.tag-filter[aria-current]
--tag-bg	transparent	styles/styles.css:886	.tag-industry
--tag-border	transparent	styles/styles.css:887	.tag-industry
--tag-hover-color	var(--color-text-brand)	styles/styles.css:888	.tag-industry
--tag-hover-bg	transparent	styles/styles.css:889	.tag-industry
--tag-hover-border	transparent	styles/styles.css:890	.tag-industry
--tag-color	var(--color-text-secondary)	styles/styles.css:899	.tag-card
--tag-color	var(--color-text-default)	styles/styles.css:907	.tag-industry
--avatar-size	2.5rem	styles/styles.css:919	.avatar
--avatar-size	2rem	styles/styles.css:957	.avatar.medium
--avatar-size	1.5rem	styles/styles.css:965	.avatar.small
--section-max-width	none	styles/styles.css:1024	main > .section
--section-padding-inline	0rem	styles/styles.css:1031	main > .section:not(.fixed-width)
--section-max-width	var(--content-max-width)	styles/styles.css:1035	main > .section.fixed-width
--color-text-default	var(--color-text-on-neutral)	styles/styles.css:1108	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green)
--color-text-secondary	rgb(255 255 255 / 70%)	styles/styles.css:1109	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green)
--color-text-brand	var(--brand-300)	styles/styles.css:1110	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green)

Token	Value	Source	Selector
--color-border-brand	var(--brand-300); /* the focus ring */	styles/styles.css:1111	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green)
--link-color	var(--brand-300)	styles/styles.css:1112	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green)
--link-hover-color	var(--color-text-on-neutral)	styles/styles.css:1113	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green)
--color-text-default	var(--black-1000)	styles/styles.css:1119	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green) :is(.teaser, .block.columns-container).bg-grey
--color-text-secondary	var(--slate-700)	styles/styles.css:1120	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green) :is(.teaser, .block.columns-container).bg-grey
--color-text-brand	var(--brand-400)	styles/styles.css:1121	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green) :is(.teaser, .block.columns-container).bg-grey
--color-border-brand	var(--brand-500)	styles/styles.css:1122	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green) :is(.teaser, .block.columns-container).bg-grey
--link-color	var(--brand-400)	styles/styles.css:1123	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green) :is(.teaser, .block.columns-container).bg-grey
--link-hover-color	var(--brand-600)	styles/styles.css:1124	main :is(.section, .block.columns-container):is(.bg-dark, .bg-dark-green) :is(.teaser, .block.columns-container).bg-grey
--motion-duration	600ms	styles/motion.css:12	:root
--motion-duration-background	900ms	styles/motion.css:13	:root
--motion-stagger	120ms	styles/motion.css:14	:root
--motion-ease	cubic-bezier(0.4, 0, 0.2, 1)	styles/motion.css:17	:root
--motion-distance	var(--space-1000)	styles/motion.css:18	:root
--motion-distance-slide	var(--space-2000)	styles/motion.css:19	:root
--motion-scale	0.9	styles/motion.css:20	:root
--motion-duration	1000ms	styles/motion.css:29	.block
--motion-duration-background	1500ms	styles/motion.css:30	.block

Token	Value	Source	Selector
--motion-stagger	200ms	styles/motion.css:31	.block
--motion-duration	500ms	styles/motion.css:35	.block.motion-fast
--motion-duration-background	750ms	styles/motion.css:36	.block.motion-fast
--motion-stagger	100ms	styles/motion.css:37	.block.motion-fast
--motion-duration	2000ms	styles/motion.css:41	.block.motion-slow
--motion-duration-background	3000ms	styles/motion.css:42	.block.motion-slow
--motion-stagger	400ms	styles/motion.css:43	.block.motion-slow
--motion-index	0	styles/motion.css:68	.motion-target
--list-dark	#20293c	styles/card-list.css:14	.card-list
--list-gradient	linear-gradient(135deg, #cfd9e3 0%, #e2e1dd 100%)	styles/card-list.css:15	.card-list
--list-track	var(--grey-200)	styles/card-list.css:16	.card-list
--list-thumb	var(--slate-600)	styles/card-list.css:17	.card-list
--list-bleed	0rem	styles/card-list.css:18	.card-list
--list-columns	var(--list-columns-mobile, 1)	styles/card-list.css:21	.card-list
--list-gap	var(--list-gap-mobile, 1rem)	styles/card-list.css:22	.card-list
--list-visible	var(--list-visible-mobile, 1.2)	styles/card-list.css:23	.card-list

Token	Value	Source	Selector
--list-card-width	var(--list-card-width-mobile)	styles/card-list.css: 24	.card-list
--list-item-size	var(--list-card-width, calc((100cqi - var(--list-bleed) - (var(--list-visible) - 1) * var(--list-gap)) / var(--list-visible)))	styles/card-list.css: 25	.card-list
--list-card-title-size	1.125rem	styles/card-list.css: 28	.card-list
--list-card-title-line	1.39	styles/card-list.css: 29	.card-list
--list-panel-title-size	1.75rem	styles/card-list.css: 30	.card-list
--list-panel-text-size	0.75rem	styles/card-list.css: 31	.card-list
--list-stat-number-size	5rem	styles/card-list.css: 32	.card-list
--list-stat-text-size	1rem	styles/card-list.css: 33	.card-list
--list-kicker-size	0.75rem	styles/card-list.css: 34	.card-list
--list-meta-size	0.75rem	styles/card-list.css: 35	.card-list
--list-row-title-size	1.75rem	styles/card-list.css: 36	.card-list
--list-feature-title-size	2rem	styles/card-list.css: 37	.card-list
--list-card-padding	var(--space-400)	styles/card-list.css: 38	.card-list
--list-hover-duration	300ms	styles/card-list.css: 41	.card-list

Token	Value	Source	Selector
--list-hover-easing	ease-out	styles/card-list.css:42	.card-list
--list-bleed	var(--section-padding-inline)	styles/card-list.css:206	.card-list.edge-bleed.mobile-scroll
--list-card-bg	var(--list-dark)	styles/card-list.css:417	.card-list :is(.list-card-panel, .list-card-report, .list-card-stat)
--list-card-fg	var(--slate-100)	styles/card-list.css:418	.card-list :is(.list-card-panel, .list-card-report, .list-card-stat)
--list-card-muted	var(--white-500)	styles/card-list.css:419	.card-list :is(.list-card-panel, .list-card-report, .list-card-stat)
--list-card-bg	var(--list-gradient)	styles/card-list.css:456	.card-list .list-card-report
--list-card-fg	var(--color-text-neutral)	styles/card-list.css:457	.card-list .list-card-report
--list-card-muted	var(--black-500)	styles/card-list.css:458	.card-list .list-card-report
--list-card-bg	var(--color-bg-tertiary)	styles/card-list.css:462	.card-list .list-card-stat
--list-card-fg	var(--black-1000)	styles/card-list.css:463	.card-list .list-card-stat
--list-card-muted	var(--black-500)	styles/card-list.css:464	.card-list .list-card-stat
--list-stat-size	min(var(--list-stat-number-size), 26cqi)	styles/card-list.css:491	.card-list .list-card-stat .list-card-title
--list-stat-size	calc(var(--list-stat-number-size) * 0.42)	styles/card-list.css:500	.card-list.stat-compact .list-card-stat .list-card-title
--list-card-bg	var(--list-dark)	styles/card-list.css:590	.card-list .list-card.theme-dark

Token	Value	Source	Selector
--list-card-fg	var(--slate-100)	styles/card-list.css: 591	.card-list .list-card.theme-dark
--list-card-muted	var(--white-500)	styles/card-list.css: 592	.card-list .list-card.theme-dark
--list-card-strong	var(--slate-100)	styles/card-list.css: 593	.card-list .list-card.theme-dark
--list-card-bg	var(--brand-600)	styles/card-list.css: 597	.card-list .list-card.theme-navy
--list-card-fg	var(--slate-100)	styles/card-list.css: 598	.card-list .list-card.theme-navy
--list-card-muted	var(--white-500)	styles/card-list.css: 599	.card-list .list-card.theme-navy
--list-card-strong	var(--slate-100)	styles/card-list.css: 600	.card-list .list-card.theme-navy
--list-card-bg	var(--color-bg-brand)	styles/card-list.css: 604	.card-list .list-card.theme-brand
--list-card-fg	var(--white-1000)	styles/card-list.css: 605	.card-list .list-card.theme-brand
--list-card-muted	var(--white-900); /* 80% white gave 4.0:1 on the brand fill */	styles/card-list.css: 606	.card-list .list-card.theme-brand
--list-card-strong	var(--slate-100)	styles/card-list.css: 607	.card-list .list-card.theme-brand
--list-card-bg	var(--brand-300)	styles/card-list.css: 616	.card-list .list-card.theme-brand-light
--list-card-fg	var(--black-1000)	styles/card-list.css: 617	.card-list .list-card.theme-brand-light
--list-card-muted	var(--black-500)	styles/card-list.css: 618	.card-list .list-card.theme-brand-light

Token	Value	Source	Selector
--list-card-bg	var(--color-bg-tertiary)	styles/card-list.css: 622	.card-list .list-card.theme-grey
--list-card-fg	var(--black-1000)	styles/card-list.css: 623	.card-list .list-card.theme-grey
--list-card-muted	var(--black-500)	styles/card-list.css: 624	.card-list .list-card.theme-grey
--list-card-bg	var(--grey-400)	styles/card-list.css: 628	.card-list .list-card.theme-mid-grey
--list-card-fg	var(--black-1000)	styles/card-list.css: 629	.card-list .list-card.theme-mid-grey
--list-card-muted	var(--black-600)	styles/card-list.css: 630	.card-list .list-card.theme-mid-grey
--list-card-bg	var(--list-gradient)	styles/card-list.css: 634	.card-list .list-card.theme-gradient
--list-card-fg	var(--color-text-neutral)	styles/card-list.css: 635	.card-list .list-card.theme-gradient
--list-card-muted	var(--black-500)	styles/card-list.css: 636	.card-list .list-card.theme-gradient
--list-card-bg	var(--color-bg-secondary)	styles/card-list.css: 644	.card-list .list-card.theme-image
--list-card-fg	var(--color-text-neutral)	styles/card-list.css: 645	.card-list .list-card.theme-image
--list-card-muted	var(--color-text-secondary)	styles/card-list.css: 646	.card-list .list-card.theme-image
--list-columns	var(--list-columns-tablet, 4)	styles/card-list.css: 801	.card-list (@media (width >= 600px))
--list-gap	var(--list-gap-tablet, 1.5rem)	styles/card-list.css: 802	.card-list (@media (width >= 600px))

Token	Value	Source	Selector
--list-visible	var(--list-visible-tablet, 3.3)	styles/card-list.css: 803	.card-list (@media (width >= 600px))
--list-card-width	var(--list-card-width-tablet)	styles/card-list.css: 804	.card-list (@media (width >= 600px))
--list-card-title-size	1.25rem	styles/card-list.css: 805	.card-list (@media (width >= 600px))
--list-card-title-line	1.4	styles/card-list.css: 806	.card-list (@media (width >= 600px))
--list-panel-title-size	1.5rem	styles/card-list.css: 807	.card-list (@media (width >= 600px))
--list-panel-text-size	0.875rem	styles/card-list.css: 808	.card-list (@media (width >= 600px))
--list-stat-number-size	4rem	styles/card-list.css: 809	.card-list (@media (width >= 600px))
--list-kicker-size	0.875rem	styles/card-list.css: 810	.card-list (@media (width >= 600px))
--list-meta-size	0.875rem	styles/card-list.css: 811	.card-list (@media (width >= 600px))
--list-row-title-size	2rem	styles/card-list.css: 812	.card-list (@media (width >= 600px))
--list-feature-title-size	2.5rem	styles/card-list.css: 813	.card-list (@media (width >= 600px))
--list-bleed	var(--section-padding-inline)	styles/card-list.css: 870	.card-list.edge-bleed.tablet-scroll (@media (width >= 600px))
--list-bleed	0rem	styles/card-list.css: 882	.card-list.edge-bleed.tablet-grid (@media (width >= 600px))
--list-card-padding	var(--space-600)	styles/card-list.css: 914	.card-list (@media (width >= 900px))

Token	Value	Source	Selector
--list-columns	var(--list-columns-desktop, 4)	styles/card-list.css: 921	.card-list (@media (width >= 1200px))
--list-gap	var(--list-gap-desktop, 1.5rem)	styles/card-list.css: 922	.card-list (@media (width >= 1200px))
--list-visible	var(--list-visible-desktop, 4.2)	styles/card-list.css: 923	.card-list (@media (width >= 1200px))
--list-card-width	var(--list-card-width-desktop)	styles/card-list.css: 924	.card-list (@media (width >= 1200px))
--list-card-title-size	1.5rem	styles/card-list.css: 925	.card-list (@media (width >= 1200px))
--list-card-title-line	1.42	styles/card-list.css: 926	.card-list (@media (width >= 1200px))
--list-panel-title-size	1.75rem	styles/card-list.css: 927	.card-list (@media (width >= 1200px))
--list-panel-text-size	1rem	styles/card-list.css: 928	.card-list (@media (width >= 1200px))
--list-stat-number-size	6rem	styles/card-list.css: 929	.card-list (@media (width >= 1200px))
--list-stat-text-size	1.125rem	styles/card-list.css: 930	.card-list (@media (width >= 1200px))
--list-meta-size	1rem	styles/card-list.css: 931	.card-list (@media (width >= 1200px))
--list-row-title-size	2.5rem	styles/card-list.css: 932	.card-list (@media (width >= 1200px))
--list-bleed	var(--section-padding-inline)	styles/card-list.css: 974	.card-list.edge-bleed.desktop-scroll (@media (width >= 1200px))
--list-bleed	0rem	styles/card-list.css: 986	.card-list.edge-bleed.desktop-grid (@media (width >= 1200px))

21. Media queries in use

Media query	Occurrences
(width >= 900px)	16
(width >= 1200px)	16
(prefers-reduced-motion: reduce)	12
(width >= 600px)	12
(width < 600px)	7
(width >= 600px) and (width < 1200px)	4
(600px <= width < 1200px)	3
(forced-colors: active)	2
(width >=1200px)	2
screen and (prefers-reduced-motion: no-preference)	1
(prefers-reduced-motion: no-preference)	1
(width >= 600px) and (width < 900px)	1
only screen and (width <= 1199px)	1
(width >=600px) and (width < 1200px)	1
(width >=768px) and (width < 1024px)	1
(width >=1024px) and (width < 1200px)	1
print	1
(width >=600px)	1
(width >=900px)	1
(width < 900px)	1

22. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

23. Known limitations

- None recorded for this document.

24. Open items

- None.

25. Change history

Version	Date	Author	Change
1.0	13 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages