TCS CORPORATE WEBSITE

# Feature F-E03-05: Column Break

| | |
|---|---|
| **Role / audience** | Business analysis — Business analysts, product owner, QA lead |
| **Version** | 1.0 |
| **Status** | Draft for review |
| **Owner** | Business Analyst / Product Owner (proposed) |
| **Last validated** | 2026-11-13 |
| **Documents** | 1 |
| **Classification** | INTERNAL — classification to be confirmed |

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

# Contents

**Feature F-E03-05: Column Break**
- Screenshots
- Known limitations
- Open items
- Change history

# Feature F-E03-05: Column Break

| Attribute | Value |
|---|---|
| Document ID | F-E03-05 |
| Audience | Business analysts, product owner, QA lead |
| Purpose | The feature Column Break of EPIC E03, derived from the implementation |
| Scope | — |
| Prerequisites | — |
| Owner | Business Analyst / Product Owner (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | blocks/column-break |
| Related documents | — |
| Related AEM paths | — |

## INFERRED REQUIREMENT, REQUIRES BUSINESS VALIDATION

| Attribute | Value |
|---|---|
| Feature ID | F-E03-05 |
| Parent EPIC | E03 Editorial content presentation |
| Business value | Authors present stories, offerings and facts in the TCS design language |
| Description | Starts a column in a Columns Container or a Tab |
| Primary persona | Content author; site visitor |
| Preconditions | Code deployed; the component available in the section filters |
| Functional requirements | The fields and variations of column-break (developer guide) |
| Business rules | Block README: Content and Asset Guidelines |
| Non-functional requirements | WCAG 2.1 AA; three-phase loading; no personal data in the data layer |
| Data requirements | See the data layer section of the developer guide |
| Content requirements | Authored per the authoring guide |
| Analytics requirements | Component entry and interactions in the Adobe Client Data Layer |
| Accessibility requirements | See the accessibility section of the developer guide |
| SEO requirements | Semantic headings; metadata from the page |
| Localization requirements | UI text from placeholders with an English fallback |
| Security/privacy requirements | No personal data; announced new-tab links |

| Attribute | Value |
|---|---|
| Dependencies | ../../utils/placeholders.js, ../../utils/properties.js |
| Acceptance criteria | See the user stories |
| Related user stories | US-F-E03-05-01, US-F-E03-05-02 |
| Related components | column-break |
| Related test cases | TC-COLUMN-BREAK-001, TC-COLUMN-BREAK-002, TC-COLUMN-BREAK-003, TC-COLUMN-BREAK-004, TC-COLUMN-BREAK-005, TC-COLUMN-BREAK-006, TC-COLUMN-BREAK-007 |
| Definition of Ready | DEFINITION-OF-READY |
| Definition of Done | DEFINITION-OF-DONE |

Developer guide: column-break.

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |