TCS CORPORATE WEBSITE

# Test Case Catalog

| | |
|---|---|
| **Role / audience** | Quality assurance — QA lead, testers, release lead |
| **Version** | 1.0 |
| **Status** | Draft for review |
| **Owner** | QA Lead (proposed) |
| **Last validated** | 2026-11-13 |
| **Documents** | 15 |
| **Classification** | INTERNAL — classification to be confirmed |

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

# Contents

**Accessibility Test Cases**
- Screenshots
- Known limitations
- Open items
- Change history

**Analytics Data Layer Test Cases**
- Screenshots
- Known limitations
- Open items
- Change history

**Authoring Test Cases**
- Screenshots
- Known limitations
- Open items
- Change history

**Component Variation Test Cases**
- Screenshots
- Known limitations
- Open items
- Change history

**Cross-Browser Test Cases**
- Screenshots
- Known limitations
- Open items
- Change history

**Curated Page Test Cases**
- Screenshots
- Known limitations
- Open items
- Change history

**Functional Test Cases**
- Screenshots
- Known limitations
- Open items
- Change history

**Localization Test Cases**
- Screenshots
- Known limitations
- Open items
- Change history

**Performance Test Cases**
- Screenshots
- Known limitations
- Open items
- Change history

**Publishing Test Cases**
- Screenshots
- Known limitations

Open items
Change history

**Regression Test Cases**
Screenshots
Known limitations
Open items
Change history

**Requirement to Test Traceability**
Screenshots
Known limitations
Open items
Change history

**Responsive Test Cases**
Screenshots
Known limitations
Open items
Change history

**Security and Privacy Test Cases**
Screenshots
Known limitations
Open items
Change history

**SEO Test Cases**
Screenshots
Known limitations
Open items
Change history

# Accessibility Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-012 |
| Audience | QA lead, testers, release lead |
| Purpose | Accessibility cases of every block |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-ACCORDION-005 | Accessibility | — | Accordion meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/accordion: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-ANCHOR-LIST-005 | Accessibility | — | Anchor List meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/anchor-list: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-BUTTON-BLOCK-010 | Accessibility | — | Button meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks found no issue; keyboard and screen reader checks not run | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-CARDS-024 | Accessibility | — | Cards meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/cards: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-COLUMN-BREAK-005 | Accessibility | — | Column Break meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks found no issue; keyboard and screen reader checks not run | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-COLUMNS-005 | Accessibility | — | Columns meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/columns: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-COLUMNS-CONTAINER-023 | Accessibility | — | Columns Container meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/columns-container: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-CONVERSATION-CANVAS-015 | Accessibility | — | Conversation Canvas meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/conversation-canvas: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-EMBED-005 | Accessibility | — | Embed meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/embed: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-FILTER-LIST-015 | Accessibility | — | Filter List meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/filter-list: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-FOOTER-007 | Accessibility | — | Footer meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/footer: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-FORM-VARIATIONS-007 | Accessibility | — | Form Variations meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/form-variations: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-FRAGMENT-005 | Accessibility | — | Fragment meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 2 page(s): /design-block-master/en/block-library/fragment: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids \| /design-block-master/en/block-library/fragment/fragments: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-GEN-CAROUSEL-018 | Accessibility | — | Gen Carousel meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/gen-carousel: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-HEADER-002 | Accessibility | — | Header meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/header: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-HERO-026 | Accessibility | — | Hero meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/hero: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-IMAGE-COLLAGE-018 | Accessibility | — | Image Collage meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks found no issue; keyboard and screen reader checks not run | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-INTERACTIVE-DASHBOARD-005 | Accessibility | — | Interactive Dashboard meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/interactive-dashboard: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-LIST-028 | Accessibility | — | List meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/list: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-MEDIA-CONTACTS-006 | Accessibility | — | Media Contacts meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks found no issue; keyboard and screen reader checks not run | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-MODAL-005 | Accessibility | — | Modal meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 2 page(s): /design-block-master/en/block-library/modal: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids \| /design-block-master/en/block-library/modal/fragments: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-PAGE-HEADER-012 | Accessibility | — | Page Header meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/page-header: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-QUOTE-009 | Accessibility | — | Quote meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 2 page(s): /design-block-master/en/block-library/quote: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids \| /design-block-master/en/block-library/quote/quote-variations: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-SEPARATOR-037 | Accessibility | — | Separator meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/separator: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-TAB-006 | Accessibility | — | Tab meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks found no issue; keyboard and screen reader checks not run | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-TABLE-007 | Accessibility | — | Table meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/table: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-TABLE-LIST-013 | Accessibility | — | Table List meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/table-list: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TABS-024 | Accessibility | — | Tabs meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 6 page(s): /design-block-master/en/block-library/tabs: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids \| /design-block-master/en/block-library/tabs/fragments: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-TCS-HEADER-006 | Accessibility | — | TCS Header meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks found no issue; keyboard and screen reader checks not run | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-TEASER-040 | Accessibility | — | Teaser meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 2 page(s): /design-block-master/en/block-library/teaser: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids \| /design-block-master/en/block-library/teaser/title-sizes-and-weights: 0 img without alt, 0 unnamed buttons, 3 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-TESTIMONIAL-007 | Accessibility | — | Testimonial meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/testimonial: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |
| TC-VIDEO-009 | Accessibility | — | Video meets WCAG 2.1 AA | 1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block | Every control is reachable and named; no heading level is skipped; images have alt text or are decorative | Requires Manual Validation | Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/video: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | Edge Delivery live, Chromium (Playwright) | evidence.json | — | — | — |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Analytics Data Layer Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-015 |
| Audience | QA lead, testers, release lead |
| Purpose | The Adobe Client Data Layer |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Check | Status | Actual |
|---|---|---|---|
| TC-DL-001 | window.adobeDataLayer has entries on every reference page | Passed | 0 pages without entries |
| TC-DL-002 | Click and show/hide events | Not Run | — |
| TC-DL-003 | No personal data (search terms redacted, contact links by kind) | Passed (unit tests test/privacy) | npm test |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Authoring Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-019 |
| Audience | QA lead, testers, release lead |
| Purpose | Authoring cases of every block |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-ACCORDION-002 | Authoring | — | An author adds the Accordion and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Accordion from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-ANCHOR-LIST-002 | Authoring | — | An author adds the Anchor List and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Anchor List from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-BUTTON-BLOCK-002 | Authoring | — | An author adds the Button and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Button from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-CARDS-002 | Authoring | — | An author adds the Cards and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Cards from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-COLUMN-BREAK-002 | Authoring | — | An author adds the Column Break and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Column Break from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-002 | Authoring | — | An author adds the Columns and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Columns from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-002 | Authoring | — | An author adds the Columns Container and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Columns Container from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-002 | Authoring | — | An author adds the Conversation Canvas and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Conversation Canvas from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-EMBED-002 | Authoring | — | An author adds the Embed and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Embed from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-002 | Authoring | — | An author adds the Filter List and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Filter List from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-FOOTER-002 | Authoring | — | An author adds the Footer and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Footer from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-FORM-VARIATIONS-002 | Authoring | — | An author adds the Form Variations and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Form Variations from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-FRAGMENT-002 | Authoring | — | An author adds the Fragment and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Fragment from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-002 | Authoring | — | An author adds the Gen Carousel and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Gen Carousel from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-HERO-002 | Authoring | — | An author adds the Hero and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Hero from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-002 | Authoring | — | An author adds the Image Collage and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Image Collage from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-INTERACTIVE-DASHBOARD-002 | Authoring | — | An author adds the Interactive Dashboard and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Interactive Dashboard from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-LIST-002 | Authoring | — | An author adds the List and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the List from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-MEDIA-CONTACTS-002 | Authoring | — | An author adds the Media Contacts and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Media Contacts from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-MODAL-002 | Authoring | — | An author adds the Modal and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Modal from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-PAGE-HEADER-002 | Authoring | — | An author adds the Page Header and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Page Header from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-QUOTE-002 | Authoring | — | An author adds the Quote and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Quote from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-002 | Authoring | — | An author adds the Separator and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Separator from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-TAB-002 | Authoring | — | An author adds the Tab and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Tab from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-TABLE-002 | Authoring | — | An author adds the Table and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Table from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-TABLE-LIST-002 | Authoring | — | An author adds the Table List and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Table List from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-TABS-002 | Authoring | — | An author adds the Tabs and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Tabs from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-TCS-HEADER-002 | Authoring | — | An author adds the TCS Header and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the TCS Header from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TEASER-002 | Authoring | — | An author adds the Teaser and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Teaser from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-TESTIMONIAL-002 | Authoring | — | An author adds the Testimonial and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Testimonial from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |
| TC-VIDEO-002 | Authoring | — | An author adds the Video and fills in its required fields | 1. Open a test page in Universal Editor 2. Add the Video from the component palette 3. Fill in the fields of each tab 4. Preview | The block appears with the authored content; no empty placeholder remains | Not Run | — | — | — | — | — | — |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Component Variation Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-008 |
| Audience | QA lead, testers, release lead |
| Purpose | One case per variation field of every block |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-BUTTON-BLOCK-003 | Component variation | View | Button: each choice of "View" gives its presentation | 1. Select the Button 2. Set "View" to each of: Button, Icon, Link 3. Preview after each change | The rendering matches the variation (class or attribute button, icon, link) | Not Run | — | — | — | — | — | — |
| TC-BUTTON-BLOCK-004 | Component variation | Type | Button: each choice of "Type" gives its presentation | 1. Select the Button 2. Set "Type" to each of: Primary, Secondary, Tertiary 3. Preview after each change | The rendering matches the variation (class or attribute primary, secondary, tertiary) | Not Run | — | — | — | — | — | — |
| TC-BUTTON-BLOCK-005 | Component variation | Icon | Button: each choice of "Icon" gives its presentation | 1. Select the Button 2. Set "Icon" to each of: Arrow right, Chevron right, Chevron down, Search 3. Preview after each change | The rendering matches the variation (class or attribute arrow-right, chevron-right, chevron-down, search) | Not Run | — | — | — | — | — | — |
| TC-BUTTON-BLOCK-006 | Component variation | Alignment | Button: each choice of "Alignment" gives its presentation | 1. Select the Button 2. Set "Alignment" to each of: Left, Center, Right 3. Preview after each change | The rendering matches the variation (class or attribute left, center, right) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-BUTTON-BLOCK-007 | Component variation | Text Decoration | Button: each choice of "Text Decoration" gives its presentation | 1. Select the Button 2. Set "Text Decoration" to each of: Default, Overline, line-Through, Underline, underline overline 3. Preview after each change | The rendering matches the variation (class or attribute none, overline, line-through, underline, underline overline) | Not Run | — | — | — | — | — | — |
| TC-CARDS-003 | Component variation | Heading type | Cards: each choice of "Heading type" gives its presentation | 1. Select the Cards 2. Set "Heading type" to each of: H2, H3, H4, H5, H6 3. Preview after each change | The rendering matches the variation (class or attribute h2, h3, h4, h5, h6) | Not Run | — | — | — | — | — | — |
| TC-CARDS-004 | Component variation | CTA style | Cards: each choice of "CTA style" gives its presentation | 1. Select the Cards 2. Set "CTA style" to each of: Text link, Primary button, Secondary button 3. Preview after each change | The rendering matches the variation (class or attribute primary, secondary) | Not Run | — | — | — | — | — | — |
| TC-CARDS-005 | Component variation | Card style | Cards: each choice of "Card style" gives its presentation | 1. Select the Cards 2. Set "Card style" to each of: Image card, Panel, Report, Statistic, Mixed 3. Preview after each change | The rendering matches the variation (class or attribute image, panel, report, stat, mixed) | Not Run | — | — | — | — | — | — |
| TC-CARDS-006 | Component variation | Card colour | Cards: each choice of "Card colour" gives its presentation | 1. Select the Cards 2. Set "Card colour" to each of: Default for the style, Dark, Navy, Brand blue, Light blue, Light grey, Mid grey, Grey gradient, Image background 3. Preview after each change | The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...) | Not Run | — | — | — | — | — | — |
| TC-CARDS-007 | Component variation | Image ratio | Cards: each choice of "Image ratio" gives its presentation | 1. Select the Cards 2. Set "Image ratio" to each of: 16:9, 1:1, 4:3, 3:2 3. Preview after each change | The rendering matches the variation (class or attribute 16-9, 1-1, 4-3, 3-2) | Not Run | — | — | — | — | — | — |
| TC-CARDS-008 | Component variation | Panel height | Cards: each choice of "Panel height" gives its presentation | 1. Select the Cards 2. Set "Panel height" to each of: Portrait (2:3), Compact, Content 3. Preview after each change | The rendering matches the variation (class or attribute portrait, compact, auto) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-CARDS-009 | Component variation | Date format | Cards: each choice of "Date format" gives its presentation | 1. Select the Cards 2. Set "Date format" to each of: 04 Sep 26, 04-09-2026, 09-04-2026, Sep 4, 2026, 04/09/26, 4th September 2026 3. Preview after each change | The rendering matches the variation (class or attribute dd-mmm-yy, dd-mm-yyyy, mm-dd-yyyy, mmm-d-yyyy, dd/mm/yy, do-mmmm-yyyy) | Not Run | — | — | — | — | — | — |
| TC-CARDS-010 | Component variation | Image loading | Cards: each choice of "Image loading" gives its presentation | 1. Select the Cards 2. Set "Image loading" to each of: Lazy, Eager (first screen) 3. Preview after each change | The rendering matches the variation (class or attribute lazy, eager) | Not Run | — | — | — | — | — | — |
| TC-CARDS-011 | Component variation | Desktop display | Cards: each choice of "Desktop display" gives its presentation | 1. Select the Cards 2. Set "Desktop display" to each of: Grid, Horizontal scroll 3. Preview after each change | The rendering matches the variation (class or attribute grid, horizontal-scroll) | Not Run | — | — | — | — | — | — |
| TC-CARDS-012 | Component variation | Tablet display | Cards: each choice of "Tablet display" gives its presentation | 1. Select the Cards 2. Set "Tablet display" to each of: Grid, Horizontal scroll 3. Preview after each change | The rendering matches the variation (class or attribute grid, horizontal-scroll) | Not Run | — | — | — | — | — | — |
| TC-CARDS-013 | Component variation | Mobile display | Cards: each choice of "Mobile display" gives its presentation | 1. Select the Cards 2. Set "Mobile display" to each of: Grid, Horizontal scroll 3. Preview after each change | The rendering matches the variation (class or attribute grid, horizontal-scroll) | Not Run | — | — | — | — | — | — |
| TC-CARDS-014 | Component variation | Snap alignment | Cards: each choice of "Snap alignment" gives its presentation | 1. Select the Cards 2. Set "Snap alignment" to each of: Start, Center 3. Preview after each change | The rendering matches the variation (class or attribute start, center) | Not Run | — | — | — | — | — | — |
| TC-CARDS-015 | Component variation | Scroll step | Cards: each choice of "Scroll step" gives its presentation | 1. Select the Cards 2. Set "Scroll step" to each of: One card, Viewport 3. Preview after each change | The rendering matches the variation (class or attribute one-card, viewport) | Not Run | — | — | — | — | — | — |
| TC-CARDS-016 | Component variation | Edge | Cards: each choice of "Edge" gives its presentation | 1. Select the Cards 2. Set "Edge" to each of: Cards run to the edge, Inside the content width 3. Preview after each change | The rendering matches the variation (class or attribute bleed, none) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-CARDS-017 | Component variation | When there are no cards | Cards: each choice of "When there are no cards" gives its presentation | 1. Select the Cards 2. Set "When there are no cards" to each of: Hide the block, Show a message 3. Preview after each change | The rendering matches the variation (class or attribute hide, message) | Not Run | — | — | — | — | — | — |
| TC-CARDS-018 | Component variation | Style options | Cards: each choice of "Style options" gives its presentation | 1. Select the Cards 2. Set "Style options" to each of: Compact statistic title, Dividers between rows, Header centred 3. Preview after each change | The rendering matches the variation (class or attribute stat-compact, dividers, header-center) | Not Run | — | — | — | — | — | — |
| TC-CARDS-019 | Component variation | Open in a new tab | Card: each choice of "Open in a new tab" gives its presentation | 1. Select the Card 2. Set "Open in a new tab" to each of: As the block, Yes, No 3. Preview after each change | The rendering matches the variation (class or attribute true, false) | Not Run | — | — | — | — | — | — |
| TC-CARDS-020 | Component variation | Card style | Card: each choice of "Card style" gives its presentation | 1. Select the Card 2. Set "Card style" to each of: As the block, Image card, Panel, Report, Statistic 3. Preview after each change | The rendering matches the variation (class or attribute image, panel, report, stat) | Not Run | — | — | — | — | — | — |
| TC-CARDS-021 | Component variation | Card colour | Card: each choice of "Card colour" gives its presentation | 1. Select the Card 2. Set "Card colour" to each of: As the block, Dark, Navy, Brand blue, Light blue, Light grey, Mid grey, Grey gradient, Image background 3. Preview after each change | The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-003 | Component variation | Style | Columns Container: each choice of "Style" gives its presentation | 1. Select the Columns Container 2. Set "Style" to each of: Columns Container, Highlight 3. Preview after each change | The rendering matches the variation (class or attribute columns-container-section, highlight) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-004 | Component variation | BG Color | Columns Container: each choice of "BG Color" gives its presentation | 1. Select the Columns Container 2. Set "BG Color" to each of: Default, Grey, Dark, Dark green, Navy 3. Preview after each change | The rendering matches the variation (class or attribute bg-grey, bg-dark, bg-dark-green, bg-navy) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-COLUMNS-CONTAINER-005 | Component variation | Width Type | Columns Container: each choice of "Width Type" gives its presentation | 1. Select the Columns Container 2. Set "Width Type" to each of: Full Width, Fixed Width 3. Preview after each change | The rendering matches the variation (class or attribute full-width, fixed-width) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-006 | Component variation | Columns per row | Columns Container: each choice of "Columns per row" gives its presentation | 1. Select the Columns Container 2. Set "Columns per row" to each of: Automatic, 1, 2, 3, 4 3. Preview after each change | The rendering matches the variation (class or attribute auto, 1, 2, 3, 4) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-007 | Component variation | Gap | Columns Container: each choice of "Gap" gives its presentation | 1. Select the Columns Container 2. Set "Gap" to each of: None, Small, Medium, Large 3. Preview after each change | The rendering matches the variation (class or attribute none, small, medium, large) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-008 | Component variation | Vertical alignment | Columns Container: each choice of "Vertical alignment" gives its presentation | 1. Select the Columns Container 2. Set "Vertical alignment" to each of: Top, Middle, Bottom, Stretch (equal heights) 3. Preview after each change | The rendering matches the variation (class or attribute top, middle, bottom, stretch) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-009 | Component variation | Side by side from | Columns Container: each choice of "Side by side from" gives its presentation | 1. Select the Columns Container 2. Set "Side by side from" to each of: Tablet (600px), Desktop (900px), Large desktop (1200px) 3. Preview after each change | The rendering matches the variation (class or attribute tablet, desktop, large) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-010 | Component variation | Animation Type | Columns Container: each choice of "Animation Type" gives its presentation | 1. Select the Columns Container 2. Set "Animation Type" to each of: None, Fade in, Fade up, Fade down, Fade left, Fade right, Slide up, Slide down, Slide left, Slide right, Scale in 3. Preview after each change | The rendering matches the variation (class or attribute motion-fade-in, motion-fade-up, motion-fade-down, motion-fade-left, motion-fade-right, motion-slide-up, ...) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-COLUMNS-CONTAINER-011 | Component variation | Motion Speed | Columns Container: each choice of "Motion Speed" gives its presentation | 1. Select the Columns Container 2. Set "Motion Speed" to each of: Medium, Fast, Slow 3. Preview after each change | The rendering matches the variation (class or attribute motion-fast, motion-slow) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-012 | Component variation | Animation Trigger | Columns Container: each choice of "Animation Trigger" gives its presentation | 1. Select the Columns Container 2. Set "Animation Trigger" to each of: On Scroll / Viewport Entry, On Page Load 3. Preview after each change | The rendering matches the variation (class or attribute motion-on-load) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-013 | Component variation | Padding left | Columns Container: each choice of "Padding left" gives its presentation | 1. Select the Columns Container 2. Set "Padding left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pl-0, pl-100, pl-200, pl-300, pl-400, pl-500, ...) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-014 | Component variation | Padding right | Columns Container: each choice of "Padding right" gives its presentation | 1. Select the Columns Container 2. Set "Padding right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pr-0, pr-100, pr-200, pr-300, pr-400, pr-500, ...) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-015 | Component variation | Padding top | Columns Container: each choice of "Padding top" gives its presentation | 1. Select the Columns Container 2. Set "Padding top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pt-0, pt-100, pt-200, pt-300, pt-400, pt-500, ...) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-COLUMNS-CONTAINER-016 | Component variation | Padding bottom | Columns Container: each choice of "Padding bottom" gives its presentation | 1. Select the Columns Container 2. Set "Padding bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pb-0, pb-100, pb-200, pb-300, pb-400, pb-500, ...) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-017 | Component variation | Margin left | Columns Container: each choice of "Margin left" gives its presentation | 1. Select the Columns Container 2. Set "Margin left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute ml-0, ml-100, ml-200, ml-300, ml-400, ml-500, ...) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-018 | Component variation | Margin right | Columns Container: each choice of "Margin right" gives its presentation | 1. Select the Columns Container 2. Set "Margin right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute mr-0, mr-100, mr-200, mr-300, mr-400, mr-500, ...) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-019 | Component variation | Margin top | Columns Container: each choice of "Margin top" gives its presentation | 1. Select the Columns Container 2. Set "Margin top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute mt-0, mt-100, mt-200, mt-300, mt-400, mt-500, ...) | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-020 | Component variation | Margin bottom | Columns Container: each choice of "Margin bottom" gives its presentation | 1. Select the Columns Container 2. Set "Margin bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute mb-0, mb-100, mb-200, mb-300, mb-400, mb-500, ...) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-CONVERSATION-CANVAS-003 | Component variation | Canvas Style | Conversation Canvas: each choice of "Canvas Style" gives its presentation | 1. Select the Conversation Canvas 2. Set "Canvas Style" to each of: Default, Primary (sticky), Secondary 3. Preview after each change | The rendering matches the variation (class or attribute primary, secondary) | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-004 | Component variation | Floating journey | Conversation Canvas: each choice of "Floating journey" gives its presentation | 1. Select the Conversation Canvas 2. Set "Floating journey" to each of: Floats and docks, Stays in place 3. Preview after each change | The rendering matches the variation (class or attribute nofloat) | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-005 | Component variation | Quick actions | Conversation Canvas: each choice of "Quick actions" gives its presentation | 1. Select the Conversation Canvas 2. Set "Quick actions" to each of: Auto, Pills, Buttons 3. Preview after each change | The rendering matches the variation (class or attribute action-pills, action-buttons) | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-006 | Component variation | BG Style | Conversation Canvas: each choice of "BG Style" gives its presentation | 1. Select the Conversation Canvas 2. Set "BG Style" to each of: Default, Dark (Primary) 3. Preview after each change | The rendering matches the variation (class or attribute default, dark) | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-007 | Component variation | Title Type | Conversation Canvas: each choice of "Title Type" gives its presentation | 1. Select the Conversation Canvas 2. Set "Title Type" to each of: Default, Bigger Title, Medium Title 3. Preview after each change | The rendering matches the variation (class or attribute bigger, medium) | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-008 | Component variation | Navigation style | Conversation Canvas: each choice of "Navigation style" gives its presentation | 1. Select the Conversation Canvas 2. Set "Navigation style" to each of: Pills, Text links 3. Preview after each change | The rendering matches the variation (class or attribute text-links) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-CONVERSATION-CANVAS-009 | Component variation | Search bar › Search bar button icon type | Conversation Canvas: each choice of "Search bar › Search bar button icon type" gives its presentation | 1. Select the Conversation Canvas 2. Set "Search bar › Search bar button icon type" to each of: Primary, Secondary, Tertiary 3. Preview after each change | The rendering matches the variation (class or attribute primary, secondary, tertiary) | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-010 | Component variation | Views | Conversation Canvas Button: each choice of "Views" gives its presentation | 1. Select the Conversation Canvas Button 2. Set "Views" to each of: Button, Icon, Link 3. Preview after each change | The rendering matches the variation (class or attribute button, icon, link) | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-011 | Component variation | Type | Conversation Canvas Button: each choice of "Type" gives its presentation | 1. Select the Conversation Canvas Button 2. Set "Type" to each of: Primary, Secondary, Tertiary 3. Preview after each change | The rendering matches the variation (class or attribute primary, secondary, tertiary) | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-012 | Component variation | Icon | Conversation Canvas Button: each choice of "Icon" gives its presentation | 1. Select the Conversation Canvas Button 2. Set "Icon" to each of: Arrow right, Chevron right, Chevron down, Search 3. Preview after each change | The rendering matches the variation (class or attribute arrow-right, chevron-right, chevron-down, search) | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-003 | Component variation | Default layout | Filter List: each choice of "Default layout" gives its presentation | 1. Select the Filter List 2. Set "Default layout" to each of: Masonry, Grid, List 3. Preview after each change | The rendering matches the variation (class or attribute masonry, grid, list) | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-004 | Component variation | Datasource | Filter List: each choice of "Datasource" gives its presentation | 1. Select the Filter List 2. Set "Datasource" to each of: Query Index, Manual List 3. Preview after each change | The rendering matches the variation (class or attribute query-index, manual) | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-005 | Component variation | Page types | Filter List: each choice of "Page types" gives its presentation | 1. Select the Filter List 2. Set "Page types" to each of: Article, Blog, Press release 3. Preview after each change | The rendering matches the variation (class or attribute article, blog, press-release) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-FILTER-LIST-006 | Component variation | Content types | Filter List: each choice of "Content types" gives its presentation | 1. Select the Filter List 2. Set "Content types" to each of: Article, Blog, Insights, Case study, Whitepaper, Report, News, Event, Press release 3. Preview after each change | The rendering matches the variation (class or attribute article, blog, insights, case-study, whitepaper, report, ...) | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-007 | Component variation | Sort by | Filter List: each choice of "Sort by" gives its presentation | 1. Select the Filter List 2. Set "Sort by" to each of: Latest First, Featured First, Priority, Alphabetical 3. Preview after each change | The rendering matches the variation (class or attribute latest, featured, priority, alphabetical) | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-008 | Component variation | Filter logic | Filter List: each choice of "Filter logic" gives its presentation | 1. Select the Filter List 2. Set "Filter logic" to each of: AND, OR 3. Preview after each change | The rendering matches the variation (class or attribute and, or) | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-009 | Component variation | Card style | Filter List: each choice of "Card style" gives its presentation | 1. Select the Filter List 2. Set "Card style" to each of: Default, Compact, Featured, Mixed 3. Preview after each change | The rendering matches the variation (class or attribute default, compact, featured, mixed) | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-010 | Component variation | Featured rule | Filter List: each choice of "Featured rule" gives its presentation | 1. Select the Filter List 2. Set "Featured rule" to each of: Marked as featured (featured metadata), Priority 1 to 3 (priority metadata), Manual 3. Preview after each change | The rendering matches the variation (class or attribute featured, priority, manual) | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-011 | Component variation | Hero rule | Filter List: each choice of "Hero rule" gives its presentation | 1. Select the Filter List 2. Set "Hero rule" to each of: Latest, Featured, Manual 3. Preview after each change | The rendering matches the variation (class or attribute latest, featured, manual) | Not Run | — | — | — | — | — | — |
| TC-FILTER-LIST-012 | Component variation | Use | Filter Page: each choice of "Use" gives its presentation | 1. Select the Filter Page 2. Set "Use" to each of: Listed (Manual List), Featured 3. Preview after each change | The rendering matches the variation (class or attribute listed, featured) | Not Run | — | — | — | — | — | — |
| TC-FOOTER-003 | Component variation | Link List › Link Type | Footer: each choice of "Link List › Link Type" gives its presentation | 1. Select the Footer 2. Set "Link List › Link Type" to each of: Default, Open in new window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-FOOTER-004 | Component variation | Open in | Footer Link: each choice of "Open in" gives its presentation | 1. Select the Footer Link 2. Set "Open in" to each of: Same tab, New tab 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | NotRun | — | — | — | — | — | — |
| TC-FORM-VARIATIONS-003 | Component variation | Theme | Form Variations: each choice of "Theme" gives its presentation | 1. Select the Form Variations 2. Set "Theme" to each of: Default, Dark 3. Preview after each change | The rendering matches the variation (class or attribute dark) | NotRun | — | — | — | — | — | — |
| TC-FORM-VARIATIONS-004 | Component variation | Input Type | Text Input Field: each choice of "Input Type" gives its presentation | 1. Select the Text Input Field 2. Set "Input Type" to each of: Text, Email, Tel 3. Preview after each change | The rendering matches the variation (class or attribute text, email, tel) | NotRun | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-003 | Component variation | Style | Gen Carousel: each choice of "Style" gives its presentation | 1. Select the Gen Carousel 2. Set "Style" to each of: Default 3. Preview after each change | The rendering matches the variation (class or attribute gen-carousel-section) | NotRun | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-004 | Component variation | Navigation | Gen Carousel: each choice of "Navigation" gives its presentation | 1. Select the Gen Carousel 2. Set "Navigation" to each of: Manual, Auto, Manual and Auto 3. Preview after each change | The rendering matches the variation (class or attribute manual, auto, manual-auto) | NotRun | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-005 | Component variation | Animation Type | Gen Carousel: each choice of "Animation Type" gives its presentation | 1. Select the Gen Carousel 2. Set "Animation Type" to each of: None, Fade in, Fade up, Fade down, Fade left, Fade right, Slide up, Slide down, Slide left, Slide right, Scale in 3. Preview after each change | The rendering matches the variation (class or attribute motion-fade-in, motion-fade-up, motion-fade-down, motion-fade-left, motion-fade-right, motion-slide-up, ...) | NotRun | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-006 | Component variation | Motion Speed | Gen Carousel: each choice of "Motion Speed" gives its presentation | 1. Select the Gen Carousel 2. Set "Motion Speed" to each of: Medium, Fast, Slow 3. Preview after each change | The rendering matches the variation (class or attribute motion-fast, motion-slow) | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-GEN-CAROUSEL-007 | Component variation | Animation Trigger | Gen Carousel: each choice of "Animation Trigger" gives its presentation | 1. Select the Gen Carousel 2. Set "Animation Trigger" to each of: On Scroll / Viewport Entry, On Page Load 3. Preview after each change | The rendering matches the variation (class or attribute motion-on-load) | Not Run | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-008 | Component variation | Padding left | Gen Carousel: each choice of "Padding left" gives its presentation | 1. Select the Gen Carousel 2. Set "Padding left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pl-0, pl-100, pl-200, pl-300, pl-400, pl-500, ...) | Not Run | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-009 | Component variation | Padding right | Gen Carousel: each choice of "Padding right" gives its presentation | 1. Select the Gen Carousel 2. Set "Padding right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pr-0, pr-100, pr-200, pr-300, pr-400, pr-500, ...) | Not Run | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-010 | Component variation | Padding top | Gen Carousel: each choice of "Padding top" gives its presentation | 1. Select the Gen Carousel 2. Set "Padding top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pt-0, pt-100, pt-200, pt-300, pt-400, pt-500, ...) | Not Run | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-011 | Component variation | Padding bottom | Gen Carousel: each choice of "Padding bottom" gives its presentation | 1. Select the Gen Carousel 2. Set "Padding bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pb-0, pb-100, pb-200, pb-300, pb-400, pb-500, ...) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-GEN-CAROUSEL-012 | Component variation | Margin left | Gen Carousel: each choice of "Margin left" gives its presentation | 1. Select the Gen Carousel 2. Set "Margin left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute ml-0, ml-100, ml-200, ml-300, ml-400, ml-500, ...) | Not Run | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-013 | Component variation | Margin right | Gen Carousel: each choice of "Margin right" gives its presentation | 1. Select the Gen Carousel 2. Set "Margin right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute mr-0, mr-100, mr-200, mr-300, mr-400, mr-500, ...) | Not Run | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-014 | Component variation | Margin top | Gen Carousel: each choice of "Margin top" gives its presentation | 1. Select the Gen Carousel 2. Set "Margin top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute mt-0, mt-100, mt-200, mt-300, mt-400, mt-500, ...) | Not Run | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-015 | Component variation | Margin bottom | Gen Carousel: each choice of "Margin bottom" gives its presentation | 1. Select the Gen Carousel 2. Set "Margin bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute mb-0, mb-100, mb-200, mb-300, mb-400, mb-500, ...) | Not Run | — | — | — | — | — | — |
| TC-HERO-003 | Component variation | Hero Image type | Hero: each choice of "Hero Image type" gives its presentation | 1. Select the Hero 2. Set "Hero Image type" to each of: Default, Lotto 3. Preview after each change | The rendering matches the variation (class or attribute lottie) | Not Run | — | — | — | — | — | — |
| TC-HERO-004 | Component variation | Hero View | Hero: each choice of "Hero View" gives its presentation | 1. Select the Hero 2. Set "Hero View" to each of: Default, Contained image 3. Preview after each change | The rendering matches the variation (class or attribute media-contained) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-HERO-005 | Component variation | Title heading level | Hero: each choice of "Title heading level" gives its presentation | 1. Select the Hero 2. Set "Title heading level" to each of: H1, H2 3. Preview after each change | The rendering matches the variation (class or attribute h1, h2) | Not Run | — | — | — | — | — | — |
| TC-HERO-006 | Component variation | CTA List › CTA Text color | Hero: each choice of "CTA List › CTA Text color" gives its presentation | 1. Select the Hero 2. Set "CTA List › CTA Text color" to each of: Default (Black), White 3. Preview after each change | The rendering matches the variation (class or attribute cta-text-black, cta-text-white) | Not Run | — | — | — | — | — | — |
| TC-HERO-007 | Component variation | CTA List › CTA Link Type | Hero: each choice of "CTA List › CTA Link Type" gives its presentation | 1. Select the Hero 2. Set "CTA List › CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute same-window, new-window) | Not Run | — | — | — | — | — | — |
| TC-HERO-008 | Component variation | CTA List › CTA view | Hero: each choice of "CTA List › CTA view" gives its presentation | 1. Select the Hero 2. Set "CTA List › CTA view" to each of: Default, Primary, Secondary 3. Preview after each change | The rendering matches the variation (class or attribute default, primary, secondary) | Not Run | — | — | — | — | — | — |
| TC-HERO-009 | Component variation | CTA List › Primary CTA BG Color (Primary only) | Hero: each choice of "CTA List › Primary CTA BG Color (Primary only)" gives its presentation | 1. Select the Hero 2. Set "CTA List › Primary CTA BG Color (Primary only)" to each of: Default, Blue-cyan (azure) 3. Preview after each change | The rendering matches the variation (class or attribute primary-bg-default, primary-bg-azure) | Not Run | — | — | — | — | — | — |
| TC-HERO-010 | Component variation | CTA List › Secondary CTA BG Color (Secondary only) | Hero: each choice of "CTA List › Secondary CTA BG Color (Secondary only)" gives its presentation | 1. Select the Hero 2. Set "CTA List › Secondary CTA BG Color (Secondary only)" to each of: Default (transparent), Light grey, Black 40% 3. Preview after each change | The rendering matches the variation (class or attribute secondary-bg-default, secondary-bg-light-grey, secondary-bg-black-40) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-HERO-011 | Component variation | CTA List › Secondary CTA Border color (Secondary only) | Hero: each choice of "CTA List › Secondary CTA Border color (Secondary only)" gives its presentation | 1. Select the Hero 2. Set "CTA List › Secondary CTA Border color (Secondary only)" to each of: Default (as the BG Color), Black, White 3. Preview after each change | The rendering matches the variation (class or attribute secondary-border-default, secondary-border-black, secondary-border-white) | Not Run | — | — | — | — | — | — |
| TC-HERO-012 | Component variation | CTA List › CTA Arrow | Hero: each choice of "CTA List › CTA Arrow" gives its presentation | 1. Select the Hero 2. Set "CTA List › CTA Arrow" to each of: Right, Down 3. Preview after each change | The rendering matches the variation (class or attribute right, down) | Not Run | — | — | — | — | — | — |
| TC-HERO-013 | Component variation | Vertical Alignment | Hero: each choice of "Vertical Alignment" gives its presentation | 1. Select the Hero 2. Set "Vertical Alignment" to each of: Top, Middle, Bottom 3. Preview after each change | The rendering matches the variation (class or attribute align-top, align-middle, align-bottom) | Not Run | — | — | — | — | — | — |
| TC-HERO-014 | Component variation | Horizontal Alignment | Hero: each choice of "Horizontal Alignment" gives its presentation | 1. Select the Hero 2. Set "Horizontal Alignment" to each of: Left, Center, Right 3. Preview after each change | The rendering matches the variation (class or attribute align-left, align-center, align-right) | Not Run | — | — | — | — | — | — |
| TC-HERO-015 | Component variation | Text Alignment | Hero: each choice of "Text Alignment" gives its presentation | 1. Select the Hero 2. Set "Text Alignment" to each of: Left align, Center align, Right align 3. Preview after each change | The rendering matches the variation (class or attribute text-left, text-center, text-right) | Not Run | — | — | — | — | — | — |
| TC-HERO-016 | Component variation | BG Color | Hero: each choice of "BG Color" gives its presentation | 1. Select the Hero 2. Set "BG Color" to each of: Default, Light, no overlay, Dark blue, Dark blue (subtle), Black, Charcoal Black 80 (cool charcoal), Midnight Navy 60, Charcoal Black 40 (deep charcoal) 3. Preview after each change | The rendering matches the variation (class or attribute bg-light, bg-dark, bg-dark-subtle, bg-black, bg-charcoal-80, bg-navy-60, ...) | Not Run | — | — | — | — | — | — |
| TC-HERO-017 | Component variation | Icon color | Hero: each choice of "Icon color" gives its presentation | 1. Select the Hero 2. Set "Icon color" to each of: Default (as authored), Black, White, Blue, Pale blue 3. Preview after each change | The rendering matches the variation (class or attribute icon-black, icon-white, icon-blue, icon-pale-blue) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-HERO-018 | Component variation | Eyebrow color | Hero: each choice of "Eyebrow color" gives its presentation | 1. Select the Hero 2. Set "Eyebrow color" to each of: Default (royal blue), Royal blue, Soft sky blue 3. Preview after each change | The rendering matches the variation (class or attribute eyebrow-royal-blue, eyebrow-sky-blue) | NotRun | — | — | — | — | — | — |
| TC-HERO-019 | Component variation | Title color | Hero: each choice of "Title color" gives its presentation | 1. Select the Hero 2. Set "Title color" to each of: Default, Black, White 3. Preview after each change | The rendering matches the variation (class or attribute title-black, title-white) | NotRun | — | — | — | — | — | — |
| TC-HERO-020 | Component variation | Description color | Hero: each choice of "Description color" gives its presentation | 1. Select the Hero 2. Set "Description color" to each of: Default, Black, White 3. Preview after each change | The rendering matches the variation (class or attribute description-black, description-white) | NotRun | — | — | — | — | — | — |
| TC-HERO-021 | Component variation | CTA Link Type | CTA: each choice of "CTA Link Type" gives its presentation | 1. Select the CTA 2. Set "CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | NotRun | — | — | — | — | — | — |
| TC-HERO-022 | Component variation | CTA view | CTA: each choice of "CTA view" gives its presentation | 1. Select the CTA 2. Set "CTA view" to each of: Default, Primary, Secondary 3. Preview after each change | The rendering matches the variation (class or attribute primary, secondary) | NotRun | — | — | — | — | — | — |
| TC-HERO-023 | Component variation | CTA Arrow | CTA: each choice of "CTA Arrow" gives its presentation | 1. Select the CTA 2. Set "CTA Arrow" to each of: Auto (down for links to sections of this page), Right, Down 3. Preview after each change | The rendering matches the variation (class or attribute right, down) | NotRun | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-003 | Component variation | Title Type | Image Collage: each choice of "Title Type" gives its presentation | 1. Select the Image Collage 2. Set "Title Type" to each of: H1, H2, H3, H4, H5, H6 3. Preview after each change | The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6) | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-IMAGE-COLLAGE-004 | Component variation | Primary CTA Link Type | Image Collage: each choice of "Primary CTA Link Type" gives its presentation | 1. Select the Image Collage 2. Set "Primary CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-005 | Component variation | Primary CTA Link Style | Image Collage: each choice of "Primary CTA Link Style" gives its presentation | 1. Select the Image Collage 2. Set "Primary CTA Link Style" to each of: Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change | The rendering matches the variation (class or attribute primary, primary-no-arrow, secondary, secondary-no-arrow) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-006 | Component variation | Primary CTA Background | Image Collage: each choice of "Primary CTA Background" gives its presentation | 1. Select the Image Collage 2. Set "Primary CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change | The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-007 | Component variation | Primary CTA Shape | Image Collage: each choice of "Primary CTA Shape" gives its presentation | 1. Select the Image Collage 2. Set "Primary CTA Shape" to each of: Style default, Rectangle 3. Preview after each change | The rendering matches the variation (class or attribute button-rectangle) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-008 | Component variation | Secondary CTA Link Type | Image Collage: each choice of "Secondary CTA Link Type" gives its presentation | 1. Select the Image Collage 2. Set "Secondary CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-009 | Component variation | Secondary CTA Link Style | Image Collage: each choice of "Secondary CTA Link Style" gives its presentation | 1. Select the Image Collage 2. Set "Secondary CTA Link Style" to each of: Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change | The rendering matches the variation (class or attribute primary, primary-no-arrow, secondary, secondary-no-arrow) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-IMAGE-COLLAGE-010 | Component variation | Secondary CTA Background | Image Collage: each choice of "Secondary CTA Background" gives its presentation | 1. Select the Image Collage 2. Set "Secondary CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change | The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-011 | Component variation | Secondary CTA Shape | Image Collage: each choice of "Secondary CTA Shape" gives its presentation | 1. Select the Image Collage 2. Set "Secondary CTA Shape" to each of: Style default, Rectangle 3. Preview after each change | The rendering matches the variation (class or attribute button-rectangle) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-012 | Component variation | Title weight | Image Collage: each choice of "Title weight" gives its presentation | 1. Select the Image Collage 2. Set "Title weight" to each of: Layout default, Regular, Semibold 3. Preview after each change | The rendering matches the variation (class or attribute title-regular, title-semibold) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-013 | Component variation | Description size | Image Collage: each choice of "Description size" gives its presentation | 1. Select the Image Collage 2. Set "Description size" to each of: Layout default, Regular (18px), Large (24px) 3. Preview after each change | The rendering matches the variation (class or attribute text-regular, text-large) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-014 | Component variation | Background color | Image Collage: each choice of "Background color" gives its presentation | 1. Select the Image Collage 2. Set "Background color" to each of: Dark, Navy 3. Preview after each change | The rendering matches the variation (class or attribute bg-navy) | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-015 | Component variation | Image treatment | Collage image item: each choice of "Image treatment" gives its presentation | 1. Select the Collage image item 2. Set "Image treatment" to each of: Black and white, Normal 3. Preview after each change | The rendering matches the variation (class or attribute black-white, normal) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-LIST-003 | Component variation | Heading type | List: each choice of "Heading type" gives its presentation | 1. Select the List 2. Set "Heading type" to each of: H2, H3, H4, H5, H6 3. Preview after each change | The rendering matches the variation (class or attribute h2, h3, h4, h5, h6) | Not Run | — | — | — | — | — | — |
| TC-LIST-004 | Component variation | CTA style | List: each choice of "CTA style" gives its presentation | 1. Select the List 2. Set "CTA style" to each of: Text link, Primary button, Secondary button 3. Preview after each change | The rendering matches the variation (class or attribute primary, secondary) | Not Run | — | — | — | — | — | — |
| TC-LIST-005 | Component variation | List source | List: each choice of "List source" gives its presentation | 1. Select the List 2. Set "List source" to each of: Child pages, Fixed list, Tagged pages 3. Preview after each change | The rendering matches the variation (class or attribute parent, fixed, tags) | Not Run | — | — | — | — | — | — |
| TC-LIST-006 | Component variation | Match | List: each choice of "Match" gives its presentation | 1. Select the List 2. Set "Match" to each of: Any of the tags, All of the tags 3. Preview after each change | The rendering matches the variation (class or attribute any, all) | Not Run | — | — | — | — | — | — |
| TC-LIST-007 | Component variation | Order by | List: each choice of "Order by" gives its presentation | 1. Select the List 2. Set "Order by" to each of: Manual (as authored; path order for pages), Title, Last modified 3. Preview after each change | The rendering matches the variation (class or attribute manual, title, lastModified) | Not Run | — | — | — | — | — | — |
| TC-LIST-008 | Component variation | Sort order | List: each choice of "Sort order" gives its presentation | 1. Select the List 2. Set "Sort order" to each of: Ascending, Descending 3. Preview after each change | The rendering matches the variation (class or attribute ascending, descending) | Not Run | — | — | — | — | — | — |
| TC-LIST-009 | Component variation | Card style | List: each choice of "Card style" gives its presentation | 1. Select the List 2. Set "Card style" to each of: Image card, Panel, Report, Statistic, Mixed 3. Preview after each change | The rendering matches the variation (class or attribute image, panel, report, stat, mixed) | Not Run | — | — | — | — | — | — |
| TC-LIST-010 | Component variation | Card colour | List: each choice of "Card colour" gives its presentation | 1. Select the List 2. Set "Card colour" to each of: Default for the style, Dark, Navy, Brand blue, Light blue, Light grey, Mid grey, Grey gradient, Image background 3. Preview after each change | The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-LIST-011 | Component variation | Image ratio | List: each choice of "Image ratio" gives its presentation | 1. Select the List 2. Set "Image ratio" to each of: 16:9, 1:1, 4:3, 3:2 3. Preview after each change | The rendering matches the variation (class or attribute 16-9, 1-1, 4-3, 3-2) | Not Run | — | — | — | — | — | — |
| TC-LIST-012 | Component variation | Panel height | List: each choice of "Panel height" gives its presentation | 1. Select the List 2. Set "Panel height" to each of: Portrait (2:3), Compact, Content 3. Preview after each change | The rendering matches the variation (class or attribute portrait, compact, auto) | Not Run | — | — | — | — | — | — |
| TC-LIST-013 | Component variation | Date format | List: each choice of "Date format" gives its presentation | 1. Select the List 2. Set "Date format" to each of: 04 Sep 26, 04-09-2026, 09-04-2026, Sep 4, 2026, 04/09/26, 4th September 2026 3. Preview after each change | The rendering matches the variation (class or attribute dd-mmm-yy, dd-mm-yyyy, mm-dd-yyyy, mmm-d-yyyy, dd/mm/yy, do-mmmm-yyyy) | Not Run | — | — | — | — | — | — |
| TC-LIST-014 | Component variation | Image loading | List: each choice of "Image loading" gives its presentation | 1. Select the List 2. Set "Image loading" to each of: Lazy, Eager (first screen) 3. Preview after each change | The rendering matches the variation (class or attribute lazy, eager) | Not Run | — | — | — | — | — | — |
| TC-LIST-015 | Component variation | Desktop display | List: each choice of "Desktop display" gives its presentation | 1. Select the List 2. Set "Desktop display" to each of: Grid, Horizontal scroll 3. Preview after each change | The rendering matches the variation (class or attribute grid, horizontal-scroll) | Not Run | — | — | — | — | — | — |
| TC-LIST-016 | Component variation | Tablet display | List: each choice of "Tablet display" gives its presentation | 1. Select the List 2. Set "Tablet display" to each of: Grid, Horizontal scroll 3. Preview after each change | The rendering matches the variation (class or attribute grid, horizontal-scroll) | Not Run | — | — | — | — | — | — |
| TC-LIST-017 | Component variation | Mobile display | List: each choice of "Mobile display" gives its presentation | 1. Select the List 2. Set "Mobile display" to each of: Grid, Horizontal scroll 3. Preview after each change | The rendering matches the variation (class or attribute grid, horizontal-scroll) | Not Run | — | — | — | — | — | — |
| TC-LIST-018 | Component variation | Snap alignment | List: each choice of "Snap alignment" gives its presentation | 1. Select the List 2. Set "Snap alignment" to each of: Start, Center 3. Preview after each change | The rendering matches the variation (class or attribute start, center) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-LIST-019 | Component variation | Scroll step | List: each choice of "Scroll step" gives its presentation | 1. Select the List 2. Set "Scroll step" to each of: One card, Viewport 3. Preview after each change | The rendering matches the variation (class or attribute one-card, viewport) | Not Run | — | — | — | — | — | — |
| TC-LIST-020 | Component variation | Edge | List: each choice of "Edge" gives its presentation | 1. Select the List 2. Set "Edge" to each of: Cards run to the edge, Inside the content width 3. Preview after each change | The rendering matches the variation (class or attribute bleed, none) | Not Run | — | — | — | — | — | — |
| TC-LIST-021 | Component variation | When there are no items | List: each choice of "When there are no items" gives its presentation | 1. Select the List 2. Set "When there are no items" to each of: Hide the list, Show a message, Show the fallback items 3. Preview after each change | The rendering matches the variation (class or attribute hide, message, fallback) | Not Run | — | — | — | — | — | — |
| TC-LIST-022 | Component variation | Style options | List: each choice of "Style options" gives its presentation | 1. Select the List 2. Set "Style options" to each of: Compact statistic title, Dividers between rows, Header centred 3. Preview after each change | The rendering matches the variation (class or attribute stat-compact, dividers, header-center) | Not Run | — | — | — | — | — | — |
| TC-LIST-023 | Component variation | Open in a new tab | List Item: each choice of "Open in a new tab" gives its presentation | 1. Select the List Item 2. Set "Open in a new tab" to each of: As the list, Yes, No 3. Preview after each change | The rendering matches the variation (class or attribute true, false) | Not Run | — | — | — | — | — | — |
| TC-LIST-024 | Component variation | Card style | List Item: each choice of "Card style" gives its presentation | 1. Select the List Item 2. Set "Card style" to each of: As the list, Image card, Panel, Report, Statistic 3. Preview after each change | The rendering matches the variation (class or attribute image, panel, report, stat) | Not Run | — | — | — | — | — | — |
| TC-LIST-025 | Component variation | Card colour | List Item: each choice of "Card colour" gives its presentation | 1. Select the List Item 2. Set "Card colour" to each of: As the list, Dark, Navy, Brand blue, Light blue, Light grey, Mid grey, Grey gradient, Image background 3. Preview after each change | The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...) | Not Run | — | — | — | — | — | — |
| TC-MEDIA-CONTACTS-003 | Component variation | Title Type | Media Contacts: each choice of "Title Type" gives its presentation | 1. Select the Media Contacts 2. Set "Title Type" to each of: H1, H2, H3, H4, H5, H6 3. Preview after each change | The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-PAGE-HEADER-003 | Component variation | Layout | Page Header: each choice of "Layout" gives its presentation | 1. Select the Page Header 2. Set "Layout" to each of: Default (from the Page Type), Landing (with the featured image), Secondary (title left, text right), Article (meta row, author), Display (large title) 3. Preview after each change | The rendering matches the variation (class or attribute landing, secondary, article, display) | Not Run | — | — | — | — | — | — |
| TC-PAGE-HEADER-004 | Component variation | CTA List › CTA Link Type | Page Header: each choice of "CTA List › CTA Link Type" gives its presentation | 1. Select the Page Header 2. Set "CTA List › CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | Not Run | — | — | — | — | — | — |
| TC-PAGE-HEADER-005 | Component variation | CTA List › CTA Link Style | Page Header: each choice of "CTA List › CTA Link Style" gives its presentation | 1. Select the Page Header 2. Set "CTA List › CTA Link Style" to each of: Text link, Primary Button, Secondary Button 3. Preview after each change | The rendering matches the variation (class or attribute primary, secondary) | Not Run | — | — | — | — | — | — |
| TC-PAGE-HEADER-006 | Component variation | CTA Link Type | CTA: each choice of "CTA Link Type" gives its presentation | 1. Select the CTA 2. Set "CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | Not Run | — | — | — | — | — | — |
| TC-PAGE-HEADER-007 | Component variation | CTA Link Style | CTA: each choice of "CTA Link Style" gives its presentation | 1. Select the CTA 2. Set "CTA Link Style" to each of: Text link, Primary Button, Secondary Button 3. Preview after each change | The rendering matches the variation (class or attribute tertiary, primary, secondary) | Not Run | — | — | — | — | — | — |
| TC-PAGE-HEADER-008 | Component variation | Button background | CTA: each choice of "Button background" gives its presentation | 1. Select the CTA 2. Set "Button background" to each of: Style default, Blue 3. Preview after each change | The rendering matches the variation (class or attribute button-bg-blue) | Not Run | — | — | — | — | — | — |
| TC-PAGE-HEADER-009 | Component variation | Button shape | CTA: each choice of "Button shape" gives its presentation | 1. Select the CTA 2. Set "Button shape" to each of: Style default, Round 3. Preview after each change | The rendering matches the variation (class or attribute button-round) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-QUOTE-003 | Component variation | Title Type | Quote: each choice of "Title Type" gives its presentation | 1. Select the Quote 2. Set "Title Type" to each of: H1, H2, H3, H4, H5, H6 3. Preview after each change | The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6) | Not Run | — | — | — | — | — | — |
| TC-QUOTE-004 | Component variation | Image Position (Desktop) | Quote: each choice of "Image Position (Desktop)" gives its presentation | 1. Select the Quote 2. Set "Image Position (Desktop)" to each of: Right, Left 3. Preview after each change | The rendering matches the variation (class or attribute right, left) | Not Run | — | — | — | — | — | — |
| TC-QUOTE-005 | Component variation | Image Position (Mobile) | Quote: each choice of "Image Position (Mobile)" gives its presentation | 1. Select the Quote 2. Set "Image Position (Mobile)" to each of: Top, Bottom 3. Preview after each change | The rendering matches the variation (class or attribute top, bottom) | Not Run | — | — | — | — | — | — |
| TC-QUOTE-006 | Component variation | BG Color | Quote: each choice of "BG Color" gives its presentation | 1. Select the Quote 2. Set "BG Color" to each of: Default, Grey 3. Preview after each change | The rendering matches the variation (class or attribute grey) | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-003 | Component variation | Accessibility mode | Separator: each choice of "Accessibility mode" gives its presentation | 1. Select the Separator 2. Set "Accessibility mode" to each of: Decorative (visual only), Semantic (a thematic break) 3. Preview after each change | The rendering matches the variation (class or attribute decorative, semantic) | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-004 | Component variation | Separator variant | Separator: each choice of "Separator variant" gives its presentation | 1. Select the Separator 2. Set "Separator variant" to each of: Default, Subtle, Strong, Inset, Full width, Dotted, Dashed, Gradient, Branded 3. Preview after each change | The rendering matches the variation (class or attribute default, subtle, strong, inset, full-width, dotted, ...) | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-005 | Component variation | Theme | Separator: each choice of "Theme" gives its presentation | 1. Select the Separator 2. Set "Theme" to each of: Auto (as the section), Light background, Dark background, Brand background 3. Preview after each change | The rendering matches the variation (class or attribute auto, light, dark, brand) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-SEPARATOR-006 | Component variation | Line style | Separator: each choice of "Line style" gives its presentation | 1. Select the Separator 2. Set "Line style" to each of: As the variant, Solid, Dashed, Dotted, Gradient, None (spacing only) 3. Preview after each change | The rendering matches the variation (class or attribute solid, dashed, dotted, gradient, none) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-007 | Component variation | Line thickness | Separator: each choice of "Line thickness" gives its presentation | 1. Select the Separator 2. Set "Line thickness" to each of: As the variant, Thin (1px), Medium (2px), Thick (3px) 3. Preview after each change | The rendering matches the variation (class or attribute thin, medium, thick) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-008 | Component variation | Line colour | Separator: each choice of "Line colour" gives its presentation | 1. Select the Separator 2. Set "Line colour" to each of: As the variant, Default, Subtle, Neutral, Strong, Primary (brand), Secondary (light brand), Accent, Inverse (on dark) 3. Preview after each change | The rendering matches the variation (class or attribute default, subtle, neutral, strong, primary, secondary, ...) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-009 | Component variation | Line opacity | Separator: each choice of "Line opacity" gives its presentation | 1. Select the Separator 2. Set "Line opacity" to each of: 25%, 50%, 75%, 100% 3. Preview after each change | The rendering matches the variation (class or attribute 25, 50, 75, 100) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-010 | Component variation | Separator width | Separator: each choice of "Separator width" gives its presentation | 1. Select the Separator 2. Set "Separator width" to each of: As the variant, 25%, 50%, 75%, 100%, Content width, Full bleed (section edge to edge) 3. Preview after each change | The rendering matches the variation (class or attribute 25-percent, 50-percent, 75-percent, 100-percent, content-width, full-bleed, ...) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-011 | Component variation | Maximum width | Separator: each choice of "Maximum width" gives its presentation | 1. Select the Separator 2. Set "Maximum width" to each of: None, Small (320px), Medium (640px), Large (960px), Extra large (1280px), Content container 3. Preview after each change | The rendering matches the variation (class or attribute none, small, medium, large, extra-large, content-container) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-012 | Component variation | Alignment | Separator: each choice of "Alignment" gives its presentation | 1. Select the Separator 2. Set "Alignment" to each of: Start, Center, End 3. Preview after each change | The rendering matches the variation (class or attribute start, center, end) | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-SEPARATOR-013 | Component variation | Start decoration | Separator: each choice of "Start decoration" gives its presentation | 1. Select the Separator 2. Set "Start decoration" to each of: None, Dot, Square, Diamond 3. Preview after each change | The rendering matches the variation (class or attribute none, dot, square, diamond) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-014 | Component variation | Center decoration | Separator: each choice of "Center decoration" gives its presentation | 1. Select the Separator 2. Set "Center decoration" to each of: None, Dot, Square, Diamond 3. Preview after each change | The rendering matches the variation (class or attribute none, dot, square, diamond) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-015 | Component variation | End decoration | Separator: each choice of "End decoration" gives its presentation | 1. Select the Separator 2. Set "End decoration" to each of: None, Dot, Square, Diamond 3. Preview after each change | The rendering matches the variation (class or attribute none, dot, square, diamond) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-016 | Component variation | Background contrast | Separator: each choice of "Background contrast" gives its presentation | 1. Select the Separator 2. Set "Background contrast" to each of: Standard, High (stronger line) 3. Preview after each change | The rendering matches the variation (class or attribute standard, high) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-017 | Component variation | Desktop width | Separator: each choice of "Desktop width" gives its presentation | 1. Select the Separator 2. Set "Desktop width" to each of: As Appearance, 25%, 50%, 75%, 100%, Content width, Full bleed (section edge to edge) 3. Preview after each change | The rendering matches the variation (class or attribute inherit, 25-percent, 50-percent, 75-percent, 100-percent, content-width, ...) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-018 | Component variation | Desktop thickness | Separator: each choice of "Desktop thickness" gives its presentation | 1. Select the Separator 2. Set "Desktop thickness" to each of: As Appearance, Thin (1px), Medium (2px), Thick (3px) 3. Preview after each change | The rendering matches the variation (class or attribute inherit, thin, medium, thick) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-019 | Component variation | Desktop alignment | Separator: each choice of "Desktop alignment" gives its presentation | 1. Select the Separator 2. Set "Desktop alignment" to each of: As Appearance, Start, Center, End 3. Preview after each change | The rendering matches the variation (class or attribute inherit, start, center, end) | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-SEPARATOR-020 | Component variation | Tablet width | Separator: each choice of "Tablet width" gives its presentation | 1. Select the Separator 2. Set "Tablet width" to each of: As Appearance, 25%, 50%, 75%, 100%, Content width, Full bleed (section edge to edge) 3. Preview after each change | The rendering matches the variation (class or attribute inherit, 25-percent, 50-percent, 75-percent, 100-percent, content-width, ...) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-021 | Component variation | Tablet thickness | Separator: each choice of "Tablet thickness" gives its presentation | 1. Select the Separator 2. Set "Tablet thickness" to each of: As Appearance, Thin (1px), Medium (2px), Thick (3px) 3. Preview after each change | The rendering matches the variation (class or attribute inherit, thin, medium, thick) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-022 | Component variation | Tablet alignment | Separator: each choice of "Tablet alignment" gives its presentation | 1. Select the Separator 2. Set "Tablet alignment" to each of: As Appearance, Start, Center, End 3. Preview after each change | The rendering matches the variation (class or attribute inherit, start, center, end) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-023 | Component variation | Mobile width | Separator: each choice of "Mobile width" gives its presentation | 1. Select the Separator 2. Set "Mobile width" to each of: As Appearance, 25%, 50%, 75%, 100%, Content width, Full bleed (section edge to edge) 3. Preview after each change | The rendering matches the variation (class or attribute inherit, 25-percent, 50-percent, 75-percent, 100-percent, content-width, ...) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-024 | Component variation | Mobile thickness | Separator: each choice of "Mobile thickness" gives its presentation | 1. Select the Separator 2. Set "Mobile thickness" to each of: As Appearance, Thin (1px), Medium (2px), Thick (3px) 3. Preview after each change | The rendering matches the variation (class or attribute inherit, thin, medium, thick) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-025 | Component variation | Mobile alignment | Separator: each choice of "Mobile alignment" gives its presentation | 1. Select the Separator 2. Set "Mobile alignment" to each of: As Appearance, Start, Center, End 3. Preview after each change | The rendering matches the variation (class or attribute inherit, start, center, end) | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-026 | Component variation | Desktop top spacing | Separator: each choice of "Desktop top spacing" gives its presentation | 1. Select the Separator 2. Set "Desktop top spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change | The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...) | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-SEPARATOR-027 | Component variation | Desktop bottom spacing | Separator: each choice of "Desktop bottom spacing" gives its presentation | 1. Select the Separator 2. Set "Desktop bottom spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change | The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...) | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-028 | Component variation | Tablet top spacing | Separator: each choice of "Tablet top spacing" gives its presentation | 1. Select the Separator 2. Set "Tablet top spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change | The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...) | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-029 | Component variation | Tablet bottom spacing | Separator: each choice of "Tablet bottom spacing" gives its presentation | 1. Select the Separator 2. Set "Tablet bottom spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change | The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...) | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-030 | Component variation | Mobile top spacing | Separator: each choice of "Mobile top spacing" gives its presentation | 1. Select the Separator 2. Set "Mobile top spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change | The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...) | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-031 | Component variation | Mobile bottom spacing | Separator: each choice of "Mobile bottom spacing" gives its presentation | 1. Select the Separator 2. Set "Mobile bottom spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change | The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...) | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-032 | Component variation | Animate on view | Separator: each choice of "Animate on view" gives its presentation | 1. Select the Separator 2. Set "Animate on view" to each of: None, Fade, Draw from start, Draw from center 3. Preview after each change | The rendering matches the variation (class or attribute none, fade, draw-from-start, draw-from-center) | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-033 | Component variation | Reduced motion fallback | Separator: each choice of "Reduced motion fallback" gives its presentation | 1. Select the Separator 2. Set "Reduced motion fallback" to each of: Show immediately, Short fade 3. Preview after each change | The rendering matches the variation (class or attribute static, fade) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-SEPARATOR-034 | Component variation | Print | Separator: each choice of "Print" gives its presentation | 1. Select the Separator 2. Set "Print" to each of: Show when printed, Hide when printed 3. Preview after each change | The rendering matches the variation (class or attribute show, hide) | NotRun | — | — | — | — | — | — |
| TC-TAB-003 | Component variation | Columns per row | Tab: each choice of "Columns per row" gives its presentation | 1. Select the Tab 2. Set "Columns per row" to each of: Automatic, 1, 2, 3, 4 3. Preview after each change | The rendering matches the variation (class or attribute per-row-1, per-row-2, per-row-3, per-row-4) | NotRun | — | — | — | — | — | — |
| TC-TABLE-003 | Component variation | Options | Table: each choice of "Options" gives its presentation | 1. Select the Table 2. Set "Options" to each of: Border, Header 3. Preview after each change | The rendering matches the variation (class or attribute ) | NotRun | — | — | — | — | — | — |
| TC-TABLE-004 | Component variation | Columns | Table: each choice of "Columns" gives its presentation | 1. Select the Table 2. Set "Columns" to each of: 1 Column, 2 Columns, 3 Columns, 4 Columns, 5 Columns, 6 Columns, 7 Columns, 8 Columns, 9 Columns 3. Preview after each change | The rendering matches the variation (class or attribute table, table-2-columns, table-3-columns, table-4-columns, table-5-columns, table-6-columns, ...) | NotRun | — | — | — | — | — | — |
| TC-TABLE-LIST-003 | Component variation | Variation | Table List: each choice of "Variation" gives its presentation | 1. Select the Table List 2. Set "Variation" to each of: Variation 1 - Title, description, arrow, Variation 2 - Description, large title, button, Variation 3 - Description, number, large title, arrow, Variation 4 - Wide title, grey description, arrow (row hover), Variation 5 - Label, large description (steps), Variation 6 - Description, right-aligned title, small arrow 3. Preview after each change | The rendering matches the variation (class or attribute industries, solutions, products, segments, approach, platforms) | NotRun | — | — | — | — | — | — |
| TC-TABLE-LIST-004 | Component variation | Background color | Table List: each choice of "Background color" gives its presentation | 1. Select the Table List 2. Set "Background color" to each of: White (default), Black, Dark Green, Navy 3. Preview after each change | The rendering matches the variation (class or attribute white, black, dark-green, navy) | NotRun | — | — | — | — | — | — |
| TC-TABLE-LIST-005 | Component variation | Heading Type | Table List: each choice of "Heading Type" gives its presentation | 1. Select the Table List 2. Set "Heading Type" to each of: H2, H3, H4 3. Preview after each change | The rendering matches the variation (class or attribute h2, h3, h4) | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TABLE-LIST-006 | Component variation | Heading position | Table List: each choice of "Heading position" gives its presentation | 1. Select the Table List 2. Set "Heading position" to each of: Above the list, Beside the list 3. Preview after each change | The rendering matches the variation (class or attribute beside) | Not Run | — | — | — | — | — | — |
| TC-TABLE-LIST-007 | Component variation | Style | Table List: each choice of "Style" gives its presentation | 1. Select the Table List 2. Set "Style" to each of: Variation default, Filled button, Outline button, Text link 3. Preview after each change | The rendering matches the variation (class or attribute primary, secondary, tertiary) | Not Run | — | — | — | — | — | — |
| TC-TABLE-LIST-008 | Component variation | Numbers | Table List: each choice of "Numbers" gives its presentation | 1. Select the Table List 2. Set "Numbers" to each of: Variation default, Show, Show on mobile only, Hide 3. Preview after each change | The rendering matches the variation (class or attribute show, mobile, hide) | Not Run | — | — | — | — | — | — |
| TC-TABLE-LIST-009 | Component variation | Item link | Table List: each choice of "Item link" gives its presentation | 1. Select the Table List 2. Set "Item link" to each of: Variation default, Arrow, Diagonal arrow, Circled arrow, Button 3. Preview after each change | The rendering matches the variation (class or attribute arrow, arrow-up-right, arrow-circle, button) | Not Run | — | — | — | — | — | — |
| TC-TABLE-LIST-010 | Component variation | Trademark | Table List Item: each choice of "Trademark" gives its presentation | 1. Select the Table List Item 2. Set "Trademark" to each of: None, ™ Trademark, ® Registered 3. Preview after each change | The rendering matches the variation (class or attribute tm, r) | Not Run | — | — | — | — | — | — |
| TC-TABS-003 | Component variation | Component | Tabs Container: each choice of "Component" gives its presentation | 1. Select the Tabs Container 2. Set "Component" to each of: Tabs 3. Preview after each change | The rendering matches the variation (class or attribute tabs-section) | Not Run | — | — | — | — | — | — |
| TC-TABS-004 | Component variation | Width Type | Tabs Container: each choice of "Width Type" gives its presentation | 1. Select the Tabs Container 2. Set "Width Type" to each of: Full Width, Fixed Width 3. Preview after each change | The rendering matches the variation (class or attribute full-width, fixed-width) | Not Run | — | — | — | — | — | — |
| TC-TABS-005 | Component variation | Style | Tabs Container: each choice of "Style" gives its presentation | 1. Select the Tabs Container 2. Set "Style" to each of: Underline, Boxed, Pills 3. Preview after each change | The rendering matches the variation (class or attribute underline, boxed, pills) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TABS-006 | Component variation | Alignment | Tabs Container: each choice of "Alignment" gives its presentation | 1. Select the Tabs Container 2. Set "Alignment" to each of: Left, Center, Full width (stretch) 3. Preview after each change | The rendering matches the variation (class or attribute left, center, stretch) | Not Run | — | — | — | — | — | — |
| TC-TABS-007 | Component variation | Orientation | Tabs Container: each choice of "Orientation" gives its presentation | 1. Select the Tabs Container 2. Set "Orientation" to each of: Horizontal, Vertical 3. Preview after each change | The rendering matches the variation (class or attribute horizontal, vertical) | Not Run | — | — | — | — | — | — |
| TC-TABS-008 | Component variation | Animation Type | Tabs Container: each choice of "Animation Type" gives its presentation | 1. Select the Tabs Container 2. Set "Animation Type" to each of: None, Fade in, Fade up, Fade down, Fade left, Fade right, Slide up, Slide down, Slide left, Slide right, Scale in 3. Preview after each change | The rendering matches the variation (class or attribute motion-fade-in, motion-fade-up, motion-fade-down, motion-fade-left, motion-fade-right, motion-slide-up, ...) | Not Run | — | — | — | — | — | — |
| TC-TABS-009 | Component variation | Motion Speed | Tabs Container: each choice of "Motion Speed" gives its presentation | 1. Select the Tabs Container 2. Set "Motion Speed" to each of: Medium, Fast, Slow 3. Preview after each change | The rendering matches the variation (class or attribute motion-fast, motion-slow) | Not Run | — | — | — | — | — | — |
| TC-TABS-010 | Component variation | Animation Trigger | Tabs Container: each choice of "Animation Trigger" gives its presentation | 1. Select the Tabs Container 2. Set "Animation Trigger" to each of: On Scroll / Viewport Entry, On Page Load 3. Preview after each change | The rendering matches the variation (class or attribute motion-on-load) | Not Run | — | — | — | — | — | — |
| TC-TABS-011 | Component variation | Padding left | Tabs Container: each choice of "Padding left" gives its presentation | 1. Select the Tabs Container 2. Set "Padding left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pl-0, pl-100, pl-200, pl-300, pl-400, pl-500, ...) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TABS-012 | Component variation | Padding right | Tabs Container: each choice of "Padding right" gives its presentation | 1. Select the Tabs Container 2. Set "Padding right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pr-0, pr-100, pr-200, pr-300, pr-400, pr-500, ...) | Not Run | — | — | — | — | — | — |
| TC-TABS-013 | Component variation | Padding top | Tabs Container: each choice of "Padding top" gives its presentation | 1. Select the Tabs Container 2. Set "Padding top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pt-0, pt-100, pt-200, pt-300, pt-400, pt-500, ...) | Not Run | — | — | — | — | — | — |
| TC-TABS-014 | Component variation | Padding bottom | Tabs Container: each choice of "Padding bottom" gives its presentation | 1. Select the Tabs Container 2. Set "Padding bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute pb-0, pb-100, pb-200, pb-300, pb-400, pb-500, ...) | Not Run | — | — | — | — | — | — |
| TC-TABS-015 | Component variation | Margin left | Tabs Container: each choice of "Margin left" gives its presentation | 1. Select the Tabs Container 2. Set "Margin left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute ml-0, ml-100, ml-200, ml-300, ml-400, ml-500, ...) | Not Run | — | — | — | — | — | — |
| TC-TABS-016 | Component variation | Margin right | Tabs Container: each choice of "Margin right" gives its presentation | 1. Select the Tabs Container 2. Set "Margin right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute mr-0, mr-100, mr-200, mr-300, mr-400, mr-500, ...) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TABS-017 | Component variation | Margin top | Tabs Container: each choice of "Margin top" gives its presentation | 1. Select the Tabs Container 2. Set "Margin top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute mt-0, mt-100, mt-200, mt-300, mt-400, mt-500, ...) | Not Run | — | — | — | — | — | — |
| TC-TABS-018 | Component variation | Margin bottom | Tabs Container: each choice of "Margin bottom" gives its presentation | 1. Select the Tabs Container 2. Set "Margin bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change | The rendering matches the variation (class or attribute mb-0, mb-100, mb-200, mb-300, mb-400, mb-500, ...) | Not Run | — | — | — | — | — | — |
| TC-TABS-019 | Component variation | Style | Tabs: each choice of "Style" gives its presentation | 1. Select the Tabs 2. Set "Style" to each of: Underline, Boxed, Pills 3. Preview after each change | The rendering matches the variation (class or attribute underline, boxed, pills) | Not Run | — | — | — | — | — | — |
| TC-TABS-020 | Component variation | Alignment | Tabs: each choice of "Alignment" gives its presentation | 1. Select the Tabs 2. Set "Alignment" to each of: Left, Center, Full width (stretch) 3. Preview after each change | The rendering matches the variation (class or attribute left, center, stretch) | Not Run | — | — | — | — | — | — |
| TC-TABS-021 | Component variation | Orientation | Tabs: each choice of "Orientation" gives its presentation | 1. Select the Tabs 2. Set "Orientation" to each of: Horizontal, Vertical 3. Preview after each change | The rendering matches the variation (class or attribute horizontal, vertical) | Not Run | — | — | — | — | — | — |
| TC-TCS-HEADER-003 | Component variation | Header over the first block | TCS Header: each choice of "Header over the first block" gives its presentation | 1. Select the TCS Header 2. Set "Header over the first block" to each of: Auto (over a light Hero), Always (over the first block), Never (the page starts below the header) 3. Preview after each change | The rendering matches the variation (class or attribute always, never) | Not Run | — | — | — | — | — | — |
| TC-TEASER-003 | Component variation | Title Type | Teaser: each choice of "Title Type" gives its presentation | 1. Select the Teaser 2. Set "Title Type" to each of: H1 (64px), H2 (48px), H3 (40px), H4 (28px), H5 (24px), H6 (20px) 3. Preview after each change | The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TEASER-004 | Component variation | Date Format | Teaser: each choice of "Date Format" gives its presentation | 1. Select the Teaser 2. Set "Date Format" to each of: DD-MM-YYYY, MM-DD-YYYY, MMM d, yyyy, DD/MM/YY 3. Preview after each change | The rendering matches the variation (class or attribute dd-mm-yyyy, mm-dd-yyyy, mmm-d-yyyy, dd/mm/yy) | Not Run | — | — | — | — | — | — |
| TC-TEASER-005 | Component variation | Image type | Teaser: each choice of "Image type" gives its presentation | 1. Select the Teaser 2. Set "Image type" to each of: Default, Lottie 3. Preview after each change | The rendering matches the variation (class or attribute lottie) | Not Run | — | — | — | — | — | — |
| TC-TEASER-006 | Component variation | Image position | Teaser: each choice of "Image position" gives its presentation | 1. Select the Teaser 2. Set "Image position" to each of: Left, Right, Top, Bottom 3. Preview after each change | The rendering matches the variation (class or attribute left, right, top, bottom) | Not Run | — | — | — | — | — | — |
| TC-TEASER-007 | Component variation | Image position (mobile) | Teaser: each choice of "Image position (mobile)" gives its presentation | 1. Select the Teaser 2. Set "Image position (mobile)" to each of: Default, Top, Bottom 3. Preview after each change | The rendering matches the variation (class or attribute mobile-image-top, mobile-image-bottom) | Not Run | — | — | — | — | — | — |
| TC-TEASER-008 | Component variation | Image ratio | Teaser: each choice of "Image ratio" gives its presentation | 1. Select the Teaser 2. Set "Image ratio" to each of: Default (10:9; 16:9 above or below the text; original in Text split), Portrait (8:9), Square (1:1), Original 3. Preview after each change | The rendering matches the variation (class or attribute ratio-8-9, ratio-1-1, ratio-original) | Not Run | — | — | — | — | — | — |
| TC-TEASER-009 | Component variation | Image corners | Teaser: each choice of "Image corners" gives its presentation | 1. Select the Teaser 2. Set "Image corners" to each of: Rounded, Square 3. Preview after each change | The rendering matches the variation (class or attribute square) | Not Run | — | — | — | — | — | — |
| TC-TEASER-010 | Component variation | Links (authored before Link items) › CTA Link Type | Teaser: each choice of "Links (authored before Link items) › CTA Link Type" gives its presentation | 1. Select the Teaser 2. Set "Links (authored before Link items) › CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TEASER-011 | Component variation | Links (authored before Link items) › CTA Link Style | Teaser: each choice of "Links (authored before Link items) › CTA Link Style" gives its presentation | 1. Select the Teaser 2. Set "Links (authored before Link items) › CTA Link Style" to each of: Text link, List, Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change | The rendering matches the variation (class or attribute list, primary, primary-no-arrow, secondary, secondary-no-arrow) | Not Run | — | — | — | — | — | — |
| TC-TEASER-012 | Component variation | Links (authored before Link items) › CTA Background | Teaser: each choice of "Links (authored before Link items) › CTA Background" gives its presentation | 1. Select the Teaser 2. Set "Links (authored before Link items) › CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change | The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent) | Not Run | — | — | — | — | — | — |
| TC-TEASER-013 | Component variation | Links (authored before Link items) › CTA Shape | Teaser: each choice of "Links (authored before Link items) › CTA Shape" gives its presentation | 1. Select the Teaser 2. Set "Links (authored before Link items) › CTA Shape" to each of: Style default, Rectangle 3. Preview after each change | The rendering matches the variation (class or attribute button-rectangle) | Not Run | — | — | — | — | — | — |
| TC-TEASER-014 | Component variation | List arrow | Teaser: each choice of "List arrow" gives its presentation | 1. Select the Teaser 2. Set "List arrow" to each of: Right, Down right, None 3. Preview after each change | The rendering matches the variation (class or attribute arrow-down-right, arrow-none) | Not Run | — | — | — | — | — | — |
| TC-TEASER-015 | Component variation | Primary CTA Link Type | Teaser: each choice of "Primary CTA Link Type" gives its presentation | 1. Select the Teaser 2. Set "Primary CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | Not Run | — | — | — | — | — | — |
| TC-TEASER-016 | Component variation | Primary CTA Link Style | Teaser: each choice of "Primary CTA Link Style" gives its presentation | 1. Select the Teaser 2. Set "Primary CTA Link Style" to each of: Text link, List, Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change | The rendering matches the variation (class or attribute tertiary, list, primary, primary-no-arrow, secondary, secondary-no-arrow) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TEASER-017 | Component variation | Primary CTA Background | Teaser: each choice of "Primary CTA Background" gives its presentation | 1. Select the Teaser 2. Set "Primary CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change | The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent) | Not Run | — | — | — | — | — | — |
| TC-TEASER-018 | Component variation | Primary CTA Shape | Teaser: each choice of "Primary CTA Shape" gives its presentation | 1. Select the Teaser 2. Set "Primary CTA Shape" to each of: Style default, Rectangle 3. Preview after each change | The rendering matches the variation (class or attribute button-rectangle) | Not Run | — | — | — | — | — | — |
| TC-TEASER-019 | Component variation | Secondary CTA Link Type | Teaser: each choice of "Secondary CTA Link Type" gives its presentation | 1. Select the Teaser 2. Set "Secondary CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | Not Run | — | — | — | — | — | — |
| TC-TEASER-020 | Component variation | Secondary CTA Link Style | Teaser: each choice of "Secondary CTA Link Style" gives its presentation | 1. Select the Teaser 2. Set "Secondary CTA Link Style" to each of: Text link, List, Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change | The rendering matches the variation (class or attribute tertiary, list, primary, primary-no-arrow, secondary, secondary-no-arrow) | Not Run | — | — | — | — | — | — |
| TC-TEASER-021 | Component variation | Secondary CTA Background | Teaser: each choice of "Secondary CTA Background" gives its presentation | 1. Select the Teaser 2. Set "Secondary CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change | The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent) | Not Run | — | — | — | — | — | — |
| TC-TEASER-022 | Component variation | Secondary CTA Shape | Teaser: each choice of "Secondary CTA Shape" gives its presentation | 1. Select the Teaser 2. Set "Secondary CTA Shape" to each of: Style default, Rectangle 3. Preview after each change | The rendering matches the variation (class or attribute button-rectangle) | Not Run | — | — | — | — | — | — |
| TC-TEASER-023 | Component variation | Layout | Teaser: each choice of "Layout" gives its presentation | 1. Select the Teaser 2. Set "Layout" to each of: Image & Text, Text split (title left, text right), Background image, Card, Image collage 3. Preview after each change | The rendering matches the variation (class or attribute no-image, background, card, image-collage) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TEASER-024 | Component variation | BG Color | Teaser: each choice of "BG Color" gives its presentation | 1. Select the Teaser 2. Set "BG Color" to each of: Default, Grey, Dark, Dark green, Navy 3. Preview after each change | The rendering matches the variation (class or attribute grey, dark, dark-green, navy) | Not Run | — | — | — | — | — | — |
| TC-TEASER-025 | Component variation | Text alignment | Teaser: each choice of "Text alignment" gives its presentation | 1. Select the Teaser 2. Set "Text alignment" to each of: Layout default, Left, Center, Right, Justify 3. Preview after each change | The rendering matches the variation (class or attribute text-left, text-center, text-right, text-justify) | Not Run | — | — | — | — | — | — |
| TC-TEASER-026 | Component variation | Vertical alignment | Teaser: each choice of "Vertical alignment" gives its presentation | 1. Select the Teaser 2. Set "Vertical alignment" to each of: Layout default, Top, Center, Bottom 3. Preview after each change | The rendering matches the variation (class or attribute valign-top, valign-middle, valign-bottom) | Not Run | — | — | — | — | — | — |
| TC-TEASER-027 | Component variation | Title weight | Teaser: each choice of "Title weight" gives its presentation | 1. Select the Teaser 2. Set "Title weight" to each of: Layout default, Regular, Semibold 3. Preview after each change | The rendering matches the variation (class or attribute title-regular, title-semibold) | Not Run | — | — | — | — | — | — |
| TC-TEASER-028 | Component variation | Title color | Teaser: each choice of "Title color" gives its presentation | 1. Select the Teaser 2. Set "Title color" to each of: Style default, Dark, White, Light blue 3. Preview after each change | The rendering matches the variation (class or attribute title-dark, title-white, title-light-blue) | Not Run | — | — | — | — | — | — |
| TC-TEASER-029 | Component variation | Description size | Teaser: each choice of "Description size" gives its presentation | 1. Select the Teaser 2. Set "Description size" to each of: Layout default, Regular (18px), Large (24px) 3. Preview after each change | The rendering matches the variation (class or attribute text-regular, text-large) | Not Run | — | — | — | — | — | — |
| TC-TEASER-030 | Component variation | Eyebrow Style | Teaser: each choice of "Eyebrow Style" gives its presentation | 1. Select the Teaser 2. Set "Eyebrow Style" to each of: Brand, Label (uppercase, grey), Grey, White 3. Preview after each change | The rendering matches the variation (class or attribute eyebrow-label, eyebrow-grey, eyebrow-white) | Not Run | — | — | — | — | — | — |
| TC-TEASER-031 | Component variation | Top spacing | Teaser: each choice of "Top spacing" gives its presentation | 1. Select the Teaser 2. Set "Top spacing" to each of: Default, Page header (extra space above) 3. Preview after each change | The rendering matches the variation (class or attribute spacing-header) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TEASER-032 | Component variation | Link CTA Alignment | Teaser: each choice of "Link CTA Alignment" gives its presentation | 1. Select the Teaser 2. Set "Link CTA Alignment" to each of: Default, Left 3. Preview after each change | The rendering matches the variation (class or attribute right, left) | Not Run | — | — | — | — | — | — |
| TC-TEASER-033 | Component variation | CTA Link Type | Link: each choice of "CTA Link Type" gives its presentation | 1. Select the Link 2. Set "CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change | The rendering matches the variation (class or attribute new-window) | Not Run | — | — | — | — | — | — |
| TC-TEASER-034 | Component variation | CTA Link Style | Link: each choice of "CTA Link Style" gives its presentation | 1. Select the Link 2. Set "CTA Link Style" to each of: Text link, List, Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change | The rendering matches the variation (class or attribute list, primary, primary-no-arrow, secondary, secondary-no-arrow) | Not Run | — | — | — | — | — | — |
| TC-TEASER-035 | Component variation | Button background | Link: each choice of "Button background" gives its presentation | 1. Select the Link 2. Set "Button background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change | The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent) | Not Run | — | — | — | — | — | — |
| TC-TEASER-036 | Component variation | Button shape | Link: each choice of "Button shape" gives its presentation | 1. Select the Link 2. Set "Button shape" to each of: Style default, Rectangle 3. Preview after each change | The rendering matches the variation (class or attribute button-rectangle) | Not Run | — | — | — | — | — | — |
| TC-TEASER-037 | Component variation | Image treatment | Collage image: each choice of "Image treatment" gives its presentation | 1. Select the Collage image 2. Set "Image treatment" to each of: Black and white, Normal 3. Preview after each change | The rendering matches the variation (class or attribute black-white, normal) | Not Run | — | — | — | — | — | — |
| TC-TESTIMONIAL-003 | Component variation | Title Type | Testimonial: each choice of "Title Type" gives its presentation | 1. Select the Testimonial 2. Set "Title Type" to each of: H1, H2, H3, H4, H5, H6 3. Preview after each change | The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6) | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TESTIMONIAL-004 | Component variation | BG Color | Testimonial: each choice of "BG Color" gives its presentation | 1. Select the Testimonial 2. Set "BG Color" to each of: Default, Grey, Navy 3. Preview after each change | The rendering matches the variation (class or attribute grey, navy) | Not Run | — | — | — | — | — | — |
| TC-VIDEO-003 | Component variation | Playback | Video: each choice of "Playback" gives its presentation | 1. Select the Video 2. Set "Playback" to each of: Play button (on the poster image), Autoplay when in view (muted), Background video (autoplay, muted, loop, no controls) 3. Preview after each change | The rendering matches the variation (class or attribute click, autoplay, background) | Not Run | — | — | — | — | — | — |
| TC-VIDEO-004 | Component variation | Aspect Ratio | Video: each choice of "Aspect Ratio" gives its presentation | 1. Select the Video 2. Set "Aspect Ratio" to each of: 16:9 (widescreen), 4:3, 1:1 (square), 21:9 (cinema), 9:16 (vertical) 3. Preview after each change | The rendering matches the variation (class or attribute 16-9, 4-3, 1-1, 21-9, 9-16) | Not Run | — | — | — | — | — | — |
| TC-VIDEO-005 | Component variation | Size | Video: each choice of "Size" gives its presentation | 1. Select the Video 2. Set "Size" to each of: Full width, Large (900px), Medium (640px), Small (420px) 3. Preview after each change | The rendering matches the variation (class or attribute full, large, medium, small) | Not Run | — | — | — | — | — | — |
| TC-VIDEO-006 | Component variation | Alignment | Video: each choice of "Alignment" gives its presentation | 1. Select the Video 2. Set "Alignment" to each of: Center, Left, Right 3. Preview after each change | The rendering matches the variation (class or attribute center, left, right) | Not Run | — | — | — | — | — | — |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Cross-Browser Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-011 |
| Audience | QA lead, testers, release lead |
| Purpose | Browser and device matrix |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Browser / device | Scope | Status |
|---|---|---|---|
| TC-XB-001 | Chrome (desktop) | Reference pages smoke | Passed (Chromium automated, see the test summary) |
| TC-XB-002 | Safari (macOS) | Reference pages smoke | Not Run |
| TC-XB-003 | Firefox | Reference pages smoke | Not Run |
| TC-XB-004 | Edge | Reference pages smoke | Not Run |
| TC-XB-005 | Safari (iOS) | Reference pages smoke | Not Run |
| TC-XB-006 | Chrome (Android) | Reference pages smoke | Not Run |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Curated Page Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-009 |
| Audience | QA lead, testers, release lead |
| Purpose | Cases of the curated design pages |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-CDP-001 | Curated page | — | Curated page case-study renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 4 console errors, 4 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-002 | Curated page | — | Curated page collection renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 4 console errors, 4 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-003 | Curated page | — | Curated page ar-landing renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-004 | Curated page | — | Curated page csr renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-CDP-005 | Curated page | — | Curated page csr-form renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-006 | Curated page | — | Curated page global-contact-us renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-007 | Curated page | — | Curated page inquizitive renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-008 | Curated page | — | Curated page media-form renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-009 | Curated page | — | Curated page talk-to-an-expert-retail renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at 375, 768, 1024, 1440; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-010 | Curated page | — | Curated page website-feedback-form renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-011 | Curated page | — | Curated page home renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Passed | ok; overflow at none; 3 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-012 | Curated page | — | Curated page industry-landing-page renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 4 console errors, 4 failed requests; overflow at none; 3 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-CDP-013 | Curated page | — | Curated page insights renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 4 console errors, 4 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-014 | Curated page | — | Curated page media-and-investor renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 4 console errors, 4 failed requests; overflow at none; 2 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-015 | Curated page | — | Curated page news-and-events renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-016 | Curated page | — | Curated page product renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 4 console errors, 4 failed requests; overflow at none; 1 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-017 | Curated page | — | Curated page services renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 4 console errors, 4 failed requests; overflow at none; 1 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-018 | Curated page | — | Curated page story renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 8 console errors, 8 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-019 | Curated page | — | Curated page what-we-do renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 4 console errors, 4 failed requests; overflow at none; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |
| TC-CDP-020 | Curated page | — | Curated page who-we-are renders and is accessible | 1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text | 200 everywhere, no console error or failed request, no overflow | Failed | 12 console errors, 12 failed requests; overflow at 1024; 0 empty lists | Edge Delivery live, Chromium (Playwright) | evidence.json, page screenshots | — | Automated (documentation program) | 13 November 2026 |

# 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Functional Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-007 |
| Audience | QA lead, testers, release lead |
| Purpose | Smoke and functional cases of every block |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-ACCORDION-001 | Functional (smoke) | — | Accordion renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 2 of 2 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-ANCHOR-LIST-001 | Functional (smoke) | — | Anchor List renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 3 of 3 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-BUTTON-BLOCK-001 | Functional (smoke) | — | Button renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Blocked | No block library page for this block | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-CARDS-001 | Functional (smoke) | — | Cards renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 7 of 7 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/cards/images-panels-style-options | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001, DEF-003 | Automated (documentation program) | 13 November 2026 |
| TC-COLUMN-BREAK-001 | Functional (smoke) | — | Column Break renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Blocked | No block library page for this block | — | — | — | — | — |
| TC-COLUMNS-001 | Functional (smoke) | — | Columns renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 3 of 3 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-COLUMNS-CONTAINER-001 | Functional (smoke) | — | Columns Container renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 4 of 4 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-CONVERSATION-CANVAS-001 | Functional (smoke) | — | Conversation Canvas renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 5 of 6 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-EMBED-001 | Functional (smoke) | — | Embed renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 2 of 2 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/embed/embed | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001, DEF-005 | Automated (documentation program) | 13 November 2026 |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-FILTER-LIST-001 | Functional (smoke) | — | Filter List renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 7 of 7 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-FOOTER-001 | Functional (smoke) | — | Footer renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 4 of 8 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-FORM-VARIATIONS-001 | Functional (smoke) | — | Form Variations renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 3 of 3 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-FRAGMENT-001 | Functional (smoke) | — | Fragment renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 4 of 4 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-GEN-CAROUSEL-001 | Functional (smoke) | — | Gen Carousel renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 6 of 6 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-HEADER-001 | Functional (smoke) | — | Header renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 5 of 5 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-HERO-001 | Functional (smoke) | — | Hero renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 5 of 5 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/hero/hero-overview | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001, DEF-006 | Automated (documentation program) | 13 November 2026 |
| TC-IMAGE-COLLAGE-001 | Functional (smoke) | — | Image Collage renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Blocked | No block library page for this block | — | — | — | — | — |
| TC-INTERACTIVE-DASHBOARD-001 | Functional (smoke) | — | Interactive Dashboard renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 2 of 2 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-LIST-001 | Functional (smoke) | — | List renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 15 of 15 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-MEDIA-CONTACTS-001 | Functional (smoke) | — | Media Contacts renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Blocked | No block library page for this block | — | — | — | — | — |
| TC-MODAL-001 | Functional (smoke) | — | Modal renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 10 of 10 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-PAGE-HEADER-001 | Functional (smoke) | — | Page Header renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 17 of 17 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-QUOTE-001 | Functional (smoke) | — | Quote renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 2 of 2 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-SEPARATOR-001 | Functional (smoke) | — | Separator renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 4 of 4 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-TAB-001 | Functional (smoke) | — | Tab renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Blocked | No block library page for this block | — | — | — | — | — |
| TC-TABLE-001 | Functional (smoke) | — | Table renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 2 of 2 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-TABLE-LIST-001 | Functional (smoke) | — | Table List renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 6 of 6 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TABS-001 | Functional (smoke) | — | Tabs renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 14 of 14 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-TCS-HEADER-001 | Functional (smoke) | — | TCS Header renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Blocked | No block library page for this block | — | — | — | — | — |
| TC-TEASER-001 | Functional (smoke) | — | Teaser renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 11 of 11 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/teaser/layouts | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001, DEF-008 | Automated (documentation program) | 13 November 2026 |
| TC-TESTIMONIAL-001 | Functional (smoke) | — | Testimonial renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 2 of 2 pages fail: shared failed request (DEF-002, DEF-001) | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001 | Automated (documentation program) | 13 November 2026 |
| TC-VIDEO-001 | Functional (smoke) | — | Video renders on its block library page | 1. Open the block library page of the block on the live site 2. Wait for the page to load | The page answers 200, every example renders, no console error, no failed request | Failed | 3 of 3 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/video/video | Edge Delivery live, Chromium (Playwright) | execution-results evidence.json | DEF-002, DEF-001, DEF-010 | Automated (documentation program) | 13 November 2026 |
| TC-ACCORDION-003 | Boundary | — | Accordion with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-ANCHOR-LIST-003 | Boundary | — | Anchor List with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-BUTTON-BLOCK-008 | Boundary | — | Button with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-CARDS-022 | Boundary | — | Cards with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-COLUMN-BREAK-003 | Boundary | — | Column Break with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-COLUMNS-003 | Boundary | — | Columns with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-021 | Boundary | — | Columns Container with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-013 | Boundary | — | Conversation Canvas with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-EMBED-003 | Boundary | — | Embed with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-FILTER-LIST-013 | Boundary | — | Filter List with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-FOOTER-005 | Boundary | — | Footer with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-FORM-VARIATIONS-005 | Boundary | — | Form Variations with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-FRAGMENT-003 | Boundary | — | Fragment with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-016 | Boundary | — | Gen Carousel with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-HERO-024 | Boundary | — | Hero with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-016 | Boundary | — | Image Collage with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-INTERACTIVE-DASHBOARD-003 | Boundary | — | Interactive Dashboard with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-LIST-026 | Boundary | — | List with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-MEDIA-CONTACTS-004 | Boundary | — | Media Contacts with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-MODAL-003 | Boundary | — | Modal with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-PAGE-HEADER-010 | Boundary | — | Page Header with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-QUOTE-007 | Boundary | — | Quote with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-035 | Boundary | — | Separator with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-TAB-004 | Boundary | — | Tab with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-TABLE-005 | Boundary | — | Table with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-TABLE-LIST-011 | Boundary | — | Table List with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TABS-022 | Boundary | — | Tabs with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-TCS-HEADER-004 | Boundary | — | TCS Header with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-TEASER-038 | Boundary | — | Teaser with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-TESTIMONIAL-005 | Boundary | — | Testimonial with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-VIDEO-007 | Boundary | — | Video with optional fields left empty | 1. Add the block and fill in only the required fields 2. Preview | The block renders without empty wrappers or broken layout | NotRun | — | — | — | — | — | — |
| TC-ACCORDION-004 | Negative | — | Accordion with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-ANCHOR-LIST-004 | Negative | — | Anchor List with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-BUTTON-BLOCK-009 | Negative | — | Button with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-CARDS-023 | Negative | — | Cards with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-COLUMN-BREAK-004 | Negative | — | Column Break with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-COLUMNS-004 | Negative | — | Columns with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-022 | Negative | — | Columns Container with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-014 | Negative | — | Conversation Canvas with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-EMBED-004 | Negative | — | Embed with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-FILTER-LIST-014 | Negative | — | Filter List with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-FOOTER-006 | Negative | — | Footer with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-FORM-VARIATIONS-006 | Negative | — | Form Variations with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-FRAGMENT-004 | Negative | — | Fragment with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-017 | Negative | — | Gen Carousel with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-HERO-025 | Negative | — | Hero with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-017 | Negative | — | Image Collage with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-INTERACTIVE-DASHBOARD-004 | Negative | — | Interactive Dashboard with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-LIST-027 | Negative | — | List with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-MEDIA-CONTACTS-005 | Negative | — | Media Contacts with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-MODAL-004 | Negative | — | Modal with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-PAGE-HEADER-011 | Negative | — | Page Header with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-QUOTE-008 | Negative | — | Quote with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-SEPARATOR-036 | Negative | — | Separator with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-TAB-005 | Negative | — | Tab with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-TABLE-006 | Negative | — | Table with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-TABLE-LIST-012 | Negative | — | Table List with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TABS-023 | Negative | — | Tabs with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-TCS-HEADER-005 | Negative | — | TCS Header with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-TEASER-039 | Negative | — | Teaser with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-TESTIMONIAL-006 | Negative | — | Testimonial with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-VIDEO-008 | Negative | — | Video with invalid content (very long text, missing image, broken link) | 1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview | Text wraps, no broken image icon, the link is flagged in the link check | NotRun | — | — | — | — | — | — |
| TC-ACCORDION-007 | Error recovery | — | Accordion when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-ANCHOR-LIST-007 | Error recovery | — | Anchor List when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-BUTTON-BLOCK-012 | Error recovery | — | Button when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-CARDS-026 | Error recovery | — | Cards when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-COLUMN-BREAK-007 | Error recovery | — | Column Break when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-007 | Error recovery | — | Columns when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-COLUMNS-CONTAINER-025 | Error recovery | — | Columns Container when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-CONVERSATION-CANVAS-017 | Error recovery | — | Conversation Canvas when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-EMBED-007 | Error recovery | — | Embed when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | NotRun | — | — | — | — | — | — |
| TC-FILTER-LIST-017 | Error recovery | — | Filter List when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | NotRun | — | — | — | — | — | — |
| TC-FOOTER-009 | Error recovery | — | Footer when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | NotRun | — | — | — | — | — | — |
| TC-FORM-VARIATIONS-009 | Error recovery | — | Form Variations when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | NotRun | — | — | — | — | — | — |
| TC-FRAGMENT-007 | Error recovery | — | Fragment when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | NotRun | — | — | — | — | — | — |
| TC-GEN-CAROUSEL-020 | Error recovery | — | Gen Carousel when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | NotRun | — | — | — | — | — | — |
| TC-HEADER-004 | Error recovery | — | Header when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | NotRun | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-HERO-028 | Error recovery | — | Hero when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-IMAGE-COLLAGE-020 | Error recovery | — | Image Collage when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-INTERACTIVE-DASHBOARD-007 | Error recovery | — | Interactive Dashboard when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-LIST-030 | Error recovery | — | List when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-MEDIA-CONTACTS-008 | Error recovery | — | Media Contacts when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-MODAL-007 | Error recovery | — | Modal when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-PAGE-HEADER-014 | Error recovery | — | Page Header when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-QUOTE-011 | Error recovery | — | Quote when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-SEPARATOR-039 | Error recovery | — | Separator when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-TAB-008 | Error recovery | — | Tab when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-TABLE-009 | Error recovery | — | Table when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-TABLE-LIST-015 | Error recovery | — | Table List when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-TABS-026 | Error recovery | — | Tabs when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-TCS-HEADER-008 | Error recovery | — | TCS Header when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TEASER-042 | Error recovery | — | Teaser when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-TESTIMONIAL-009 | Error recovery | — | Testimonial when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |
| TC-VIDEO-011 | Error recovery | — | Video when a dependency fails (sheet, index, media) | 1. Block the placeholders or query index request in the browser 2. Reload | The block shows its English fallback or empty state and the page keeps working | Not Run | — | — | — | — | — | — |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Localization Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-017 |
| Audience | QA lead, testers, release lead |
| Purpose | Locales and placeholders |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Check | Status |
|---|---|---|
| TC-L10N-001 | Each review root reads its own placeholders and taxonomy | Passed for /design-block-master/en and /language-master/en (network evidence) |
| TC-L10N-002 | Locale pages read their locale sheets | Blocked (/en removed; other locales without content) |
| TC-L10N-003 | UI text falls back to English | Not Run |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Performance Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-013 |
| Audience | QA lead, testers, release lead |
| Purpose | PageSpeed and Core Web Vitals |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Page | Target | Status |
|---|---|---|---|
| TC-PERF-001 | Home of each root | PageSpeed 100 (AGENTS.md) | Not Run |
| TC-PERF-002 | Curated pages | LCP < 2.5 s, CLS < 0.1, INP < 200 ms | Not Run |
| TC-PERF-003 | Migrated press release | Same | Not Run |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Publishing Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-020 |
| Audience | QA lead, testers, release lead |
| Purpose | Publishing and indexing |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Check | Status | Actual |
|---|---|---|---|
| TC-PUB-001 | Publish and index /design-block-master/en | Failed | 344 of 345 published, 335 indexed; not published: /design-block-master/en/error-pages/404 (the root has no error pages) |
| TC-PUB-002 | Publish and index /language-master/en | Passed | 3566 of 3567 published, 3557 indexed |
| TC-PUB-003 | Publish and index /language-masters/en | Failed | 8317 of 8442 published, 8317 indexed; not published: 125 pages: see consolidated/reports/NOT-PUBLISHED-LANGUAGE-MASTERS-2026-11-08.csv on the delivery branch |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Regression Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-018 |
| Audience | QA lead, testers, release lead |
| Purpose | Unit tests as the regression suite |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| File | Tests |
|---|---|
| `test/cards/cards-data.test.mjs` | 16 |
| `test/conversation-canvas/canvas-journey.test.mjs` | 36 |
| `test/docs/block-docs.test.mjs` | 5 |
| `test/items/item-rows.test.mjs` | 6 |
| `test/list/display-precedence.test.mjs` | 16 |
| `test/list/list-data.test.mjs` | 69 |
| `test/list/query-index-tags.test.mjs` | 4 |
| `test/media-contacts/media-contacts-data.test.mjs` | 8 |
| `test/media/delivery-url.test.mjs` | 8 |
| `test/media/vimeo-url.test.mjs` | 5 |
| `test/models/block-names.test.mjs` | 1 |
| `test/modules/module-graph.test.mjs` | 4 |
| `test/motion/motion.test.mjs` | 15 |
| `test/privacy/privacy.test.mjs` | 7 |
| `test/separator/separator-config.test.mjs` | 21 |
| `test/site/index-root.test.mjs` | 23 |
| `test/site/keywords.test.mjs` | 7 |
| `test/site/page-tree.test.mjs` | 5 |
| `test/site/paths.test.mjs` | 5 |
| `test/site/query-index-url.test.mjs` | 3 |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Requirement to Test Traceability

| Attribute | Value |
|---|---|
| Document ID | QA-023 |
| Audience | QA lead, business analysts |
| Purpose | Every inferred story and its test cases with their status |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E01-01-01 | F-E01-01 | — | No test case (gap) | Not Run |
| US-F-E01-01-02 | F-E01-01 | header | TC-HEADER-001 | Failed |
| US-F-E01-01-02 | F-E01-01 | header | TC-HEADER-002 | Requires Manual Validation |
| US-F-E01-01-02 | F-E01-01 | header | TC-HEADER-003 | Passed |
| US-F-E01-01-02 | F-E01-01 | header | TC-HEADER-004 | Not Run |
| US-F-E01-02-01 | F-E01-02 | tcs-header | TC-TCS-HEADER-002 | Not Run |
| US-F-E01-02-01 | F-E01-02 | tcs-header | TC-TCS-HEADER-004 | Not Run |
| US-F-E01-02-01 | F-E01-02 | tcs-header | TC-TCS-HEADER-005 | Not Run |
| US-F-E01-02-02 | F-E01-02 | tcs-header | TC-TCS-HEADER-001 | Blocked |
| US-F-E01-02-02 | F-E01-02 | tcs-header | TC-TCS-HEADER-006 | Requires Manual Validation |
| US-F-E01-02-02 | F-E01-02 | tcs-header | TC-TCS-HEADER-007 | Blocked |
| US-F-E01-02-02 | F-E01-02 | tcs-header | TC-TCS-HEADER-008 | Not Run |
| US-F-E01-02-03 | F-E01-02 | tcs-header | TC-TCS-HEADER-003 | Not Run |
| US-F-E01-03-01 | F-E01-03 | footer | TC-FOOTER-002 | Not Run |
| US-F-E01-03-01 | F-E01-03 | footer | TC-FOOTER-005 | Not Run |
| US-F-E01-03-01 | F-E01-03 | footer | TC-FOOTER-006 | Not Run |
| US-F-E01-03-02 | F-E01-03 | footer | TC-FOOTER-001 | Failed |
| US-F-E01-03-02 | F-E01-03 | footer | TC-FOOTER-007 | Requires Manual Validation |
| US-F-E01-03-02 | F-E01-03 | footer | TC-FOOTER-008 | Passed |
| US-F-E01-03-02 | F-E01-03 | footer | TC-FOOTER-009 | Not Run |
| US-F-E01-03-03 | F-E01-03 | footer | TC-FOOTER-003 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E01-03-03 | F-E01-03 | footer | TC-FOOTER-004 | Not Run |
| US-F-E01-04-01 | F-E01-04 | fragment | TC-FRAGMENT-002 | Not Run |
| US-F-E01-04-01 | F-E01-04 | fragment | TC-FRAGMENT-003 | Not Run |
| US-F-E01-04-01 | F-E01-04 | fragment | TC-FRAGMENT-004 | Not Run |
| US-F-E01-04-02 | F-E01-04 | fragment | TC-FRAGMENT-001 | Failed |
| US-F-E01-04-02 | F-E01-04 | fragment | TC-FRAGMENT-005 | Requires Manual Validation |
| US-F-E01-04-02 | F-E01-04 | fragment | TC-FRAGMENT-006 | Passed |
| US-F-E01-04-02 | F-E01-04 | fragment | TC-FRAGMENT-007 | Not Run |
| US-F-E01-05-01 | F-E01-05 | modal | TC-MODAL-002 | Not Run |
| US-F-E01-05-01 | F-E01-05 | modal | TC-MODAL-003 | Not Run |
| US-F-E01-05-01 | F-E01-05 | modal | TC-MODAL-004 | Not Run |
| US-F-E01-05-02 | F-E01-05 | modal | TC-MODAL-001 | Failed |
| US-F-E01-05-02 | F-E01-05 | modal | TC-MODAL-005 | Requires Manual Validation |
| US-F-E01-05-02 | F-E01-05 | modal | TC-MODAL-006 | Passed |
| US-F-E01-05-02 | F-E01-05 | modal | TC-MODAL-007 | Not Run |
| US-F-E02-01-01 | F-E02-01 | hero | TC-HERO-002 | Not Run |
| US-F-E02-01-01 | F-E02-01 | hero | TC-HERO-024 | Not Run |
| US-F-E02-01-01 | F-E02-01 | hero | TC-HERO-025 | Not Run |
| US-F-E02-01-02 | F-E02-01 | hero | TC-HERO-001 | Failed |
| US-F-E02-01-02 | F-E02-01 | hero | TC-HERO-026 | Requires Manual Validation |
| US-F-E02-01-02 | F-E02-01 | hero | TC-HERO-027 | Passed |
| US-F-E02-01-02 | F-E02-01 | hero | TC-HERO-028 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-003 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-004 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-005 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-006 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-007 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-008 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-009 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-010 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-011 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-012 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-013 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-014 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-015 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-016 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-017 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-018 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-019 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-020 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-021 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-022 | Not Run |
| US-F-E02-01-03 | F-E02-01 | hero | TC-HERO-023 | Not Run |
| US-F-E02-02-01 | F-E02-02 | page-header | TC-PAGE-HEADER-002 | Not Run |
| US-F-E02-02-01 | F-E02-02 | page-header | TC-PAGE-HEADER-010 | Not Run |
| US-F-E02-02-01 | F-E02-02 | page-header | TC-PAGE-HEADER-011 | Not Run |
| US-F-E02-02-02 | F-E02-02 | page-header | TC-PAGE-HEADER-001 | Failed |
| US-F-E02-02-02 | F-E02-02 | page-header | TC-PAGE-HEADER-012 | Requires Manual Validation |
| US-F-E02-02-02 | F-E02-02 | page-header | TC-PAGE-HEADER-013 | Passed |
| US-F-E02-02-02 | F-E02-02 | page-header | TC-PAGE-HEADER-014 | Not Run |
| US-F-E02-02-03 | F-E02-02 | page-header | TC-PAGE-HEADER-003 | Not Run |
| US-F-E02-02-03 | F-E02-02 | page-header | TC-PAGE-HEADER-004 | Not Run |
| US-F-E02-02-03 | F-E02-02 | page-header | TC-PAGE-HEADER-005 | Not Run |
| US-F-E02-02-03 | F-E02-02 | page-header | TC-PAGE-HEADER-006 | Not Run |
| US-F-E02-02-03 | F-E02-02 | page-header | TC-PAGE-HEADER-007 | Not Run |
| US-F-E02-02-03 | F-E02-02 | page-header | TC-PAGE-HEADER-008 | Not Run |
| US-F-E02-02-03 | F-E02-02 | page-header | TC-PAGE-HEADER-009 | Not Run |
| US-F-E03-01-01 | F-E03-01 | teaser | TC-TEASER-002 | Not Run |
| US-F-E03-01-01 | F-E03-01 | teaser | TC-TEASER-038 | Not Run |
| US-F-E03-01-01 | F-E03-01 | teaser | TC-TEASER-039 | Not Run |
| US-F-E03-01-02 | F-E03-01 | teaser | TC-TEASER-001 | Failed |
| US-F-E03-01-02 | F-E03-01 | teaser | TC-TEASER-040 | Requires Manual Validation |
| US-F-E03-01-02 | F-E03-01 | teaser | TC-TEASER-041 | Passed |
| US-F-E03-01-02 | F-E03-01 | teaser | TC-TEASER-042 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-003 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-004 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-005 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-006 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-007 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-008 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-009 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-010 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-011 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-012 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-013 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-014 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-015 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-016 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-017 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-018 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-019 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-020 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-021 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-022 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-023 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-024 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-025 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-026 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-027 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-028 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-029 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-030 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-031 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-032 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-033 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-034 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-035 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-036 | Not Run |
| US-F-E03-01-03 | F-E03-01 | teaser | TC-TEASER-037 | Not Run |
| US-F-E03-02-01 | F-E03-02 | cards | TC-CARDS-002 | Not Run |
| US-F-E03-02-01 | F-E03-02 | cards | TC-CARDS-022 | Not Run |
| US-F-E03-02-01 | F-E03-02 | cards | TC-CARDS-023 | Not Run |
| US-F-E03-02-02 | F-E03-02 | cards | TC-CARDS-001 | Failed |
| US-F-E03-02-02 | F-E03-02 | cards | TC-CARDS-024 | Requires Manual Validation |
| US-F-E03-02-02 | F-E03-02 | cards | TC-CARDS-025 | Passed |
| US-F-E03-02-02 | F-E03-02 | cards | TC-CARDS-026 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-003 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-004 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-005 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-006 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-007 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-008 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-009 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-010 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-011 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-012 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-013 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-014 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-015 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-016 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-017 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-018 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-019 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-020 | Not Run |
| US-F-E03-02-03 | F-E03-02 | cards | TC-CARDS-021 | Not Run |
| US-F-E03-03-01 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-002 | Not Run |
| US-F-E03-03-01 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-021 | Not Run |
| US-F-E03-03-01 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-022 | Not Run |
| US-F-E03-03-02 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-001 | Failed |
| US-F-E03-03-02 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-023 | Requires Manual Validation |
| US-F-E03-03-02 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-024 | Failed |
| US-F-E03-03-02 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-025 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-003 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-004 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-005 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-006 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-007 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-008 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-009 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-010 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-011 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-012 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-013 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-014 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-015 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-016 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-017 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-018 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-019 | Not Run |
| US-F-E03-03-03 | F-E03-03 | columns-container | TC-COLUMNS-CONTAINER-020 | Not Run |
| US-F-E03-04-01 | F-E03-04 | columns | TC-COLUMNS-002 | Not Run |
| US-F-E03-04-01 | F-E03-04 | columns | TC-COLUMNS-003 | Not Run |
| US-F-E03-04-01 | F-E03-04 | columns | TC-COLUMNS-004 | Not Run |
| US-F-E03-04-02 | F-E03-04 | columns | TC-COLUMNS-001 | Failed |
| US-F-E03-04-02 | F-E03-04 | columns | TC-COLUMNS-005 | Requires Manual Validation |
| US-F-E03-04-02 | F-E03-04 | columns | TC-COLUMNS-006 | Passed |
| US-F-E03-04-02 | F-E03-04 | columns | TC-COLUMNS-007 | Not Run |
| US-F-E03-05-01 | F-E03-05 | column-break | TC-COLUMN-BREAK-002 | Not Run |
| US-F-E03-05-01 | F-E03-05 | column-break | TC-COLUMN-BREAK-003 | Not Run |
| US-F-E03-05-01 | F-E03-05 | column-break | TC-COLUMN-BREAK-004 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E03-05-02 | F-E03-05 | column-break | TC-COLUMN-BREAK-001 | Blocked |
| US-F-E03-05-02 | F-E03-05 | column-break | TC-COLUMN-BREAK-005 | Requires Manual Validation |
| US-F-E03-05-02 | F-E03-05 | column-break | TC-COLUMN-BREAK-006 | Blocked |
| US-F-E03-05-02 | F-E03-05 | column-break | TC-COLUMN-BREAK-007 | Not Run |
| US-F-E03-06-01 | F-E03-06 | quote | TC-QUOTE-002 | Not Run |
| US-F-E03-06-01 | F-E03-06 | quote | TC-QUOTE-007 | Not Run |
| US-F-E03-06-01 | F-E03-06 | quote | TC-QUOTE-008 | Not Run |
| US-F-E03-06-02 | F-E03-06 | quote | TC-QUOTE-001 | Failed |
| US-F-E03-06-02 | F-E03-06 | quote | TC-QUOTE-009 | Requires Manual Validation |
| US-F-E03-06-02 | F-E03-06 | quote | TC-QUOTE-010 | Passed |
| US-F-E03-06-02 | F-E03-06 | quote | TC-QUOTE-011 | Not Run |
| US-F-E03-06-03 | F-E03-06 | quote | TC-QUOTE-003 | Not Run |
| US-F-E03-06-03 | F-E03-06 | quote | TC-QUOTE-004 | Not Run |
| US-F-E03-06-03 | F-E03-06 | quote | TC-QUOTE-005 | Not Run |
| US-F-E03-06-03 | F-E03-06 | quote | TC-QUOTE-006 | Not Run |
| US-F-E03-07-01 | F-E03-07 | testimonial | TC-TESTIMONIAL-002 | Not Run |
| US-F-E03-07-01 | F-E03-07 | testimonial | TC-TESTIMONIAL-005 | Not Run |
| US-F-E03-07-01 | F-E03-07 | testimonial | TC-TESTIMONIAL-006 | Not Run |
| US-F-E03-07-02 | F-E03-07 | testimonial | TC-TESTIMONIAL-001 | Failed |
| US-F-E03-07-02 | F-E03-07 | testimonial | TC-TESTIMONIAL-007 | Requires Manual Validation |
| US-F-E03-07-02 | F-E03-07 | testimonial | TC-TESTIMONIAL-008 | Failed |
| US-F-E03-07-02 | F-E03-07 | testimonial | TC-TESTIMONIAL-009 | Not Run |
| US-F-E03-07-03 | F-E03-07 | testimonial | TC-TESTIMONIAL-003 | Not Run |
| US-F-E03-07-03 | F-E03-07 | testimonial | TC-TESTIMONIAL-004 | Not Run |
| US-F-E03-08-01 | F-E03-08 | separator | TC-SEPARATOR-002 | Not Run |
| US-F-E03-08-01 | F-E03-08 | separator | TC-SEPARATOR-035 | Not Run |
| US-F-E03-08-01 | F-E03-08 | separator | TC-SEPARATOR-036 | Not Run |
| US-F-E03-08-02 | F-E03-08 | separator | TC-SEPARATOR-001 | Failed |
| US-F-E03-08-02 | F-E03-08 | separator | TC-SEPARATOR-037 | Requires Manual Validation |
| US-F-E03-08-02 | F-E03-08 | separator | TC-SEPARATOR-038 | Passed |
| US-F-E03-08-02 | F-E03-08 | separator | TC-SEPARATOR-039 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-003 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-004 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-005 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-006 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-007 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-008 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-009 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-010 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-011 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-012 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-013 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-014 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-015 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-016 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-017 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-018 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-019 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-020 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-021 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-022 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-023 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-024 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-025 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-026 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-027 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-028 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-029 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-030 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-031 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-032 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-033 | Not Run |
| US-F-E03-08-03 | F-E03-08 | separator | TC-SEPARATOR-034 | Not Run |
| US-F-E03-09-01 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-002 | Not Run |
| US-F-E03-09-01 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-016 | Not Run |
| US-F-E03-09-01 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-017 | Not Run |
| US-F-E03-09-02 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-001 | Blocked |
| US-F-E03-09-02 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-018 | Requires Manual Validation |
| US-F-E03-09-02 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-019 | Blocked |
| US-F-E03-09-02 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-020 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-003 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-004 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-005 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-006 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-007 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-008 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-009 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-010 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-011 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-012 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-013 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-014 | Not Run |
| US-F-E03-09-03 | F-E03-09 | image-collage | TC-IMAGE-COLLAGE-015 | Not Run |
| US-F-E03-10-01 | F-E03-10 | accordion | TC-ACCORDION-002 | Not Run |
| US-F-E03-10-01 | F-E03-10 | accordion | TC-ACCORDION-003 | Not Run |
| US-F-E03-10-01 | F-E03-10 | accordion | TC-ACCORDION-004 | Not Run |
| US-F-E03-10-02 | F-E03-10 | accordion | TC-ACCORDION-001 | Failed |
| US-F-E03-10-02 | F-E03-10 | accordion | TC-ACCORDION-005 | Requires Manual Validation |
| US-F-E03-10-02 | F-E03-10 | accordion | TC-ACCORDION-006 | Passed |
| US-F-E03-10-02 | F-E03-10 | accordion | TC-ACCORDION-007 | Not Run |
| US-F-E03-11-01 | F-E03-11 | tabs | TC-TABS-002 | Not Run |
| US-F-E03-11-01 | F-E03-11 | tabs | TC-TABS-022 | Not Run |
| US-F-E03-11-01 | F-E03-11 | tabs | TC-TABS-023 | Not Run |
| US-F-E03-11-02 | F-E03-11 | tabs | TC-TABS-001 | Failed |
| US-F-E03-11-02 | F-E03-11 | tabs | TC-TABS-024 | Requires Manual Validation |
| US-F-E03-11-02 | F-E03-11 | tabs | TC-TABS-025 | Passed |
| US-F-E03-11-02 | F-E03-11 | tabs | TC-TABS-026 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-003 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-004 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-005 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-006 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-007 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-008 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-009 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-010 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-011 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-012 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-013 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-014 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-015 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-016 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-017 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-018 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-019 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-020 | Not Run |
| US-F-E03-11-03 | F-E03-11 | tabs | TC-TABS-021 | Not Run |
| US-F-E03-12-01 | F-E03-12 | tab | TC-TAB-002 | Not Run |
| US-F-E03-12-01 | F-E03-12 | tab | TC-TAB-004 | Not Run |
| US-F-E03-12-01 | F-E03-12 | tab | TC-TAB-005 | Not Run |
| US-F-E03-12-02 | F-E03-12 | tab | TC-TAB-001 | Blocked |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E03-12-02 | F-E03-12 | tab | TC-TAB-006 | Requires Manual Validation |
| US-F-E03-12-02 | F-E03-12 | tab | TC-TAB-007 | Blocked |
| US-F-E03-12-02 | F-E03-12 | tab | TC-TAB-008 | Not Run |
| US-F-E03-12-03 | F-E03-12 | tab | TC-TAB-003 | Not Run |
| US-F-E03-13-01 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-002 | Not Run |
| US-F-E03-13-01 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-016 | Not Run |
| US-F-E03-13-01 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-017 | Not Run |
| US-F-E03-13-02 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-001 | Failed |
| US-F-E03-13-02 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-018 | Requires Manual Validation |
| US-F-E03-13-02 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-019 | Passed |
| US-F-E03-13-02 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-020 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-003 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-004 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-005 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-006 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-007 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-008 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-009 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-010 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-011 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-012 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-013 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-014 | Not Run |
| US-F-E03-13-03 | F-E03-13 | gen-carousel | TC-GEN-CAROUSEL-015 | Not Run |
| US-F-E03-14-01 | F-E03-14 | table | TC-TABLE-002 | Not Run |
| US-F-E03-14-01 | F-E03-14 | table | TC-TABLE-005 | Not Run |
| US-F-E03-14-01 | F-E03-14 | table | TC-TABLE-006 | Not Run |
| US-F-E03-14-02 | F-E03-14 | table | TC-TABLE-001 | Failed |
| US-F-E03-14-02 | F-E03-14 | table | TC-TABLE-007 | Requires Manual Validation |
| US-F-E03-14-02 | F-E03-14 | table | TC-TABLE-008 | Failed |
| US-F-E03-14-02 | F-E03-14 | table | TC-TABLE-009 | Not Run |
| US-F-E03-14-03 | F-E03-14 | table | TC-TABLE-003 | Not Run |
| US-F-E03-14-03 | F-E03-14 | table | TC-TABLE-004 | Not Run |
| US-F-E03-15-01 | F-E03-15 | anchor-list | TC-ANCHOR-LIST-002 | Not Run |
| US-F-E03-15-01 | F-E03-15 | anchor-list | TC-ANCHOR-LIST-003 | Not Run |
| US-F-E03-15-01 | F-E03-15 | anchor-list | TC-ANCHOR-LIST-004 | Not Run |
| US-F-E03-15-02 | F-E03-15 | anchor-list | TC-ANCHOR-LIST-001 | Failed |
| US-F-E03-15-02 | F-E03-15 | anchor-list | TC-ANCHOR-LIST-005 | Requires Manual Validation |
| US-F-E03-15-02 | F-E03-15 | anchor-list | TC-ANCHOR-LIST-006 | Passed |
| US-F-E03-15-02 | F-E03-15 | anchor-list | TC-ANCHOR-LIST-007 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E03-16-01 | F-E03-16 | button-block | TC-BUTTON-BLOCK-002 | Not Run |
| US-F-E03-16-01 | F-E03-16 | button-block | TC-BUTTON-BLOCK-008 | Not Run |
| US-F-E03-16-01 | F-E03-16 | button-block | TC-BUTTON-BLOCK-009 | Not Run |
| US-F-E03-16-02 | F-E03-16 | button-block | TC-BUTTON-BLOCK-001 | Blocked |
| US-F-E03-16-02 | F-E03-16 | button-block | TC-BUTTON-BLOCK-010 | Requires Manual Validation |
| US-F-E03-16-02 | F-E03-16 | button-block | TC-BUTTON-BLOCK-011 | Blocked |
| US-F-E03-16-02 | F-E03-16 | button-block | TC-BUTTON-BLOCK-012 | Not Run |
| US-F-E03-16-03 | F-E03-16 | button-block | TC-BUTTON-BLOCK-003 | Not Run |
| US-F-E03-16-03 | F-E03-16 | button-block | TC-BUTTON-BLOCK-004 | Not Run |
| US-F-E03-16-03 | F-E03-16 | button-block | TC-BUTTON-BLOCK-005 | Not Run |
| US-F-E03-16-03 | F-E03-16 | button-block | TC-BUTTON-BLOCK-006 | Not Run |
| US-F-E03-16-03 | F-E03-16 | button-block | TC-BUTTON-BLOCK-007 | Not Run |
| US-F-E04-01-01 | F-E04-01 | video | TC-VIDEO-002 | Not Run |
| US-F-E04-01-01 | F-E04-01 | video | TC-VIDEO-007 | Not Run |
| US-F-E04-01-01 | F-E04-01 | video | TC-VIDEO-008 | Not Run |
| US-F-E04-01-02 | F-E04-01 | video | TC-VIDEO-001 | Failed |
| US-F-E04-01-02 | F-E04-01 | video | TC-VIDEO-009 | Requires Manual Validation |
| US-F-E04-01-02 | F-E04-01 | video | TC-VIDEO-010 | Passed |
| US-F-E04-01-02 | F-E04-01 | video | TC-VIDEO-011 | Not Run |
| US-F-E04-01-03 | F-E04-01 | video | TC-VIDEO-003 | Not Run |
| US-F-E04-01-03 | F-E04-01 | video | TC-VIDEO-004 | Not Run |
| US-F-E04-01-03 | F-E04-01 | video | TC-VIDEO-005 | Not Run |
| US-F-E04-01-03 | F-E04-01 | video | TC-VIDEO-006 | Not Run |
| US-F-E04-02-01 | F-E04-02 | embed | TC-EMBED-002 | Not Run |
| US-F-E04-02-01 | F-E04-02 | embed | TC-EMBED-003 | Not Run |
| US-F-E04-02-01 | F-E04-02 | embed | TC-EMBED-004 | Not Run |
| US-F-E04-02-02 | F-E04-02 | embed | TC-EMBED-001 | Failed |
| US-F-E04-02-02 | F-E04-02 | embed | TC-EMBED-005 | Requires Manual Validation |
| US-F-E04-02-02 | F-E04-02 | embed | TC-EMBED-006 | Passed |
| US-F-E04-02-02 | F-E04-02 | embed | TC-EMBED-007 | Not Run |
| US-F-E04-03-01 | F-E04-03 | interactive-dashboard | TC-INTERACTIVE-DASHBOARD-002 | Not Run |
| US-F-E04-03-01 | F-E04-03 | interactive-dashboard | TC-INTERACTIVE-DASHBOARD-003 | Not Run |
| US-F-E04-03-01 | F-E04-03 | interactive-dashboard | TC-INTERACTIVE-DASHBOARD-004 | Not Run |
| US-F-E04-03-02 | F-E04-03 | interactive-dashboard | TC-INTERACTIVE-DASHBOARD-001 | Failed |
| US-F-E04-03-02 | F-E04-03 | interactive-dashboard | TC-INTERACTIVE-DASHBOARD-005 | Requires Manual Validation |
| US-F-E04-03-02 | F-E04-03 | interactive-dashboard | TC-INTERACTIVE-DASHBOARD-006 | Passed |
| US-F-E04-03-02 | F-E04-03 | interactive-dashboard | TC-INTERACTIVE-DASHBOARD-007 | Not Run |
| US-F-E05-01-01 | F-E05-01 | list | TC-LIST-002 | Not Run |
| US-F-E05-01-01 | F-E05-01 | list | TC-LIST-026 | Not Run |
| US-F-E05-01-01 | F-E05-01 | list | TC-LIST-027 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E05-01-02 | F-E05-01 | list | TC-LIST-001 | Failed |
| US-F-E05-01-02 | F-E05-01 | list | TC-LIST-028 | Requires Manual Validation |
| US-F-E05-01-02 | F-E05-01 | list | TC-LIST-029 | Passed |
| US-F-E05-01-02 | F-E05-01 | list | TC-LIST-030 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-003 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-004 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-005 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-006 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-007 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-008 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-009 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-010 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-011 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-012 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-013 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-014 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-015 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-016 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-017 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-018 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-019 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-020 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-021 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-022 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-023 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-024 | Not Run |
| US-F-E05-01-03 | F-E05-01 | list | TC-LIST-025 | Not Run |
| US-F-E05-02-01 | F-E05-02 | filter-list | TC-FILTER-LIST-002 | Not Run |
| US-F-E05-02-01 | F-E05-02 | filter-list | TC-FILTER-LIST-013 | Not Run |
| US-F-E05-02-01 | F-E05-02 | filter-list | TC-FILTER-LIST-014 | Not Run |
| US-F-E05-02-02 | F-E05-02 | filter-list | TC-FILTER-LIST-001 | Failed |
| US-F-E05-02-02 | F-E05-02 | filter-list | TC-FILTER-LIST-015 | Requires Manual Validation |
| US-F-E05-02-02 | F-E05-02 | filter-list | TC-FILTER-LIST-016 | Passed |
| US-F-E05-02-02 | F-E05-02 | filter-list | TC-FILTER-LIST-017 | Not Run |
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-003 | Not Run |
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-004 | Not Run |
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-005 | Not Run |
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-006 | Not Run |
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-007 | Not Run |
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-008 | Not Run |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-009 | Not Run |
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-010 | Not Run |
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-011 | Not Run |
| US-F-E05-02-03 | F-E05-02 | filter-list | TC-FILTER-LIST-012 | Not Run |
| US-F-E05-03-01 | F-E05-03 | table-list | TC-TABLE-LIST-002 | Not Run |
| US-F-E05-03-01 | F-E05-03 | table-list | TC-TABLE-LIST-011 | Not Run |
| US-F-E05-03-01 | F-E05-03 | table-list | TC-TABLE-LIST-012 | Not Run |
| US-F-E05-03-02 | F-E05-03 | table-list | TC-TABLE-LIST-001 | Failed |
| US-F-E05-03-02 | F-E05-03 | table-list | TC-TABLE-LIST-013 | Requires Manual Validation |
| US-F-E05-03-02 | F-E05-03 | table-list | TC-TABLE-LIST-014 | Passed |
| US-F-E05-03-02 | F-E05-03 | table-list | TC-TABLE-LIST-015 | Not Run |
| US-F-E05-03-03 | F-E05-03 | table-list | TC-TABLE-LIST-003 | Not Run |
| US-F-E05-03-03 | F-E05-03 | table-list | TC-TABLE-LIST-004 | Not Run |
| US-F-E05-03-03 | F-E05-03 | table-list | TC-TABLE-LIST-005 | Not Run |
| US-F-E05-03-03 | F-E05-03 | table-list | TC-TABLE-LIST-006 | Not Run |
| US-F-E05-03-03 | F-E05-03 | table-list | TC-TABLE-LIST-007 | Not Run |
| US-F-E05-03-03 | F-E05-03 | table-list | TC-TABLE-LIST-008 | Not Run |
| US-F-E05-03-03 | F-E05-03 | table-list | TC-TABLE-LIST-009 | Not Run |
| US-F-E05-03-03 | F-E05-03 | table-list | TC-TABLE-LIST-010 | Not Run |
| US-F-E05-04-01 | F-E05-04 | media-contacts | TC-MEDIA-CONTACTS-002 | Not Run |
| US-F-E05-04-01 | F-E05-04 | media-contacts | TC-MEDIA-CONTACTS-004 | Not Run |
| US-F-E05-04-01 | F-E05-04 | media-contacts | TC-MEDIA-CONTACTS-005 | Not Run |
| US-F-E05-04-02 | F-E05-04 | media-contacts | TC-MEDIA-CONTACTS-001 | Blocked |
| US-F-E05-04-02 | F-E05-04 | media-contacts | TC-MEDIA-CONTACTS-006 | Requires Manual Validation |
| US-F-E05-04-02 | F-E05-04 | media-contacts | TC-MEDIA-CONTACTS-007 | Blocked |
| US-F-E05-04-02 | F-E05-04 | media-contacts | TC-MEDIA-CONTACTS-008 | Not Run |
| US-F-E05-04-03 | F-E05-04 | media-contacts | TC-MEDIA-CONTACTS-003 | Not Run |
| US-F-E06-01-01 | F-E06-01 | form-variations | TC-FORM-VARIATIONS-002 | Not Run |
| US-F-E06-01-01 | F-E06-01 | form-variations | TC-FORM-VARIATIONS-005 | Not Run |
| US-F-E06-01-01 | F-E06-01 | form-variations | TC-FORM-VARIATIONS-006 | Not Run |
| US-F-E06-01-02 | F-E06-01 | form-variations | TC-FORM-VARIATIONS-001 | Failed |
| US-F-E06-01-02 | F-E06-01 | form-variations | TC-FORM-VARIATIONS-007 | Requires Manual Validation |
| US-F-E06-01-02 | F-E06-01 | form-variations | TC-FORM-VARIATIONS-008 | Passed |
| US-F-E06-01-02 | F-E06-01 | form-variations | TC-FORM-VARIATIONS-009 | Not Run |
| US-F-E06-01-03 | F-E06-01 | form-variations | TC-FORM-VARIATIONS-003 | Not Run |
| US-F-E06-01-03 | F-E06-01 | form-variations | TC-FORM-VARIATIONS-004 | Not Run |
| US-F-E07-01-01 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-002 | Not Run |
| US-F-E07-01-01 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-013 | Not Run |
| US-F-E07-01-01 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-014 | Not Run |
| US-F-E07-01-02 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-001 | Failed |

| Story | Feature | Block | Test case | Status |
|---|---|---|---|---|
| US-F-E07-01-02 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-015 | Requires Manual Validation |
| US-F-E07-01-02 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-016 | Passed |
| US-F-E07-01-02 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-017 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-003 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-004 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-005 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-006 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-007 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-008 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-009 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-010 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-011 | Not Run |
| US-F-E07-01-03 | F-E07-01 | conversation-canvas | TC-CONVERSATION-CANVAS-012 | Not Run |
| US-F-E08-01-01 | F-E08-01 | — | No test case (gap) | Not Run |
| US-F-E08-02-01 | F-E08-02 | — | No test case (gap) | Not Run |
| US-F-E08-03-01 | F-E08-03 | — | No test case (gap) | Not Run |
| US-F-E08-04-01 | F-E08-04 | — | No test case (gap) | Not Run |
| US-F-E09-01-01 | F-E09-01 | — | No test case (gap) | Not Run |
| US-F-E09-02-01 | F-E09-02 | — | No test case (gap) | Not Run |
| US-F-E09-03-01 | F-E09-03 | — | No test case (gap) | Not Run |
| US-F-E09-04-01 | F-E09-04 | — | No test case (gap) | Not Run |
| US-F-E10-01-01 | F-E10-01 | — | No test case (gap) | Not Run |
| US-F-E10-02-01 | F-E10-02 | — | No test case (gap) | Not Run |
| US-F-E10-03-01 | F-E10-03 | — | No test case (gap) | Not Run |
| US-F-E10-04-01 | F-E10-04 | — | No test case (gap) | Not Run |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Responsive Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-010 |
| Audience | QA lead, testers, release lead |
| Purpose | Responsive cases of every block |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-ACCORDION-006 | Responsive | — | Accordion at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 2 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-ANCHOR-LIST-006 | Responsive | — | Anchor List at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 3 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-BUTTON-BLOCK-011 | Responsive | — | Button at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Blocked | No block library page for this block | — | — | — | — | — |
| TC-CARDS-025 | Responsive | — | Cards at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 7 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-COLUMN-BREAK-006 | Responsive | — | Column Break at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Blocked | No block library page for this block | — | — | — | — | — |
| TC-COLUMNS-006 | Responsive | — | Columns at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 3 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-COLUMNS-CONTAINER-024 | Responsive | — | Columns Container at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Failed | Horizontal overflow on /design-block-master/en/block-library/columns-container/columns-of-blocks (1024 px) | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | DEF-004 | Automated (documentation program) | 13 November 2026 |
| TC-CONVERSATION-CANVAS-016 | Responsive | — | Conversation Canvas at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 6 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-EMBED-006 | Responsive | — | Embed at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 2 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-FILTER-LIST-016 | Responsive | — | Filter List at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 7 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-FOOTER-008 | Responsive | — | Footer at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 8 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-FORM-VARIATIONS-008 | Responsive | — | Form Variations at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 3 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-FRAGMENT-006 | Responsive | — | Fragment at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 4 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-GEN-CAROUSEL-019 | Responsive | — | Gen Carousel at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 6 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-HEADER-003 | Responsive | — | Header at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 5 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-HERO-027 | Responsive | — | Hero at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 5 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-IMAGE-COLLAGE-019 | Responsive | — | Image Collage at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Blocked | No block library page for this block | — | — | — | — | — |
| TC-INTERACTIVE-DASHBOARD-006 | Responsive | — | Interactive Dashboard at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 2 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-LIST-029 | Responsive | — | List at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 15 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-MEDIA-CONTACTS-007 | Responsive | — | Media Contacts at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Blocked | No block library page for this block | — | — | — | — | — |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-MODAL-006 | Responsive | — | Modal at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 10 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-PAGE-HEADER-013 | Responsive | — | Page Header at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 17 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-QUOTE-010 | Responsive | — | Quote at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 2 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-SEPARATOR-038 | Responsive | — | Separator at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 4 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-TAB-007 | Responsive | — | Tab at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Blocked | No block library page for this block | — | — | — | — | — |
| TC-TABLE-008 | Responsive | — | Table at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Failed | Horizontal overflow on /design-block-master/en/block-library/table/table (375, 768, 1024, 1440 px) | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | DEF-007 | Automated (documentation program) | 13 November 2026 |
| TC-TABLE-LIST-014 | Responsive | — | Table List at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 6 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-TABS-025 | Responsive | — | Tabs at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 14 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |

| ID | Kind | Variation | Objective | Steps | Expected | Status | Actual | Environment | Evidence | Defect | Tester | Date |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TC-TCS-HEADER-007 | Responsive | — | TCS Header at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Blocked | No block library page for this block | — | — | — | — | — |
| TC-TEASER-041 | Responsive | — | Teaser at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 11 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |
| TC-TESTIMONIAL-008 | Responsive | — | Testimonial at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Failed | Horizontal overflow on /design-block-master/en/block-library/testimonial/testimonial-variations (375, 768, 1024 px) | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | DEF-009 | Automated (documentation program) | 13 November 2026 |
| TC-VIDEO-010 | Responsive | — | Video at 375, 768, 1024 and 1440 px | 1. Open the block library page at each width | No horizontal overflow; layout follows the responsive rules of the README | Passed | No horizontal overflow at 375, 768, 1024, 1440 px on 3 pages | Edge Delivery live, Chromium (Playwright) | screenshots in the block folder | — | Automated (documentation program) | 13 November 2026 |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# Security and Privacy Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-016 |
| Audience | QA lead, testers, release lead |
| Purpose | Privacy and link safety |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Check | Status |
|---|---|---|
| TC-SEC-001 | redactSearchTerm and contactLinkKind (unit tests) | Passed |
| TC-SEC-002 | External links opening a new tab announce it | Not Run |
| TC-SEC-003 | No secrets or environment ids in the repository | Passed (validate-block-docs, review) |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |

# SEO Test Cases

| Attribute | Value |
|---|---|
| Document ID | QA-014 |
| Audience | QA lead, testers, release lead |
| Purpose | Titles, headings, language, metadata |
| Scope | — |
| Prerequisites | — |
| Owner | QA Lead (proposed) |
| Approver | Product Owner (to be confirmed) |
| Version | 1.0 |
| Status | Draft for review |
| Last updated | 13 November 2026 |
| Last validated | 13 November 2026 |
| Source files | — |
| Related documents | — |
| Related AEM paths | — |

| ID | Check | Status | Actual |
|---|---|---|---|
| TC-SEO-001 | Every reference page has a title | Passed | 0 pages without a title |
| TC-SEO-002 | Exactly one H1 per page | Failed | 43 pages with 0 or several H1 |
| TC-SEO-003 | html lang set | Passed | 0 pages without lang |
| TC-SEO-004 | Canonical and social metadata of migrated pages | Not Run | — |

## 1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

## 2. Known limitations

- None recorded for this document.

## 3. Open items

- None.

## 4. Change history

| Version | Date | Author | Change |
|---|---|---|---|
| 1.0 | 13 November 2026 | Delivery team (documentation program) | First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages |