TCS CORPORATE WEBSITE

Interactive Dashboard Block — Developer Guide

Role / audience	Development — Developers, technical leads, block owners, AI coding agents
Version	1.0
Status	Draft for review
Owner	Technical Lead / Block Owner (proposed)
Last validated	2026-11-08
Documents	1
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Interactive Dashboard Block — Developer Guide
- Summary
- Overview
- Source files
- Components, models and filters
- Fields
- Dependencies
- For Developers
- Extending the Block
- Responsive Behavior
- Accessibility
- Data Layer and Analytics
- Performance Considerations
- Security and Privacy
- For Architects
- Troubleshooting
- Known limitations of the block
- Change history of the block
- Reference pages
- Coverage of the required topics
- Screenshots
- Known limitations
- Open items
- Change history

Interactive Dashboard Block — Developer Guide

Attribute	Value
Document ID	DEV-B-interactive-dashboard
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	How the Interactive Dashboard block is built: files, model, structure, behaviour, variations, tests and limitations
Scope	blocks/interactive-dashboard/ and its components interactive-dashboard
Prerequisites	—
Owner	Technical Lead / Block Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	2026-11-08 (model, files, imports from the code; reference pages from the live site)
Source files	blocks/interactive-dashboard/README.md, blocks/interactive-dashboard/_interactive-dashboard.json, blocks/interactive-dashboard/interactive-dashboard.css, blocks/interactive-dashboard/interactive-dashboard.js
Related documents	Variations, Test coverage, Authoring guide
Related AEM paths	/content/tcs-corp/design-block-master/en/block-library/interactive-dashboard, /content/tcs-corp/design-block-master/en/block-library/interactive-dashboard/interactive-dashboard

1. Summary

Attribute	Value
Block	Interactive Dashboard
Folder	`blocks/interactive-dashboard`
Type	Independent
Category	utility
Status	Experimental (placeholder)
Purpose	Reserved for a future dashboard; renders nothing on the site
Variations (summary)	—
Children	—
Code size	34 lines of JS and CSS

2. Overview

Business purpose. Reserve a component name, the Additional options and a data-layer entry for a future dashboard (for example interactive figures or KPIs). Requirements, data source and design are not recorded.

User experience. Visitors see nothing. Authors see a dashed box in edit mode.

Templates / page types. None use it.

Data source. None: no sheets, query index, metadata, taxonomy or placeholders.

Related blocks. Table and Table List (tabular data available today), Cards / List (statistic-style cards), Embed (an external dashboard a provider allows to be framed).

When to use. Not for new content (it can't be added); an existing instance only reserves a position on draft or block library pages.

When not to use. On any published page: it shows nothing and may leave an empty gap.

Realistic use cases. None today.

3. Source files

File	Link
`README.md`	GitHub
`_interactive-dashboard.json`	GitHub
`interactive-dashboard.css`	GitHub
`interactive-dashboard.js`	GitHub

4. Components, models and filters

Component	Title	Resource type	Template name	Model	Children allowed
`interactive-dashboard`	Interactive Dashboard	`core/franklin/components/block/v1/block`	Interactive Dashboard	`interactive-dashboard`	—

5. Fields

The Additional tab fields (anchor, hide, padding, margin, animation) are common to the blocks and described in the content modeling guide.

5.1 Interactive Dashboard (`interactive-dashboard`)

Tab	Label	Property	Type	Required in model	Default	Options	Visibility

"Required in model" is the model's `required` flag; whether a field is required in practice is stated in the authoring guide where it is known.

6. Dependencies

Import

7. For Developers

```
blocks/interactive-dashboard/
├── README.md
├── _interactive-dashboard.json
```

```
├── interactive-dashboard.css
└── interactive-dashboard.js
```

The block imports no shared decorator or utility.

JavaScript (`interactive-dashboard.js`). `decorate(block)` (synchronous) calls `block.replaceChildren()` and sets `data-placeholder="Interactive Dashboard"`. Nothing else.

CSS (`interactive-dashboard.css`). `.interactive-dashboard:empty` hidden; `.adobe-ue-edit .interactive-dashboard:empty` the dashed box with the `::before` label from `data-placeholder`.

Input DOM. Not key-value; AEM delivers an empty row for the Additional tab (discarded); Additional values as block classes.

Rendered DOM contract. `div.interactive-dashboard.block[data-placeholder="Interactive Dashboard"]`, empty (the block options decorator sets the id from an `anchor-…` class).

Events, async behavior, error handling, exports. None beyond `decorate`.

8. Extending the Block

1. **Define the requirements** (data source, design, interactions) with the product owner first.
2. **Model:** add Content fields to `_interactive-dashboard.json` (respecting the delivery rules: tab rows, field collapse, `classes_*`), keep the Additional tab last; `npm run build:json`, `npm run lint`.
3. **Availability:** add `interactive-dashboard` to the filters where it should be offered (`models/_section.json`, the Columns Container and Tabs filters) and regenerate the aggregates.
4. **Rendering:** replace `decorate`; use decorators / utils for shared behaviour; load data through `renderWhenLoaded` (skeleton) if it comes from the query index or sheets; placeholders for UI text.
5. **Animation:** add the block to `CONTENT_TARGETS` in `decorators/motion-decorator.js` if items should stagger.
6. **Data layer:** describe controls with `data-cmp-interaction`; push state with `pushComponentEvent`.
7. **Tests, library, docs:** unit tests for pure logic in `test/`, a block library page, this README, `npm run build:docs`, `npm run build:modules` after adding imports.

9. Responsive Behavior

`interactive-dashboard.css` has no media queries.

Viewport	Layout	Image behavior	Interaction behavior
All viewports	Not displayed on the site; in edit mode a box at least 10rem tall	—	None

10. Accessibility

- **Semantics:** none on the site (`display: none`, not in the accessibility tree).
- **Keyboard, focus, names, announcements:** nothing to reach.
- **Reduced motion:** not applicable.
- **Empty state:** always empty; the editor box is for authors only.

Author responsibilities: don't reference the dashboard in page content ("see the dashboard below").

Developer responsibilities: a future implementation must meet WCAG 2.1 AA (text alternatives for charts, keyboard operation, no colour-only encoding) and take its UI text from placeholders.

The block handles no keys.

11. Data Layer and Analytics

`decorators/data-layer-decorator.js` adds every `.block`, so the placeholder gets a component entry `tcs-corp/components/interactive-dashboard` (id = Anchor ID else `interactive-dashboard-{n}`, without `dc:title`). The block adds no `data-cmp-*` attributes.

Trigger	Data-layer event	Required properties	Analytics behavior
Block decorated	component state	`@type`, `parentId`	An untitled component entry (noise)

No interaction events exist. The intended path is Adobe Client Data Layer, then Adobe Data Collection (Tags), the AEP Web SDK, the Edge Network and Analytics / CJA, but Tags and the Web SDK aren't configured yet (blocked: measurement plan); no consent mechanism is implemented.

12. Performance Considerations


Negligible: the block's JS (13 lines) and CSS load with its section; no requests, observers or listeners.

13. Security and Privacy

No content, links, external requests or data. Nothing to sanitise.

14. For Architects

- **Role:** reserved component name; no rendering, data or interactivity.
- **Content model:** Additional tab only; not offered to authors.
- **Data layer / Web SDK / Target:** an untitled component entry; nothing else.
- **Consent, identity, caching, security:** not applicable (no requests, no content).
- **Performance:** two small files loaded with the section when an instance exists.



15. Troubleshooting

Symptom	Likely cause	Diagnostic steps	Resolution	Verification
Nothing on the published page	By design	Inspect: empty `div.interactive-dashboard`	Remove the block; use Table, Cards or Embed	Intended content shows
Not offered in Add (+)	Not in any filter (by design)	`component-filters.json`	None until it is implemented	—
Box not visible in the editor	Preview mode	Editor mode toggle	Switch to edit mode or use the content tree	Box appears
Empty gap on the page	The section keeps its spacing	Inspect the section	Delete the block / section, or Hide block	No gap
Anchor link doesn't scroll	Target is `display: none`	Check the id	Remove the link	—
Data layer lists the component	Every block is tracked	`window.adobeDataLayer`	Remove the block, or ignore the type	—

Evidence to collect: page URL and the block's markup (no secrets involved).

16. Known limitations of the block

Limitation	Impact	Workaround	Planned correction
Placeholder only: no content model, rendering, data or interactivity	No dashboard	Table, Cards, Embed	Not recorded (requirements: owner product owner)
Not offered in any filter	Can't be added	—	When implemented
Editor label is fixed English	Not translated	—	Not recorded
Still tracked in the data layer; its section may leave empty space	Reporting noise; gaps	Remove from pages	Not planned

17. Change history of the block

Version	Change	Source	Date
Not recorded	README generated from verified implementation and approved handover documentation	Repository review	Not recorded
Handover 2.18	Additional tab content animation fields added to the model	docs/handover revision history	18 October 2026
Handover 2.27	Block audit: the placeholder no longer offered to authors (D-B-17: removed from the section and Columns Container filters; definition and model kept)	docs/handover revision history; docs/audit/BLOCK-ECOSYSTEM-AUDIT.md	19 October 2026

18. Reference pages

Kind	Page	Live URL
Block library	/design-block-master/en/block-library/interactive-dashboard	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/interactive-dashboard
Block library	/design-block-master/en/block-library/interactive-dashboard/interactive-dashboard	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/interactive-dashboard/interactive-dashboard

19. Coverage of the required topics

Topic	Where
Purpose	Overview
Source files	generated: Files
Model, definition, filters, children	generated: Components
Dependencies	generated: Dependencies
Authored input / rendered output / DOM transformation	For Developers
Configuration fields, defaults, required fields	generated: Fields
Variations	INTERACTIVE-DASHBOARD-VARIATIONS.md
Responsive behaviour	Responsive Behavior
Accessibility and keyboard	Accessibility

Topic	Where
Analytics / data layer	Data Layer and Analytics
Performance	Performance Considerations
Security	Security and Privacy
Extending	Extending the Block
Known limitations	Known Limitations
Troubleshooting	Troubleshooting
Tests	INTERACTIVE-DASHBOARD-TEST-COVERAGE.md
SEO behaviour	Not recorded
Caching considerations	Not recorded (Edge Delivery default caching; no block-specific rule)
Ownership	Technical Lead / Block Owner (proposed)

20. Screenshots




Figure: Interactive Dashboard block library page — desktop 1440 × 900 (/design-block-master/en/block-library/interactive-dashboard/interactive-dashboard, captured 2026-11-08).




Figure: Interactive Dashboard block library page — mobile 375 × 812 (/design-block-master/en/block-library/interactive-dashboard/interactive-dashboard, captured 2026-11-08).




Figure: Desktop rendering — A page on aem.page at 1440 px: the H2 Performance insights with the line Key figures from our latest annual report, updated every quarter., empty space where the Interactive Dashboard section is, then the H2 Read the full report and its line about downloading the report. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/interactive-dashboard-desktop-view.jpg) (handover screenshot; rendering at the time it was taken).



Figure: Tablet rendering — The same draft page at 768 px: Performance insights with its line, blank space where the hidden Interactive Dashboard section is, then Read the full report and its line; no dashboard is visible. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/interactive-dashboard-tablet-view.jpg) (handover screenshot; rendering at the time it was taken).



Figure: Mobile rendering — The draft page at 375 px: the H2 Performance insights and Key figures from our latest annual report, updated every quarter., then directly the H2 Read the full report and Download the report for the detailed figures by industry and region.; no dashboard appears. (Sample content on the

preview; callout letters as in the Field Entry Table; file screenshots/interactive-dashboard-mobile-view.jpg) (handover screenshot; rendering at the time it was taken).



Figure: Universal Editor canvas — The draft page in Universal Editor edit mode at 1440 px: Performance insights and its line, then a dashed, rounded grey box with the centred text Interactive Dashboard (placeholder) and marker A, then Read the full report and its line. (Annotated preview in editor mode with sample content; letters as in the annotations list, not a Universal Editor screenshot; file screenshots/interactive-dashboard-authoring-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Properties panel — Properties panel of the block showing only the Additional tab. (Dialog reference generated from the component model, not a Universal Editor screenshot; file screenshots/interactive-dashboard-properties-panel.jpg) (handover screenshot; rendering at the time it was taken).

21. Known limitations

- Universal Editor dialogs were not captured: no author access in this program (see the access blockers).

22. Open items

- None.

23. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages