TCS CORPORATE WEBSITE

Quote Block — Developer Guide

Role / audience	Development — Developers, technical leads, block owners, AI coding agents
Version	1.0
Status	Draft for review
Owner	Technical Lead / Block Owner (proposed)
Last validated	2026-11-08
Documents	1
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Quote Block — Developer Guide
- Summary
- Overview
- Source files
- Components, models and filters
- Fields
- Dependencies
- For Developers
- Extending the Block
- Responsive Behavior
- Accessibility
- Data Layer and Analytics
- Performance Considerations
- Security and Privacy
- For Architects
- Troubleshooting
- Known limitations of the block
- Change history of the block
- Reference pages
- Coverage of the required topics
- Screenshots
- Known limitations
- Open items
- Change history

Quote Block — Developer Guide

Attribute	Value
Document ID	DEV-B-quote
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	How the Quote block is built: files, model, structure, behaviour, variations, tests and limitations
Scope	blocks/quote/ and its components quote
Prerequisites	—
Owner	Technical Lead / Block Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	2026-11-08 (model, files, imports from the code; reference pages from the live site)
Source files	blocks/quote/README.md, blocks/quote/_quote.json, blocks/quote/quote.css, blocks/quote/quote.js
Related documents	Variations, Test coverage, Authoring guide
Related AEM paths	/content/tcs-corp/design-block-master/en/block-library/quote, /content/tcs-corp/design-block-master/en/block-library/quote/quote-variations

1. Summary

Attribute	Value
Block	Quote
Folder	`blocks/quote`
Type	Independent
Category	content
Status	Active
Purpose	A quotation with author, optional image and title
Variations (summary)	Image position, BG Color
Children	—
Code size	350 lines of JS and CSS

2. Overview

- **Business purpose:** gives one voice visual weight. The statement sits next to a portrait, so it reads as a credible endorsement that is clearly attributed to a person.
- **User experience:** on desktop (900px and wider), a white card holds the quote and its author and overlaps the portrait, which sits on the right or the left. On mobile and tablet the image comes first (or last), and the card overlaps its bottom (or top) edge. With no image, the card stands on its own.
- **Templates / page types:** any page. No template adds the block.
- **Data source:** authored fields only. The block reads no sheet, placeholder, taxonomy, metadata or query index.

- **Related blocks:** Testimonial (`blocks/testimonial`) for a centred testimonial with a small round photo and stats. Teaser (`blocks/teaser`) for image and text with calls to action.
- **When to use:** a single statement deserves emphasis and should be attributed to a named person, ideally with a portrait.
- **When not to use:** to add a call to action (the block has no CTA field; use a Teaser). To show stats or several quotes in one block (use a Testimonial, or one Quote per Gen Carousel slide). For a short inline quotation in running text (use rich text).
- **Realistic use cases:** a client quote on a case study page; a leadership statement on a corporate page; a partner endorsement; a pull quote in an article.

3. Source files

File	Link
`README.md`	GitHub
`_quote.json`	GitHub
`quote.css`	GitHub
`quote.js`	GitHub

4. Components, models and filters

Component	Title	Resource type	Template name	Model	Children allowed
`quote`	Quote	`core/franklin/components/block/v1/block`	Quote	`quote`	—

5. Fields

The Additional tab fields (anchor, hide, padding, margin, animation) are common to the blocks and described in the content modeling guide.

5.1 Quote (`quote`)

Tab	Label	Property	Type	Required in model	Default	Options	Visibility
Content	Eyebrow	`eyebrow`	text	No	—	—	—
Content	Title	`title`	text	No	—	—	—
Content	Title Type	`titleType`	select	No	`h2`	6 options	—
Content	Quote	`quote`	richtext	No	`""`	—	—
Content	Quote Author	`author`	richtext	No	`""`	—	—
Content	Image	`image`	reference	No	—	—	—
Content	Image Alt Text	`imageAlt`	text	No	—	—	—
Content	Image Position (Desktop)	`imagePosition`	select	No	`right`	2 options	—
Content	Image Position (Mobile)	`imagePositionMobile`	select	No	`top`	2 options	—
Content	BG Color	`bgColor`	select	No	`""`	2 options	—

"Required in model" is the model's `required` flag; whether a field is required in practice is stated in the authoring guide where it is known.

6. Dependencies

Import
`../../decorators/content-decorator.js`
`../../decorators/heading-decorator.js`
`../../decorators/image-decorator.js`
`../../utils/properties.js`

7. For Developers

```
blocks/quote/
├── README.md
├── _quote.json
├── quote.css
└── quote.js
```

Decorator/Utility	Purpose	Execution or dependency point
decorators/content-decorator.js	`fromCell` (property content into an element, keeping editor instrumentation)	`quote.js`: { fromCell }
decorators/heading-decorator.js	`buildHeading` (Title + Title Type), `HEADINGS`	`quote.js`: { buildHeading }
decorators/image-decorator.js	`pictureOf` (image with its alt text field)	`quote.js`: { pictureOf }
utils/properties.js	`readProperties`, `textOf`, `isOn`, `isOnByDefault` (a toggle that defaults to on), `optionOf`, `normalizeKey`, `textSource` (key-value block properties)	`quote.js`: { optionOf, readProperties, textOf }

- **JavaScript (`quote.js`):** a synchronous `decorate(block)`. It reads the rows with `readProperties` and resolves BG Color, Image Position (Desktop) and Image Position (Mobile) with `optionOf` (row value, else a matching block class). It then builds the header, the card and the media, and replaces the block's children.
- **CSS (`quote.css`):** the stacked layout, the 900px overlap grid, the quote marks as `::before` / `::after` of `.quote-card`, and the Grey colours and padding.
- **Input DOM:** key-value rows `<div><div>name</div><div>value</div></div>` for `eyebrow`, `title`, `titleType`, `quote`, `author`, `image` (with `imageAlt`; with field collapse the alt may arrive in the image cell), `imagePosition`, `imagePositionMobile` and `bgColor`. The `classes_*` fields arrive as block classes.
- **Rendered DOM:**

```
<div class="quote block quote-has-media image-left bg-grey">
  <div class="quote-header">
    <p class="quote-eyebrow">…</p>
    <h2 class="quote-title">…</h2>
  </div>
  <div class="quote-body">
    <div class="quote-card">
      <figure class="quote-card-text">
        <blockquote class="quote-text">…</blockquote>
        <figcaption class="quote-author">…</figcaption>
      </figure>
    </div>
    <div class="quote-media"><picture>…</picture></div>
  </div>
</div>
```

- **Block classes set by the code:** `bg-grey` (removed first, then re-added), `quote-has-media`, `image-left`, `image-bottom` (toggled on each decoration).

- **Decoration flow:** read the properties, build the header (eyebrow `fromCell`, title `buildHeading`), build the card (only children with text), add the picture (`pictureOf`), set the classes, `replaceChildren`. Parts without content are left out.
- **Events and async behavior:** none; no network requests.
- **Error handling:** no try / catch in the block. Missing cells give empty parts.
- **Exports:** the default `decorate` only.
- **Editor:** `fromCell`, `buildHeading` and `pictureOf` move the Universal Editor instrumentation to the rendered elements, so in-place editing keeps working.
- **Data-layer hooks:** none in the block (see Data Layer and Analytics).
- **Motion:** `decorators/motion-decorator.js` animates the block's direct children (`quote: { targets: ':scope > *' }`) and its background colour (`BACKGROUNDS.quote`).

8. Extending the Block

1. **Add a field or value** in `blocks/quote/_quote.json` (keep at most three short tabs, with Additional last). Then run `npm run build:json` and `npm run lint`.
2. **Respect the delivery rules:** don't end a field name that must be read in Text, Title, Type, Alt or MimeType (field collapse); don't use grouped (`prefix_name`) fields in this key-value block; put options that should become classes in `classes_*` fields; no sample content in the definition template.
3. **Map it to rendering** in `quote.js` (read with `readProperties` / `optionOf`) and style it in `quote.css`, scoped to `.quote`, mobile first, with `min-width` media queries and rem sizes.
4. **Responsive and accessibility:** keep the figure structure, the hidden quote marks and the DOM order.
5. **Data layer:** describe new interactive elements with `data-cmp-interaction` / `data-cmp-value`; the central decorator captures their clicks.
6. **Tests:** `test/motion/motion.test.mjs` checks the Additional tab fields of every model (the Quote is a background block). Add unit tests for any new pure logic.
7. **Backward compatibility:** keep reading the existing property names and the class fallbacks (`optionOf`).
8. **Library and docs:** add an example to the block library page `block-library/quote/quote-variations`, then regenerate this README with `npm run build:docs`. Run `npm run build:modules` after changing imports.

9. Responsive Behavior

Viewport	Layout	Image behavior	Interaction behavior
Below 900px (mobile, tablet)	Header, then image and card stacked; the card overlaps the image by 3rem and is inset 1rem; block padding 2.5rem / 1.5rem (every background); quote marks 1.9167rem x 3.8333rem	4:5 crop, full width; first (Top) or last (Bottom, `image-bottom`)	None
900px and wider (desktop)	Body up to 70rem, centred; with an image, a 498 : 204 : 418 grid (418 : 204 : 498 with `image-left`) with the card overlapping the image; block padding 7.5rem / 5rem (every background); quote marks 2.875rem x 5.75rem	622:869 crop; right or left	None

10. Accessibility

- **Semantic HTML:** the title is a real heading. The quote and its author are a `<figure>` with a `<blockquote>` and a `<figcaption>` as its direct child. The quotation marks are decorative SVG backgrounds of empty `::before` / `::after` boxes (`icons/quote-open.svg`, `icons/quote-close.svg`), so screen readers don't announce them.
- **Headings:** Title Type sets the level; pick the one that fits the page outline.

- **Keyboard and focus:** the block adds no interactive elements. Links inside the rich text keep the site's focus styles.
- **Alt text:** Image Alt Text, else `alt=""` (decorative).
- **Reduced motion:** the Additional tab's animations don't play for visitors who prefer reduced motion or in the editor.
- **Contrast:** text uses the default text and brand tokens on a white or grey card.
- **Reflow:** the layout stacks below 900px.
- **Empty states:** parts without content aren't rendered; an empty block renders nothing.

Author responsibilities: choose the heading level, write meaningful alt text, don't type quotation marks, and keep link text descriptive.

Developer responsibilities: keep the `figure` / `blockquote` / `figcaption` structure and the hidden quote-mark text, and keep the reading order (card before image in the DOM).

The block handles no keys itself; links in the rich text behave as normal links.

11. Data Layer and Analytics

- **Component:** `decorators/data-layer-decorator.js` (`trackBlocks`) adds the block once the sections have loaded: `@type` `tcs-corp/components/quote`, id = the block's id (Anchor ID) else `quote-{n}` (`data-cmp-id`), `parentId` (the page or the enclosing block), `dc:title` = the first heading.
- **Variation:** not recorded in the data layer.
- **Item positions:** none (no items).
- **Interactions:** the block sets no `data-cmp-*` attributes and pushes no events itself. Clicks on links in the quote or author text are captured centrally.

Trigger	Data-layer event	Required properties	Analytics behavior
Block decorated and sections loaded	component state (`component.{id}`)	`@type`, `parentId`, `dc:title`	Component inventory of the page
Click on a link in the Quote or Quote Author	`cmp:click`	`interaction` (`link`), `dc:title`, `xdm:linkURL`, `xdm:linkType`, `breakpoint`	Link click attributed to the Quote

The intended path is Adobe Client Data Layer, then Adobe Data Collection (Tags), the AEP Web SDK, the Edge Network, and finally Analytics / CJA. Tags and the Web SDK aren't configured yet (blocked: measurement plan). No consent mechanism is implemented.

12. Performance Considerations

- **Initialization:** synchronous decoration without network requests, in the eager phase when the block is in the first section, else lazily with its section.
- **Images:** the authored, optimized picture; lazy, except the first section's first image (`waitForFirstImage`).
- **Dynamic imports:** none in the block. Its modules are preloaded (`scripts/module-graph.js`).
- **DOM size:** a handful of elements. No listeners or observers in the block (the motion decorator observes animated blocks only).
- **Layout shift:** the image has a fixed aspect ratio (4:5, 622:869), so its box is reserved.
- **High-cost configurations:** an animation in the first section delays the paint of its content (handover F-94: Content animation also delays the text paint). Use the animations below the fold.


13. Security and Privacy

- **Links:** authored links are used as delivered; the block adds none.
- **Sanitization:** the block moves the delivered DOM nodes; it builds no HTML from strings.

- **External content:** none. **Query strings:** not read.
- **Data minimization:** no personal data is collected. The data layer records the title and clicked link text and URL only.

14. For Architects

- **Role:** a presentational, authored-content block with no data source.
- **Content model:** a key-value block, with one row per property and no children.
- **Rendering:** client-side decoration of the delivered rows. The text is in the delivered HTML.
- **Dependencies:** `decorators/content-decorator.js`, `decorators/heading-decorator.js`, `decorators/image-decorator.js`, `utils/properties.js`; global block options, motion and data-layer decorators.
- **Data layer / Web SDK / Target:** a component entry and central click capture only. Tags, the Web SDK and Target aren't integrated.
- **Consent and identity:** none.
- **Caching:** part of the page HTML on the Edge Delivery CDN.
- **Performance:** synchronous, no requests. Its modules are preloaded from `scripts/module-graph.js`.
- **Security:** authored content only. No HTML is injected from external sources.
- **Scalability:** many instances per page are independent.



15. Troubleshooting

Symptom	Likely cause	Diagnostic steps	Resolution	Verification
The card doesn't overlap the image	No picture in Image (empty or broken reference)	Inspect the block: no `quote-has-media`, no `.quote-media`	Select the image again and publish it with the page	The block has `quote-has-media`
Image Position has no effect	Checked at the wrong width (Left from 900px, Bottom below 900px), or no image	Check the classes `image-left` / `image-bottom` and the viewport width	Resize past / below 900px; set an image	The image moves at the right widths
Double quotation marks	Marks typed in the Quote	Read the Quote rich text	Remove the typed marks	Only the blue marks remain
The face is cut off	4:5 / 622:869 cover crop	Compare the image's proportions	Use a portrait with the face in the upper-middle area	Check at 375 / 768 / 1440px
The block is empty	No Quote, Quote Author, Title, Eyebrow or Image	Inspect the rows in the editor	Fill in the content	The card renders
Wrong heading level	Title Type	Inspect the title element	Set Title Type	The expected h1–h6

Evidence to collect: the page URL (preview or live), viewport width, browser, a screenshot, and the block's outer HTML from the inspector. Don't include credentials or author session data.

16. Known limitations of the block

Limitation	Impact	Workaround	Planned correction
No CTA field	A quote can't carry a styled call to action	Put a link in its own paragraph in the Quote or Quote Author (it becomes a button), or add a Teaser or Button below	Not planned
Image Position (Desktop) applies only from 900px and Image Position (Mobile) only below 900px	Authors checking the wrong width see no change	Validate both widths in preview	Not planned
Fixed cover crops (4:5, 622:869)	Landscape or tight images lose their edges	Use portrait images with space around the face	Not planned

17. Change history of the block

Version	Change	Source	Date
Not recorded	README generated from verified implementation and approved handover documentation	Repository review	Not recorded
Handover 2.18	Background animation and Content animation on the Additional tab (Quote among the background blocks)	docs/handover revision history	18 October 2026
Handover 2.27	Block ecosystem audit: the Quote / Testimonial Style field removed	docs/handover revision history	19 October 2026

18. Reference pages

Kind	Page	Live URL
Block library	/design-block-master/en/block-library/quote	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/quote
Block library	/design-block-master/en/block-library/quote/quote-variations	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/quote/quote-variations
Curated design page	/design-block-master/en/curated-design-pages/who-we-are	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/who-we-are

19. Coverage of the required topics

Topic	Where
Purpose	Overview
Source files	generated: Files
Model, definition, filters, children	generated: Components
Dependencies	generated: Dependencies
Authored input / rendered output / DOM transformation	For Developers
Configuration fields, defaults, required fields	generated: Fields
Variations	QUOTE-VARIATIONS.md

Topic	Where
Responsive behaviour	Responsive Behavior
Accessibility and keyboard	Accessibility
Analytics / data layer	Data Layer and Analytics
Performance	Performance Considerations
Security	Security and Privacy
Extending	Extending the Block
Known limitations	Known Limitations
Troubleshooting	Troubleshooting
Tests	QUOTE-TEST-COVERAGE.md
SEO behaviour	Not recorded
Caching considerations	Not recorded (Edge Delivery default caching; no block-specific rule)
Ownership	Technical Lead / Block Owner (proposed)

20. Screenshots




Figure: Quote block library page — desktop 1440 × 900 (/design-block-master/en/block-library/quote/quote-variations, captured 2026-11-08).




Figure: Quote block library page — mobile 375 × 812 (/design-block-master/en/block-library/quote/quote-variations, captured 2026-11-08).




Figure: Desktop rendering — The Quote at 1440 px: the grey eyebrow Client voice and the brand-blue H2 What our clients say above a white card with large blue opening and closing quote marks, holding the quote Working with TCS, we moved our core banking platform… and Anita Rao / Chief Digital Officer, Example Bank; the card on the left overlaps the portrait tall.svg on the right and is vertically centred against it. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/quote-desktop-view.jpg) (handover screenshot; rendering at the time it was taken).



Figure: Tablet rendering — The Quote at 768 px in the stacked layout: Client voice and the H2 What our clients say on top, tall.svg across the block width at 4 : 5, and the white card with 5rem quote marks, the quote and Anita Rao / Chief Digital Officer, Example Bank overlapping the image's bottom edge, inset 1rem

on each side. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/quote-tablet-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Mobile rendering — The Quote at 375 px: Client voice and What our clients say stacked, tall.svg full width at 4 : 5, and the white card with the smaller 5rem blue quote marks, the quote and Anita Rao / Chief

Digital Officer, Example Bank overlapping the image's bottom edge by 3rem. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/quote-mobile-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Default variation — The Quote at 1440 px on a white background: the eyebrow Customer story and the H2 Transformation in their words above the white card with the data platform quote and Marcus Khan / Head of Data, Example Retail Group; the card on the left overlaps the portrait tall.svg on the right. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/quote-default-image-right.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Image Left variation — The Quote at 1440 px with Image Position (Desktop) Left: Partner perspective and the H2 Built on shared ambition above; the portrait tall.svg on the left and the white card with the connected factory quote and Sara Lee / VP Operations, Example Manufacturing on the right, overlapping the image's right edge. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/quote-image-left.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Image Bottom (mobile) variation — The Quote at 375 px with Image Position (Mobile) Bottom: Client voice and What our clients say on top, then the white card with 5rem quote marks, the quote and Anita Rao / Chief Digital Officer, Example Bank, and below it tall.svg full width at 4 : 5, its top edge overlapped by the

card. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/quote-image-bottom-mobile.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Grey background variation — The Quote at 1440 px with BG Color Grey: the whole block and the card are light grey with 7.5rem / 5rem padding; Leadership insight and the H2 Resilience as a strategy above the card with the security quote and Marcus Khan / Chief Information Security Officer, Example Insurance, overlapping tall.svg on the right. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/quote-grey-background.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Text-only variation — The Quote at 1440 px without an image: In their words and the H2 A partnership that scales above a white card centred in the 70rem body, with the large blue quote marks around the roll-out quote and Sara Lee / Chief Operating Officer, Example Energy. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/quote-text-only.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Universal Editor canvas — The Quote in Universal Editor edit mode at 1440 px, selected, with letters A on the eyebrow Client voice, B on the H2 What our clients say, C on the quote text, D on Anita Rao / Chief

Digital Officer, Example Bank and E on the portrait tall.svg, which the card overlaps on the right. An annotated preview, not a Universal Editor screenshot. (Annotated preview in editor mode with sample content; letters as in the annotations list, not a Universal Editor screenshot; file screenshots/quote-authoring-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Properties panel — The Universal Editor properties panel of the Quote block showing the Content tab with all fields and the Additional tab header. (Dialog reference generated from the component model, not a Universal Editor screenshot; file screenshots/quote-properties-panel.jpg) (handover screenshot; rendering at the time it was taken).

21. Known limitations

- Universal Editor dialogs were not captured: no author access in this program (see the access blockers).

22. Open items

- None.

23. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages