TCS CORPORATE WEBSITE

Video Block — Developer Guide

Role / audience	Development — Developers, technical leads, block owners, AI coding agents
Version	1.0
Status	Draft for review
Owner	Technical Lead / Block Owner (proposed)
Last validated	2026-11-08
Documents	1
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Video Block — Developer Guide
- Summary
- Overview
- Source files
- Components, models and filters
- Fields
- Dependencies
- For Developers
- Extending the Block
- Responsive Behavior
- Accessibility
- Data Layer and Analytics
- Performance Considerations
- Security and Privacy
- For Architects
- Troubleshooting
- Known limitations of the block
- Change history of the block
- Reference pages
- Coverage of the required topics
- Screenshots
- Known limitations
- Open items
- Change history

Video Block — Developer Guide

Attribute	Value
Document ID	DEV-B-video
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	How the Video block is built: files, model, structure, behaviour, variations, tests and limitations
Scope	blocks/video/ and its components video
Prerequisites	—
Owner	Technical Lead / Block Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	2026-11-08 (model, files, imports from the code; reference pages from the live site)
Source files	blocks/video/README.md, blocks/video/_video.json, blocks/video/video.css, blocks/video/video.js
Related documents	Variations, Test coverage, Authoring guide
Related AEM paths	/content/tcs-corp/design-block-master/en/block-library/video, /content/tcs-corp/design-block-master/en/block-library/video/video, /content/tcs-corp/design-block-master/en/block-library/video/video-pop-up

1. Summary

Attribute	Value
Block	Video
Folder	`blocks/video`
Type	Independent
Category	media
Status	Active
Purpose	A DAM, YouTube or Vimeo video inline or in a pop-up, with poster and captions
Variations (summary)	Inline or pop-up, autoplay / loop options
Children	—
Code size	537 lines of JS and CSS

2. Overview

Business purpose. Present brand, product and thought-leadership videos with control over playback, accessibility (captions, transcript, accessible names, a pause control), privacy and performance (poster first, the player loads on demand).

User experience. By default visitors see a poster image with a round Play button; the player loads only when they press Play (in place, or in a dialog over the page with Play in a Pop-up). Autoplay and background videos start muted when they come into view; when they play without controls a pause / stop button sits in the bottom-right corner. Visitors who prefer reduced motion always get the Play button instead of autoplay. A caption and a transcript link can follow the video.

Templates / page types. Any page type; the block has no template-specific behaviour.

Data source. Only the block's own properties; video, poster and captions files come from AEM Assets, YouTube or Vimeo. UI labels come from the locale's placeholders sheet.

Related blocks. Embed (simple third-party embeds and X posts), Modal (the pop-up player), Hero and Teaser (media inside larger compositions).

When to use. Any video that needs a poster, captions, a transcript, a pop-up, autoplay or a background mode, start / end times, a privacy-enhanced player or a fixed size and aspect ratio.

When not to use. For X (Twitter) posts or arbitrary iframes (use the Embed block); for Lottie animations (the Lotto image type of Hero / Teaser); for essential information that only autoplay conveys (autoplay is switched off for reduced motion).

Realistic use cases.

- A brand film from AEM Assets with a poster, caption, captions file and transcript link.
- A keynote on YouTube that opens in a pop-up from a poster.
- A silent, looping background clip (for example an office ambience) at full width.
- A vertical 9:16 client story at Size Small.

3. Source files

File	Link
`README.md`	GitHub
`_video.json`	GitHub
`video.css`	GitHub
`video.js`	GitHub

4. Components, models and filters

Component	Title	Resource type	Template name	Model	Children allowed
`video`	Video	`core/franklin/components/block/v1/block`	Video	`video`	—

5. Fields

The Additional tab fields (anchor, hide, padding, margin, animation) are common to the blocks and described in the content modeling guide.

5.1 Video (`video`)

Tab	Label	Property	Type	Required in model	Default	Options	Visibility
Video	Video	`uri`	aem-content	Yes	—	—	—
Video	Title	`label`	text	No	—	—	—

Tab	Label	Property	Type	Required in model	Default	Options	Visibility
Video	Caption	`caption`	richtext	No	—	—	—
Video	Transcript	`transcript`	aem-content	No	—	—	—
Video	Poster Image	`poster`	reference	No	—	—	—
Video	Poster Image Alt Text	`posterAlt`	text	No	`""`	—	—
Video	Captions File (WebVTT)	`captions`	aem-content	No	—	—	—
Video	Captions Language	`captionsLanguage`	text	No	—	—	—
Video	Captions Name	`captionsLabel`	text	No	—	—	—
Video	Privacy-enhanced Mode	`privacyMode`	boolean	No	`true`	—	—
Playback	Playback	`playback`	select	No	`click`	3 options	—
Playback	Muted	`muted`	boolean	No	`false`	—	—
Playback	Loop	`loop`	boolean	No	`false`	—	—
Playback	Show Player Controls	`controls`	boolean	No	`true`	—	—
Playback	Start At (seconds)	`startTime`	number	No	—	—	—
Playback	End At (seconds)	`endTime`	number	No	—	—	—
Playback	Play in a Pop-up	`openInModal`	boolean	No	`false`	—	Conditional
Playback	Pause When Out of View	`pauseOffscreen`	boolean	No	`true`	—	—
Playback	Aspect Ratio	`aspectRatio`	select	No	`16-9`	5 options	—
Playback	Size	`size`	select	No	`large`	4 options	—
Playback	Alignment	`alignment`	select	No	`center`	3 options	—
Playback	Rounded Corners	`rounded`	boolean	No	`true`	—	—

"Required in model" is the model's `required` flag; whether a field is required in practice is stated in the authoring guide where it is known.

6. Dependencies

Import
`../../scripts/aem.js`
`../../decorators/button-decorator.js`
`../../decorators/icon-button-decorator.js`
`../../decorators/content-decorator.js`
`../../decorators/image-decorator.js`
`../../decorators/media-decorator.js`
`../../utils/environment.js`
`../../utils/links.js`
`../../utils/media.js`
`../../utils/placeholders.js`
`../../utils/properties.js`
`../../utils/site.js`
`../../utils/viewport.js`

7. For Developers

```
blocks/video/
├── README.md
├── _video.json
├── video.css
└── video.js
```

Decorator/Utility	Purpose	Execution or dependency point
scripts/aem.js	Edge Delivery core library (block loading, CSS, metadata, optimized pictures)	video.js: { toClassName }
decorators/button-decorator.js	decorateButton (option newTabHint: a link opening a new tab says so), createButton, setButtonDisabled, setButtonAlignment, removeButtonDecoration	video.js: { decorateButton }
decorators/icon-button-decorator.js	createIconButton	video.js: { createIconButton }
decorators/content-decorator.js	fromCell (property content into an element, keeping editor instrumentation)	video.js: { fromCell }
decorators/image-decorator.js	pictureOf (image with its alt text field)	video.js: { pictureOf }
decorators/media-decorator.js	createFrame, createYoutubeFrame, createVimeoFrame, createVideoElement	video.js: { createVideoElement, createVimeoFrame, createYoutubeFrame, }
utils/environment.js	prefersReducedMotion, scrollBehavior, isEditing, isInEditor, isAuthor (the page is rendered by AEM author, which has no query index)	video.js: { prefersReducedMotion }
utils/links.js	NEW_WINDOW, linkOf, linkPathsOf (the paths of a page property, one or many), readLinkItems (CTA lists with Link Type and the items' other select values), readLinkRows (the same from link item rows, e.g. Hero CT	video.js: { linkOf }
utils/media.js	isYoutube, isVimeo, isAnimation, youtubeEmbedUrl, vimeoEmbedUrl, videoType, deliveryAsset (reads a Dynamic Media with OpenAPI delivery URL of a separate AEM Assets environment), deliveryImageUrl (its URL	video.js: { isVimeo, isYoutube, youtubeId }
utils/placeholders.js	getPlaceholders, loadPlaceholders, fillPlaceholder (UI text from the locale's placeholders, with English fallbacks)	video.js: { getPlaceholders }
utils/properties.js	readProperties, textOf, isOn, isOnByDefault (a toggle that defaults to on), optionOf, normalizeKey, textSource (key-value block properties)	video.js: { isOn, normalizeKey, optionOf, readProperties, textOf, }
utils/site.js	LOCALES, DEFAULT_LOCALE, getLocale, indexRoot, REVIEW_ROOTS and REVIEW_SHEETS (the three review roots, KB-D-068: /language-master/en for testing, /language-masters/en the language master, /design-block-master	video.js: { getLocale }
utils/viewport.js	onVisible (once), watchVisibility (on / off screen), currentBreakpoint (mobile / tablet / desktop)	video.js: { onVisible, watchVisibility }
blocks/modal/modal.js	—	video.js: (dynamic import)

JavaScript (`video.js`). `readFields` reads the key-value rows (`readProperties`), else the one-row-per-field layout (`FIELDS` in dialog order, recognised by a valid Playback row), else nothing (first model). `readConfig` normalises them with the defaults (playback `click`, controls on, pause off screen on, 16:9, large, center, rounded, privacy on) and the legacy fallbacks. `decorate` empties the block, sets `data-embed-loaded="false"`,

the classes `video-size-{size}`, `video-align-{alignment}`, `video-rounded` and `--video-aspect-ratio`, appends `div.video-media`, the caption and the transcript paragraph, then wires the playback:

- `click`: with a poster or the pop-up, `buildPoster` with the Play button (`playInModal` or an inline `buildPlayer` + `focusWhenLoaded`); else `onVisible` builds a player with controls.
- `autoplay` / `background`: the poster (no button) until `onVisible` builds the autoplaying player; background players get `aria-hidden` (iframe `tabindex="-1"`); `pauseOffscreen` (files) uses `watchVisibility`; `addPlaybackToggle` when background or controls off.

`buildPlayer` maps the configuration to `createYoutubeFrame`, `createVimeoFrame` or `createVideoElement` (`decorators/media-decorator.js`, URLs from `utils/media.js`). `whenLoaded` sets `data-embed-loaded="true"` on `canplay` / iframe `load`. The module exports only `decorate`.

CSS (`video.css`). Sizes and radius through `--video-max-width`, `--video-radius`, `--video-aspect-ratio`; the poster stays until `data-embed-loaded="true"`, the player is hidden until then; the modal player styles (`.modal .video-modal-player`) live here too.

Input DOM. Key-value rows `name | value` (names normalised: `uri`, `label`, `caption`, `transcript`, `poster`, `playback`, `muted`, `loop`, `controls`, `starttime`, `endtime`, `openinmodal`, `pauseoffscreen`, `captions`, `captionslanguage`, `captionslabel`, `aspectratio`, `size`, `alignment`, `rounded`, `privacymode`); `posterAlt` arrives collapsed into the poster image; the Additional tab arrives as block classes.

Rendered DOM contract. `.video.video-size-*.video-align-*[.video-rounded][.placeholder] [data-embed-loaded] > .video-media` (> `.video-placeholder` (picture, `.video-placeholder-play`), `video` or `.video-frame` > `iframe`, `.video-toggle`), `.video-caption`, `p > a.video-transcript`.

Events and async behavior. `getPlaceholders` is awaited before rendering; IntersectionObserver via `onVisible` / `watchVisibility`; `import('../modal/modal.js')` on Play in a Pop-up; `data-opening` on the Play button prevents double dialogs. Autoplay `play()` rejections are swallowed.

Error handling. No Video: empty block. Unknown select values fall back to the defaults. The block logs nothing.

Parent / child contracts. Tabs (`blocks/tabs/tabs.js`) pauses `video` elements and sends YouTube / Vimeo pause commands when a tab is hidden (relies on `enablejsapi=1`).

8. Extending the Block

1. **Add a dialog field or value** in `_video.json` (a field name not ending in Text, Title, Type, Alt or MimeType unless it should collapse; no grouped `prefix_name` fields in this key-value block), add its normalised name to `FIELDS` in dialog order (one-row-per-field blocks depend on it), then `npm run build:json` and `npm run lint`.
2. **Map it to rendering** in `readConfig` / `buildPlayer` with a default for blocks that don't have it; select values come through `optionOf`.
3. **Responsive and accessibility:** keep the aspect-ratio reservation, the toggle for self-playing media, the reduced-motion rule and placeholder-based labels (add keys with English fallbacks).
4. **Data layer:** mark new controls with `data-cmp-interaction`; flag programmatic media calls with `data-cmp-auto`.
5. **Tests:** provider URL parsing belongs in `test/media/` (pure functions in `utils/media.js`).
6. **Backward compatibility:** keep the legacy readers (one-row-per-field, first model, the former poster rows) until the content is migrated.
7. **Library and docs:** add a block library example, update this README and run `npm run build:docs`; run `npm run build:modules` after changing imports.

9. Responsive Behavior

`video.css` has no media queries: the block is fluid at every viewport, capped by its Size.

View port	Layout	Image behavior	Interaction behavior
All viewports	Width up to the Size's `max-width` (Full width: none), aligned by Alignment; the media area keeps the Aspect Ratio	Poster and file cover the area (`object-fit: cover`)	Same controls everywhere; the pop-up is `min(90vw, 75rem, 80vh × ratio)` wide
Below 900px	As above	As above	Caption and transcript text use `--body-font-size-s` (0.75rem below 900px, 1rem from 900px, `styles/styles.css`)

10. Accessibility

- **Semantics:** a native `video` (named by `aria-label`) or an iframe named by its `title`; the Play and pause / stop controls are `button`s from the icon button decorator with accessible names and tooltips; the caption is text; the transcript is a link.
- **Headings:** the block adds none on the page; the pop-up has a visually hidden `h2` that names the dialog.
- **Keyboard and focus:** Play, the toggle and the player controls are reachable with Tab; after Play focus moves into the player (on `canplay` for files, on the iframe's `load`); the pop-up returns focus to the Play button on close.
- **Moving content:** autoplay and background videos without controls always get a pause / stop button (WCAG 2.2.2); background players are `aria-hidden` and their iframe has `tabindex="-1"`.
- **Reduced motion:** no autoplay at all (`prefersReducedMotion`); the Additional tab animation doesn't play either.
- **Captions and transcript:** one WebVTT track for files; platform captions for YouTube / Vimeo.
- **Contrast:** the caption uses `--color-text-secondary` (slate-700, 6.9:1 on white per `styles/styles.css`).
- **Reflow:** the media area scales with the content width; no horizontal scrolling.
- **Empty / loading / error states:** no Video: nothing rendered; loading: the poster or the dark media area; errors are the provider's or browser's own messages.

Author responsibilities: a Title, poster alt text, captions for speech, a transcript for informative videos, no essential information in background videos.

Developer responsibilities: keep the accessible names from placeholders, the toggle for self-playing media, the focus moves and the reduced-motion rule.

Key	Expected behavior
Tab	Moves to the Play button, the pause / stop button, the transcript link and the player controls
Enter / Space	Activates Play or the pause / stop button
Escape	Closes the pop-up dialog; focus returns to the Play button

11. Data Layer and Analytics

The block is added to the Adobe Client Data Layer by `decorators/data-layer-decorator.js` as `tcs-corp/components/video`, id = the block's id (Anchor ID) else `video-{n}` in page order, `parentId` the page (or a containing block). The block adds `data-cmp-interaction="playback"` to the pause / stop button and `data-cmp-auto` to the pauses and resumes of Pause When Out of View (so they aren't measured as the visitor's).

Trigger	Data-layer event	Required properties	Analytics behavior
Block decorated	component state	`@type`, `parentId`	One entry per block

Trigger	Data-layer event	Required properties	Analytics behavior
Play button click	`cmp:click`	`interaction` `button`, `dc:title` (the button's name), `breakpoint`	A play request
Pause / stop button click	`cmp:click`	`interaction` `playback`, `dc:title` (Pause / Stop / Play video)	Visitor stopped or restarted the video
Transcript link click	`cmp:click`	`interaction` `link`, `xdm:linkURL`, `xdm:linkType`	Link tracking
File play / pause / ended	`cmp:media`	`interaction` (event type), `xdm:mediaURL`, `position` (seconds)	Media engagement; not for background files or Pause When Out of View
Pop-up opened / closed	`cmp:show` / `cmp:hide`	`interaction` `dialog` (on the `modal-{n}` component)	Dialog views

Interactions inside YouTube and Vimeo players aren't visible to the page and aren't tracked. The automatic start of an autoplay file is pushed as a `cmp:media` play unless it plays like a background video (muted, looping, no controls); programmatic play / pause in the data layer is a deferred audit item (D-D-13). The intended path is Adobe Client Data Layer, then Adobe Data Collection (Tags), the AEP Web SDK, the Edge Network and Analytics / CJA, but Tags and the Web SDK aren't configured yet (blocked: measurement plan); no consent mechanism is implemented.

12. Performance Considerations

- Decorated when its section loads (eager in the first section, else lazy); only placeholders are fetched (cached per page).
- No player, file or provider request until Play or until the block is in view (`onVisible`); iframes are `loading="lazy"`; files use `preload="metadata"` unless autoplaying (`auto`).
- `blocks/modal/modal.js` is imported only for Play in a Pop-up.
- The media area's `aspect-ratio` reserves the space: no layout shift when the player arrives.
- A poster in the first section may be the LCP image (loaded eagerly by `waitForFirstImage`).
- One IntersectionObserver per block (disconnected after first sight), plus one per autoplay file for Pause When Out of View.
- High-cost configurations: several autoplay or background files on one page, large unoptimised files, 21:9 / Full width posters at large sizes.


13. Security and Privacy

- Players are built with DOM APIs and `URL` objects (`decorators/media-decorator.js`); the YouTube id and Vimeo id are URL-encoded; no authored value is written as HTML.
- Any file URL is accepted as a `video` source; there is no host allow-list.
- Privacy-enhanced Mode (default on) uses `www.youtube-nocookie.com` and Vimeo `dnt=1`; no consent mechanism is implemented.
- The data layer gets the media URL and playback position only; no personal data.
- `controlslist="nodownload"` and the suppressed context menu discourage casual downloads; they don't protect the file.

14. For Architects

- **Role:** a self-contained media block; no data fetching beyond placeholders.
- **Content model:** key-value block with three dialog tabs (Video, Playback, Additional).
- **Rendering and data source:** client-side decoration of the delivered properties; players built with DOM APIs (no authored URL in HTML strings).

- **Dependencies:** media decorator and utils, button / icon button decorators, content and image decorators, properties, links, placeholders, site, viewport and environment utils, Modal block.
- **Data layer / Web SDK / Target:** generic component state and events; no Web SDK or Target code.
- **Consent and identity:** none implemented; Privacy-enhanced Mode reduces provider cookies / tracking but isn't consent.
- **Caching:** page HTML and images through the Edge Delivery CDN; video files from the published DAM; provider players from the providers.
- **Performance:** load on visibility or Play; reserved aspect ratio (no layout shift).
- **Security:** see Security and Privacy.
- **Scalability:** each block observes itself; many autoplay videos on a page multiply downloads.



15. Troubleshooting

Symptom	Likely cause	Diagnostic steps	Resolution	Verification
Nothing renders	Video empty or not delivered	Open `{page}.plain.html`, look for the `uri` row	Select the asset or URL; republish	Poster or player renders
Dark area on the live site, 404 for the MP4	Asset not published (non-image DAM files)	Network panel; asset publication status	Publish with references	File returns 200
Autoplay doesn't start	Reduced motion, not in view yet, or browser policy	OS setting; scroll into view; console	Expected for reduced motion; set a poster	Plays with reduced motion off
Picture cropped	Aspect Ratio doesn't match the file	Compare file dimensions	Set the matching ratio	Full frame visible
No captions	YouTube / Vimeo source, VTT unpublished or invalid	Source type; open the `.vtt` URL	Platform captions, publish / fix the VTT	Captions in the player menu
Vimeo plays past End At	End At isn't applied to Vimeo	Check the source	Edit on Vimeo or host the excerpt as a file	Stops as intended
Pop-up doesn't open	Playback isn't Play button, or the Modal code failed	Playback value; console / Network for `blocks/modal/modal.js`	Set Play button; escalate load errors	Dialog opens
Poster missing on an older block	Former Placeholder Image group never delivered	`.plain.html` has no poster	Re-select the poster in Poster Image	Poster shows

Evidence to collect (no secrets): the page URL, `.plain.html` of the block, browser and OS (including the reduced-motion setting), console errors, the Network entries of the video, VTT and player requests, and the block's `window.adobeDataLayer` entries.

16. Known limitations of the block

Limitation	Impact	Workaround	Planned correction
One captions track; no audio description track	Single captions language per block	One block per locale	Not recorded
Captions file ignored for YouTube / Vimeo	No CC from the VTT	Add captions on the platform	Not planned
End At not applied to Vimeo	Video plays on	Edit on Vimeo or use a file	Not recorded
Stop / play restarts YouTube and Vimeo	Visitors lose their position	Keep controls on	Not recorded
Files cropped to the Aspect Ratio	Edges cut off	Match the ratio	Not planned
Interactions inside YouTube / Vimeo not tracked	No provider play data	None	Not recorded
Autoplay start of a file (not muted + looping + without controls) pushed as `cmp:media`	Inflated play counts	Filter in reporting	Deferred (D-D-13, needs the measurement plan)
Posters of the former Placeholder Image group not delivered	Older blocks show no poster	Re-select in Poster Image	Content migration (R-D-7)
Non-image DAM files served only once published	404 on preview / live	Publish with references	Operations (R-D-6)
No consent management for provider players	Provider cookies once loaded	Privacy-enhanced Mode	Not recorded (owner: privacy / legal)
No VideoObject structured data, chapters or playlists	No rich results	Describe the video in page text	Not recorded

17. Change history of the block

Version	Change	Source	Date
Not recorded	README generated from verified implementation and approved handover documentation	Repository review	Not recorded
Handover 1.4	The Video poster read from its grouped cell (findings F-43 to F-48)	docs/handover revision history	14 October 2026
Handover 2.8	Dialog reduced to three tabs: Video / Playback / Additional (fields and stored values unchanged)	docs/handover revision history	17 October 2026
Handover 2.18	Additional tab content animation (Animation Type, Motion Speed, Animation Trigger)	docs/handover revision history	18 October 2026
Handover 2.27	Block audit: the poster field renamed `poster` (the grouped field wasn't delivered in a key-value block)	docs/handover revision history	19 October 2026
Handover 2.29	Re-audit: Vimeo URLs, the Video pop-up (name, focus, double click), sample content removed from templates; non-image DAM assets to be published	docs/handover revision history	20 October 2026

18. Reference pages

Kind	Page	Live URL
Block library	/design-block-master/en/block-library/video	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/video

Kind	Page	Live URL
Block library	/design-block-master/en/block-library/video/video	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/video/video
Block library	/design-block-master/en/block-library/video/video-pop-up	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/video/video-pop-up
Curated design page	/design-block-master/en/curated-design-pages/case-study	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/case-study
Curated design page	/design-block-master/en/curated-design-pages/industry-landing-page	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/industry-landing-page
Curated design page	/design-block-master/en/curated-design-pages/story	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/story

19. Coverage of the required topics

Topic	Where
Purpose	Overview
Source files	generated: Files
Model, definition, filters, children	generated: Components
Dependencies	generated: Dependencies
Authored input / rendered output / DOM transformation	For Developers
Configuration fields, defaults, required fields	generated: Fields
Variations	VIDEO-VARIATIONS.md
Responsive behaviour	Responsive Behavior
Accessibility and keyboard	Accessibility
Analytics / data layer	Data Layer and Analytics
Performance	Performance Considerations
Security	Security and Privacy
Extending	Extending the Block
Known limitations	Known Limitations
Troubleshooting	Troubleshooting
Tests	VIDEO-TEST-COVERAGE.md
SEO behaviour	For Developers
Caching considerations	Not recorded (Edge Delivery default caching; no block-specific rule)
Ownership	Technical Lead / Block Owner (proposed)

20. Screenshots




Figure: Video block library page — desktop 1440 × 900 (/design-block-master/en/block-library/video/video, captured 2026-11-08).




Figure: Video block library page — mobile 375 × 812 (/design-block-master/en/block-library/video/video, captured 2026-11-08).




Figure: Desktop rendering — The Video block at 1440 px: a Large (900 px) 16:9 media area, centred, with 1rem rounded corners, showing the poster photo-1.svg and the round brand-blue Play button in the centre; below it the grey caption How our people and partners use technology to help enterprises grow and transform. and the link Read the transcript. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-desktop-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Tablet rendering — Two Video blocks at 768 px: the brand film poster photo-1.svg with the Play button filling the content width, its caption below; then the full-width background video Innovation hub ambience showing its poster photo-4.svg with the round pause button in the bottom-right corner. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-tablet-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Mobile rendering — Two Video blocks at 390 px: a 9:16 vertical video Client story in 60 seconds (poster tall.svg, Size Small) filling the content width with the Play button, partly under the sticky header; below it the 16:9 brand film poster with the Play button and the grey caption. (Sample content on the

preview; callout letters as in the Field Entry Table; file screenshots/video-mobile-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px: a Large 16:9 rounded media area with the poster photo-2.svg (data centre corridor) and the round brand-blue Play button in the centre; no caption or transcript. The second state, the film playing in place after Play, is not captured. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-play-button-poster.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The page at 1440 px after pressing Play on a Video with Play in a Pop-up on: the page dimmed behind a white dialog with the Close (x) button at the top right and the native player showing the poster photo-3.svg and its controls; the player is clipped at the dialog's right edge. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-popup.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px: a Large 16:9 rounded media area showing the poster photo-5.svg (wind turbines) without a Play button, and the round pause button in the bottom-right corner; in the capture the poster is still shown, not the playing video. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-autoplay-no-controls.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px in Size Full width: a rounded 16:9 area across the section's full content width (1280 px) showing the poster photo-6.svg (Sample image 6) with only the round pause button in the bottom-right corner. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-background.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px in Size Medium (640 px): the rounded 16:9 poster photo-3.svg with the Play button, then the grey caption How our people and partners use technology to help enterprises grow and transform. and the blue link Read the transcript. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-caption-transcript.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px: the default 16:9 widescreen media area, 900 px wide (Size Large), rounded, with the poster photo-1.svg and the centred Play button. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-ratio-16-9.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px: a 4:3 media area, 900 px wide (Size Large), rounded, with the poster photo-2.svg cropped to fill it and the centred Play button. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-ratio-4-3.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px: a square 1:1 media area, Size Medium (640 px), centred in the section, rounded, with the poster square-1.svg and the centred Play button. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-ratio-1-1.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px: a shallow 21:9 cinema-format background video at Full width across the section's content width, rounded, showing the poster wide.svg with only the pause button in the bottom-right corner. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-ratio-21-9.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px: a vertical 9:16 media area, Size Small (420 px), centred in the section, rounded, with the poster tall.svg and the centred Play button. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-ratio-9-16.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px in Size Full width: a rounded 16:9 media area across the section's full content width (1280 px), showing the poster wide.svg with the centred Play button. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-size-full.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px with the default Size Large (900 px): a rounded 16:9 poster photo-7.svg with the centred Play button, centred in the section with white space on both sides. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-size-large.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px in Size Medium (640 px): a rounded 16:9 poster photo-8.svg (red tones) with the centred Play button, centred in the section. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-size-medium.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px in Size Small (420 px), Aspect Ratio 9:16 and Alignment Left: a tall rounded vertical poster tall.svg with the Play button at the left edge of the section's content. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-size-small.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — A section at 1440 px: the H2 Inside our innovation labs and a line of body text, left-aligned, and below them a Size Medium (640 px) 16:9 Video with the poster photo-2.svg and Play button, centred in the section. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-align-center.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — A section at 1440 px: the H2 Inside our innovation labs and body text, then a Size Small (420 px) 16:9 Video with the poster photo-3.svg and Play button aligned with the left edge of the text. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-align-left.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — A section at 1440 px: the H2 Inside our innovation labs and body text, then a Size Small (420 px) 16:9 Video with the poster photo-5.svg (green) and Play button aligned to the right edge of the section's content. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-align-right.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px: a Large 16:9 poster photo-4.svg (purple) with the centred Play button and the default 1rem rounded corners. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-rounded.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px: a full-width 16:9 background video with square corners across the section's content width, showing the poster photo-6.svg and the pause button in the bottom-right corner. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-square-corners.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — The Video block at 1440 px, set to Background video, as seen with the operating system's Reduce motion on: a Large 16:9 rounded poster photo-7.svg with the centred Play button instead of a playing video. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-reduced-motion.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation example — A Video block authored with the earlier model at 1440 px: a Large 16:9 rounded poster photo-8.svg (red tones) with the centred Play button, rendered like the current Play button playback. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/video-legacy.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Universal Editor canvas — The Video block in Universal Editor edit mode at 1440 px with sample content: the poster photo-1.svg, the Play button (C), the media area (D), the caption (E) and the Read the transcript link (F), outlined with red dashed boxes; markers A, B and G are not drawn. (Annotated preview in editor mode with sample content; letters as in the annotations list, not a Universal Editor screenshot; file screenshots/video-authoring-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Properties panel — The Video properties panel with its tabs Video, Playback, Captions, Display, Privacy and Additional. (Dialog reference generated from the component model, not a Universal Editor screenshot; file screenshots/video-properties-panel.jpg) (handover screenshot; rendering at the time it was taken).

21. Known limitations

- Universal Editor dialogs were not captured: no author access in this program (see the access blockers).

22. Open items

- None.

23. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages