TCS CORPORATE WEBSITE

User story US-F-E03-05-01

Role / audience	Business analysis — Business analysts, product owner, QA lead
Version	1.0
Status	Draft for review
Owner	Business Analyst / Product Owner (proposed)
Last validated	2026-11-08
Documents	1
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

User story US-F-E03-05-01
- Gherkin acceptance criteria
- Screenshots
- Known limitations
- Open items
- Change history

User story US-F-E03-05-01

Attribute	Value
Document ID	US-F-E03-05-01
Audience	Business analysts, product owner, QA lead
Purpose	As a content author, I want to add and configure the Column Break in Universal Editor, so that pages can present this content without developer help
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	blocks/column-break
Related documents	—
Related AEM paths	—

INFERRED REQUIREMENT, REQUIRES BUSINESS VALIDATION

> As a content author, I want to add and configure the Column Break in Universal Editor, so that pages can present this content without developer help.

Attribute	Value
Story ID	US-F-E03-05-01
Parent feature	F-E03-05 Column Break
Priority	To be confirmed
Preconditions	Code deployed to the environment; author access for authoring stories
Main flow	1. Add the component from the palette 2. Fill in the fields of each tab 3. Preview and publish
Alternate flows	Keyboard-only and touch use
Exception flows	A dependency (sheet, index, media) fails: fallback text or empty state
Business rules	Block README: Content and Asset Guidelines
Analytics events	Component shown / clicked (data layer)
Accessibility acceptance criteria	Keyboard reachable, named controls, alt text, visible focus
Responsive acceptance criteria	No horizontal overflow at 375, 768, 1024, 1440 px
SEO acceptance criteria	Heading order kept

Attribute	Value
Localization acceptance criteria	UI text from placeholders
Security/privacy acceptance criteria	No personal data in the data layer
Dependencies	blocks/column-break
Assumptions	Derived from the implementation
Out of scope	Back-end integrations not implemented (Tags, forms back end)
Related code	blocks/column-break/
Related block-library example	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/column-break
Related curated page	/design-block-master/en/curated-design-pages/industry-landing-page, /design-block-master/en/curated-design-pages/services, /design-block-master/en/curated-design-pages/story
Related test cases	TC-COLUMN-BREAK-002, TC-COLUMN-BREAK-003, TC-COLUMN-BREAK-004
Definition of Ready / Done	See the BA package

1. Gherkin acceptance criteria

```
Feature: Column Break

Scenario: An author adds the Column Break and fills in its required fields
  Given an author in Universal Editor on a test page
  When preview
  Then the block appears with the authored content; no empty placeholder remains

Scenario: Column Break with optional fields left empty
  Given a published page with the block
  When preview
  Then the block renders without empty wrappers or broken layout

Scenario: Column Break with invalid content (very long text, missing image, broken link)
  Given a published page with the block
  When preview
  Then text wraps, no broken image icon, the link is flagged in the link check
```

2. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

3. Known limitations

- None recorded for this document.

4. Open items

- None.

5. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages