TCS CORPORATE WEBSITE

Test Strategy

Role / audience	Quality assurance — QA lead, testers, release lead
Version	1.0
Status	Draft for review
Owner	QA Lead (proposed)
Last validated	2026-11-08
Documents	6
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Test Strategy
- Scope
- Test types
- Environments and tools
- Roles and responsibilities
- Defect lifecycle, severity and priority
- Entry, exit, suspension and resumption
- Test Status Vocabulary
- Test Layers at a Glance
- Unit Tests
- Lint
- Integration and Browser Testing
- Authoring Testing (Universal Editor)
- Dialog Option and Combination Testing
- Accessibility Testing
- Responsive Testing
- Cross-Browser Testing
- Data Layer and Analytics Testing
- Personalization and Consent
- Performance Testing
- Indexing, Preview and Publish Testing
- Existing-Content Regression
- Evidence Requirements
- Related
- Screenshots
- Known limitations
- Open items
- Change history

Test Data Strategy
- Screenshots
- Known limitations
- Open items
- Change history

Test Entry Criteria
- Screenshots
- Known limitations
- Open items
- Change history

Test Environment
- Screenshots
- Known limitations
- Open items
- Change history

Test Exit Criteria
- Screenshots
- Known limitations
- Open items
- Change history

Test Scope
- In scope

Out of scope
Screenshots
Known limitations
Open items
Change history

Test Strategy

Attribute	Value
Document ID	QA-000
Audience	QA lead, testers, release lead
Purpose	Test types, scope, environments, tools, roles, defect lifecycle, entry and exit criteria
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	docs/handover/knowledge-base/testing-and-quality.md, test/
Related documents	—
Related AEM paths	—

1. Scope

In scope: the 32 blocks and 5 default-content components, the curated design pages, the three review roots and the 13 locales, authoring in Universal Editor, publishing and indexing. Out of scope: integrations not implemented (Adobe Tags, Web SDK, forms back end, personalization).

2. Test types

Type	How	Status in this program
Functional / component	Block library pages, test cases per block	Smoke automated; manual Not Run
Component variation	One case per variation field	Not Run
Authoring / content model	Universal Editor	Blocked (no author access)
Responsive	375, 768, 1024, 1440 px	Automated (overflow)
Cross-browser	Chrome, Safari, Firefox, Edge; iOS, Android	Chromium only
Accessibility	DOM checks, keyboard, screen reader	DOM checks automated; rest Not Run
Performance	PageSpeed, CWV	Not Run
SEO	metadata, headings	Partially (title, h1, lang)
Analytics / data layer	window.adobeDataLayer	Entries counted
Localization	locales, placeholders	Not Run
Asset and link	link analysis	Automated (three roots)
Publishing	Admin API jobs	Executed
Preview/live comparison	aem.page vs aem.live	Not Run
Security and privacy	privacy unit tests	Unit tests

Type	How	Status in this program
Regression	npm test	Executed
Smoke	reference pages	Executed
Release validation / production verification	release checklist	Not Run

3. Environments and tools

Environment	URL
Live (main)	https://main--tcs-corp--sradha-tcs.aem.live
Preview (main)	https://main--tcs-corp--sradha-tcs.aem.page
Feature preview	https://<branch>--tcs-corp--sradha-tcs.aem.page
Local	http://localhost:3000 (aem up)
AEM author	AEM Sites console (host in the site configuration)

Tools: Node test runner (`npm test`), ESLint / Stylelint (`npm run lint`), Playwright with Chromium (automated page checks), the Admin API (publishing jobs).

4. Roles and responsibilities

Role	Responsibility
QA Lead	Strategy, plan, exit report, sign-off
Testers	Execution and evidence
Technical Lead	Unit tests, lint, defects in code
Content Lead	Authoring tests, content defects
Product Owner	Acceptance and sign-off

5. Defect lifecycle, severity and priority

New → Triaged → In progress → Fixed → Retested → Closed (or Deferred with approval / Accepted with documented risk). Severity: Critical (site or root unusable), Major (feature broken, no workaround), Minor (workaround exists), Trivial (cosmetic). Priority is set by the Product Owner.

6. Entry, exit, suspension and resumption

See TEST-ENTRY-CRITERIA and TEST-EXIT-CRITERIA. Suspend when the environment, author access or the deployed code is unavailable; resume when restored and the smoke test passes.

7. Test Status Vocabulary

Status	Meaning
Passed	Executed; the actual result matched the expected result
Failed	Executed; the actual result didn't match; a defect is open
Corrected and passed	Failed first, the defect was corrected, re-executed and matched
Blocked	Couldn't be executed; state what is needed (access, configuration, decision)

Status	Meaning
Not applicable	The capability doesn't exist in the solution (for example personalization)

Never report a test as Passed that was not executed; a review or reasoning substitutes for a test only when labelled as such (the audits label the semantic accessibility review this way).

8. Test Layers at a Glance

Layer	How	Automated in CI	Status of evidence
Unit tests	`npm test`	No (manual)	Passed: 311 tests at 2d06316
Lint (JS, JSON, models, CSS)	`npm run lint`	Yes (Build workflow, every push)	Passed at 2d06316
Browser regression (local preview)	`docs/audit/tools/harness.mjs`	No (delivery workspace)	Passed: 955 loads after the dialog option changes (20 October 2026)
Published vs local comparison	`docs/audit/tools/compare.mjs`	No	Executed in both audits; defects found and corrected
Dialog combinations	Test matrix in DIALOG-OPTIONS	No	Passed / Corrected and passed; UE dialog checks Blocked
Universal Editor authoring	Manual, by an author	No	Blocked: AEM author access for the agent
Performance	PageSpeed (aem-psi-check on PRs), Lighthouse	PR check only	Passed on the measured pages (handover 2.36)
Analytics delivery (Tags / Web SDK)	AEP Debugger	No	Blocked: Adobe Tags property and measurement plan

9. Unit Tests

`npm test` runs `node --test 'test/**/*.test.mjs'` (Node's built-in runner, no dependencies). Tests cover pure modules (no DOM) and generated files. At commit 2d06316: 14 files, 53 suites, 311 tests, all passing.

File	Module(s) under test	What it covers	Tests
test/list/list-data.test.mjs	`blocks/list/list-data.js`, `utils/cells.js`, `utils/redirects.js`	List configuration defaults and clamping, author hints, child pages and depth, page metadata precedence, redirects (chains, loops), fixed lists, unsafe links, ordering, List Item rows (including rows rendered before the Display toggles)	57
test/list/display-precedence.test.mjs	`blocks/list/list-data.js`	Card style and colour precedence (List Item > List > page > automatic), field-by-field overrides from the linked page	16
test/list/query-index-tags.test.mjs	`utils/query-index.js`	Tags from `article:tag` and `cq-tags`, merged without duplicates	4
test/cards/cards-data.test.mjs	`blocks/cards/cards-data.js`, `utils/dates.js`	Card item cells in model order, field mapping, dates, new tab, external links, unsafe links, shared card-list settings	15
test/items/item-rows.test.mjs	`utils/cells.js` (`itemRows`)	Item rows told apart by model in the editor and by cells on the page	24
test/separator/separator-config.test.mjs	`blocks/separator/separator-config.js`	Defaults, ids, accessibility mode, variants, widths (legacy spellings), responsive values, decorations, animation, print, analytics	76

File	Module(s) under test	What it covers	Tests
test/conversation-canvas/canvas-journey.test.mjs	blocks/conversation-canvas/canvas-journey.js	Floating journey roles, states, allowed transitions, hidden state, page variations	32
test/motion/motion.test.mjs	utils/motion.js, block models, styles/motion.css	Animation values, speed and trigger, stagger, background colour detection, the authoring fields offered per block (container sections use container*)	15
test/site/index-root.test.mjs	utils/site.js	indexRoot, localeSheetPath, localePagePath, author paths, pageLink, language master review, getParentPages	21
test/media/vimeo-url.test.mjs	utils/media.js	Vimeo embed URLs (ids, channels, unlisted hashes, parameters)	5
test/privacy/privacy.test.mjs	utils/privacy.js	Search term redaction (e-mail addresses, phone numbers, length)	5
test/models/block-names.test.mjs	component-definition.json	Each block component's template name renders as an existing block folder's class	1
test/modules/module-graph.test.mjs	scripts/module-graph.js, head.html	The module graph is current (npm run build:modules), head.html preloads every scripts.js import, only existing modules listed	5
test/docs/block-docs.test.mjs	tools/docs/	Every block folder has a README listed in blocks/README.md; generated sections current; links and anchors resolve	35

Helper: test/model-layout.mjs derives the cells AEM renders for an item model (tabs as empty cells, collapsed suffix fields folded, classes left out), so cell tests follow model changes.

Not unit tested (no DOM test environment): block decoration, the data layer decorator, the header, editor support. These are covered by the browser harness and manual checks.

10. Lint

npm run lint = lint:js (ESLint on .json, .js, .mjs) + lint:css (Stylelint on blocks/**/*.css, styles/*.css). It is the only check in the Build workflow. Rules:

- airbnb-base, .js extensions required, Unix line endings.
- plugin:json/recommended for JSON files.
- plugin:xwalk/recommended for the models: xwalk/max-cells (default 4, per-model limits in .eslintrc.js), xwalk/no-duplicate-fields, xwalk/invalid-field-name, xwalk/no-orphan-collapsible-fields (a field such as hideTitle without its base field), xwalk/no-custom-resource-types.
- stylelint-config-standard.

Ignored: *.min.js, dompurify.min.js, docs/audit/tools (.eslintignore). Not linted: templates/*/*.css. npm run lint:fix fixes what it can.

11. Integration and Browser Testing

Local and feature previews

The local server (aem up) serves local code with previewed content; --html-folder drafts serves static pages from drafts/. Every change is then checked on its feature preview https://{branch}--tcs-corp--sradha-tcs.aem.page/{path}.

Audit harness

docs/audit/tools/harness.mjs (Playwright Chromium, axe-core) loads every block library and curated design page of the local preview (`drafts/en/block-library`, `drafts/en/curated-design-pages`) and records per load:

Check	Detail
Widths	1440, 1024, 768, 600 and 390px (height 900), reduced motion on
Errors	Console errors, page errors, failed requests (4xx / 5xx), fatal loads
Blocks	Every block's `data-block-status`
Layout	Horizontal page overflow and the elements causing it; broken images; images without `alt`
Ids	Duplicate element ids
Accessibility	axe WCAG 2.0 / 2.1 / 2.2 A and AA at 1440 and 390px
Data layer	Presence, entries, components, duplicate component ids, page entry
Clicks	At 1440px, up to 8 visible links per page: each must push exactly one `cmp:click`

Its companions: compare.mjs compares each block of the published preview (aem.page) with the local preview (status and a content signature) and found the critical delivery defects of the first audit; inventory.mjs and register.mjs build the inventories and the defect register.

Limits: the tools use absolute paths and packages of the delivery workspace, and the rendered library pages in `drafts/en/` and the renderer that produces them are not in the repository, so the harness can't run from a fresh clone without that workspace. Results and dates:

Run	Pages × widths	Result	Source
Block audit, before / after (19 Oct 2026)	188 × 5 = 940	Console errors 138 → 0 (test artefact), axe nodes 3745 → 0, 758 / 758 clicks single	BLOCK-ECOSYSTEM-AUDIT.md
Re-audit (20 Oct 2026)	940	Clean before and after; new defects found by code review, targeted tests and the published site	REAUDIT-2026-10-20.md
Dialog options (20 Oct 2026)	191 × 5 = 955	0 errors, 0 failed requests, 0 axe, 0 overflow, 0 duplicate ids, 791 / 791 clicks single	DIALOG-OPTIONS-2026-10-20.md
Load time change (handover 2.36)	955	Clean (0 errors, 0 axe, 0 overflow; 791 / 791 clicks)	Handover revision history

12. Authoring Testing (Universal Editor)

Universal Editor checks need an AEM author session: dialog fields shown and hidden by their conditions, values persisting after save, in-place updates (`scripts/editor-support.js` re-renders the changed block, else reloads), item placeholders, editor hints (List / Filter List "show on the published page"), Add menus and filters, and edit mode vs Preview (animations don't play in edit mode).

Check	Status	Needed
Dialog persistence and live update of changed models	Blocked	AEM author access for the agent; to be checked by an author
Production content usage of legacy fields (before removing them)	Blocked	Author session or a content export
Published output of the same models	Passed (verified on aem.page / aem.live after the packages were published)	—

Substitute evidence: models are linted against the delivery rules, and the local preview renderer reproduces AEM's delivery so the library pages match the published markup (AGENTS.md "AEM delivery rules"). Universal Editor uses the code of `main` only, so dialog changes can be checked by an author only after the merge.

13. Dialog Option and Combination Testing

Dialog changes are tested with a test matrix that has these columns: Test ID, Block, Dialog configuration, Scenario, Expected result, Actual result, Status, Evidence. The worked example is DIALOG-OPTIONS-2026-10-20.md (List Item, Teaser, Columns Container, Section).

- **Every option alone**: each value of each changed field at least once (Teaser Title Type H1–H6, Image position Left / Right / Top / Bottom, every List Item toggle).
- **Representative combinations**: high-risk combinations are tested together rather than the full cross product. For example, TE-03 tests four position × BG Color × button layout combinations so that each value appears at least once. The report doesn't use a formal pairwise generator.
- **High-risk cases**:
  - fallbacks (Hide Title with Show Action Label off: the title stays visible as the card's link);
  - empty fields;
  - multiple instances on a page;
  - legacy content (16- and 13-cell List Item rows, 19-cell rows delivered without tab cells, the former Title size, Section Highlight);
  - nested backgrounds (a Grey Teaser in a dark Section): a combination page found 43 contrast violations that the single-option pages didn't show.
- **Delivery**: each new property name is checked against the collapse and grouping rules. For example, `hideTitle` was renamed `titleHidden`.
- **Regression**: a full harness run, `npm test` and lint.
- **Published**: the package is published and the options are checked on aem.live.

Results recorded there: LI-01…LI-11, TE-01…TE-08, CC-01, CC-02, SE-01…SE-03 and ALL-01 / ALL-04 / ALL-05 are Passed or Corrected and passed. ALL-02 (Analytics) and ALL-03 (Universal Editor dialog) are Blocked.

14. Accessibility Testing

Check	Method	Status
Automated WCAG 2.0 / 2.1 / 2.2 A and AA	axe in the harness at 1440 and 390px; combination pages for themes	Corrected and passed (3745 → 0 nodes in the first audit; 43 → 0 on the dark-background combination page)
Keyboard, focus, names, semantics	Code review per block (Tab, Shift+Tab, Enter, Space, Escape, arrows, Home / End), targeted browser tests	Executed in the audits; reviews in docs/audit/blocks/ and docs/audit/reaudit/
Contrast of design tokens	axe; the token change needs design sign-off	Corrected and passed; sign-off open
Screen reader (NVDA, VoiceOver)	Not executed	Blocked: no screen reader in the environment
Reduced motion	Harness runs with `reducedMotion: 'reduce'`; code honours `prefers-reduced-motion`	Executed

Monthly spot checks (keyboard on header, carousel, tabs, accordion, modal, forms; one screen reader pass; an axe scan) are listed in handover 14.7 Health Checks.

15. Responsive Testing

Breakpoints: mobile < 600px, tablet 600–1199px, desktop ≥ 1200px (header desktop from 1200px; some type tokens step at 900px). The harness checks 1440, 1024, 768, 600 and 390px for overflow, broken images and errors; the dialog option work also checked 700 and 375px manually. The handover release checklist asks the product owner to review feature previews at 1440, 1024 and 402px. Universal Editor's canvas is often narrower than the browser window, so layouts that switch at 900px may look like tablet in the editor.

16. Cross-Browser Testing

Only **Chromium** (Playwright) was run by the harness and the comparison tool. Firefox, Safari (macOS, iOS) and Chrome on Android were not tested by the audits. Some Safari-specific defects, such as focus return in the Modal and the Video pop-up, were corrected from code review and marked "suspected". The formal browser and device support matrix is Not recorded; handover 1.7.5 lists it as to be confirmed and targets current evergreen browsers. Status for non-Chromium browsers: **Blocked** (devices and a support matrix needed).

17. Data Layer and Analytics Testing

Check	Status	Evidence
ACDL page entry, one component entry per block, unique ids	Passed	Harness (0 pages with duplicate component ids)
One `cmp:click` per click (no missing, no duplicates)	Passed	758 / 758, later 791 / 791 test clicks
Events per interaction (show / hide, media, submit field names only, redacted search, change)	Passed in the audits' targeted tests	BLOCK-ECOSYSTEM-AUDIT.md
Search term redaction	Passed	`test/privacy/privacy.test.mjs`
Delivery to Adobe Analytics / CJA through Tags and the Web SDK	Blocked	Adobe Tags property, datastream and the measurement plan

Manual console checks and the 16 test cases (page entry, components after 3 seconds, link / download / exit clicks, cards, accordion, tabs, carousel, modal, video, search, submit, filter, Analytics off, breakpoint) are in handover 11.8 Validation (TCS-CORP-HANDOVER.md).

18. Personalization and Consent

Area	Status	Reason
Personalization (Target, AJO, audiences)	Not applicable	Not implemented; every block renders default content. Tests become possible only with an approved personalization design
Consent (CMP, categories)	Not applicable	No consent mechanism is implemented and nothing is sent to a third party. Consent dependency tests are blocked on the consent model

19. Performance Testing

- NFRs (handover 1.7 Non-Functional Requirements):
  - Lighthouse / PageSpeed 100 on feature previews (process, not enforced by CI);
  - LCP < 2.5 s, CLS ≤ 0.1 and INP < 200 ms at p75 (RUM; handover 13.16).
- Per PR: the aem-psi-check app runs PageSpeed Insights on the URLs in the PR description. Run it yourself with `https://developers.google.com/speed/pagespeed/insights/?url=<feature URL>`.
- Recorded measurements (handover 2.36, Lighthouse 12, mobile throttling):
  - before the module preloading change: 96–100 / 100, TBT up to 220 ms;
  - after: Lighthouse 99–100 mobile and 100 desktop; Home LCP 1.12–1.61 s; all sections about 37 % sooner (What we do 52 %);
  - the font-swap CLS of 0.33 on one library page was corrected to 0.003.
- Guard in tests: `test/modules/module-graph.test.mjs` fails when the preload lists are stale.

20. Indexing, Preview and Publish Testing

The checks recorded in the handover revisions (2.31, 2.35) and the re-audit:

Step	Check	Recorded result
Install the content package	Pages appear in AEM	Packages 1.0.9, 1.0.10, 1.0.12, 1.0.13 installed
Preview and publish every page (Admin API `preview`, `live`)	Count of pages previewed and published	312 / 312 (1.0.10), 313 / 313 (1.0.12; one timeout, passed on retry), 315 / 315 (1.0.13)
Reindex (Admin API `index` per page)	`/query-index.json` rows	312 / 312 reindexed; 307 language-master pages, 306 with an image; block library pages excluded by design
Published vs local	`compare.mjs`, block by block	127 of 188 identical; the other differences were content, except two defects (R-L-1, R-L-2), corrected in 1.0.10
Live checks on aem.live	The changed options and fixes on the published pages	Passed (for example Teaser Title Type sizes, Section colours, List Item display options, axe 0 on the combination page)

The package build and its installation steps aren't in the repository (delivery workspace); the publication steps and their order (sheets first, then fragments, then pages) are in handover Part 12.

21. Existing-Content Regression

Content authored before a change must still render. The re-audit checked the published site (current code on content installed before, package 1.0.6). Forms with real "name, field-text" rows, tables with tab rows, Tabs Containers holding built-in Columns, Heroes and Table Lists with Motion Type, Canvas buttons with `linkType`, built-in Buttons and Page Header CTAs with an empty style all rendered. Videos with the former poster fields have no poster, because that field was never delivered; a content migration is needed. Repeat this check whenever a field is renamed or removed. Unit tests keep legacy inputs covered: 16-cell List Item rows, Separator legacy widths, index fallback columns.

22. Evidence Requirements

Every test result names its evidence:

- the test ID and the status from the vocabulary above;
- the page (library page, aem.page or aem.live URL), the width and the browser;
- the command or tool and the commit;
- the actual result in numbers where possible (loads, violations, clicks);
- for Blocked, what is needed.

Keep the outputs, such as the harness JSON, the register CSVs in docs/audit/data/ and screenshots, without personal data, tokens, cookies, author host names or AEM program / environment ids.

23. Related

- development-standards.md, troubleshooting.md, universal-editor.md, decorators-and-utilities.md, architecture.md, accessibility.md, data-layer-and-analytics.md, indexing-and-search.md, deployment-and-release.md
- docs/audit/README.md: BLOCK-ECOSYSTEM-AUDIT.md, REAUDIT-2026-10-20.md, DIALOG-OPTIONS-2026-10-20.md
- Block README sections "For QA and Support Teams" (for example blocks/list/README.md)
- Handover (TCS-CORP-HANDOVER.md): 1.7 Non-Functional Requirements, 11.8 Validation, 12.4 Release Checklist, 14.7 Health Checks, 17.6 Validation Activities
- AGENTS.md

24. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

25. Known limitations

- None recorded for this document.

26. Open items

- None.

27. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Test Data Strategy

Attribute	Value
Document ID	QA-006
Audience	QA lead, testers, release lead
Purpose	Where test data lives
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

- Dummy content and limitation tests: `/content/tcs-corp/language-master/en` (testing root).
- Block examples: `/content/tcs-corp/design-block-master/en/block-library`.
- Real content and sheets: `/content/tcs-corp/language-masters/en` (validate, don't use as scratch data).
- Unit test fixtures: `test/**/fixtures.mjs`.

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Test Entry Criteria

Attribute	Value
Document ID	QA-003
Audience	QA lead, testers, release lead
Purpose	Measurable conditions to start testing
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Criterion	Status on 8 November 2026
Requirements approved or inferred requirements accepted	Not met (inferred, not validated)
Code deployed to the target environment	Met (main)
Models generated and synchronised	Met (build:json clean)
Required content published	Partially (/language-masters/en publishing in progress; /en removed)
Required assets published	Partially (Dynamic Media approval pending)
Test environment available	Met (live and preview)
Test accounts and permissions	Not met for the author (no author access in the program)
Block-library pages available	Met (/design-block-master/en)
Curated pages available	Met
Test data prepared	Partially (dummy content in /language-master/en)
Smoke test passed	Not met (see the test summary)
No open environment-blocking defect	Not met (/en locale removed)

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Test Environment

Attribute	Value
Document ID	QA-005
Audience	QA lead, testers, release lead
Purpose	Environments, browsers, accounts
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Item	Value
Live	https://main--tcs-corp--sradha-tcs.aem.live
Preview	https://main--tcs-corp--sradha-tcs.aem.page
Browser used by the automated checks	Chromium (Playwright build 1208)
Viewports	375×812, 768×900, 1024×900, 1440×900
AEM author	Requires author access (not available in the program)

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Test Exit Criteria

Attribute	Value
Document ID	QA-004
Audience	QA lead, testers, release lead
Purpose	Measurable conditions to finish testing
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Criterion	Status
All planned tests executed or waived	Not met
Critical and major defects closed, deferred with approval or accepted	Not met
Functional pass rate reported	Partially (automated cases only)
Accessibility results reported	Partially
Core Web Vitals reported	Not met
Browser and device coverage	Not met (Chromium only)
No unresolved broken critical links	Not met (design-block-master links)
Analytics / data layer validated	Partially
Preview / live comparison	Not met
Regression completed	Met with 2 known failures
Requirement-to-test traceability complete	Met for inferred requirements
Sign-off by Product Owner, QA Lead, Technical Lead	Not recorded
Pass threshold	TO BE CONFIRMED BY QA GOVERNANCE

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Test Scope

Attribute	Value
Document ID	QA-002
Audience	QA lead, testers, release lead
Purpose	What is tested and what isn't
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. In scope

- 32 blocks, 5 default-content components
- 20 curated design pages
- 3 review roots, 13 locales

2. Out of scope

- Adobe Tags, Web SDK, Analytics, Target, consent (not implemented)
- Forms back end (not connected)
- Personalization

3. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

4. Known limitations

- None recorded for this document.

5. Open items

- None.

6. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages