TCS CORPORATE WEBSITE

Administration and Governance Guide

Role / audience	Administration and governance — Site administrators, product owner, program governance
Version	1.0
Status	Draft for review
Owner	Product Owner / Program Governance (proposed)
Last validated	2026-11-08
Documents	10
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Administration and Governance Guide
- Responsibilities
- Block and template availability
- Model and definition governance
- Permissions and access
- Assets
- Metadata
- Taxonomy
- Localization
- Publishing and the Admin API
- Indexing and sitemap
- Environment checks
- Monitoring
- Support handoff
- Routine operations
- Escalation
- Deprecation and migration governance
- Known limitations relevant to operations
- Related
- Screenshots
- Known limitations
- Open items
- Change history

Access and Permissions
- Permissions and access
- Screenshots
- Known limitations
- Open items
- Change history

Audit and Review Calendar
- Screenshots
- Known limitations
- Open items
- Change history

Content Governance
- The roots
- Content governance
- Publishing and indexing dependencies
- Screenshots
- Known limitations
- Open items
- Change history

Documentation Governance
- Where the documentation lives
- Update rule
- Rules
- Validation
- Screenshots
- Known limitations
- Open items

Change history

Dynamic Media Setup
Decision
Steps (AEM administrator, from the branch's root folder)
The asset picker for authors
To check in the B001 pilot
Screenshots
Known limitations
Open items
Change history

Environment Governance
Site configuration
Screenshots
Known limitations
Open items
Change history

Ownership and RACI
Screenshots
Known limitations
Open items
Change history

Security, Privacy and Compliance
Status at a glance
Data minimisation and personal information
Identity, consent and analytics / personalization dependencies
Known limitations and open items
Screenshots
Known limitations
Open items
Change history

Taxonomy Governance
Taxonomy
Screenshots
Known limitations
Open items
Change history

Administration and Governance Guide

Attribute	Value
Document ID	GOV-000
Audience	Site administrators, product owner, program governance
Purpose	Administering the site and governing its content, code and documentation
Scope	—
Prerequisites	—
Owner	Product Owner / Program Governance (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. Responsibilities

The three delivery streams are released independently (handover Part 12): content (AEM author, published by authors), code (GitHub `sradha-tcs/tcs-corp`, synced by AEM Code Sync) and configuration (the Edge Delivery site configuration of org `sradha-tcs`, site `tcs-corp`, changed through the Admin API). The Site Administrator owns the configuration stream.

Responsibility	Owner (handover Part 14, 14.1)	Verified basis
Site configuration: `public.json` paths, `metadata.source`, robots, CDN, access	Site Administrator / AMS (L2)	AGENTS.md notes
Cache purge, re-index, sitemap regeneration, Admin API status and log review	L2	Handover 12.1.9; per-page `preview`, `live`, `index` used for packages 1.0.10–1.0.13 (revisions 2.31, 2.35)
Sheets (placeholders, metadata, taxonomy, redirects, data)	Content team, with L1	AGENTS.md
Author onboarding and access requests	L1 with the AEM administrator	Handover 14.8.5 (groups and permission model not recorded)
Code, models, filters, index and sitemap definitions	Development team (L3)	Repository
Platform incidents (Edge Delivery, Universal Editor, AEM as a Cloud Service)	Adobe Support, raised by L2 / L3	Handover 14.1.1

The support levels L1 (author support), L2 (AMS / site administration) and L3 (development) and their RACI are defined in handover Part 14, 14.1. The team names, the named owners (product owner, technical lead, AMS lead, site administrator, analytics owner) and the severity SLAs are not recorded (open items O-01, O-13).

2. Block and template availability

- **Component filters** decide what authors can add where: component-filters.json, aggregated from models/_component-filters.json (page: Section, Gen Carousel, Tabs Container, Columns Container), models/_section.json (the section filter) and each block's _<block>.json (item and container filters). The current filters are listed in authoring.md and blocks/README.md.
- **To offer a block**: add its id to the `section` filter in `models/_section.json` (and to the Columns Container / Tabs Container filters where it may appear), run `npm run build:json`, lint, merge; authors reload the Universal Editor.
- **To withdraw a block** without breaking content: remove it from every filter but keep its definition and model, so content authored before still renders and stays editable. This is how the built-in Columns, the built-in Button ("Button (basic)") and Interactive Dashboard were withdrawn (blocks/README.md; handover revisions 2.27, 2.28; audit D-B-17).
- **Templates** (Page Type): `TEMPLATES` in scripts/scripts.js = `home`, `article`, `blog`, `press-release`, code in templates/. The Page Type options are in models/_page.json. The template pages authors copy are under `/content/tcs-corp/site-global-templates/` (author only, excluded from publishing).
- **Block libraries**: each locale's `block-library/` shows every variation (author only, excluded in paths.json); keep them and the site global templates in step with new components (handover Part 17, G-12).

Item	Status
27 block folders whose components are in the filters, and the Header (structural, built from the nav page) (see blocks/README.md)	Active
Columns (built-in), Button (basic)	Compatibility-only
Interactive Dashboard	Experimental (placeholder, in no filter)
Templates `home`, `article`, `blog`, `press-release`	Active

3. Model and definition governance

Rule	Where	Enforced by
Edit only the partials (`blocks/*/_*.json`, `models/_*.json`); never the aggregated `component-definition.json`, `component-models.json`, `component-filters.json`	AGENTS.md	`npm run build:json` (`merge-json-cli`)
Staged partials rebuild the aggregated files on commit	.husky/pre-commit.mjs	Husky pre-commit hook (installed by `npm install`, `prepare`)
Models follow the xwalk rules (`plugin:xwalk/recommended`) with project limits of `xwalk/max-cells` (default 4; higher for section, containers and item models)	.eslintrc.js	`npm run lint`, and the Build workflow on every push
AEM delivery rules: empty rows for dialog tabs, item first cell, no grouped fields in key-value blocks, collapsing suffixes (Text, Title, Type, Alt, MimeType), no `classes_*` on sections, no sample content in templates	AGENTS.md "AEM delivery rules"	Review; compare `aem.page` with the local preview after model changes
At most three dialog tabs, the last one Additional	AGENTS.md "Dialog tabs"	Review
Item children instead of composite multifields	AGENTS.md "Item children"	Review; `test/items/item-rows.test.mjs`
Block README generated sections current	blocks/README.md	`npm test` (`test/docs`) after `npm run build:docs`

Verified at commit 2d06316: the aggregated component files match a fresh merge of the partials (Passed), and `npm run lint` reports no errors (Passed). A field removed from a model keeps its stored values in AEM but they are no longer shown (handover 12.6.1).

4. Permissions and access

No verified permission model was identified. AEM user groups, permissions per locale, the publish approval workflow, the Universal Editor publish destinations, GitHub branch protection, Admin API roles and RUM dashboard access are recorded as "To be confirmed" in the handover (Part 5, 5.1.2; Part 14, 14.10.1; open items O-05, O-06). Blocked: the AEM administrator's and repository administrator's configuration. The handover's access checklist (14.10.1) and monthly access review (Part 17, M-10, G-07) describe what to review once owners exist.

5. Assets

- Assets live under `/content/dam/tcs-corp/`; the path is in the `includes` of paths.json.
- Images are copied to the media bus when the page using them is published. **Other DAM files** (Lottie JSON, videos, captions) are served only once they are published themselves; the re-audit lists publishing them as an open operations action (R-B-2, R-D-6 in REAUDIT-2026-10-20.md; handover revision 2.31 "Open").
- The DAM folder convention, image licensing rules, maximum video size and approved embed domains are not recorded (open item O-16).

6. Metadata

- Each locale has a bulk metadata sheet (`{locale}/metadata`, published as `/en/metadata.json`, `/de-de/metadata.json`, ...). The platform applies them only when all 13 are listed in the site configuration: `POST https://admin.hlx.page/config/{org}/sites/{site}/metadata.json` with `{"source": ["/en/metadata.json", "/de-de/metadata.json", ...]}`. Until then no bulk metadata applies; each sheet's URL patterns must start with its locale (AGENTS.md).
- Whether `metadata.source` is configured is not recorded (open item O-04). Check: `GET https://admin.hlx.page/config/sradha-tcs/sites/tcs-corp/metadata.json` (authenticated; handover Part 17, M-07).
- The columns are listed in AGENTS.md; the indexed ones are the properties of helix-query.yaml. decorators/seo-decorator.js maps the SEO and social columns in the browser.
- Governance of value lists (page types, content types, regions, persona, campaign codes): handover Part 17, G-04 (frequency not recorded).

7. Taxonomy

- Tags are AEM tags (`tcs-corp:` namespace); each locale publishes its taxonomy page as `/{locale}/taxonomy.json` (mapped explicitly in paths.json); a translated taxonomy is a multi-sheet JSON read by language (utils/taxonomy.js, `sheetRows` in utils/site.js).
- Changing a tag ID changes the IDs stored on pages and in the index: re-tag and republish pages before retiring a tag (handover 14.8.4). Tag governance rules and ownership: handover Part 7, 7.4–7.6 (business taxonomy owners not recorded, open item O-10).

8. Localization

Task	Procedure	Source
Add or change a locale	Developer: edit LOCALES in utils/site.js, run `npm run build:paths`, commit both; Site Administrator: apply the generated paths.json to the site configuration's `public.json` → `paths` and add `/{code}/metadata.json` to `metadata.source`; content team: create the locale page, `references/nav`, `references/footer`, `error-pages/404`, `block-library/`, the sheets and data sheets, then publish	AGENTS.md, handover 14.8.1

Task	Procedure	Source
Keep `paths.json` and `public.json` identical	AEM uses the configuration, not the repository file; a difference publishes pages at wrong paths or not at all	handover 12.5, 13.4
Remove the temporary language master review	After the rollout to `/en`: remove `REVIEW` in tools/paths/generate-paths.mjs and `REVIEW_ROOTS`, `REVIEW_SHEETS`, `REVIEW_PAGES` in utils/site.js, run `npm run build:paths`, apply the paths	AGENTS.md

At commit 2d06316, paths.json has 154 mappings, 15 includes (the 13 locale pages, `/content/dam/tcs-corp/` and the language master root) and 28 excludes (the 13 block libraries and `site-global-templates`, each with `/**`). Translation process, MSM and hreflang are not implemented or recorded (handover 4.9.6).

9. Publishing and the Admin API

- Authors publish from the Universal Editor or the Sites console (authoring.md); sheets, references and non-image assets are published on their own.
- The Edge Delivery Admin API (`https://admin.hlx.page`, authenticated; no credentials are recorded) performs the operations behind publishing. Path segments: org `sradha-tcs`, site `tcs-corp`, ref `main`.

Operation	Endpoint pattern	Use
Status	`GET /status/{org}/{site}/{ref}/{path}`	First check for "page not updating"
Preview	`POST /preview/{org}/{site}/{ref}/{path}`	Re-preview a path
Live	`POST /live/{org}/{site}/{ref}/{path}`	Re-publish a path
Unpublish	`DELETE /live/{org}/{site}/{ref}/{path}`	Emergency takedown when AEM can't unpublish
Cache	`POST /cache/{org}/{site}/{ref}/{path}`	Purge after a confirmed publish
Index	`POST /index/{org}/{site}/{ref}/{path}`	Re-index a path
Sitemap	`POST /sitemap/{org}/{site}/{ref}/{path}`	Regenerate a sitemap
Code	`POST /code/{org}/{site}/{ref}/{path}`	Re-sync code when Code Sync didn't run
Log	`GET /log/{org}/{site}/{ref}`	Who previewed, published, unpublished or synced what
Configuration	`/config/{org}/sites/{site}.json` and sub-resources (`public.json`, `metadata.json`)	Site configuration

Source: handover Part 12, 12.1.9. Admin API operations act immediately on the public site; bulk operations (`/*`) are agreed with the site owner and logged with the before / after JSON (handover Part 17, G-01). Per-page `preview`, `live` and `index` calls were used to publish and reindex the block library packages (handover revisions 2.31, 2.35).

10. Indexing and sitemap

- helix-query.yaml defines one index over `/**` with target `/query-index.json`, excluding `/**.json`, each locale's `references/**`, `error-pages/**`, `data/**`, `nav`, `footer`, block libraries, `site-global-templates/**`, and any `fragments/` or `modals/` folder. One index serves all locales; utils/query-index.js loads it once per page and filters it to the locale (or review) root.
- Publishing adds or updates a row and unpublishing removes it. After a change to `helix-query.yaml`, existing rows are rewritten only when pages are republished or re-indexed (Admin API `index`).

- helix-sitemap.yaml: one sitemap built from `/query-index.json` into `/sitemap.xml`, `origin` `https://main--tcs-corp--sradha-tcs.aem.live` until a production domain is configured (then replace or remove it). No `hreflang` alternates.
- Consumers: List (child pages, tagged pages), Filter List, Conversation Canvas menus. Block library pages stay out of the index by design (handover revision 2.35).

11. Environment checks

Check	How	Expected
Locale Home pages	`/en/`, `/de-de/`, … on the live host (handover Part 17, script 17.2-A)	HTTP 200, header and footer, no `failed to load …` console errors
Fragments and 404 pages	`/{locale}/references/nav.plain.html`, `/references/footer.plain.html`, `/error-pages/404.plain.html` (script 17.2-B)	HTTP 200
Build and Code Sync on `main`	Commit checks of the head of `main` (script 17.2-C)	Green
Query index rows per locale	`/query-index.json` in pages of 500 rows (script 17.2-D)	Count consistent with publications
Sheets per locale	9 sheets × 13 locales (script 17.3-B)	HTTP 200 and valid JSON
Sitemap	`/sitemap.xml` hosts and count (script 17.3-A)	Expected host; new pages present
404 per locale	`/{locale}/health-check-404` (script 17.4-A)	HTTP 404 with the locale's authored 404 page
Placeholder completeness	Keys of `/en/placeholders.json` vs each locale (script 17.4-B)	Same key set
Data layer	`window.adobeDataLayer` on sample pages	A page entry, component entries, `cmp:click` on clicks
Configuration	`GET /config/sradha-tcs/sites/tcs-corp/metadata.json`; `public.json` paths vs paths.json	13 sources; identical paths

The scripts and the full daily, weekly and monthly activity tables (D-01 … D-09, W-01 … W-10, M-01 … M-14) are in handover Part 17 — Operations Guide; where Part 17 and 14.7 differ, Part 17 is the checklist of record. Health check results were not recorded in the repository.

12. Monitoring

Area	State	Source
Real Use Monitoring (RUM)	Implemented: `sampleRUM` in scripts/aem.js (sampling weight 100 by default, collector `ot.aem.live`); 404.html sends a 404 checkpoint with the referrer; errors are sent as `error` checkpoints	Code
RUM dashboard and domain key	Not recorded	Handover 14.2
PageSpeed Insights	Manual; the `aem-psi-check` on pull requests (AGENTS.md)	deployment-and-release.md
Uptime monitoring	Not implemented; tool not recorded	Handover 14.2
Analytics	Data layer populated centrally (decorators/data-layer-decorator.js); Adobe Tags and the Web SDK not configured (blocked: measurement plan); no consent mechanism	Code

Area	State	Source
AEM author health, publication queues, logs	Cloud Manager and the AEM author (Workflow instances); access not recorded	Handover 14.2, 14.3.2
Dependency updates	Renovate (.renovaterc.json)	Repository

The handover (14.2) proposes thresholds of LCP ≤ 2.5 s, CLS ≤ 0.1 and INP ≤ 200 ms at p75; no alerting on them is configured. Console messages emitted by the code and their meaning: handover Part 14, 14.3.1.

13. Support handoff

- The AMS handover checklist (access, knowledge transfer sessions, documentation, open items) is handover Part 14, 14.10; no item of it is recorded as completed in the repository.
- Documentation to hand over: AGENTS.md, blocks/README.md and the block READMEs, decorators/README.md, utils/README.md, templates/README.md, the handover (TCS-CORP-HANDOVER.md, PDF built as described in docs/handover/README.md), the audits in docs/audit/.
- Blocked: support hours, ticketing tool and queue, contacts and SLAs (open item O-13), a site configuration export (14.10.3 #7).

14. Routine operations

Procedure	Summary	Handover
Update placeholders	Edit Text in `{locale}/placeholders`, keep variables, publish, check `/{locale}/placeholders.json`	14.8.3
Change the taxonomy	Tags in AEM Tagging, titles on every locale's taxonomy page, publish, re-tag and republish pages	14.8.4
Onboard an author	Admin Console profile, locale permissions (model not recorded), Sidekick, training	14.8.5
Add a locale	See Localization	14.8.1
Add a block	Block folder with JS, CSS and `_<block>.json` (Additional tab), add to the filters, `build:json`, lint, test, library page, PR	14.8.2
Release activities	R-01 … R-15	Part 17, 17.5; deployment-and-release.md
Governance	Change records, tag, placeholder key, metadata value, locale, third-party script, access, findings, documentation, configuration backup, block libraries (G-01 … G-12)	Part 17, 17.7

The operations calendar of Part 17, 17.8 is a proposed default (time zone and calendar not recorded).

15. Escalation

The handover proposes an escalation path (Part 14, 14.5): Author → L1 → L2 → L3 → Adobe Support, with the product owner informed for P1 / P2 and a security contact for suspected security incidents, and the information each step needs (AEM and published path, locale, Admin API status output, console messages, reproduction on `aem.page`). The severity scale P1–P4 is a proposal "to be confirmed in the AMS contract"; the escalation times for P2, the contacts and the security contact are not recorded. Status: Requires validation.

16. Deprecation and migration governance

Item	Rule / state	Source
Withdrawn components	Remove from the filters, keep the definition and model; content authored before stays editable (Columns, Button (basic), Interactive Dashboard)	blocks/README.md
Legacy composite multifields (labelled as authored before in Hero, Teaser, Page Header, Testimonial, List, Filter List; Anchor List and Footer multifields also still read)	Still read; remove only after confirming no production content uses them (blocked: a production content check)	BLOCK-ECOSYSTEM-AUDIT.md, handover F-87
Renamed or replaced fields	Video `placeholder_image` → `poster` (code reads both); Canvas Button `linkType` → `buttonVariant`; Hero `classes_motion` and Table List `motion` → Animation Type (mapped in code); form item `name` → `fieldName` when key case matters	REAUDIT-2026-10-20.md "Operations and content actions"
Production content migration	Built-in Columns → Columns Container / Column Breaks, built-in Buttons → Button blocks, and the field moves above: listed as content actions; done for the block library packages, not recorded for production content	Re-audit, section 5
Removed options	Teaser Personalization, Quote / Testimonial Style, Separator Auto / Custom, Columns Additional tab, Teaser Title size	Audit section 11; handover revision 2.32
Temporary language master review	Remove the `REVIEW*` code and paths after the rollout to `/en`	AGENTS.md
Documentation	Every significant change updates the block README, the decorators / utils READMEs, `AGENTS.md` and the handover	AGENTS.md

17. Known limitations relevant to operations

Limitation	Impact	Status
Per-locale `redirects` sheets aren't applied (the platform applies only a root `/redirects.json`); `/` has no redirect to `/en/`	Old URLs and `/` return 404	Blocked: a redirect mechanism (for example CDN rules) and the production domain (open item O-03)
Bulk metadata applies only once `metadata.source` lists the 13 sheets	Sheet columns ignored until configured	Requires validation (O-04)
Production domain, CDN, robots.txt	Site only on `*.aem.live`; sitemap origin is the `.aem.live` host	Not recorded (O-03)
Adobe Tags / Web SDK, consent	Data layer populated, nothing collected	Blocked: measurement plan, consent model (O-07)
Form back end, search service	Form Variations and Canvas search dispatch events only	Blocked (O-08, O-09)
Non-image DAM assets unpublished	Lottie, video and captions 404	Operations action open (re-audit)
403 / 500 error pages	Authored for a CDN, not used by code	Requires a CDN
Unit tests not in CI	Regressions caught only if `npm test` is run	See deployment-and-release.md

The full list is handover Part 14, 14.9 and Part 16 — Handover Findings and Open Items Register.

18. Related

- authoring.md, deployment-and-release.md
- architecture.md, content-architecture.md, indexing-and-search.md, security-privacy-consent.md, decision-log.md
- AGENTS.md: site structure and site data, notes on `paths.json`, bulk metadata and redirects

- blocks/README.md, docs/audit/README.md
- Handover (TCS-CORP-HANDOVER.md): Part 12 — Publishing, Deployment & Release, Part 13 — Global Troubleshooting Guide, Part 14 — Operational Runbook & AMS Handover, Part 16 — Handover Findings and Open Items Register, Part 17 — Operations Guide

19. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

20. Known limitations

- None recorded for this document.

21. Open items

- None.

22. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Access and Permissions

Attribute	Value
Document ID	GOV-001
Audience	Site administrators, product owner, program governance
Purpose	Who needs which access
Scope	—
Prerequisites	—
Owner	Product Owner / Program Governance (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. Permissions and access

No verified permission model was identified. AEM user groups, permissions per locale, the publish approval workflow, the Universal Editor publish destinations, GitHub branch protection, Admin API roles and RUM dashboard access are recorded as "To be confirmed" in the handover (Part 5, 5.1.2; Part 14, 14.10.1; open items O-05, O-06). Blocked: the AEM administrator's and repository administrator's configuration. The handover's access checklist (14.10.1) and monthly access review (Part 17, M-10, G-07) describe what to review once owners exist.

Access	For
AEM Sites author (product profile)	Authors, administrators
GitHub repository	Developers (write), reviewers
Admin API (Config Service)	Site administrators: preview, publish, configuration
Extension Manager	AEM administrator: Dynamic Media asset picker

2. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

3. Known limitations

- None recorded for this document.

4. Open items

- None.

5. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Audit and Review Calendar

Attribute	Value
Document ID	GOV-008
Audience	Site administrators, product owner, program governance
Purpose	When documents are reviewed
Scope	—
Prerequisites	—
Owner	Product Owner / Program Governance (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Trigger	Documents to review
Code change	Developer guide of the block, its variations and test cases; the knowledge base; this set (docs/handover)
Content-model change	Developer and authoring guides of the block, variation matrix, test cases
New block / variation	Block folder, inventories, matrices, test cases, BA feature
New curated design page	Curated page folder, composition matrix, test cases
Defect fix	Defect register, known errors, test results
Release	Release checklist, test summary
Architecture decision	Architecture decisions, risks
Integration change	Integration architecture, service dependencies
Test-strategy change	QA package
Quarterly	Everything (documentation validation report)

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Content Governance

Attribute	Value
Document ID	GOV-003
Audience	Site administrators, product owner, program governance
Purpose	Rules for content
Scope	—
Prerequisites	—
Owner	Product Owner / Program Governance (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. The roots

Root	Rule
/content/tcs-corp/language-masters/en	Real content only; validated with the real sheets; source of the global site later
/content/tcs-corp/language-master/en	Dummy content for tests; never the source of other content
/content/tcs-corp/design-block-master/en	Block library and curated design pages; keep links inside this root

2. Content governance

Verified rules (enforced by code or configuration):

- Locale resources sit at fixed locations (`references/nav`, `references/footer`, `error-pages/404`, the sheets, `data/*`): code resolves them per locale.
- Navigation, Footer and 404 Page are inherited from parent pages up to Home.
- `hide-in-nav = yes` keeps a page out of List results (not Filter List or the Canvas menu: F-30, F-33).
- Reference, error, data, nav / footer, fragments and modals paths are excluded from the query index.
- Sheets and reference pages take effect only once published.
- No sample content in templates or model defaults (AEM stores definition template values on every new component).

Ownership, review cadences and approval flows: Not recorded in the repository (handover Parts 7.4, 14 and 17 describe proposed processes and open owners).

3. Publishing and indexing dependencies

Change	Must also be published / done	Effect
New or changed page	Publish the page	Index row and sitemap update; lists show it (see indexing-and-search.md)
Page metadata used by cards	Republish the listed page	List / Filter List cards change; the List page itself needs no republish
Sheet (placeholders, metadata, taxonomy, redirects, data)	Publish the sheet	Next page load (each loaded once per page view)
Bulk metadata	Sheet listed in `metadata.source`	Metas on matching pages
Navigation / footer / fragment	Publish the reference page	Every including page; inherited values in a new browser session
Non-image DAM assets (Lottie JSON, videos, captions)	Publish the assets	Served only once published; images travel with the page (AGENTS.md)
`helix-query.yaml`	Reindex (Admin API index operation) or republish	Existing rows unchanged until then
LOCALES	`npm run build:paths`, re-apply `public.json` and `metadata.source`	New paths published

4. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

5. Known limitations

- None recorded for this document.

6. Open items

- None.

7. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Documentation Governance

Attribute	Value
Document ID	GOV-005
Audience	Site administrators, product owner, program governance
Purpose	How this documentation is maintained
Scope	—
Prerequisites	—
Owner	Product Owner / Program Governance (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. Where the documentation lives

- **This set** (role documents, registers, knowledge base for humans and agents, PDFs): branch `migrated-page-content-edam`, folder `docs/handover/`.
- **The knowledge base for code work**: `docs/handover/knowledge-base/` in the code repository (`main`), the starting point of AGENTS.md; this set's knowledge base (09) is generated from it.
- **Block READMEs**: `blocks/<block>/README.md` in the code repository (generated sections by `npm run build:docs`).

2. Update rule

Every code change updates this set in the same change or a named follow-up: the developer and authoring guides of the affected blocks, their variations and test cases, the inventories and matrices, the registers, the knowledge base (09) and the PDFs (regenerated, never edited). The generator and its inputs: the documentation program in the migration workspace (`generate.mjs`, `pdf.mjs`, `validate.mjs`).

3. Rules

- Markdown is the source; PDFs are generated (`node pdf.mjs <docs>`) and never edited.
- Every document has the metadata table (ID, audience, owner, version, status, dates, sources, AEM paths), contents, screenshots, known limitations, open items and change history.
- Test results only with evidence; inferred requirements are labelled; owners are proposed until confirmed.
- Screenshots are real (captured from the published pages) or a visible placeholder; each is in the screenshot register.

4. Validation

`node validate.mjs <docs>`: required metadata, duplicate IDs, links and images, paired PDFs, orphan screenshots, JSON validity, unresolved to-do markers.

5. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

6. Known limitations

- None recorded for this document.

7. Open items

- None.

8. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Dynamic Media Setup

Attribute	Value
Document ID	GOV-009
Audience	Site administrators, product owner, program governance
Purpose	Approving the assets, rebuilding the pages with delivery URLs and configuring the asset picker (KB-D-067)
Scope	—
Prerequisites	—
Owner	AEM Administrator (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	aem-sites.sh, edam-assets.sh, blocks//_.json
Related documents	—
Related AEM paths	—

1. Decision

KB-D-067 (8 November 2026): the assets stay in the Sites author's DAM; Dynamic Media with OpenAPI delivers every asset (images included, no media bus) for the migrated pages below `/content/tcs-corp/language-masters/en`; `/content/tcs-corp/language-master/en` keeps its DAM paths.

2. Steps (AEM administrator, from the branch's root folder)

1. **Reprocess** the assets: Assets > Files > `tcs-corp` > select the folders > Reprocess (assets installed from packages are not processed).
2. **Approve and export the IDs** (Mac; Windows: `edam-assets.ps1 -Steps 4,5`):

```
export EDAM_AUTHOR=https://author-p<program>-e<environment>.adobeaemcloud.com
export DELIVERY_HOST=delivery-p<program>-e<environment>.adobeaemcloud.com
bash edam-assets.sh --steps 4,5 --batch B001
```

3. **Rebuild and install the pages** with the delivery URLs:

```
export SITES_AUTHOR=$EDAM_AUTHOR
bash aem-sites.sh --batch B001
```

4. Replace `data/authors` with `packages-for-edam-sites/content-packages/sheets/data-authors.csv`; publish and reindex `/content/tcs-corp/language-masters/en`.

3. The asset picker for authors

1. Extension Manager: enable **Universal Editor Custom Content Advisor** for the Sites environment.

2. Fill in the templates of assets/asset-selector (`<author host>`, `<delivery host>` without https://) and upload them to `/content/dam/tcs-corp-config/asset-selector/` on the Sites author.
3. Merge pull request #200 (the 20 asset fields become `custom-asset-namespace:custom-asset`).

4. To check in the B001 pilot

Alt text of images delivered as links, Section backgrounds, the built-in Image component, Lottie files and videos from the delivery host.

5. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

6. Known limitations

- None recorded for this document.

7. Open items

- None.

8. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Environment Governance

Attribute	Value
Document ID	GOV-002
Audience	Site administrators, product owner, program governance
Purpose	Environments and their configuration
Scope	—
Prerequisites	—
Owner	Product Owner / Program Governance (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Environment	Purpose
Feature previews	Pull request validation
main preview / live	The site
AEM author	Content and publishing

1. Site configuration

The path mapping (public.json `paths`) maps the 13 locales, the three review roots and the taxonomy pages; the repository's paths.json is generated from `LOCALES` and `REVIEW_ROOTS` (`npm run build:paths`). Bulk metadata applies only when the site configuration lists the sheets (`metadata.source`).

2. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

3. Known limitations

- None recorded for this document.

4. Open items

- None.

5. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Ownership and RACI

Attribute	Value
Document ID	GOV-007
Audience	Site administrators, product owner, program governance
Purpose	Owners of every document family (proposed)
Scope	—
Prerequisites	—
Owner	Product Owner / Program Governance (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Document family	Responsible	Accountable	Consulted	Informed
Architecture	Solution Architect	Product Owner	Technical Lead	All
Development, blocks	Technical Lead / Block Owner	Technical Lead	UX/UI Lead	QA
Design style guide	UX/UI Lead + Technical Lead	Product Owner	Content Lead	All
Authoring	Content Lead / AEM Authoring Lead	Product Owner	Technical Lead	Authors
Business analysis	Business Analyst	Product Owner	QA Lead	All
Quality assurance	QA Lead	Product Owner	Technical Lead	All
Release / DevOps	Release Lead / DevOps Lead	Technical Lead	QA Lead	All
Operations	AMS / Support Lead	Product Owner	Technical Lead	All
Governance	Product Owner / Program Governance	Product Owner	All leads	All
Knowledge base	Documentation Owner	Product Owner	Role owners	All

All owners are **proposed** until confirmed.

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Security, Privacy and Compliance

Attribute	Value
Document ID	GOV-006
Audience	Site administrators, product owner, program governance
Purpose	Security and privacy obligations
Scope	—
Prerequisites	—
Owner	Product Owner / Program Governance (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. Status at a glance

Area	Status	Where
Universal Editor update sanitization (DOMPurify)	Active	`scripts/editor-support.js`
Same-origin fragment and error page loading	Active	`blocks/fragment/fragment.js`, `scripts/scripts.js` `loadPageContent`
Safe URL check for card links	Active	`utils/card-list-config.js` `isSafeUrl` (List, Cards)
New-tab links with `noopener noreferrer` and a screen reader hint	Active	`decorators/link-decorator.js`
Privacy-enhanced video players	Active	Embed (always), Video (Privacy mode, default on)
Content Security Policy (nonce, `strict-dynamic`)	Active	`head.html`, `404.html`
Secrets in the repository	None found	—
Search term redaction, field names only in form events	Active	`utils/privacy.js`, `decorators/data-layer-decorator.js`
Cookies set by project code	None	—
Consent management, visitor identity	Not implemented (blocked: consent model)	—
Generic iframe embeds: host allow-list, `sandbox`	Not implemented (known limitation)	`decorators/media-decorator.js` `createFrame`

2. Data minimisation and personal information

Data	Handling	Code
Search terms	Redacted before the data layer: e-mail addresses → `[email]`, phone-like numbers → `[number]`, trimmed, at most 100 characters; empty searches not pushed (unit tested)	`utils/privacy.js`, `test/privacy/privacy.test.mjs`
Form values	Never in the data layer (`cmp:submit` carries field names only); sent only to the page integration or the authored Submit action	`decorators/data-layer-decorator.js`, `blocks/form-variations/form-variations.js`
Labels	`dc:title` values truncated to 100 characters	`decorators/data-layer-decorator.js`
`mailto:` / `tel:` links	Pushed in full as `xdm:linkURL` (exit links): open finding F-05	`decorators/data-layer-decorator.js`
Authored contact data	The Authors and Media Contacts sheets (names, designations, e-mail, phone, LinkedIn) are published as `/{locale}/data/*.json` by design and excluded from the query index (`/*/data/**`)	`utils/data.js`, `helix-query.yaml`
Authored ids and labels	Anchor IDs, Component IDs and Analytics labels are authored and pushed to the data layer: authors must not put personal data in them (handover 11.9)	—
404 RUM checkpoint	`sampleRUM('404', { source: document.referrer })` sends the referrer of sampled 404 views	`404.html`

3. Identity, consent and analytics / personalization dependencies

- **Identity**: no login, no gated content, no visitor id read or set by project code.
- **Consent**: no consent banner, consent management platform or consent check is implemented. The data layer is filled without consent because nothing leaves the page; third-party embeds load without a consent gate. The consent model, categories and per-locale requirements are blocked dependencies (handover 11.7.6 and open item O-07; audit section 7).
- **Analytics**: Adobe Tags and the AEP Web SDK are not configured (blocked: measurement plan); a future embed belongs in `scripts/delayed.js`, never in `head.html` or Universal Editor (Data layer and analytics).
- **Personalization**: no Adobe Target or AJO integration (Personalization).

4. Known limitations and open items

Item	Status	Source
Generic iframes: no host allow-list, no `sandbox`	Known limitation; approved embed domains not recorded	`decorators/media-decorator.js`, Embed README, handover O-16
Third-party players and the X widget load without consent	Blocked: consent model	Audit section 7
Form Submit action accepts any URL; no form back end defined	Requires validation (handover O-08: form back end and privacy notices)	`blocks/form-variations/form-variations.js`
`mailto:` / `tel:` links in the data layer	Open (F-05)	Handover Part 16
Raw query in the Search page URL (?q=)	Blocked until Tags / Web SDK exists (R-D-12)	`docs/audit/REAUDIT-2026-10-20.md`
CSP leaves `frame-src`, `connect-src`, `img-src`, `style-src` unrestricted	By design for embeds; Requires validation by a security review	`head.html`
Preview / live access restriction, Admin API roles	Not recorded	Handover 2.7.3

5. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

6. Known limitations

- None recorded for this document.

7. Open items

- None.

8. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Taxonomy Governance

Attribute	Value
Document ID	GOV-004
Audience	Site administrators, product owner, program governance
Purpose	Maintaining tags
Scope	—
Prerequisites	—
Owner	Product Owner / Program Governance (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. Taxonomy

- Tags are AEM tags (`tcs-corp:` namespace); each locale publishes its taxonomy page as `/{locale}/taxonomy.json` (mapped explicitly in paths.json); a translated taxonomy is a multi-sheet JSON read by language (utils/taxonomy.js, `sheetRows` in utils/site.js).
- Changing a tag ID changes the IDs stored on pages and in the index: re-tag and republish pages before retiring a tag (handover 14.8.4). Tag governance rules and ownership: handover Part 7, 7.4–7.6 (business taxonomy owners not recorded, open item O-10).

2. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

3. Known limitations

- None recorded for this document.

4. Open items

- None.

5. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages