TCS CORPORATE WEBSITE

Release and DevOps Guide

Role / audience	Release and DevOps — Release lead, DevOps, technical lead
Version	1.0
Status	Draft for review
Owner	Release Lead / DevOps Lead (proposed)
Last validated	2026-11-08
Documents	9
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Release and DevOps Guide
- Delivery streams
- Local development
- Branches and feature previews
- Pull requests
- Automated checks
- Content packages
- Environment promotion
- Installation validation
- Publishing
- Reindexing
- Smoke and regression testing
- Rollback
- Release evidence
- Production readiness
- Related
- Screenshots
- Known limitations
- Open items
- Change history

Branching Strategy
- Screenshots
- Known limitations
- Open items
- Change history

CI Validation
- Workflow .github/workflows/main.yaml
- Screenshots
- Known limitations
- Open items
- Change history

Code Sync Guide
- Screenshots
- Known limitations
- Open items
- Change history

Configuration Management
- Screenshots
- Known limitations
- Open items
- Change history

Deployment Checklist
- Screenshots
- Known limitations
- Open items
- Change history

Environment Matrix
- Screenshots
- Known limitations

Open items
Change history

Release Checklist
Screenshots
Known limitations
Open items
Change history


Rollback Guide
Rollback
Screenshots
Known limitations
Open items
Change history

Release and DevOps Guide

Attribute	Value
Document ID	REL-000
Audience	Release lead, DevOps, technical lead
Purpose	Releasing code, content and configuration
Scope	—
Prerequisites	—
Owner	Release Lead / DevOps Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. Delivery streams

Content, code and configuration are released independently: a code merge doesn't publish content and publishing content doesn't deploy code. A release that needs both goes **code first, then content** (handover Part 12, introduction).



2. Local development

Task	Command	Notes
Install dependencies	`npm install`	Also installs the Husky pre-commit hook (`prepare: husky`)
Start the dev server	`npx -y @adobe/aem-cli up --no-open --forward-browser-logs` (or `aem up` with the CLI installed globally)	`http://localhost:3000`: local code, previewed content
Serve static test content	Add `--html-folder drafts`	Files in `drafts/` (`.html` or `.plain.html`); 14 files are tracked

Task	Command	Notes
Lint	`npm run lint` (`lint:js`: ESLint on `.json`, `.js`, `.mjs`; `lint:css`: Stylelint on `blocks/**/*.css`, `styles/*.css`)	`npm run lint:fix` fixes what it can
Unit tests	`npm test` (`node --test 'test/**/*.test.mjs'`)	Pure modules, model layout, docs, module graph
Rebuild the Universal Editor files	`npm run build:json`	`component-models.json`, `component-definition.json`, `component-filters.json` from the partials
Regenerate the path mapping	`npm run build:paths`	After changing LOCALES in utils/site.js; commit both
Regenerate the module graph	`npm run build:modules`	tools/modules/generate-module-graph.mjs, used for module preloading
Regenerate block READMEs	`npm run build:docs`	Generated sections of the block READMEs (blocks/README.md)

Inspect delivered content with `curl http://localhost:3000/{path}`, `.md` and `.plain.html` (AGENTS.md). Node.js: README.md states 20 or newer; the workflows install Node 24. The local preview renderer used by the audits (`.home-work/render-lib.mjs`, named in AGENTS.md) is not tracked in Git.

3. Branches and feature previews

- `main` is production. Changes go through short-lived branches merged with pull requests (130 merge commits on `main` at 2d06316, latest #129).
- Branch prefixes in use: `feature/`, `feat/`, `fix/`, `perf/`, `docs/` (for example `fix/block-reaudit`, `perf/module-preload`, `docs/block-readmes`). The handover's `feature/tcs-<topic>` convention (12.2.2) is not what recent history uses; no naming rule is enforced.
- AEM Code Sync serves every pushed branch at `https://{branch}--tcs-corp--sradha-tcs.aem.page/` (slashes become hyphens; keep names short and lower case: branch, repository and owner form the host name).

4. Pull requests

The publishing process of AGENTS.md:

1. Push the feature branch; Code Sync makes it available on the feature preview.
2. Run PageSpeed Insights on the feature preview URL and fix issues; target a score of 100.
3. Open a pull request to `main`. The description **must** link `https://{branch}--tcs-corp--sradha-tcs.aem.page/{path}` showing the change, or the PR is rejected. Without a page, create test content in `drafts/` and ask an author to create a CMS page to link.
4. Check the status of code sync, linting and performance tests (`gh pr checks`).
5. A human reviewer reviews the code, opens the URL and merges; Code Sync updates `main`.

.github/pull_request_template.md asks for the GitHub issue (`Fix #<gh-issue-id>`) and Before / After test URLs. It still contains the boilerplate placeholders `{repo}` and `{owner}`: replace them with `tcs-corp` and `sradha-tcs` (the `cleanup-on-create` workflow that would replace them only runs on repository creation or manual dispatch).

Approval rules: the number of required reviews, required checks and branch protection on `main` are not recorded (handover 12.3; open item O-05).

5. Automated checks

Check	Defined in	When	What it does	Status at 2d06316
Husky pre-commit	.husky/pre-commit → .husky/pre-commit.mjs	Every local commit	If staged files include a model partial (`_*.json`), runs `npm run build:json` and stages the three aggregated files	Aggregated files match the partials: Passed
Build	.github/workflows/main.yaml	Every push, every branch (`on: [push]`)	`npm ci`, then `npm run lint` (ESLint with `airbnb-base`, `plugin:json`, `plugin:xwalk/recommended`; Stylelint `stylelint-config-standard`)	`npm run lint` locally: Passed
Unit tests	package.json `test`	Manual only: not in any workflow	311 tests in 53 suites (`test/`)	`npm test` locally: Passed (311 / 311)
cleanup-on-create	.github/workflows/cleanup-on-create.yaml	Repository creation or manual dispatch	Boilerplate clean-up; no role in releases	Not applicable
Renovate	.renovaterc.json	Renovate schedule	Dependency PRs; devDependency PRs labelled `ignore-psi-check` and auto-merged when tests pass; ESLint pinned to `^8.0.0`	Not applicable
AEM Code Sync	GitHub app (not a repository file)	Every push	Syncs the branch to the code bus and reports a check	Not verified here (no GitHub access)
PageSpeed (`aem-psi-check`)	AEM GitHub app (not a repository file)	Pull requests	PageSpeed Insights on the URLs in the PR description	Not verified here

The CI gate is lint only. Run `npm test` before every PR; adding it to `main.yaml` is a recommendation of the handover (14.9 #19, F-37), not a decision.

6. Content packages

The block library, the curated design pages and sample pages are delivered to AEM as content packages built **outside the repository**:

- The build and migration tooling lives in the delivery workspace (`.home-work/bl/`, for example `bl-migrate.mjs`, which maps old fields to new ones when the pages and the package are built); it is not tracked in Git (BLOCK-ECOSYSTEM-AUDIT.md, section 11).
- The packages are distributed on the branch `home-content-package` of the repository (files only, no site code; its README describes each package). For example `block-library/tcs-corp-block-library-content-1.0.13.zip` (current), the curated design pages, Home and Columns Container packages and the matching sheet rows (placeholders, metadata, taxonomy, data CSVs).
- Install with AEM **Package Manager** (Upload Package, Install). Installing replaces each page of the package: changes made in AEM to those pages since the last install are overwritten; pages outside the package are kept.
- Tags `home-content-package_<date>` mark earlier states of that branch ("Downloads branch before the handover PDF …"); they are not code releases.

What the handover records (revision history):

Package	Change	Publication recorded
1.0.3, 1.0.4	Block library Animation folder	Published with the language master review (2.20)
1.0.7	Library migrated after the block audit	Not recorded (2.27)
1.0.8	Columns → Columns Containers / Column Breaks, buttons → Button blocks	Not recorded (2.28)

Package	Change	Publication recorded
1.0.9	Re-audit fixes; language-master Placeholders (109) and Metadata (311 rows) imported	312 / 312 previewed and published; defect R-L-1 found on live (2.30)
1.0.10	Container sections' `container*` fields	312 / 312 previewed, published and reindexed (2.31)
1.0.12	Section Style colours (with the 1.0.11 Teaser and Columns Container options)	313 / 313 published and reindexed (2.35)
1.0.13	List Item display options, dark-background theme	315 / 315 previewed, published and reindexed (2.35)

7. Environment promotion

Step	From → to	How	Owner
1	Local → feature preview	Push the branch; Code Sync	Developer
2	Feature preview → `main` (preview and live code)	Reviewed PR merged; Code Sync updates `main--tcs-corp--sradha-tcs.aem.page` and `.aem.live`	Reviewer
3	Universal Editor	Authors reload the editor to get new definitions, models and filters	Content team
4	Configuration	Apply `public.json` paths, `metadata.source`, sitemap or CDN settings through the configuration Admin API, saving the current JSON first	Site Administrator
5	Content: author → preview → live	Publish sheets, then fragments, then pages	Content team

There is no separate staging environment in the repository: feature previews and the `main` preview tier play that role. The author environment reads the code of `main` (fstab.yaml mount point). The production domain and CDN are not configured (open item O-03).

8. Installation validation

After a code release or a package install, validate on the preview tier first, then on live:

- ☐ Code Sync check green on the merge commit; a changed file on `main--tcs-corp--sradha-tcs.aem.page/blocks/…` matches the commit (Part 17, R-06).
- ☐ The Universal Editor shows the new fields and components after a reload (R-08).
- ☐ After a package install: every package page previewed, published and, where listed, reindexed, with the count recorded (as in 312 / 312 for 1.0.10).
- ☐ Changed pages and one page per changed block render without `failed to load module for …` or `failed to load template …` (V-02).
- ☐ Header, footer and 404 page correct per locale; sheets reachable (V-03, V-08).
- ☐ Non-image DAM assets used by the pages published (Lottie, video, captions).
- ☐ `aem.page` compared with the local preview block by block (docs/audit/tools/compare.mjs): this comparison found R-L-1 and R-L-2 after 1.0.9.

9. Publishing

Content publishing (Universal Editor, Sites console, sheets, references, assets, scheduling) is described in authoring.md; Admin API operations in administration-and-operations.md. In a release, publish in this order: sheets (placeholders, taxonomy, data, metadata) → fragments (nav, footer, other references) → pages (handover 12.4.2, Part 17 R-09). Content that depends on new code is prepared in AEM but published only after Code Sync of the merge.

10. Reindexing

- Publishing updates the page's row in `/query-index.json` automatically.
- After a change to helix-query.yaml, rows are rewritten only when pages are republished or re-indexed: `POST https://admin.hlx.page/index/sradha-tcs/tcs-corp/main/{path}` for the affected paths (bulk paths agreed with the site owner), then check the columns (Part 17, R-10, W-01).
- The packages 1.0.10, 1.0.12 and 1.0.13 were reindexed page by page (Admin API `preview`, `live`, `index` per page); after 1.0.10 the query index listed 307 language-master pages (handover revision 2.31).
- The sitemap (helix-sitemap.yaml) is built from the index.

11. Smoke and regression testing

Test	Command / tool	Scope	Result at 2d06316
Unit tests	`npm test`	`test/` (cards, conversation-canvas, docs, items, list, media, models, modules, motion, privacy, separator, site)	Passed (311 / 311)
Lint	`npm run lint`	JS, JSON, models (xwalk rules), CSS	Passed
Generated files	`npm run build:json` then check that nothing changed (Part 17, R-03)	Aggregated component files	Passed (compared with a fresh merge)
Runtime harness	docs/audit/tools/harness.mjs	Every block library and curated page of the local preview at 1440, 1024, 768, 600 and 390 px: console and page errors, failed requests, block status, overflow, duplicate ids, broken images, data layer, axe (WCAG A / AA) at 1440 and 390, a click test	Not run for this page
Published vs local	docs/audit/tools/compare.mjs	Block-by-block signature of `aem.page` against the local preview	Not run for this page
Inventory	docs/audit/tools/inventory.mjs	Definitions, models, filters, fields, options and their usage in the content package	Not run for this page
Defect register	docs/audit/tools/register.mjs	The audit's defects and outcomes	Not applicable
Manual	Part 17 V-01 ... V-09	Content, code, configuration, data layer, SEO, accessibility, locale launch, cache	Not recorded

The audit tools hard-code paths of the delivery workspace (a Playwright install, an axe copy under `(a local workspace path)`, `drafts/en/block-library`, the unpacked content package under `.home-work/`), which are not in Git: re-running them from a clean clone is Blocked until those inputs are provided. Their recorded runs: 940 page loads before and after the first audit, and the re-audit runs (BLOCK-ECOSYSTEM-AUDIT.md, READUIT-2026-10-20.md, data/runtime-before-after.csv). The block libraries in each locale (`block-library/`) are the manual regression pages for every variation.

12. Rollback

No rollback has been recorded; the procedures below are the handover's (Part 12, 12.6) and Require validation.

Stream	Procedure
Code	Revert the merged PR in GitHub (a revert PR, checks, merge) or `git revert -m 1 <merge-commit>` on a branch, newest first; Code Sync deploys the previous code. Never force-push or rewrite `main`
Models	The revert restores partials and aggregated files; authors reload the editor; values saved with removed fields stay stored but aren't shown

Stream	Procedure
Content	Sites console **Timeline > Revert to this Version** (or Restore Version), check, publish again; sheets the same way; unpublish when no good version exists
Configuration	Re-apply the saved JSON (`public.json` paths from a previous `paths.json`: `git show <commit>:paths.json`; the previous `metadata.source` list); repository configuration files by reverting the PR, then re-index or regenerate the sitemap
Content package	Reinstall the previous package version from the `home-content-package` branch (installing replaces the package's pages)

Emergency change approval and the hotfix path are not recorded (handover 12.6.1, Part 17 R-15).

13. Release evidence

Evidence	Where	State
Change history	Merge commits of the pull requests on `main`; the handover revision history (versions 0.1 to 2.37)	Available
Validation reports	docs/audit/ (audit, re-audit, dialog options; CSV registers and runtime before / after)	Available
Publication records	Handover revisions 2.31 and 2.35 (counts of pages previewed, published, reindexed)	Available
Release tags	None on `main`; `package.json` keeps the boilerplate version `1.3.0`; no `CHANGELOG.md`	Not recorded
Change records	Change management process	Not recorded
Release checklists	Handover 12.4 and Part 17, 17.5 (R-01 … R-15) define what to attach	Defined, no completed record in the repository

14. Production readiness

Item	State
Code on `main`: lint, unit tests, generated files	Passed at 2d06316
Preview and live on `*.aem.page` / `*.aem.live`	Active
Production domain, CDN, push invalidation, robots.txt	Blocked: not configured (O-03)
Sitemap origin	`.aem.live` host until the production domain exists
Redirects (per-locale sheets, `/` → `/en/`)	Blocked: no mechanism applies them
Site configuration `public.json` paths and `metadata.source`	Requires validation (O-04)
Language master review (`REVIEW_*`, `/language-masters/en`)	Temporary; remove after the rollout to `/en`
Adobe Tags / Web SDK, consent	Blocked: measurement plan and consent model
Form back end, search service	Blocked (O-08, O-09)
Non-image DAM assets published	Requires validation (re-audit operations action)
Branch protection, required checks, support model and SLAs	Not recorded (O-05, O-13)
Universal Editor dialog checks on the real author	Blocked: author access (audit section 9)

15. Related

- authoring.md, administration-and-operations.md
- architecture.md, repository-structure.md, indexing-and-search.md, decision-log.md

- AGENTS.md: environments and publishing process
- package.json, .github/workflows/main.yaml, .github/pull_request_template.md, .husky/pre-commit.mjs, .renovaterc.json
- docs/audit/README.md and its tools
- Handover (TCS-CORP-HANDOVER.md): Part 12 — Publishing, Deployment & Release, Part 13 — Global Troubleshooting Guide (13.15 lint and PageSpeed failures, 13.22 Code Sync), Part 17 — Operations Guide (17.5 Release Activities, 17.6 Validation Activities)

16. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

17. Known limitations

- None recorded for this document.

18. Open items

- None.

19. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Branching Strategy

Attribute	Value
Document ID	REL-001
Audience	Release lead, DevOps, technical lead
Purpose	Branches and their use
Scope	—
Prerequisites	—
Owner	Release Lead / DevOps Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Branch	Use
main	The site; every code PR targets it (since 8 November 2026)
feature/, *fix/*, docs/*	Short-lived; deleted after merge
migrated-page-content-edam	Delivery branch: migration packages, sheets, scripts and this documentation; not served (.hlxignore *)
main-backup-27-10-2026, release/main-code, qa	Kept on request (not merged through a PR)

The former delivery branch `migrated-page-content` was deleted on 8 November 2026 (tag `archive/migrated-page-content-2026-11-08`); `edam-main` was merged into main (PR #198) and deleted.

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

CI Validation

Attribute	Value
Document ID	REL-003
Audience	Release lead, DevOps, technical lead
Purpose	What CI checks
Scope	—
Prerequisites	—
Owner	Release Lead / DevOps Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	.github/workflows/main.yaml
Related documents	—
Related AEM paths	—

1. Workflow .github/workflows/main.yaml

```
name: Build
on: [push]

jobs:
  build:
    runs-on: ubuntu-latest
    steps:
    - uses: actions/checkout@v6
    - name: Use Node.js 20
      uses: actions/setup-node@v6
      with:
        node-version: 24
    - run: npm ci
    - run: npm run lint
```

CI runs lint only; `npm test` runs locally before every commit (AGENTS.md).

2. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

3. Known limitations

- None recorded for this document.

4. Open items

- None.

5. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Code Sync Guide

Attribute	Value
Document ID	REL-002
Audience	Release lead, DevOps, technical lead
Purpose	AEM Code Sync and branch previews
Scope	—
Prerequisites	—
Owner	Release Lead / DevOps Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

- Every push to a branch is synced by AEM Code Sync to `<branch>--tcs-corp--sradha-tcs.aem.page` / `.aem.live`.
- Branches with large non-code files carry a `.hlxignore` of `*` so Code Sync skips them (the delivery branch).
- A sync can be triggered with the Admin API (`POST /code/<org>/<site>/<ref>/*`).

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Configuration Management

Attribute	Value
Document ID	REL-008
Audience	Release lead, DevOps, technical lead
Purpose	Configuration files and the site configuration
Scope	—
Prerequisites	—
Owner	Release Lead / DevOps Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

File / setting	Managed by	Notes
paths.json	npm run build:paths	48 mappings, 17 includes, 28 excludes; applied to the site configuration's public.json
helix-query.yaml	hand	query index definition
helix-sitemap.yaml	hand	sitemap
fstab.yaml	onboarding only	Edge Delivery reads it once; the content source is in the site configuration
.hlxignore	hand	not served files
component-*.json	npm run build:json	Universal Editor configuration

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Deployment Checklist

Attribute	Value
Document ID	REL-004
Audience	Release lead, DevOps, technical lead
Purpose	Before and after a deployment
Scope	—
Prerequisites	—
Owner	Release Lead / DevOps Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

- [ ] PR checks green (build, Code Sync, PageSpeed check)
- [ ] Generated files current
- [ ] Feature preview validated
- [ ] Merge; Code Sync of main complete
- [ ] Health checks (operations) pass
- [ ] Documentation set (docs/handover) updated

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Environment Matrix

Attribute	Value
Document ID	REL-007
Audience	Release lead, DevOps, technical lead
Purpose	Environments
Scope	—
Prerequisites	—
Owner	Release Lead / DevOps Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Environment	Code	Content	URL
Feature preview	feature branch	main content	https://<branch>--tcs-corp--sradha-tcs.aem.page
Preview	main	previewed content	https://main--tcs-corp--sradha-tcs.aem.page
Live	main	published content	https://main--tcs-corp--sradha-tcs.aem.live
Local	working copy	previewed content	http://localhost:3000

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Release Checklist

Attribute	Value
Document ID	REL-005
Audience	Release lead, DevOps, technical lead
Purpose	A content and code release
Scope	—
Prerequisites	—
Owner	Release Lead / DevOps Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

- [ ] Code merged and synced
- [ ] Content packages installed (install-packages, in INSTALL-ORDER.md order)
- [ ] Sheets replaced and published
- [ ] Pages published and reindexed (Admin API)
- [ ] Smoke test of the roots
- [ ] Test summary and defect register updated

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Rollback Guide

Attribute	Value
Document ID	REL-006
Audience	Release lead, DevOps, technical lead
Purpose	Rolling back
Scope	—
Prerequisites	—
Owner	Release Lead / DevOps Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. Rollback

No rollback has been recorded; the procedures below are the handover's (Part 12, 12.6) and Require validation.

Stream	Procedure
Code	Revert the merged PR in GitHub (a revert PR, checks, merge) or `git revert -m 1 <merge-commit>` on a branch, newest first; Code Sync deploys the previous code. Never force-push or rewrite `main`
Models	The revert restores partials and aggregated files; authors reload the editor; values saved with removed fields stay stored but aren't shown
Content	Sites console **Timeline > Revert to this Version** (or Restore Version), check, publish again; sheets the same way; unpublish when no good version exists
Configuration	Re-apply the saved JSON (`public.json` paths from a previous `paths.json`: `git show <commit>:paths.json`; the previous `metadata.source` list); repository configuration files by reverting the PR, then re-index or regenerate the sitemap
Content package	Reinstall the previous package version from the `home-content-package` branch (installing replaces the package's pages)

Emergency change approval and the hotfix path are not recorded (handover 12.6.1, Part 17 R-15).

2. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

3. Known limitations

- None recorded for this document.

4. Open items

- None.

5. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages