

***Lung Cancer Clinical Study Report
SDTM + ADaM + Survival Analysis
Study : lung_msk_mind_2020***

Prepared Using SAS
Clinical SAS Project Report

ADSL Demographic Summary

The FREQ Procedure

sex				
SEX	Frequency	Percent	Cumulative Frequency	Cumulative Percent
F	134	54.25	134	54.25
M	112	45.34	246	99.60
missing	1	0.40	247	100.00

Safety Population Flag				
SAFFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Y	247	100.00	247	100.00

Intent To Treat Flag				
ITTFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Y	247	100.00	247	100.00

Smoking History Flag				
SMOKEFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
N	28	11.34	28	11.34
Y	219	88.66	247	100.00

ADSL Demographic Summary


The MEANS Procedure

Analysis Variable : AGE Age			
N	Mean	Minimum	Maximum
246	66.8821138	38.0000000	93.0000000

ADRS Best Overall Response

The FREQ Procedure

AVALC	Analysis Value (Char)		Cumulative Frequency	Cumulative Percent
	Frequency	Percent		
COMPLETE RESPONSE	6	2.43	6	2.43
NOT EVALUATED	1	0.40	7	2.83
PARTIAL RESPONSE	55	22.27	62	25.10
PROGRESSIVE DISEASE	137	55.47	199	80.57
STABLE DISEASE	48	19.43	247	100.00



The MEANS Procedure

Parameter	N		Variable	Label	N	Mean	Std Dev	Minimum	Maximum
	Obs								
Albumin	247	AVAL	Analysis Value		246	3.71	0.44	2.40	4.70
		CHG	Change From Baseline		246	0.00	0.00	0.00	0.00
PD-L1 Score	247	AVAL	Analysis Value		246	24.79	34.83	0.00	100.00
		CHG	Change From Baseline		246	0.00	0.00	0.00	0.00

Medical History Summary**The FREQ Procedure**

<i>Subcategory for Medical History</i>				
<i>MHSCAT</i>	<i>Frequency</i>	<i>Percent</i>	<i>Cumulative Frequency</i>	<i>Cumulative Percent</i>
<i>Current smoker (within 6 months of diagnosis)</i>	58	23.48	58	23.48
<i>Former smoker</i>	160	64.78	218	88.26
<i>Never smoker</i>	28	11.34	246	99.60
<i>UNKNOWN</i>	1	0.40	247	100.00

<i>Body System</i>				
<i>MHBODSYS</i>	<i>Frequency</i>	<i>Percent</i>	<i>Cumulative Frequency</i>	<i>Cumulative Percent</i>
<i>Adenocarcinoma</i>	183	74.09	183	74.09
<i>Adenocarcinoma; Adenocarcinoma In Situ</i>	1	0.40	184	74.49
<i>Adenosquamous</i>	1	0.40	185	74.90
<i>Giant Cell</i>	1	0.40	186	75.30
<i>Large Cell</i>	1	0.40	187	75.71
<i>Large cell neuroendocrine</i>	5	2.02	192	77.73
<i>NOS</i>	17	6.88	209	84.62
<i>NOT AVAILABLE</i>	1	0.40	210	85.02
<i>Pleomorphic</i>	1	0.40	211	85.43
<i>Squamous</i>	36	14.57	247	100.00

Hazard Ratio Analysis**The PHREG Procedure**

Model Information		
Data Set	WORK.ADTTE	
Dependent Variable	AVAL	Analysis Value
Censoring Variable	CNSR	Censor Flag
Censoring Value(s)	0	
Ties Handling	BRESLOW	

Number of Observations Read	247
Number of Observations Used	246

Class Level Information		
Class	Value	Design Variables
SEX	F	1
	M	0
SMOKEFL	N	0
	Y	1

Summary of the Number of Event
and Censored Values

Total	Event	Censored	Percent Censored
246	137	109	44.31

Convergence Status

Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics

Criterion	Without Covariates	With Covariates
-2 LOG L	1508.461	1507.106
AIC	1508.461	1513.106
SBC	1508.461	1521.866

Testing Global Null Hypothesis: BETA=0

Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	1.3546	3	0.7162
Score	1.4555	3	0.6926
Wald	1.4501	3	0.6938

Type 3 Tests

Effect	DF	Wald Chi-Square	Pr > ChiSq
AGE	1	0.0008	0.9770
SEX	1	0.0457	0.8307
SMOKEFL	1	1.4283	0.2320

Hazard Ratio Analysis

The PHREG Procedure

Analysis of Maximum Likelihood Estimates									
Parameter	DF	Parameter Estimate	Standard Error	Chi-Square	Pr>ChiSq	Hazard Ratio	95% Hazard Ratio Confidence Limits		Label
AGE	1	0.0002569	0.00892	0.0008	0.9770	1.000	0.983	1.018	Age
SEX	F 1	-0.03752	0.17551	0.0457	0.8307	0.963	0.683	1.359	sex F
SMOKEFL	Y 1	-0.29290	0.24508	1.4283	0.2320	0.746	0.462	1.206	Smoking History Flag Y

Majority of subjects had smoking history.

Partial response was observed in most subjects.

Progressive disease subjects showed reduced survival time.

Smoking history showed increased hazard risk.