

a
Knob level (concept value in the conditioning vector)
0.0
0.2
0.4
0.6
0.8
1.0
PN
BWV
VS
Pig
Str
D/G
Reg
b
Original start noise
Trailing timestep
Colour-calibrated start
Real images
Colour outliers (%)
100
80
60
40
20
0
limit
20%
6.6
7.4
13.3
7.0
Model melanoma
Model benign
Baseline melanoma
Baseline benign
c
CBM-B concept output (change in SD of real images)
PN
BWV
VS
Pig
Str
D/G
Reg
Specific (of 4 bases)
PN knob +1.7 -0.8 -0.6 -0.3 -0.1 +0.9 +0.4 4/4
BWV knob +0.4 +2.3 +0.1 +0.6 +1.0 +0.8 +1.0 0/4
VS knob -1.1 +0.0 +1.7 -0.7 -0.6 -0.6 +0.9 4/4
Pig knob -1.1 +7.2 -0.1 +3.2 +3.2 +0.4 +0.4 4/4
Str knob -0.3 +0.0 -0.5 +1.3 +1.6 -0.0 -0.4 0/4
D/G knob +0.3 +0.7 +0.0 +0.1 +0.5 +0.6 +0.3 1/4
Reg knob +0.3 +2.2 +0.2 -0.3 +0.1 +0.9 +3.7 4/4
−4
−2
0
2
4
Change from knob level 0 to 1 (SD)