```sql
CREATE TABLE employee_salesdb (
    sale_id INT PRIMARY KEY,
    employee_name VARCHAR(50),
    department VARCHAR(50),
    sale_date DATE,
    sales_amount DECIMAL(10,2)
);



INSERT INTO employee_salesdb
    (sale_id, employee_name, department, sale_date, sales_amount)
VALUES
    (1,  'Alice', 'Electronics', '2026-01-05', 1200.00),
    (2,  'Bob',   'Electronics', '2026-01-08', 1800.00),
    (3,  'Alice', 'Electronics', '2026-01-15', 1500.00),
    (4,  'Charlie','Electronics','2026-01-20', 1800.00),
    (5,  'Bob',   'Electronics', '2026-01-25', 2200.00),

    (6,  'David', 'Furniture',   '2026-01-03', 2500.00),
    (7,  'Emma',  'Furniture',   '2026-01-10', 1800.00),
    (8,  'David', 'Furniture',   '2026-01-18', 3000.00),
    (9,  'Frank', 'Furniture',   '2026-01-22', 1800.00),
    (10, 'Emma',  'Furniture',   '2026-01-28', 3200.00),

    (11, 'George','Clothing',    '2026-01-04', 900.00),
    (12, 'Helen', 'Clothing',    '2026-01-09', 1400.00),
    (13, 'George','Clothing',    '2026-01-16', 1100.00),
    (14, 'Helen', 'Clothing',    '2026-01-21', 1400.00),
```

```
(15, 'Ian',   'Clothing',    '2026-01-27', 2000.00);


select * from employee_salesdb;

    select * , sum(sales_amount) over() from employee_salesdb;

    select * , sum(sales_amount) over(partition by employee_name) from
employee_salesdb;

    select employee_name,department, sales_amount , sum(sales_amount)
over(partition by employee_name) from employee_salesdb;


select employee_name,department, sales_amount , avg(sales_amount) over(partition
by department)
 from employee_salesdb;

 select employee_name,department, sales_amount , avg(sales_amount)
over(partition by department)
 as dept_avg, sales_amount-avg(sales_amount)  over(partition by department)
 from employee_salesdb;
```