

shubham jain

-- Q1

```
select sale_id, prouduct_category,saleperson, sale_amount from sales
where sale_amount > (select avg(sale_amount) from sales)
order by sale_amount desc;
```

-- Q2

```
select * from sales where sale_amount =(
select max(sale_amount) from sale);
```

-- Q3

```
select sale_id, salesperson, product_name, sale_amount from sales
where salesperson = (select salesperson from sales group by salesperson
order by count(*) desc
)
order by sale_id;
```

-- Q4

```
select sale_id,
product_name, salesperson, sale_amount from sales where product_name in (select
product_name from sales
group by product_name having count(distinctsalesperson)>2)
order by sale_id ;
```

-- Q6

```
select sale_id, product_name, product_category, sale_amount from sales where  
sale_amount > all (select sale_amount from sales  
where product_category = 'Furniture')  
order by sale_id ;
```

-- Q7

```
select sale_id, product_category, salesperson, sale_amount from sales as s where  
sale_amount > (select avg(sale_amount) from sales  
where product_category = s.product_category)  
order by sale_id;
```

-- Q8

```
select sale_id, salesperson, product_name, sale_amount from sales as s where  
sale_amount = (select max(sale_amount) from sales  
where salesperson = s.salesperson )  
order by sale_amount desc;
```

--Q9

```
select sale_id, salesperson, product_category, sale_amount from sales as s where  
sale_amount > (select avg(sale_amount) from sales  
salesperson = s.salesperson)  
order by salesperson, sale_id;
```

-- Q10

```
select sale_id, product_category, salesperson, region, quantity from sales as s
where quantity > (select avg(quantity) from sales where region = s.region)
order by sale_id;
```