

```
create database windows10db; use windows10db;
```

```
CREATE TABLE employee_performance ( employee_id INT, employee_name  
VARCHAR(50),  
department VARCHAR(30), location VARCHAR(30), performance_year INT,  
performance_month INT,  
salary DECIMAL(10,2), sales_amount DECIMAL(12,2), rating DECIMAL(3,1) );
```

```
INSERT INTO employee_performance (employee_id, employee_name, department,  
location, performance_year,  
performance_month, salary, sales_amount, rating) VALUES (101, 'Amit', 'Sales',  
'Jaipur', 2025, 1, 45000, 120000, 4.2),  
(102, 'Priya', 'Sales', 'Delhi', 2025, 1, 48000, 135000, 4.5), (103, 'Rahul', 'Sales',  
'Jaipur', 2025, 1, 42000, 110000, 3.9),  
(104, 'Neha', 'Sales', 'Mumbai', 2025, 1, 52000, 150000, 4.7), (101, 'Amit', 'Sales',  
'Jaipur', 2025, 2, 45000, 140000, 4.4),  
(102, 'Priya', 'Sales', 'Delhi', 2025, 2, 48000, 125000, 4.1), (103, 'Rahul', 'Sales',  
'Jaipur', 2025, 2, 42000, 130000, 4.2),  
(104, 'Neha', 'Sales', 'Mumbai', 2025, 2, 52000, 160000, 4.8), (101, 'Amit', 'Sales',  
'Jaipur', 2025, 3, 45000, 155000, 4.6),  
(102, 'Priya', 'Sales', 'Delhi', 2025, 3, 48000, 145000, 4.4), (103, 'Rahul', 'Sales',  
'Jaipur', 2025, 3, 42000, 135000, 4.3),  
(104, 'Neha', 'Sales', 'Mumbai', 2025, 3, 52000, 155000, 4.6), (105, 'Karan', 'IT',  
'Jaipur', 2025, 1, 65000, 90000, 4.1),  
(106, 'Sneha', 'IT', 'Delhi', 2025, 1, 70000, 95000, 4.4), (107, 'Vikas', 'IT', 'Mumbai',  
2025, 1, 62000, 85000, 3.8),  
(108, 'Pooja', 'IT', 'Jaipur', 2025, 1, 68000, 100000, 4.6), (105, 'Karan', 'IT', 'Jaipur',  
2025, 2, 65000, 105000, 4.3),
```

(106, 'Sneha', 'IT', 'Delhi', 2025, 2, 70000, 110000, 4.5), (107, 'Vikas', 'IT', 'Mumbai', 2025, 2, 62000, 98000, 4.0),

(108, 'Pooja', 'IT', 'Jaipur', 2025, 2, 68000, 120000, 4.7), (105, 'Karan', 'IT', 'Jaipur', 2025, 3, 65000, 115000, 4.5),

(106, 'Sneha', 'IT', 'Delhi', 2025, 3, 70000, 125000, 4.7), (107, 'Vikas', 'IT', 'Mumbai', 2025, 3, 62000, 105000, 4.2),

(108, 'Pooja', 'IT', 'Jaipur', 2025, 3, 68000, 130000, 4.8), (109, 'Ravi', 'HR', 'Delhi', 2025, 1, 40000, 60000, 3.9),

(110, 'Anjali', 'HR', 'Jaipur', 2025, 1, 43000, 65000, 4.2), (111, 'Manish', 'HR', 'Mumbai', 2025, 1, 41000, 58000, 3.7),

(109, 'Ravi', 'HR', 'Delhi', 2025, 2, 40000, 70000, 4.1), (110, 'Anjali', 'HR', 'Jaipur', 2025, 2, 43000, 72000, 4.4),

(111, 'Manish', 'HR', 'Mumbai', 2025, 2, 41000, 68000, 3.9), (109, 'Ravi', 'HR', 'Delhi', 2025, 3, 40000, 75000, 4.3),

(110, 'Anjali', 'HR', 'Jaipur', 2025, 3, 43000, 78000, 4.5), (111, 'Manish', 'HR', 'Mumbai', 2025, 3, 41000, 73000, 4.1);

-- cummulative sum of sakes

```
select *,sum(sales_amount) over(order by sales_amount) from  
employee_performance;
```

```
select *,sum(sales_amount) over(), sum(sales_amount) over(partition by location)  
from employee_performance;
```

```
select *,sum(sales_amount) over(),  
sum(sales_amount) over(partition by location),  
sum(sales_amount) over(partition by location order by sales_amount)  
from employee_performance;
```

```
select *,max(sales_amount) over(),  
max(sales_amount) over(partition by location),  
max(sales_amount) over(partition by location order by sales_amount)  
from employee_performance;
```