

Python for Data Science

Sirakorn Lamyai

September 19, 2019

Student, Kasetsart U.

Obtain the material



<http://bit.ly/cpe-datascience>



Sirakorn Lamyai

- DAKDL Laboratory, Kasetsart University
- Research Assistant Intern, 2019, Vidyasirimedhi Institute of Science and Technology
- Research Assistant Intern, 2018, Vidyasirimedhi Institute of Science and Technology
- Love drinking tea
- Knows a little about Python

I know a little about Python

I know a little about Python

When I say I know *a little* about Python...

I know a little about Python

When I say I know *a little* about Python...

- I think there's some better methods than I'm using

I know a little about Python

When I say I know *a little* about Python...

- I think there's some better methods than I'm using
- I think I do sometimes make mistakes

I know a little about Python

When I say I know *a little* about Python...

- I think there's some better methods than I'm using
- I think I do sometimes make mistakes
- There are tons of people who know things much more than me

I know a little about Python

When I say I know *a little* about Python...

- I think there's some better methods than I'm using
- I think I do sometimes make mistakes
- There are tons of people who know things much more than me
- I think there's much more for me to learn!

Prerequisite

A basic Python knowledge will do!

Your expectations from this talk

Outline

Data Science

Python

- Python environments

- Jupyter

Python Data Structures

Pandas

Blending it all together

Data Science

The Data Science Process: OSEMNI

The Data Science Process: OSEMNI

- **Obtain** data from relevant sources

The Data Science Process: OSEMNI

- **Obtain** data from relevant sources
- **Scrub**, sanitise, and clean the data into machine-understandable formats

The Data Science Process: OSEMNI

- **Obtain** data from relevant sources
- **Scrub**, sanitise, and clean the data into machine-understandable formats
- **Explore** significant and meaningful patterns with statistical methods

The Data Science Process: OSEMNI

- **Obtain** data from relevant sources
- **Scrub**, sanitise, and clean the data into machine-understandable formats
- **Explore** significant and meaningful patterns with statistical methods
- **Model** construction for prediction and forecast

The Data Science Process: OSEMNI

- **O**btain data from relevant sources
- **S**crub, sanitise, and clean the data into machine-understandable formats
- **E**xplore significant and meaningful patterns with statistical methods
- **M**odel construction for prediction and forecast
- **i**n**T**erpret and use the results obtained

The Data Science Process: OSEMNI

- **Obtain** data from relevant sources
- **Scrub**, sanitise, and clean the data into machine-understandable formats
- **Explore** significant and meaningful patterns with statistical methods
- **Model** construction for prediction and forecast
- **iNterpret** and use the results obtained
- **Iterate** and rethink about your outputs

Why data?

Google


oxford shoes under \$200

ทั้งหมด ค้นรูป ช้อป Bing วิดีโอ ข่าวสาร :เพิ่มเติม การตั้งค่า เครื่องมือ


ผลการค้นหาประมาณ 31,400,000 รายการ (0.84 วินาที)

ดู oxford shoes under \$200


ผู้สนับสนุน




Ted Baker Murain oxford shoes in...
฿3,850.84
£100.00
ASOS




รองเท้าหนังวีวแท้ oxford style...
฿2,990.00
Lazada Thailand



Timberland Stormbuck Plai...
฿3,517.00
Dressinn.com
★★★★★ (48)




Ted Baker Ollivur brogue shoes i...
฿3,850.84
£100.00
ASOS



SOLE Dunstan Black Shoes
฿2,502.66
£64.99
Soletrader

12 Best Men's Dress Shoes Under \$200

- Kenneth Cole Reaction Last Laugh. ...
- Nordstrom Cusano Double Monk Shoe. ...
- Cole Haan Briscoe Wingtip. ...



Why data?

The screenshot shows a Facebook interface with a blue header bar. The left sidebar contains navigation links: Sirakorn Lamyai, News Feed, Messenger, Watch, Marketplace, Shortcuts, and Explore. The main content area displays a sponsored post from 'Curated and Co.' titled 'New Arrival Berwick Penny Loafer Collection !'. The post text is in Thai, mentioning various shoe styles like Oiled 173 Suede, Polo Brown Suede, Smooth, Melize, Moka, and Black Box Calf. Below the text is a photograph of five dark brown leather loafers arranged on a white surface. The right sidebar shows a list of friends with their names, mutual friend counts, and 'Add Friend' or 'Remove' buttons. At the bottom, there are links for Privacy, Terms, Advertising, Ad Choices, Cookies, and More, along with a 'Facebook © 2019' copyright notice and a 'Chat (125)' button.

Search

Sirakorn Lamyai

News Feed

Messenger

Watch

Marketplace

Shortcuts

เทอมหน้าจะไปฝึกงาน...

61/2 Algo II SKE

CPE Internship 1

ไรต์อิงไทย - Writ... 20+

See More...

Explore

Groups

Pages

Events 1

Fundraisers

Saved 1

See More...

Curated and Co. Sponsored

New Arrival Berwick Penny Loafer Collection !

Berwick Penny Loafer ที่มีรุ่นใหม่เข้ามาให้เลือกกันถึง 6 แบบเลยที่เดียวครับ ไม่ว่าจะเป็น Oiled 173 Suede, Polo Brown Suede ที่ได้รับความนิยมมากในต่างประเทศ รวมถึงหนัง Smooth อีก 4 แบบที่สวยงามตัวมาก ไม่ว่าจะเป็น Vegano Melize, Moka และสุดท้ายเป็นสีดำ Black Box Calf ที่คลาสสิกตลอดกาล

See More

Patinya Yongyai (NotPty) 81 mutual friends Add Friend Remove

Kanoktat Ninklam 79 mutual friends Add Friend Remove

Rung Nattayaporn 3 mutual friends Add Friend Remove

Chakri Lowphansirikul 5 mutual friends Add Friend Remove

Unnop Nushprasert 15 mutual friends Add Friend Remove

English (US) · ภาษาไทย · Suomi · 日本語 · Español

Privacy · Terms · Advertising · Ad Choices · Cookies · More


Facebook © 2019

Chat (125)

Why data?

Facebook interface showing a sponsored advertisement for Berwick Penny Loafers. The ad is titled "Curated and Co. Sponsored" and features a photo of several brown leather loafers. The text of the ad is in Thai, mentioning "New Arrival Berwick Penny Loafer" and listing various styles like "Oiled 173 Suede, Polo Brown, Melize, Moka" and "Smooth อีก 4 แบบ". A context menu is open over the ad, showing options: "Hide ad", "Report ad", "Save post", "Why am I seeing this ad?", "Turn on notifications for post", "Embed", and "More options". The "Why am I seeing this ad?" option is highlighted. The right sidebar shows a list of friends with their mutual friend counts. The bottom of the page shows the footer with links to Privacy, Terms, Advertising, Ad Choices, Cookies, and More, along with the Facebook copyright notice for 2019.

Why data?



Data is the new oil

Tools for data analysis


With GUIs

- Spreadsheets
 - Excel
 - Google Spreadsheets
 - Lotus 1-2-3
- Modelling and Visualisation
 - RapidMiner Studio
 - Weka
 - Tableau

As programming languages

- For data insights
 - R
 - Python
- For data retrieval
 - SQL

Python



Courtesy: xkcd (<https://xkcd.com/353/>)

I loved Python...

- Read it, understand it
- Multiparadigm
- Batteris included
- Lots of great, great libraries!

pip

pip

- PyPA (Python Packaging Authority)'s recommended package installer

pip

- **PyPA** (**P**ython **P**ackaging **A**uthority)'s recommended package installer
- Obtains packages from **PyPI** (**P**ython **P**ackaging **I**ndex)

pip

- **PyPA** (**Py**thon **P**ackaging **A**uthority)'s recommended package installer
- Obtains packages from **PyPI** (**Py**thon **P**ackaging **I**ndex)
- Many useful packages for us to use!



- Cross-platform Python Distribution





- Cross-platform Python Distribution
- Ships with its own package and environment manager



- Cross-platform Python Distribution
- Ships with its own package and environment manager
 - Its environment manager capability is not found in Python vanilla installation



- Cross-platform Python Distribution
- Ships with its own package and environment manager
 - Its environment manager capability is not found in Python vanilla installation
 - Fetches the packages from its own repository, not PyPI



- Cross-platform Python Distribution
- Ships with its own package and environment manager
 - Its environment manager capability is not found in Python vanilla installation
 - Fetches the packages from its own repository, not PyPI
- Aims for Data Science use



- Cross-platform Python Distribution
- Ships with its own package and environment manager
 - Its environment manager capability is not found in Python vanilla installation
 - Fetches the packages from its own repository, not PyPI
- Aims for Data Science use
- **Entirely separated Python**

Environments 101: \$PATH

```
$ echo $PATH  
/home/srakrn/.pyenv/plugins/pyenv-virtualenv/shims:/home/  
srakrn/.pyenv/shims:/home/srakrn/.pyenv/bin:/home/srakrn  
/.local/bin:/usr/local/bin:/usr/local/sbin:/home/srakrn/.  
local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/  
local/games:/snap/bin
```

Different machines, different Pythons

On my laptop...

```
srakrn@epsilon-ubuntu:~$ which python  
/home/srakrn/.pyenv/shims/python
```


On my <https://charles.srakrn.me/> server...

```
srakrn@charles:~$ which python  
/usr/bin/python  
srakrn@charles:~$ which python3  
/usr/bin/python3
```

Installed pip

```
$ pip -V
pip 8.1.1 from /usr/lib/python2.7/dist-packages (python 2.7)
$ pip3 -V
pip 8.1.1 from /usr/lib/python2.7/dist-packages (python 3.6)
```

Perhaps now you understand me...



Courtesy: xkcd (<https://xkcd.com/1987/>)





Interactive computing
environment





- Thinks of a more *dynamic* coding environment.



- Thinks of a more *dynamic* coding environment.
- Inserts snippets of codes alternately with texts, maths, and images.



- Thinks of a more *dynamic* coding environment.
- Inserts snippets of codes alternately with texts, maths, and images.
- A wonderful tool for coding *documented code*.





- Think of an online Jupyter Notebook provided by Google



- Think of an online Jupyter Notebook provided by Google
- The runtime relies on Google's server fram



- Think of an online Jupyter Notebook provided by Google
- The runtime relies on Google's server fram
 - In other words, your code are remotely executed



- Think of an online Jupyter Notebook provided by Google
- The runtime relies on Google's server frame
 - In other words, your code are remotely executed
- Could be more powerful for some tasks (like Deep Learning) than your computer



- Think of an online Jupyter Notebook provided by Google
- The runtime relies on Google's server frame
 - In other words, your code are remotely executed
- Could be more powerful for some tasks (like Deep Learning) than your computer
- Free!

`https:
//colab.research.google.com/`



+ Code + Text

RAM
Disk

Editing



```
[1] from datetime import datetime
```

```
name = input("Please input your name: ")
```

```
... Please input your name:
```

```
print("Hello, {}".format(name))  
print("It is now {}".format(datetime.now()))
```



Caveats 1: Execution order

```
[2] a = 10
```

```
[1] a = 5
```

```
[3] print_(a)
```

```
↳ 10
```



|

Caveats 1: Execution order

```
[2] a = 10
```

```
[1] a = 5
```

```
[3] print_(a)
```

```
↳ 10
```



|

You'll do a lot of out-of-order code execution!

Caveats 2: Cell edits

```
[1] a = 10
```

```
[2] a *= 2
```

```
[4] print(a)
```

```
↳ 60
```



|

Caveats 2: Cell edits

```
[1] a = 10
```

```
[2] a *= 2
```

```
[4] print(a)
```

```
↳ 60
```



|

You might sometimes remove a cell, and that shows no visible trace without explicit query.

Caveats 2: Cell edits

```
[1] a = 5
```

```
[2] a = 20
```

```
[3] print(a)
```

```
10
```



Caveats 2: Cell edits

```
[1] a = 5
```

```
[2] a = 20
```

```
[3] print(a)
```

```
10
```



Jupyter Notebook offers no cell edited marks, while Colab offers them

Caveats 2: Cell edits

```
[1] a = 5
```

```
[2] a = 20
```

```
[3] print(a)
```

```
10
```



Jupyter Notebook offers no cell edited marks, while Colab offers them (note: observe the greyed out cell number)

Caveats 3: Be neat and tidy

Jupyter Notebook and Colab, unlike IDE and code editors, offers a relatively poor **clean code** tools

- Syntax error highlighting
- Autocomplete
- Linting
- Code formatter

Sirakorn's Workflow Demo

Python Data Structures

Lists

```
1 a = [1, 2, 3, 4, 5]
2 b = ["Cats", "Dogs", "Penguins", "Tonkatsu Pieces"]
3 c = [1, "1", True]
```

Lists

```
1 a = [1, 2, 3, 4, 5]
2 b = ["Cats", "Dogs", "Penguins", "Tonkatsu Pieces"]
3 c = [1, "1", True]
```

- **Lists** are a compilation of objects.

Lists

```
1 a = [1, 2, 3, 4, 5]
2 b = ["Cats", "Dogs", "Penguins", "Tonkatsu Pieces"]
3 c = [1, "1", True]
```

- **Lists** are a compilation of objects.
- Can store multiple data types.

Lists

```
1 a = [1, 2, 3, 4, 5]
2 b = ["Cats", "Dogs", "Penguins", "Tonkatsu Pieces"]
3 c = [1, "1", True]
```

- **Lists** are a compilation of objects.
- Can store multiple data types.
 - This includes storing lists in a list

Lists

```
1 a = [1, 2, 3, 4, 5]
2 b = ["Cats", "Dogs", "Penguins", "Tonkatsu Pieces"]
3 c = [1, "1", True]
```

- **Lists** are a compilation of objects.
- Can store multiple data types.
 - This includes storing lists in a list
 - So-called a **nested list**

Lists

```
1 a = [1, 2, 3, 4, 5]
2 b = ["Cats", "Dogs", "Penguins", "Tonkatsu Pieces"]
3 c = [1, "1", True]
```

- **Lists** are a compilation of objects.
- Can store multiple data types.
 - This includes storing lists in a list
 - So-called a **nested list**
- Can be resized.

Lists

```
1 a = [1, 2, 3, 4, 5]
2 b = ["Cats", "Dogs", "Penguins", "Tonkatsu Pieces"]
3 c = [1, "1", True]
```

- **Lists** are a compilation of objects.
- Can store multiple data types.
 - This includes storing lists in a list
 - So-called a **nested list**
- Can be resized.
 - No need to declare its size on the first declaration.

```
1 a = [1, 2, 3, 4, 5]
2 a[0]      # Accessing elements
3 a[1:3]    # Slicing
```

Accessing list


```
1 a = [1, 2, 3, 4, 5]
2 a[0]      # Accessing elements
3 a[1:3]    # Slicing
```

Accessing list

```
1 a = [1, 2, 3, 4, 5]
2 a[0]    # Accessing elements
3 a[1:3]  # Slicing
```

Accessing list

- **Elementwise:** accessing one elements at a time)

```
1 a = [1, 2, 3, 4, 5]
2 a[0]      # Accessing elements
3 a[1:3]    # Slicing
```

Accessing list

- **Elementwise**: accessing one elements at a time)
- **Slicing**: accessing a sublist

List Functions

```
1 vowels = ["a", "e", "o", "u"]
2
3 # Get a's length
4 len(a)
5 # Append the new element to the end of a
6 a.append("y")
7 # Deletes the first occurrence of the element from a
8 a.remove("y")
9 # Inserts the item into a list with a specified index
10 a.insert(2, "i")
```

List Functions

```
1 vowels = [1, 3, 2, 5, 4]
2 # Get the first index of a specified element
3 a.index(4)
4 # Sort a list and store into a new list
5 sorted_a = sorted(a)
6 # Sort a list, making changes directly to the old one
7 a.sort()
```

```
1 names = {  
2     "Cherprang": "Cher",  
3     "Manipa": "Khamin",  
4     "Jiradapa": "Pupe"  
5 }  
6  
7 kami_nickname = names["Manipa"]  
8 ]
```


```
1 names = {  
2     "Cherprang": "Cher",  
3     "Manipa": "Khamin",  
4     "Jiradapa": "Pupe"  
5 }  
6  
7 kami_nickname = names["Manipa"]
```

- **Dictionaries** store values in a key-pair format.


Dictionary

```
1 names = {  
2     "Cherprang": "Cher",  
3     "Manipa": "Khamin",  
4     "Jiradapa": "Pupe"  
5 }  
6  
7 kami_nickname = names["Manipa"]
```

- **Dictionaries** store values in a **key-pair** format.
- From the positional index, dictionary takes the key as an index instead.




NumPy




NumPy

- NumPy is a powerful library for mathematical computation in Python



NumPy

- NumPy is a powerful library for mathematical computation in Python
- It offers wide range of tools from data structures to advanced functions and operations



NumPy

- NumPy is a powerful library for mathematical computation in Python
- It offers wide range of tools from data structures to advanced functions and operations
- A very strong ease in mathematical computation, **don't reinvent the wheels!**



Courtesy: Rebellious Professor,

<https://www.facebook.com/rebelliousprof/photos/a.301217273588245/599669117076391/>


Let's go to Notebook!

I'm too lazy to cover the contents twice...


Pandas

pandas

$$y_{it} = \beta' x_{it} + \mu_i + \epsilon_{it}$$




pandas
 $y_{it} = \beta' x_{it} + \mu_i + \epsilon_{it}$



- Tabular-like structure

pandas


$$y_{it} = \beta' x_{it} + \mu_i + \epsilon_{it}$$



- Tabular-like structure
- High performance

pandas


$$y_{it} = \beta' x_{it} + \mu_i + \epsilon_{it}$$



- Tabular-like structure
- High performance
- Easy to use

pandas


$$y_{it} = \beta' x_{it} + \mu_i + \epsilon_{it}$$



- Tabular-like structure
- High performance
- Easy to use
- Helps a lot in data preparation


pandas

$$y_{it} = \beta' x_{it} + \mu_i + \epsilon_{it}$$




- Tabular-like structure
- High performance
- Easy to use
- Helps a lot in data preparation
- Considered as a wrapper for Numpy, although there's a lot more

DataFrame



Series


DataFrame




Series

Let's go to Notebook!


Data Visualisation





Why Visualise?


Data Visualisation



Why Visualise?

- Our visual system is so great!


Data Visualisation



Why Visualise?

- Our visual system is so great!
- A much better way to represent data than statistical values

Data Visualisation



Why Visualise?

- Our visual system is so great!
- A much better way to represent data than statistical values
- Meaningful plots show meaningful insights without needing to do much

The Datasaurus Dozen

<https://www.autodeskresearch.com/publications/samestats>






- feature-rich plotting library in python



- feature-rich plotting library in python
- plots multiple types of charts



- feature-rich plotting library in python
- plots multiple types of charts
- extensive support for jupyter notebook



Source: <https://matplotlib.org/tutorials/introductory/usage.html>

Let's go to Notebook!

Blending it all together

Demo