

M/V "GIRASOLE RIVER"

DRAUGHT SURVEY REPORT

PGUA/DS/006/26

CONTENTS	PAGE
1) PERSONS CONTACTED/ WITNESSES:	02
2) SHIP'S PARTICULARS	03
3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF	03
4) SHIP'S HYDROSTATIC AND TANKS SOUNDING TABLES:	03
5) LOAD LINES	04
6) INITIAL DRAUGHT SURVEY DETAILS	04
7) FINAL DRAUGHT SURVEY DETAILS	04
8) CARGO PARTICULARS	04
9) DRAUGHT SURVEY CERTIFICATE	05
10) INITIAL BALLAST CONDITION	06
11) FINAL BALLAST CONDITION	06
12) INITIAL FRESH WATER CONDITION	07
13) FINAL FRESH WATER CONDITION	07
14) DEDUCTIBLES	07

ANNEXES

- SHIP'S PARTICULARS;
- CREW LIST;
- PRE-STOWAGE PLAN;
- LOADING SEQUENCE;
- DRAUGHT SURVEY CERTIFICATE
- BUNKER DELIVERY NOTE
- FINAL CARGO PLAN;
- DETAILED CARGO PLAN PER LOADING TERMINAL;
- LINK TO THE DIGITAL DOCUMENTATION, PHOTOGRAPHS AND VIDEOS;



M/V "GIRASOLE RIVER"

PGUA/DS/006/26

DRAUGHT SURVEY REPORT

THIS IS TO CERTIFY THAT the undersigned marine surveyor did, in compliance with instructions received from:

Messrs. Cotriguaçu Cooperativa Central Regional Iguaçu Ltda., Messrs. Interalli Administração e Participações S.A., Messrs. Rocha Terminais Portuários e Logística., BTG Pactual .

Attend on board the referenced vessel on January 2nd, 2026 from 15:30 until 18:15 hours, whilst she was anchored at inner roads area 9.2, and on January 7th, 2026 from 9:40 until 13:30 hours, whilst she was berthed alongside wharf 212 at port of Paranaguá, Br - Brazil, with views to perform the initial and final draft surveys, ascertaining the following figures:

1) PERSONS CONTACTED/ WITNESSES:

During the present survey, the following persons were contacted:

M/V "GIRASOLE RIVER"

Mr. Limuel F. Langbid, the Master
Mr. Joseph M. Mendoza, the Chief Officer
Mr. Joaquin N. Savare, the Chief Engineer

FERTIMPORT S/A
(As Local Agents)

Mr. Felipe Fernandes
Mr. Marcos Vinicius Batista

TIBAGI SERVIÇOS MARÍTIMOS LTDA.
(As Port Operators)

Mr. Antonio Celso Silva
Mr. João Victor Lacerda

BRAZILIAN CUSTOMS SURVEYOR

Mr. Athos U. Da Silva

STANDARD BRAZIL MARINE SURVEYS
& SERVICES LTDA.

Mr. José Antônio M. G. Pereira
the undersigned marine surveyor
Mr. Thiago Henrique Barbosa Verhagen



2) SHIP'S PARTICULARS:

Vessel: GIRASOLE RIVER
 Call sign: 3EUC4
 Port of Register: Panama
 Flag: Panamanian
 IMO: 9882322
 LOA: 228,90
 LBP: 226,00
 Depth: 20,20
 Breadth: 32,24
 GRT: 44.020,0
 NRT: 27.422,0
 Classification: NS, MNS(CSR, BC-A, BC-XII, GRAB30, PSPC-WBT, NC, 1C), ESP, HCM-GBS, IWS, PSCM, IHM, MO

Light Ship: 13.424,0
 Summer deadweight/draft: 81892,00 on 14,52300 m

Shipyard: Dacks Shipyard.

Owners: Eight River Shipping S.A.
 Operators: P&F Marine Co., Ltd.

3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF

Hold	Capacity (cub.ft.)	Cargo	Quantity loaded (t) Exp. Corridor	SF
no.1	450.643,0	SOYBEANS	9.125,010	49,39
no.2	526.814,0	SOYBEANS	10.767,500	SLACK
no.3	507.440,0	SOYBEANS	10.501,105	48,32
no.4	483.334,0	SOYBEANS	10.016,095	48,26
no.5	506.840,0	SOYBEANS	10.506,995	48,24
no.6	527.449,0	SOYBEANS	10.727,141	SLACK
no.7	449.298,0	SOYBEANS	9.223,985	48,71
Total	3.451.818,0		70.867,831	

4)SHIP'S APPROVED HYDROSTATIC AND TANKS SOUNDING TABLES:

Hydrostatic table: Issued by Dacks
 on N/A, Dwg. No. H - 11
 Approved by NKK on 26.08.2020

Sounding table: Issued by Dacks
 on N/A Dwg. no. H - 14



5) LOAD LINES

	FB (m)	Draught (m)	Displ. (t)	DWT (t)
Tropical Fresh Water:	5,086	15,160	97.493,0	84.069,0
Fresh Water:	5,388	14,858	95.406,0	81.982,0
Tropical:	5,421	14,825	97.557,0	84.133,0
Summer:	5,723	14,523	95.316,0	81.892,0
Winter:	6,025	14,221	93.256,0	79.832,0

6) INITIAL DRAUGHT SURVEY DETAILS:

Date: January 2nd, 2026 from 15:30 until 18:15 hrs
 Place : Paranaguá, Br - Brazil (inner roads 9.2)
 Waves: 0,30 m
 Beaufort scale Wind force: 01
 Tide: No tide flow
 Weather: Cloudy

7) FINAL DRAUGHT SURVEY DETAILS:

Date: January 7th, 2026 from 9:40 until 13:30 hrs
 Place : Paranaguá, Br - Brazil (wharf 212)
 Waves: 0,10 m
 Beaufort scale Wind force: 02
 Tide: Flood tide, < 1 knot
 Weather: Fine

8) CARGO PARTICULARS:

Cargo: Soybeans in bulk
 Port of Loading: Port of Paranaguá, Br - Brazil
 Port of Discharge: Koh Sichang - Thailand
 Last cargo: Coal in bulk
 Last Port: Paradip - India

Shore Scales Figures: 70.867,831 t

Draught Survey Figures: STANDARD BRAZIL: 70.968,233 t
 MASTER/ CHIEF OFFICER: 70.994,343 t
 CUSTOMS SURVEYOR : 70.985,095 t



M/V "GIRASOLE RIVER"	INITIAL SURVEY		FINAL SURVEY	
	Inner roads 9.2		Wharf 212	
	02.01.2026 - 16:05 h		07.01.2026 - 12:30 h	
	0,30 m. waves		0,10 m. waves	
IMO NO. 9882322 FLAG: Panamanian BUILD: 2020	Wind force 01		Wind force 02	
DRAUGHT SURVEY CERTIFICATE	No tide flow		Flood tide, < 1 knot	
PGUA/DS/006/26	Weather: Cloudy		Weather: Fine	
DRAUGHT	INITIAL		FINAL	
Forward port	5,2700 m		13,3400 m	
Forward starboard	5,2700 m		13,2000 m	
Forward mean	5,2700 m		13,2700 m	
Stem correction	-0,0477 m		0,0006 m	
Draught forward (corrected to fore perpendicular)	5,2223 m		13,2706 m	
Midship port	6,1900 m		13,4400 m	
Midship starboard	6,2000 m		13,1800 m	
Midship mean	6,1950 m		13,3100 m	
Midship correction	0,0000 m		0,0001 m	
Draught midship (corrected to midship perpendicular)	6,1950 m		13,3101 m	
Aft port	7,3500 m		13,3500 m	
Aft starboard	7,3500 m		13,1400 m	
Aft mean	7,3500 m		13,2450 m	
Stern correction	0,1010 m		-0,0012 m	
Draught after (corrected to after perpendicular)	7,4510 m		13,2438 m	
Kell correction	0,0000 m		0,0000 m	
Means of means corrected:	6,2304 m		13,2969 m	
True trim	BY STERN	2,23 m	BY HEAD	-0,03 m
Heel (angle & in cm)	S 000 °	1,00 cm	P 000 °	26,00 cm
Hull deflexion:	HOGGING	14,16 cm	SAGGING	5,29 cm
DISPLACEMENTS	INITIAL		FINAL	
Displacement in salt water	38.463,5 t		86.695,8 t	
First trim correction	-480,0 t		-1,8 t	
Second trim correction	24,7 t		0,0 t	
Displacement corrected for trim	38.008,2 t		86.694,0 t	
Water density	1,01900		1,01750	
Displacement corrected for density	37.785,7 t		86.059,6 t	
Deductibles (fresh water, oils, etc.)	24.045,1 t		1.324,9 t	
Displacement corrected for deductibles	13.740,6 t		84.734,8 t	
Light Ship	13.424,0 t			
Calculated constant	342,5 t			
Anchor + chain	25,9 t		0,0 t	
Total cargo loaded on board as per draught survey			70968,2 t	
Loading terminals: CT, IT, RO, BTG, .	TPC	64,5 t/cm	TPC	71,0 t/cm
Cargo: Soybeans in bulk	MTC +0.5	938,1 t*cm	MTC +0.5	1230,8 t*cm
Paranaguá, Br - Brazil. January 7th, 2026	MTC -0.5	915,6 t*cm	MTC -0.5	1227,5 t*cm
Total cargo loaded on board as per shore scales			70.867,831 t	
Total cargo loaded on board as per draught survey			70.968,233 t	
Surplus	100,402 t		0,14 %	

Standard Brazil Marine Surveys & Services Ltda.
 José Antonio Machado Gomes Pereira / Thiago Henrique Barbosa Verhagen
 Licensed Marine Officer / Marine Surveyor / 375460MM

Master/Ch.Off: 70.994,343 t 126,512 t 0,18 %
 Customs : 70.985,095 t 117,264 t 0,17 %

10) INITIAL BALLAST CONDITION:

Date / Time : 02.01.26 /

16:30 h

Trim: 2,23 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	21,60	0,71	9,24	-0,04	0,00	9,20	1213,10	1,008	1222,80
1 DB (P)	20,91	0,18	20,07	-0,12	0,00	19,95	1483,10	1,008	1495,00
1 DB (S)	20,92	0,20	20,34	-0,10	0,00	20,24	1555,22	1,007	1566,10
2 DB (P)	21,02	0,19	20,58	-0,12	0,00	20,46	1656,82	1,008	1670,10
2 DB (S)	21,00	0,18	20,50	-0,12	0,00	20,38	1644,34	1,008	1657,50
3 DB (P)	20,99	0,19	20,22	-0,25	0,00	19,97	3344,12	1,007	3367,50
3 DB (S)	20,97	0,19	20,53	-0,23	0,00	20,30	3532,20	1,007	3556,90
4 DB (P)	20,90	0,19	20,35	-0,40	0,00	19,95	2568,10	1,007	2586,10
4 DB (S)	20,91	0,19	20,44	-0,39	0,00	20,05	2611,20	1,007	2629,50
5 DB (P)	20,97	0,19	18,35	0,00	0,00	18,35	1145,60	1,009	1155,90
5 DB (S)	21,04	0,20	16,67	0,00	0,00	16,67	1162,50	1,009	1173,00
6 DB (P)	14,44	0,19	8,83	0,08	0,00	8,91	478,75	1,009	483,10
6 DB (S)	14,43	0,19	8,51	0,08	0,00	8,59	453,20	1,009	457,30
COLLECT (	5,60	0,17	0,19	-0,05	0,00	0,14	1,20	1,000	1,20
COLLECT (	5,60	0,19	1,00	-0,02	0,00	0,98	23,50	1,000	23,50
A.PK	7,75	0,58	4,48	0,05	0,00	4,53	452,45	1,009	456,50
TOTAL							23325,40		23502,00

11) FINAL BALLAST CONDITION:

Date / Time : 07.01.26 /

09:50 h

Trim: -0,03 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	21,60	0,71	0,09			0,09	1,90	1,008	1,90
1 DB (P)	20,91	0,18	0,03			0,03	8,80	1,008	8,90
1 DB (S)	20,92	0,20	0,01			0,01	4,00	1,007	4,00
2 DB (P)	21,02	0,19	0,00			0,00	13,10	1,008	13,20
2 DB (S)	21,00	0,18	0,00			0,00	13,10	1,008	13,20
3 DB (P)	20,99	0,19	0,00			0,00	26,80	1,007	27,00
3 DB (S)	20,97	0,19	0,00			0,00	26,80	1,007	27,00
4 DB (P)	20,90	0,19	0,00	Directly applied on volume		0,00	25,90	1,007	26,10
4 DB (S)	20,91	0,19	0,00			0,00	23,60	1,007	23,80
5 DB (P)	20,97	0,19	0,00			0,00	2,50	1,009	2,50
5 DB (S)	21,04	0,20	0,02			0,02	6,90	1,009	7,00
6 DB (P)	14,44	0,19	0,15			0,15	0,30	1,009	0,30
6 DB (S)	14,43	0,19	0,03			0,03	0,10	1,009	0,10
COLLECT (	5,60	0,17	0,48			0,48	7,10	1,000	7,10
COLLECT (	5,60	0,19	1,25			1,25	33,90	1,000	33,90
A.PK	7,75	0,58	0,08			0,08	0,40	1,009	0,40
TOTAL							195,20		196,40

12) INITIAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)				GAUGE			73,00	1,000	73,00
DWT (S)							105,00	1,000	105,00
TOTAL							178,00		178,00

13) FINAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)				GAUGE			65,00	1,000	65,00
DWT (S)							89,00	1,000	89,00
TOTAL							154,00		154,00

14) DEDUCTIBLES

	<u>INITIAL</u>	<u>FINAL</u>
INTERMEDIATE FUEL OIL	319,7 t	905,6 t
MARINE DIESEL OIL	45,4 t	44,9 t
LUBRICATING	K	K
FRESH WATER	178,0 t	154,0 t
BALLAST	23502,0 t	196,4 t
OTHERS	0,0 t	24,0 t
TOTAL	24045,1 t	1324,9 t



MV GIRASOLE RIVER

<https://standardbrazil.com.br/atendimentos/link?tag=PGUA/DS/006/26&tk=2031539910>


ShipParticulars

Name of ship	MV Girasole River	IMO number	9882322
Flag/Port of Registry	Panama / Panama	Panama Canal SIN	6020023 (max draft 12.04m)
Call sign/Official No.	3EUC4 / 51661-20	Gross tonnage	44020
Type of ship	Bulk carrier	Net tonnage	27422
Date keel laid	2015.12.11	Panama PC/UMS	Tonnage 36349
Launching/Delivery	2020.04.27/2020.08.26	Suez Canal	GRT/45157.44, NRT/40949.03
Builder (DE077)	DACKS Shipyard	(Dalian COSCO KHI Ship Engineering Co. Ltd., Dalian, China)	
Classification Society/No.	NK/No.209106		
Classification Characters	NS/MNS(CSR,BC-A,BC-XII,GRAB30,PSPC-WBT,NC,1C)(ESP)(HCM-GBS)(IWS)(PSCM)(IHM)(MO)		
(notation)	(Strengthened for heavy cargo loading where holds nos. 2, 4 & 6 may be empty)		
Length overall	228.90m	MMSI	356066000
Length between perpendiculars	226.00m	Inmarsat-C/LRIT	435606610
Breadth moulded	32.24m	Email	g.river@bluewavemail.com
Depth moulded	20.20m	VSAT	Bridge/L1- +12106603162
Designed draught moulded	12.20m		Cpt. Rm/L2- +12106603182
Scantling draught moulded	14.50m		S/Offc/L3- +1 2106603815
KTM	51.55m	FB Voice	870773409861
		FB Fax	870783157439
		Lightship	13424mt/ 3.282m
		Service Speed/Area	14.2 kts/Worldwide
Summer draught moulded	14.50m	Displacement: 95406t /DWT: 81982t	(at Summer Draft)
Registered owner	Eight River Shipping S.A.	(ID: 1722534)	
	Salduba Building, Top Floor, Urbanizacion Obarrio, Panama City, Republic of Panama		
	Tel: 81-88422364, email: yashiee721@k4.dion.ne.jp		
Operator	ADMINTERMARE (a division of ADM International Sarl, Rolle, Switzerland)		
Management	P&F Marine Co. Ltd. (Company ID: 5045513)		
Address	3FEunsung Bldg 261 Daeyeong-Ro, Dong-Gu Busan, Korea		
Contact points	Tel: 8251-465-8844 Fax: 8251-462-9009		
	e-mail: pnf@pnfmarine.co.kr		
CSO B. J. KIM	Office tel: 82-70-7487-8563 Office fax: 82-51-462-9009		
	Mobile phone: 82-10-9616-1470 (24hrs) e-mail: pnf@pnfmarine.co.kr		
Capacity	7Ch: Ch1/12760.8, Ch2/14917.7, Ch3/14369.1, Ch4/13686.5,		
	Ch5/14352.1, Ch6/14935.7, Ch7/12722.7, Total: 97744.7cbm		
	6x F.O. Tanks: 2246.3cbm, 8x B.W. Tanks: 24691.5cbm		
	2x D.O. Tanks: 183.7cbm, 2x F.W. Tanks: 355.4cbm		
	LO Tanks: 123.1cbm, Accommodation 25P		
Main Engine	1 set, HHM-Man B&W 6S60ME-C8.5-TII, 12962.47HP/9670.00kw (@RPM89)		
	Nonnal output (71% MCO) 6870kw (bhp) x about 80rpm.		
Generator	3 sets, Yanmar 6EY8ALW x 600kW		
Propeller	1 set of fixed pitch propeller (FPP) with 4 blades, right turning, Pitch=5.464m		
Rudder	1 set, semibalanced hanging type		
Windlass	Stockless AC-14 type HHP Anchor x 8325kgs x 2 sets (P&S)		
Anchor	(*maximum anchorage depth (on Class Rules) 82.5m)		
Chains (P's)	diam 81mm x 330.0m (12 shots), tll 49468kgs		
Chains (S's)	diam 76mm x 115.0m (12 shots), tll 49468kgs		
Mooring winch	125kn x 15m / mIn, Roped diam 78mm x 220m		
Towing Bitt	600dia / 120t		
Bollard	Panama Canal Transit (Double) (500B/90t, 400B/64t)		
	(400B/50t, 350B/50t)		
Suez boathandling davit (S's)	SWL 39.2kn (4.0 Ton) / Working radius 3.5mtr		
Provision cranes	No. 1 EEED-40120, 4t x 12mtrs No. 2 EEED-40100, 4t x 12mtrs		

IMO CREW LIST

IMO convention on Facilitation
of International Maritime Traffic☒ Arr. ☐ Departure

Page No. 1

1. Name of the ship				2. Port of Arrival:				3 Date of Arrival:			
M/V GIRASOLE RIVER				PARANAGUA, BRAZIL				18 DEC, 2025			
4. Nationality of the ship				5. <u>Port Arrived from</u> / Port of Destination		6. Nature and No. of identity document (seaman's passport)	7. Expiry date of passport	8. Nature and No. of identity document (seaman's book)	Expiry date of seamansbook		
PANAMA				PORT LOUIS, MAURITIUS							
9.No	10. Family name, given name	11.Rank or rating	12. Sex	13 Nationality	14. Date of Birth					Joining Date	Joining port & country
1	LANGBID LIMUEL FANTONIAL	MASTER	M	FILIPINO	26 FEB 1983	P5539663A	07 JAN 2028	A0295435	08 / 01 / 2034	03 APR 2025	SAN CIPRIAN, SPAIN
2	MENDOZA JOSEPH MAGA	C/O	M	FILIPINO	28 JAN 1977	P8352003A	13 AUG 2028	C1180137	OCT 2 2027	11 JULY 2025	PENGLAI JINGLU, CHINA
3	RAVENA RONNIE BAÑARES	2/O	M	FILIPINO	09 APR 1974	P6907841A	23 APR 2028	C0988403	APR 8 2027	14 JUN 2025	SINGAPORE SINGAPORE
4	ALIPEN ALBERT AMARRA	3/O	M	FILIPINO	20 FEB 1985	P7891648A	10 JUL 2028	A0104806	11 / 12 / 2030	08 SEP 2025	GRAMERCY LOUISIANA, USA
5	SAVARE JOAQUIN NOLINO	C/E	M	FILIPINO	14 AUG 1988	P2710404B	02 AUG 2029	C0902016	NOV 2 2026	11 JULY 2025	PENGLAI JINGLU, CHINA
6	CEPEDA GARRY MARFIL	1/E	M	FILIPINO	13 AUG 1975	P5118435B	12 MAR 2030	A0082236	26 / 02 / 2030	03 APR 2025	SAN CIPRIAN, SPAIN
7	BALLENA MAGNO JR. AMICAN	2/E	M	FILIPINO	13 OCT 1985	P7625695B	15 SEP 2031	C1532999	AUG 05 2029	08 SEP 2025	GRAMERCY LOUISIANA, USA
8	TUBOLA PONCE JOEFILLE SERILO	3/E	M	FILIPINO	17 DEC 1981	P7984045A	17 JUL 2028	C1063336	JUN 12 2027	14 JUN 2025	SINGAPORE SINGAPORE
9	RELLOS ELVIS BASA	BSN	M	FILIPINO	23 AUG 1969	P0018087B	20 DEC 2028	C1105841	AUG 7 2027	14 JUN 2025	SINGAPORE SINGAPORE
10	LICOS JOHN MICHAEL SOCUBOS	A/B 1	M	FILIPINO	15 FEB 1992	P6135983B	20 JAN 2031	C0897909	SEP 4 2026	14 JUN 2025	SINGAPORE SINGAPORE
11	NOCHE MARK ARGEL VICENTE	A/B 2	M	FILIPINO	11 SEP 1989	P3060366B	02 OCT 2029	C1455648	SEP 25 2028	08 SEP 2025	GRAMERCY LOUISIANA, USA
12	SARRIA ZALDE SAQUILAYAN	A/B 3	M	FILIPINO	24 DEC 1978	P6482769B	14 MAR 2031	C1343700	FEB 20 2029	08 SEP 2025	GRAMERCY LOUISIANA, USA
13	GELACIO CRISANTO TAGANAS	OLR 1	M	FILIPINO	13 APR 1979	P5589226A	10 JAN 2028	C1203529	JAN 13 2028	08 SEP 2025	GRAMERCY LOUISIANA, USA
14	FACERONDA AL JOSEPH FAMA	OLR 2	M	FILIPINO	14 DEC 1986	P3206760B	13 SEP 2029	C1363223	OCT 09 2029	14 JUN 2025	SINGAPORE SINGAPORE
15	ALCANTARA JOHN CARLO BARCELONA	OLR 3	M	FILIPINO	03 MAY 1994	P2400207B	01 JUL 2029	C1358846	JUL 12 2029	08 SEP 2025	GRAMERCY LOUISIANA, USA
16	BANLOS EDJAN-JAKE JASON	O/S	M	FILIPINO	10 AUG 1994	P1846334C	30 SEP 2032	A0221066	16 / 11 / 2032	08 SEP 2025	GRAMERCY LOUISIANA, USA
17	ABESAMIS DRYZEN GENESIS NAVA	WPR	M	FILIPINO	05 JUL 1998	P9138249A	15 OCT 2028	C1256731	MAY 26 2028	08 SEP 2025	GRAMERCY LOUISIANA, USA
18	YAM MARK ANTHONY DIHIAN SAN	C/CK	M	FILIPINO	02 MAR 1991	P5650185A	16 JAN 2028	C1485054	JUN 11 2029	08 SEP 2025	GRAMERCY LOUISIANA, USA
19	CAMINO JOSEPH ANINO	M/M	M	FILIPINO	01 MAY 1996	P9987903A	18 DEC 2028	C1586599	JAN 28 2030	08 SEP 2025	GRAMERCY LOUISIANA, USA
20	MARIMON ANGELO ABO-ABO	D/CDT	M	FILIPINO	19 SEP 1994	P0056772D	10 JUL 2035	A0409538	17 / 06 / 2035	08 SEP 2025	GRAMERCY LOUISIANA, USA
21	AGURO JOHN RAFAEL SERVANO	E/CDT	M	FILIPINO	20 OCT 2000	P4633100C	06 JUL 2033	A0272319	28 / 07 / 2033	08 SEP 2025	GRAMERCY LOUISIANA, USA

Date and Signature by Master, authorized agent or officer




CAPT. LIMUEL F. LANGBID
 MASTER GIRASOLE RIVER

PRE-STOWAGE PLAN


Ship's Name : M/V Girasole River		Voy. No. : 28	Date: 02 JAN. 2025	Name of Cargo: SOYBEANS	Stowage factor: 48.50 FT3/T
Loading Port : PARANAGUA, BRAZIL	Discharging port: KSC, THAILAND	Cargo weight for each brand : 70,845.00 MT		Total Cargo weight : 70,845.00 MT	

Hold	7	6	5	4	3	2	1
Cargo	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS
Weight (M/T)	9,265.00 MT	10,680.00 MT	10,454.00 MT	9,966.00 MT	10,465.00 MT	10,720.00 MT	9,295.00 MT
S.F.	48.50 FT3/T	48.50 FT3/T	48.50 FT3/T	48.50 FT3/T	48.50 FT3/T	48.50 FT3/T	48.50 FT3/T
Volume (%)	100.00%	98.00%	100.00%	100.00%	100.00%	99.00%	100.00%
Load. port	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL
Disch. Port	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND

	Arr. Load Port (PARANAGUA, BRAZIL)	Dep. Load Port PARANAGUA, BRAZIL) Bunker intake 600.00MT	Arr. SINGAPORE FOR BUNKERING	Dep. SINGAPORE Bunker intake 656.00MT	Arr. Disch. Port (KSC, THAILAND)	Dep. Disch. Port (KSC, THAILAND)			
Draft restriction	13.30 m.	13.30 m.	NONE	NONE	13.35 m.	13.35 m.			
Sea water density	1.0180	1.0180	1.0210	1.0210	1.0180	1.0180			
Draft (Fore)	5.10 m.	13.30 m.	12.96 m.	12.92 m.	13.26 m.	4.97 m.			
Draft (Mid)	6.56 m.	13.30 m.	13.31 m.	13.41 m.	13.30 m.	6.53 m.			
Draft (Aft)	8.02 m.	13.30 m.	13.67 m.	13.91 m.	13.33 m.	8.09 m.			
SF (%)	95.00%	77.00%	74.00%	74.00%	77.00%	93.00%			
BM (%)	93.00%	42.00%	33.00%	33.00%	37.00%	91.00%			
Bunker (VLSFO)	386.00 MT	977.00 MT	212.00 MT	868.00 MT	695.00 MT	683.00 MT			
Bunker (LMGO)	47.00 MT	47.00 MT	43.00 MT	43.00 MT	43.00 MT	43.00 MT			
Ballast water	25,308.00 MT	350.00 MT	1,371.00 MT	1,371.00 MT	495.00 MT	24,802.00 MT			
Fresh water	265.00 MT	200.00 MT	310.00 MT	305.00 MT	310.00 MT	270.00 MT			
Constant	303.00 MT	303.00 MT	303.00 MT	303.00 MT	303.00 MT	303.00 MT			
Total Deadweight	26,309.00 MT	72,722.00 MT	73,084.00 MT	73,735.00 MT	72,691.00 MT	26,101.00 MT			

* This form can be revised by shipboard personnel as per the ship's specific & status.

Master's Remark: Above cargo intake is only an estimated, wog ,Vessel will endeavor to load max.cargo.the final cargo intake may vary depending upon actual deductables, hog/sag, Final distribution of the cargo and other factual circumstances at the times of completion of loading .Above drafts are calculated only, actual may differ because of actual distribution of cargo / Port requirements.

Prepared by C/O	Approved by Master
	



LOADING PLAN

Loading/Unloading Version No	Date 02 JAN. 2026	Ship's Name: M/V Girasole River				Voyage No 28	
Load/Unload- Port PARANAGUA, BRAZIL	Cargo(es) SOYBEANS IN BULK	Assumed stowage factor of cargo(es) 48.50 FT3/t	Ballast pumping rate 2400 m3/hrX2 set	Dock water density 1.018	Max draught available(HW) 13.30m.	Arr. Max air draught in berth	13.30 m.
To/From Port KSC, THAILAND	Last cargo COAL	No. of loaders /dischargers 1	Loading / Discharge rate About 1,000.0 MT/Hr		Min draught available(LW)	Max sailing /arrival draught	13.30 m.

	SOYBEANS IN BULK	SOYBEANS IN BULK	SOYBEANS IN BULK	SOYBEANS IN BULK	SOYBEANS IN BULK	SOYBEANS IN BULK	SOYBEANS IN BULK		
Hold	7	6	5	4	3	2	1		
Tons	9,265.00 MT	10,680.00 MT	10,454.00 MT	9,966.00 MT	10,465.00 MT	10,720.00 MT	9,295.00 MT	TT.CARGO	70,845.00 MT
	100.0%	98.0%	100.0%	100.0%	100.0%	99.0%	100.0%		
Grade	48.50 FT3/t	48.50 FT3/t	48.50 FT3/t	48.50 FT3/t	48.50 FT3/t	48.50 FT3/t	48.50 FT3/t		
	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL	PARANAGUA, BRAZIL		
	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND	KSC, THAILAND		

SEQUENCE	CARGO		CARGO OPERATION	* * BALLAST OPERATION	TIME REQUIRED(HRS)	CALCULATED VALUE					OBSERVED		
						DRAFT			MAXIMUM(%)		CLI HATCH AIR DRAFT	DRAFT	
	HOLD NO.	TONNES				FWD	AFT	TRIM	SF	BM		FWD	AFT
ARRIVAL CONDITION						5.10	8.02	2.92	95.0%	93.0%	17.90		
						HARBOR CONDITION							
1A	3	10,465.0	COMPLETED	P/OUT WBT 3 PORT & STBD. TO EMPTY P/OUT FPT. TO EMPTY	3.3 hrs 1.14 hrs	5.89	7.66	1.77	84.0%	57.0%	17.24		
2A	5	10,454.0	COMPLETED	P/OUT WBT 4 PORT & STBD. TO EMPTY	2.46 hrs	6.37	8.73	2.36	59.0%	49.0%	16.69		
3A	1	6,000.0	PARTIAL / BAL=3295	P/OUT WBT 1 PORT & STBD. TO EMPTY	1.44 hrs	7.96	7.89	-0.07	63.0%	53.0%	15.37		
4A	4	6,000.0	PARTIAL / BAL=3966			8.99	8.67	-0.32	72.0%	48.0%	14.37		
5A	6	9,680.0	PARTIAL / BAL=1000			8.47	12.03	3.56	63.0%	30.0%	14.46		
6A	2	9,720.0	PARTIAL / BAL=1000	P/OUT WBT 2 PORT & STBD. TO EMPTY	1.53 hrs	11.12	11.24	0.12	54.0%	34.0%	12.19		
7A	7	6,000.0	PARTIAL / BAL=3265	P/OUT WBT 5 PORT & STBD. TO EMPTY P/OUT WBT 6 PORT & STBD. TO EMPTY	1.05 hrs 0.44 hrs	10.82	12.29	1.47	37.0%	31.0%	12.34		
8A	1	3,295.0	COMPLETED	STRIPPING	2.0 hrs	12.56	11.53	-1.03	48.0%	17.0%	10.88		
9A	7	3,265.0	COMPLETED	P/OUT APT. TO EMPTY	0.92 hrs	12.17	12.72	0.55	45.0%	14.0%	11.09		
10A	4	3,966.0	COMPLETED	STRIPPING		12.92	13.10	0.18	51.0%	18.0%	10.38		
			DRAFT CHECK / FOR TRIMMING										
11A	2	1,000.0	COMPLETED			13.34	12.98	-0.36	53.0%	22.0%	10.02		
12A	6	1,000.0	COMPLETED			13.30	13.30	0.00	77.0%	39.0%	10.02		
				DEP. DRAFT (1.018)		13.30	13.30	0.00	77.0%	39.0%	10.02		
				DEP. DRAFT (1.025)	14.3 hrs	13.20	13.24	0.04	SEA CONDITION				
	TOTAL: 70,845.0 TONS			SIGNED SHORE/TERMINAL	SIGNED MASTER	← Entries optional →							

Note: No deviation from above plan without prior approval of the master.
If any deviation noted, corrective action should be taken.

- * To be numbered 1A, 1B, 1C, 2A, 2B, 2C, etc. when using two or more loaders/unloaders.
- * Abbreviations
PI: Pump In PO: Pump Out F : Full
GI: Gravity In GO: Gravity Out MT: Empty

BM(Bending Moments) & SF(Shear Forces) are to be expressed as a percentage of max permitted in Port values for intermediate stage, and of max permitted a sea values for the final stage. Every step in the Loading/Unloading plan must remain within the allowable limits for hull girder shear forces, bending moments and tonnage per hold, where applicable, Loading/Unloading operation may have to be paused to allow for ballasting/deballasting in order to keep actual values within limits.


	INITIAL SURVEY	FINAL SURVEY
M/V "GIRASOLE RIVER"	Inner roads 9.2	Wharf 212
	02.01.2026 - 16:05 h	07.01.2026 - 12:30 h
	0,30 m. waves	0,10 m. waves
IMO NO. 9882322 FLAG: Panamanian BUILD: 2020	Wind force 01	Wind force 02
DRAUGHT SURVEY CERTIFICATE	No tide flow	Flood tide, < 1 knot
PGUA/DS/001/26	Weather: Cloudy	Weather: Fine
DRAUGHT	INITIAL	FINAL
Forward port	5,2700 m	13,3400 m
Forward starboard	5,2700 m	13,2000 m
Forward mean	5,2700 m	13,2700 m
Stern correction	-0,0477 m	0,0006 m
Draught forward (corrected to fore perpendicular)	5,2223 m	13,2706 m
Midship port	6,1900 m	13,4400 m
Midship starboard	6,2000 m	13,1800 m
Midship mean	6,1950 m	13,3100 m
Midship correction	0,0000 m	0,0001 m
Draught midship (corrected to midship perpendicular)	6,1950 m	13,3101 m
Aft port	7,3500 m	13,3500 m
Aft starboard	7,3500 m	13,1400 m
Aft mean	7,3500 m	13,2450 m
Stern correction	0,1010 m	-0,0012 m
Draught after (corrected to after perpendicular)	7,4510 m	13,2438 m
Kell correction	0,0000 m	0,0000 m
Means of means corrected:	6,2304 m	13,2969 m
True trim	BY STERN 2,23 m	BY HEAD -0,03 m
Heel (angle & in cm)	S 000 ° 1,00 cm	P 000 ° 26,00 cm
Hull deflexion:	HOGGING 14,16 cm	SAGGING 5,29 cm
DISPLACEMENTS	INITIAL	FINAL
Displacement in salt water	38.463,5 t	86.695,8 t
First trim correction	-480,0 t	-1,8 t
Second trim correction	24,7 t	0,0 t
Displacement corrected for trim	38.008,2 t	86.694,0 t
Water density	1,01900	1,01750
Displacement corrected for density	37.785,7 t	86.059,6 t
Deductibles (fresh water, oils, etc.)	24.045,1 t	1.324,9 t
Displacement corrected for deductibles	13.740,6 t	84.734,8 t
Light Ship	13.424,0 t	
Calculated constant	342,5 t	
Anchor + chain	25,9 t	0,0 t
Total cargo loaded on board as per draught survey		70968,2 t
Loading terminals: CT, IT, RO, BTG, .	TPC 64,5 t/cm	TPC 71,0 t/cm
Cargo: Soybeans in bulk	MTC +0.5 938,1 t*cm	MTC +0.5 1230,8 t*cm
Paranaguá, Br - Brazil. January 7th, 2026	MTC -0.5 915,6 t*cm	MTC -0.5 1227,5 t*cm
Total cargo loaded on board as per shore scales		70.867,831 t
Total cargo loaded on board as per draught survey		70.968,233 t
Surplus	100,402 t	0,14 %

Standard Brazil Marine Surveys & Services Ltda.
 José Antonio Machado Gomes Pereira / Thiago Henrique Barbosa Verhagen
 Licensed Marine Officer / Marine Surveyor / 375460MM

Master/Ch.Off: 70.994,343 t 126,512 t 0,18 %
 Customs : 70.985,095 t 117,264 t 0,17 %

Master/Ch.Off:

CHIEF OFFICER
 M.V GIRASOLE RIVER

 PETROBRAS	Nº		REV
	TÍTULO		DATA
Comprovante de Fornecimento a Navio - CFN (Bunker Delivery Note - BDN)			
Petróleo Brasileiro S.A. Av. Henrique Valadares - 28 - Torre A - Rio de Janeiro - RJ - Brasil CEP: 20.231-030 Tel: (+ 55 21) 2166-7393 Fax: (+ 55 21) 2166-9221 E-mail: bunker@petrobras.com.br			
Preencher com letras de forma - sem rasuras (Fill in with block letters - without remarks)			
Nº do CFN (BDN no)		Nome do Navio (Ship's name)	Nº IMO do Navio (Ship's IMO no.)
15678/2025		GIRASOLE RIVER	9882322
Cliente (Customer)		Bandeira (Flag)	
BUNGE SA		PANAMA	
Nº do lacre da amostra do navio (Ship's sample seal no.)	Nº do lacre da amostra da PETROBRAS (PETROBRAS sample seal no.)	Nº do lacre da amostra da MARPOL (MARPOL sample seal no.)	
0005615	0002659	0002663	
Local de fornecimento (Supply area)	Porto (Port)	Órgão (Origin)	
AZ 12	PARANAGUÁ - PR	TP/DDT/DTSS/PCO/SUL/PRSC/TEPAR	
Nº do anexo único/processo (Process No.)		Produto (Grade)	
1VKS1326BKR01		VLSFO 0,5% S	
Quantidade fornecida (Delivered quantity) (x,xxx,yyy)			
Volume ambiente (Observed volume)		Volume a 20 °C (Volume at 20 °C)	
659,933 MT		652,234 MT	
Densidade a 20 °C (Specific gravity at 20 °C)	Densidade a 15 °C (Specific gravity at 15 °C)	Viscosidade cinemática (Kinematic viscosity)	Ponto de fulgor (Flash point)
0,9200	0,9233	23,02 (St at 40 °C)	83,0 °C
Teor de enxofre (Sulphur content) (x,yy)			
0,38 % m/m			
Operação (Operation)			
Entrega por (Delivery by)		Início (Start)	
Nome da barcaça (Barge name)		Data (Date)	
OMS XVIII		04/01/2026	
Duto (Pipeline)		Hora (Time)	
-----		09:35	
Caminhão (Truck)		Término (End)	
-----		Data (Date)	
-----		04/01/2026	
-----		Hora (Time)	
-----		12:25	
Atenção: As reclamações somente serão aceitas quando recebidas dentro de 21 dias corridos da data da entrega. (Attention: The claims shall only be accepted if received within 21 days from delivery date)			
Foi emitida carta protesto (Was a Letter of protest issued)? ☒ Sim (Yes) ☐ Não (No)			
O bunker aqui fornecido atende aos regulamentos 14 (1) e 18 (3) da Marpol 73/78 Anexo VI (The bunker herein supplied is in conformity with regulations 14 (1) and 18 (3) of Marpol 73/78 Annex VI)			
Nomes em letras de forma, Assinaturas e Carimbos (Names in block letters, Signatures and Stamps)			
Representante do navio (Ship's representative)		Representante da PETROBRAS (PETROBRAS representative)	
 C.A. Jussavane		 Juliano Gonçalves NAVE MESTRA Serviços de Navegação Ltda	
AS INFORMAÇÕES DESTA DOCUMENTO SÃO PROPRIEDADE DA PETROBRAS S.A. - INFORMAÇÃO ATRIBUÍDA FORA DA SUA FINALIDADE FORMULÁRIO PERTENCENTE À PETROBRAS N.º 2601 0015 F. 000001 R. 000001 1/01			



STOWAGE PLAN

MV "GIRASOLE RIVER"

Loading Port: PARANAGUÁ / BRAZIL

Date: JANUARY 07TH, 2026.

Discharging Port: KOHSICHANG, THAILAND

Cargo: 70.867,831 MTONS OF BRAZILIAN S.BEANS, IN BULK.

Average Stowage Factor: 48,58

	Hold 7	Hold 6	Hold 5	Hold 4	Hold 3	Hold 2	Hold 1	
	FULL	SLACK	FULL	FULL	FULL	SLACK	FULL	
	9.223,985	10.727,141	10.506,995	10.016,095	10.501,105	10.767,500	9.125,010	
	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	
	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	
Cubic Capacity	449.298	527.449	506.840	483.334	507.440	526.814	450.643	
Stowage Factor	48,71	49,17	48,24	48,26	48,32	48,93	49,39	

07 JAN 2026

Master or Chief Officer
MV "GIRASOLE RIVER"

TIBAGI SERVIÇOS MARÍTIMOS LTDA.
PORT OPERATORS
SINCE 1961

Tibagi Shipping agents & Port Operators

REMARK: Weight, measure, quality, quantity, condition, contents and value unknown.

NAVIO:	GIRASOLE RIVER
AGÊNCIA:	FERTIMPORT S/A
OPERADOR:	TIBAGI SERVIÇOS MARÍTIMOS LTDA.
DATA EMBARQUE:	07.01.2026
PESO TERRA:	70.867,831
PESO BORDO:	70.968,233
VARIAÇÃO:	100,402
PERCENTUAL:	0,14%
Entrar na estatística	Sim

PORÃO	1	2	3	4	5	6	7	TOTAL
PRODUTO	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	
AGTL								0,000
BTG	1.523,340		831,950	1.260,390	3.314,930		9.223,985	16.154,595
CARGILL								0,000
CIMBESSUL								0,000
COAMO								0,000
CORREDOR - V								0,000
CORREDOR - H								0,000
COTRIGUAÇU	1.585,350	5.162,100	533,470	2.719,080				10.000,000
INTERALLI				524,500	1.676,550	9.751,616		11.952,666
DREYFUS								0,000
ROCHA	6.016,320	5.605,400	9.135,685	5.512,125	5.515,515	975,525		32.760,570
TOTAL	9.125,010	10.767,500	10.501,105	10.016,095	10.506,995	10.727,141	9.223,985	70.867,831
CUBAGEM	450.643	526.814	507.440	483.334	506.840	527.449	449.298	
FATOR DE ESTIVA	49,39	48,93	48,32	48,26	48,24	49,17	48,71	
CONDIÇÃO PORÃO	FULL	SLACK	FULL	FULL	FULL	SLACK	FULL	

Observações: