

M/V "Far Eastern Mercury"

DRAUGHT SURVEY REPORT

PGUA/DS/009/26

CONTENTS	PAGE
1) PERSONS CONTACTED/ WITNESSES:	02
2) SHIP'S PARTICULARS	03
3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF	03
4) SHIP'S HYDROSTATIC AND TANKS SOUNDING TABLES:	03
5) LOAD LINES	04
6) INITIAL DRAUGHT SURVEY DETAILS	04
7) FINAL DRAUGHT SURVEY DETAILS	04
8) CARGO PARTICULARS	04
9) DRAUGHT SURVEY CERTIFICATE	05
10) INITIAL BALLAST CONDITION	06
11) FINAL BALLAST CONDITION	06
12) INITIAL FRESH WATER CONDITION	07
13) FINAL FRESH WATER CONDITION	07
14) DEDUCTIBLES	07

ANNEXES

- SHIP'S PARTICULARS;
- CREW LIST;
- PRE-STOWAGE PLAN;
- LOADING SEQUENCE;
- DRAUGHT SURVEY CERTIFICATE
- FINAL CARGO PLAN;
- DETAILED CARGO PLAN PER LOADING TERMINAL;
- LINK TO THE DIGITAL DOCUMENTATION, PHOTOGRAPHS AND VIDEOS;



M/V "Far Eastern Mercury"

PGUA/DS/009/26

DRAUGHT SURVEY REPORT

THIS IS TO CERTIFY THAT the undersigned marine surveyor did, in compliance with instructions received from:

Messrs. Coamo Agroindustrial Cooperativa, .

Attend on board the referenced vessel on January 9th, 2026 from 11:15 until 13:30 hours, whilst she was anchored at inner roads area 9.2, and on January 12th, 2026 from 9:30 until 12:00 hours, whilst she was berthed alongside wharf 212 at port of Paranaguá, Br - Brazil, with views to perform the initial and final draft surveys, ascertaining the following figures:

1) PERSONS CONTACTED/ WITNESSES:

During the present survey, the following persons were contacted:

COAMO AGROINDUSTRIAL COOPERATIVA

Mr. João Ivano Marson

M/V "Far Eastern Mercury"

Mr. Chao Chen, the Master
Mr. Dingjie Li, the Chief Officer
Mr. Jiaqiang He, the Chief Engineer

AGÊNCIA MARITIMA CARGONAVE LTDA
(As Local Agents)

Mr. Renan Calixto
Mr. Rafael Nogueira
Mr. Lorrain Gabriel Florentino

AGÊNCIA MARITIMA CARGONAVE LTDA
(As Port Operators)

Mr. Azemir do Rosario
Mr. Willian Cordeiro

BRAZILIAN CUSTOMS SURVEYOR

Mr. Marcio Augusto Zanicoski de Araujo

STANDARD BRAZIL MARINE SURVEYS
& SERVICES LTDA.

Mr. José Antônio M. G. Pereira
the undersigned marine surveyor
Mr. Thiago Henrique Barbosa Verhagen



2) SHIP'S PARTICULARS:

Vessel: Far Eastern Mercury
 Call sign: VRGZ7
 Port of Register: Hong Kong
 Flag: Hong Konger
 IMO: 9442770
 LOA: 228,99
 LBP: 222,00
 Depth: 20,03
 Breadth: 32,26
 GRT: 43.158,0
 NRT: 27.291,0
 Classification: NKK, NS* (bulk Carrier)
 Light Ship: 11.271,0
 Summer deadweight/draft: 82509,00 on 14,42900 m

Shipyard: Tsuneishi Shipbuilding Company

Owners: Hai Sheng No. 24 (Tianjin) of BOBFL Co., Ltd.
 Operators: Tosco Keymax International Ship Management Co., Ltd.



3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF

Hold	Capacity (cub.ft.)	Cargo	Quantity loaded (t) Exp. Corridor	SF
no.1	430.313,0	SBMP	7.909,660	54,40
no.2	505.788,0	SBMP	9.190,505	55,03
no.3	502.511,0	SBMP	9.138,725	54,99
no.4	506.587,0	SBMP	9.204,625	55,04
no.5	503.158,0	SBMP	9.133,625	55,09
no.6	521.744,0	SBMP	9.477,780	55,05
no.7	462.026,0	SBMP	6.561,555	SLACK
Total	3.432.127,0		60.616,475	

4) SHIP'S APPROVED HYDROSTATIC AND TANKS SOUNDING TABLES:

Hydrostatic table: Issued by Tsuneishi Holdings Corporation
 on 25.01.2008, Dwg. No. 11202

Sounding table: Issued by Tsuneishi Holdings Corporation
 on 30.01.2008 Dwg. no. 13102 - 1/2 W



5) LOAD LINES

	FB (m)	Draught (m)	Displ. (t)	DWT (t)
Tropical Fresh Water:	5,023	15,063	95.886,0	84.615,0
Fresh Water:	5,323	14,763	93.780,0	82.509,0
Tropical:	5,357	14,729	95.836,0	84.565,0
Summer:	5,657	14,429	93.780,0	82.509,0
Winter:	5,957	14,129	91.674,0	80.403,0

6) INITIAL DRAUGHT SURVEY DETAILS:

Date: January 9th, 2026 from 11:15 until 13:30 hrs
 Place : Paranaguá, Br - Brazil (inner roads 9.2)
 Waves: 0,10 m
 Beaufort scale Wind force: 01
 Tide: Ebb tide, 1 Knot
 Weather: Fine

7) FINAL DRAUGHT SURVEY DETAILS:

Date: January 12th, 2026 from 9:30 until 12:00 hrs
 Place : Paranaguá, Br - Brazil (wharf 212)
 Waves: 0,25 m
 Beaufort scale Wind force: 01
 Tide: No tide flow
 Weather: Cloudy

8) CARGO PARTICULARS:

Cargo: Soybean meal pellets in bulk
 Port of Loading: Port of Paranaguá, Br - Brazil
 Port of Discharge: Brake - Germany
 Last cargo: Iron Ore in bulk
 Last Port: Singapore

Shore Scales Figures: 60.616,475 t

Draught Survey Figures: STANDARD BRAZIL: 60.633,120 t
 MASTER/ CHIEF OFFICER: 60.617,360 t
 CUSTOMS SURVEYOR : 60.656,763 t



M/V "Far Eastern Mercury"

IMO NO. 9442770 FLAG: Hong Konger BUILD: 2008

DRAUGHT SURVEY CERTIFICATE

PGUA/DS/009/26

	INITIAL SURVEY	FINAL SURVEY
	Inner roads 9.2	Wharf 212
	09.01.2026 - 11:30 h	12.01.2026 - 11:10 h
	0,10 m. waves	0,25 m. waves
	Wind force 01	Wind force 01
	Ebb tide, 1 Knot	No tide flow
	Weather: Fine	Weather: Cloudy
DRAUGHT	INITIAL	FINAL
Forward port	4,3700 m	11,3000 m
Forward starboard	4,5500 m	11,3200 m
Forward mean	4,4600 m	11,3100 m
Stem correction	-0,0418 m	-0,0096 m
Draught forward (corrected to fore perpendicular)	4,4182 m	11,3004 m
Midship port	5,2900 m	11,7500 m
Midship starboard	5,6200 m	11,6100 m
Midship mean	5,4550 m	11,6800 m
Midship correction	0,0000 m	0,0000 m
Draught midship (corrected to midship perpendicular)	5,4550 m	11,6800 m
Aft port	6,6100 m	11,8400 m
Aft starboard	6,6600 m	11,7800 m
Aft mean	6,6350 m	11,8100 m
Stern correction	0,1029 m	0,0237 m
Draught after (corrected to after perpendicular)	6,7379 m	11,8337 m
Kell correction	0,0000 m	0,0000 m
Means of means corrected:	5,4858 m	11,6518 m
True trim	BY STERN 2,32 m	BY STERN 0,53 m
Heel (angle & in cm)	S 001 ° 33,00 cm	P 000 ° 14,00 cm
Hull deflexion:	HOGGING 12,30 cm	SAGGING 11,30 cm
DISPLACEMENTS	INITIAL	FINAL
Displacement in salt water	33.373,7 t	74.384,1 t
First trim correction	-559,0 t	4,7 t
Second trim correction	25,0 t	2,0 t
Displacement corrected for trim	32.839,8 t	74.390,8 t
Water density	1,01900	1,01750
Displacement corrected for density	32.647,6 t	73.846,5 t
Deductibles (fresh water, oils, etc.)	20.905,9 t	1.444,2 t
Displacement corrected for deductibles	11.741,6 t	72.402,2 t
Light Ship	11.271,0 t	
Calculated constant	498,1 t	
Anchor + chain	27,5 t	0,0 t
Total cargo loaded on board as per draught survey		60633,1 t
Loading terminals: CO, .	TPC 63,9 t/cm	TPC 69,3 t/cm
Cargo: Soybean meal pellets in bulk	MTC +0.5 928,4 t*cm	MTC +0.5 1176,9 t*cm
Paranaguá, Br - Brazil. January 12th, 2026	MTC -0.5 907,7 t*cm	MTC -0.5 1145,0 t*cm
Total cargo loaded on board as per shore scales		60.616,475 t
Total cargo loaded on board as per draught survey		60.633,120 t
Surplus	16,645 t	0,03 %

Standard Brazil Marine Surveys & Services Ltda.

José Antonio Machado Gomes Pereira / Thiago Henrique Barbosa Verhagen

Licensed Marine Officer / Marine Surveyor / 375460MM

Master/Ch.Off: 60.617,360 t

0,885 t

0,00 %

Customs : 60.656,763 t

40,288 t

0,07 %

10) INITIAL BALLAST CONDITION:

Date / Time : 09.01.26 /

12:00 h

Trim: 2,32 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	24,21	0,27	6,53	-0,05	0,00	6,48	1004,00	1,023	1027,10
1 TS&BTM (P)	20,48	0,00	19,17	-0,12	0,00	19,05	1234,60	1,022	1261,80
1 TS&BTM (S)	20,47	0,00	18,40	-0,11	0,00	18,29	1138,40	1,022	1163,40
2 TS&BTM (P)	20,79	0,31	19,77	-0,15	0,00	19,62	1456,30	1,019	1484,00
2 TS&BTM (S)	21,12	0,32	19,91	-0,14	0,00	19,77	1491,30	1,019	1519,60
3 TS&BTM (P)	20,80	0,32	20,58	-0,33	0,00	20,25	3177,70	1,021	3244,40
3 TS&BTM (S)	20,98	0,33	20,19	-0,29	0,00	19,90	3048,30	1,021	3112,30
4 TS&BTM (P)	20,47	0,00	20,26	-0,30	0,00	19,96	2388,50	1,021	2438,70
4 TS&BTM (S)	20,47	0,00	19,90	-0,28	0,00	19,62	2234,00	1,021	2280,90
5 TS&BTM (P)	21,16	0,32	10,59	-0,02	0,00	10,57	589,40	1,021	601,80
5 TS&BTM (S)	21,17	0,32	9,11	-0,03	0,00	9,08	576,90	1,021	589,00
SLOP (P)	5,82	0,53	0,88	-0,04	0,00	0,84	6,60	1,000	6,60
A.PK	12,97	0,33	6,62	0,05	0,00	6,67	877,10	1,021	895,50
TOTAL							19223,10		19625,10

11) FINAL BALLAST CONDITION:

Date / Time : 12.01.26 /

09:55 h

Trim: 0,53 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	24,21	0,27	0,01			0,01	0,80	1,023	0,80
1 TS&BTM (P)	20,48	0,00	0,06			0,06	16,14	1,022	16,50
1 TS&BTM (S)	20,47	0,00	0,05			0,05	13,62	1,022	13,90
2 TS&BTM (P)	20,79	0,31	0,05			0,05	17,36	1,019	17,70
2 TS&BTM (S)	21,12	0,32	0,03			0,03	12,01	1,019	12,20
3 TS&BTM (P)	20,80	0,32	0,06			0,06	36,05	1,021	36,80
3 TS&BTM (S)	20,98	0,33	0,03			0,03	21,31	1,021	21,80
4 TS&BTM (P)	20,47	0,00	0,07			0,07	16,22	1,021	16,60
4 TS&BTM (S)	20,47	0,00	0,08			0,08	18,44	1,021	18,80
5 TS&BTM (P)	21,16	0,32	0,07			0,07	5,06	1,021	5,20
5 TS&BTM (S)	21,17	0,32	0,05			0,05	3,64	1,021	3,70
SLOP (P)	5,82	0,53	0,93			0,93	8,80	1,000	8,80
A.PK	12,97	0,33	0,27			0,27	1,60	1,021	1,60
TOTAL							171,05		174,40

Directly applied on
volume

12) INITIAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)				GAUGE			200,00	1,000	200,00
FWT (S)							180,00	1,000	180,00
TOTAL							380,00		380,00

13) FINAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)				GAUGE			200,00	1,000	200,00
FWT (S)							175,00	1,000	175,00
TOTAL							375,00		375,00

14) DEDUCTIBLES

	<u>INITIAL</u>	<u>FINAL</u>
INTERMEDIATE FUEL OIL	456,0 t	445,0 t
MARINE DIESEL OIL	444,8 t	444,8 t
LUBRICATING	K	K
FRESH WATER	380,0 t	375,0 t
BALLAST	19625,1 t	174,4 t
OTHERS	0,0 t	5,0 t
TOTAL	20905,9 t	1444,2 t



MV FAR EASTERN MERCURY

<https://standardbrazil.com.br/atendimentos/link?tag=PGUA/DS/004/26&tk=2502772825>


SHIP'S PARTICULARS

NAME OF SHIP: Far Eastern Mercury PREVIOUS NAME: Philippine express
 NATIONALITY: Hong Kong
 CALL SIGN: VRGZ7 OFFICIAL NUMBER: HK-2774
 I.M.O: 9442770 L.O.A.: 228.99 M
 L.B.P.: 222.54 M BREADTH (MOULDED): 32.26 M
 DEPTH (MOULDED): 20.03 M GROSS TONNAGE: 43,158
 LIGHT SHIP: 11,271 TONS NET TONNAGE: 27,291
 DEADWEIGHT SUMMER: 82,509 TONS SERVICE SPEED: 14.5 Kts
 PANAMA GT/NT: 43,158 / 35,636 SUEZ GT/NT: 44,488.56 / 41,492.10
 KIND OF SHIP: BULK CARRIER DATE OF DELIVERED: 29TH FEB. 2008
 DATE OF KEEL LAID: 22ND JUN. 2006 DATE OF LAUNCHED: 11TH JAN. 2008
 P & I CLUB: Swedish Club H/M UNDERWRITERS: COSCO SHENZHEN INSURANCE BROKERS LIMITED

PROPELLER DRAFT: 6.80M FRESH WATER ALLOWANCE: 334MM

MANAGERS: TOSCO KEYMAX International Ship Management Co., Ltd.

Add: No. 29, Zhejiang Road Tanggu, Binhai New District, Tianjin, China

Tel: (86)22 65705925 Fax: (86)22-65705968 DPA MP: +86 13512024694 E-mail: tkm.tj@coscoshipping.com

OWNER: HAI SHENG NO. 24 (TIANJIN) OF BOBFL CO., LTD. (Bareboat charterer: Yu Yuan International Shipping Limited)

Add: ROOM 202, NO. 6262, AUSTRALIA ROAD, DONGJIANG FREE TRADE PILOT ZONE, TIANJIN, THE PEOPLE'S REPUBLIC OF CHINA.

Tel: (86)22-66218918 Fax: (86)22-66218915 E-MAIL: tongxingfirst@yeah.net

E-Mail: dpa@chl-group.com MR Jiang Peng Tel: +8615822379244

SHIP'S COMMUNICATION:

VOIP: 008617499951111 (Priority, in bridge), 0086 17499951112 (Priority, in Master cabin)

INM-F TEL: 00870-773061819 (backup, in bridge) E-mail: fareasternmercury@ctmail.1749.cn

INM-C: Tlx: 447703028 MMSI: 477826500

CLASS: NS* (BULK CARRIER)

CLASSIFICATION: NIPPON KAIJI KYOKAI (NKK) (CLASS No.: 080844)

BUILDER: TSUNEISHI HOLDINGS CORPORATION

AIR DRAFT: BOTTOM TO MAST TOP: 52.88Mtrs TO No. 1 & 7 HATCH COVER TOP/MAST: 8.9Mtrs / 8.4Mtrs / 38.1Mtrs (laden)
 18.3Mtrs / 15.9Mtrs / 45.4Mtrs (economy ballast); 15.8Mtrs / 13.9Mtrs / 43.5Mtrs (full ballast) CONSTANT: 500MT

LOAD LINE	FREE BOARD		DRAFT (M)	DEADWEIGHT		DISPLACEMENT (MT)
	MARK	(M)		(MT)	(LT)	
SUMMER	(S)	5.657	14.429	82,509	81,206	93,780
WINTER	(W)	5.957	14.129	80,403	79,133	91,674
TROPICAL	(T)	5.357	14.729	84,615	83,279	95,886
TROPICAL (F.W)	(TF)	5.023	15.063	84,565	83,230	95,836
FRESH WATER	(F)	5.323	14.763	82,509	81,206	93,780

HOLD NO.	GRAIN CAPACITY	HATCH COVER	HATCH COAMING	HOLD DIMENSION	
				H X L X W(F/A)	FLOOR SPACE
1	12185.0M ³ / 430313 F ³	L14.50M, B14.02M, H0.88M	L14.24M, B13.78M, H1.14M	18.3M, 24.9M, 23.2M / 31.6M	F8.6M / A23.8M
2	14322.2M ³ / 505788 F ³	L18.06M, B15.62M, H0.88M	L17.80M, B15.38M, H1.16M	18.3M, 25.8M, 31.6M / 31.6M	F23.8M / A23.8M
3	14229.4M ³ / 502511 F ³	L18.06M, B15.62M, H0.88M	L17.80M, B15.38M, H1.16M	18.3M, 25.8M, 31.6M / 31.6M	F23.8M / A23.8M
4	14344.8M ³ / 506587 F ³	L18.06M, B15.62M, H0.88M	L17.80M, B15.38M, H1.16M	18.3M, 25.8M, 31.6M / 31.6M	F23.8M / A23.8M
5	14247.7M ³ / 503158 F ³	L18.06M, B15.62M, H0.88M	L17.80M, B15.38M, H1.16M	18.3M, 25.8M, 31.6M / 31.6M	F23.8M / A23.8M
6	14774.0M ³ / 521744 F ³	L18.06M, B15.62M, H0.88M	L17.80M, B15.38M, H1.16M	18.3M, 26.7M, 31.6M / 31.6M	F23.8M / A23.8M
7	13083.0M ³ / 462026 F ³	L18.06M, B15.62M, H0.88M	L17.80M, B15.38M, H1.16M	18.3M, 25.8M, 31.6M / 31.2M	F23.8M / A9.6M

GENERATOR TYPE: DAIHATSU 5DK-20 3SET X 400KW, 900RPM MAIN ENGINE TYPE: MAN-B&W 7S50MC(right)

MAIN ENGINE NORMAL: 8,820 KW x 109 RPM

MAIN ENGINE M.C.O 9,800 KW x 113 RPM

MAIN ENGINE AFTER EPL: 6867KW x 100.4RPM

HATCH COVER: TYPE: SIDE ROLLING STRENGTH: TANK TOP H2, 4, 6/20; H1, 3, 5, 7/29.8 (MT/M2)

TANK SPACE (IFO 380CST. 100%): FO: 2920.5M³ DO: 259.5M³ FW: 480MT BW: 22760.8 M3 (23327MT) BW: 37186.2 M3 (38113MT)

ANCHORS: 2 set of 7425kg each, AC-14 HHP ANCHORE, 12 shackles each, 330m each

IMO CREW LIST

				Arr		Dep	Page no		1/1
1. Name of ship FAR EASTERN MERCURY				2. Port of Call PARANAGUA, BRAZIL			3. Date 5-Jan-26		
4. Nationality of ship HONG KONG				5. Port of From SINGAPORE			6. Nature and No. of identity document		
7.NO.	8. Family name, given names	9. Rank	10. Date and place of birth	11. Nationality	12. GENDER	13. Embarking Date & Place	Passport No. and date of expiry	Seamanbook No. Date of expiry	
01	CHEN CHAO 陈超	CAPT	5-Nov-81 LIAONING	CHINESE	M	5-Sep-25 PORT SAID/EGYPT	ED4259043 28-Jun-28	A90419998 22-Apr-29	
02	LI DINGJIE 李定阶	C/O	6-Jun-91 HUBEI	CHINESE	M	10-Nov-25 ZHOU SHAN/CHINA	EJ3479455 19-Dec-31	A90180783 9-Dec-26	
03	LI SHENJIE 李沈杰	2/O	16-Feb-92 SHANDONG	CHINESE	M	27-Oct-25 HUANGHUA/ CHINA	EL5133734 19-Dec-33	A90362754 16-Aug-28	
04	ZUO ZHENG 佐政	3/O	8-May-94 JILIN	CHINESE	M	5-Nov-25 ZHOU SHAN/CHINA	ED3891317 4-Jun-28	A90334569 16-May-28	
05	HE JIAQIANG 何佳强	C/E	26-Apr-84 HEILONGJIANG	CHINESE	M	5-Sep-25 PORT SAID/EGYPT	EE9533737 26-Dec-28	A90341630 8-Jun-28	
06	ZHONG MING 钟鸣	2/E	22-Sep-79 LIAONING	CHINESE	M	5-Nov-25 ZHOU SHAN/CHINA	EJ2418740 23-Sep-30	A90295441 12-Jan-28	
07	XU LINGDONG 徐令东	3/E	22-Jul-95 LIAONING	CHINESE	M	5-Nov-25 ZHOU SHAN/CHINA	EQ4210510 9-Sep-35	A90509506 22-May-30	
08	LIU HAIYANG 刘海洋	4/E	12-Apr-90 ANHUI	CHINESE	M	5-Sep-25 PORT SAID/EGYPT	EJ3618582 19-Sep-32	A90516094 5-Sep-27	
09	JIA LEI 贾雷	WPR	9-Mar-71 LIAONING	CHINESE	M	5-Nov-25 ZHOU SHAN/CHINA	EK9150093 15-Aug-33	A90349194 4-Jul-28	
10	CHEN CHEN 陈晨	BSN	11-Jan-93 HEBEI	CHINESE	M	5-Sep-25 PORT SAID/EGYPT	EK8495270 3-Aug-33	A90402077 25-Jan-29	
11	XIE SHIGE 解世革	CARP	22-Sep-72 SHANDONG	CHINESE	M	5-Nov-25 ZHOU SHAN/CHINA	EQ7568380 23-Oct-35	A90471089 16-Dec-29	
12	JIAO YINGJIE 焦英杰	AB/A	9-Mar-85 HEBEI	CHINESE	M	5-Sep-25 PORT SAID/EGYPT	EJ1796896 16-Nov-30	A90499784 14-Apr-30	
13	WANG HANBING 王瀚冰	AB/B	1-Jun-00 HEBEI	CHINESE	M	6-Nov-25 ZHOU SHAN/CHINA	EN7059541 24-Nov-34	A90466901 25-Nov-29	
14	ZHANG JINYI 张金翼	AB/C	15-Jul-98 LIAONING	CHINESE	M	27-Oct-25 HUANGHUA/ CHINA	EH2093858 18-Aug-29	A90402072 25-Jan-29	
15	LYU SHUQING 吕淑庆	H/OLR	1-Mar-82 HEBEI	CHINESE	M	27-Oct-25 HUANGHUA/ CHINA	EG4406530 3-Jun-29	A90378181 17-Oct-28	
16	WANG LIQIANG 王利强	OLR/A	7-Sep-76 HEBEI	CHINESE	M	27-Oct-25 HUANGHUA/ CHINA	EN8868068 29-Dec-34	A90159384 26-Sep-26	
17	LI JIANG 李江	OLR/B	8-Jan-75 LIAONING	CHINESE	M	5-Sep-25 PORT SAID/EGYPT	EJ5953044 30-Jun-32	A90241928 22-Jul-27	
18	LIU QINGSONG 刘青松	OLR/C	9-Dec-99 LIAONING	CHINESE	M	27-Oct-25 HUANGHUA/ CHINA	EE3548465 9-Oct-28	A90348040 30-Jun-28	
19	LI CHANGYU 李长玉	C/CK	3-Oct-83 SHANDONG	CHINESE	M	10-Nov-25 ZHOU SHAN/ CHINA	EJ5445460 6-Mar-32	A90484341 18-Feb-30	
20	XU YUEXUAN 徐跃轩	DCDT	12-Mar-07 HEILONGJIANG	CHINESE	M	27-Oct-25 HUANGHUA/ CHINA	EN8616566 30-Dec-34	A90523635 11-Jul-30	
21	WANG LEI 王磊	DCDT	8-Mar-05 SHANDONG	CHINESE	M	17-Nov-25 ZHOU SHAN/ CHINA	EP1678107 4-Feb-35	A90478911 23-Jan-30	

14. Date and signature by master, authorised agent or officer

MASTER: CHEN CHAO



PRE-STOWAGE PLAN

M/V

FAR EASTERN MERCURY


VOY No

2506

DATE :

DWT (SSW)	DRAFT (FW)	TPC	Cargo(es)	S/F	Ballast pumping rate	Last Cargo
62759	11.9	69.46MT	SBM	55.88	1100m ³ /Hr X 2 PUMP	IRON ORE

PORT		Draft(M)	Fwd	Mid	Aft	Density	GM(M)	Air Draft	BM(%)	SF(%)
Load Port	PARANAGUA	Dep	11.32	11.65	12.10	1.018	1.72	11.8	-23.28	14.07
Lowest depth point		Arr.								
Disch. Port	BRAKE	Arr.	11.90	11.90	11.90	1.000	1.65	11.2	-14.79	10.26
		Dep								



Based on: ARR
BRKE 11.9M SW-1.000-
DISP:74030

CALCULATION	
DISPLACEMENT=	74030.0
LIGHTSHIP=	11271
DEADWEIGHT=	62759.0
VLSFO=	61
LSMGO=	390
LUB OIL=	58
CONS=	500
FW=	400
BW=	850
SAG/HOG=	0
CARGO QTTY=	60500.0

CARGO QUANTITY :

60,500.00

MT
MT
MT
MT

TOTAL CARGO QUANTITY :

60,500.00

REMARK:

Terminal Representative

Chief Officer: LI DINGJIE

Master: CHEN CHAO

LOADING/UNLOADING PLAN

LOADING / UNLOADING PLAN			1	Date: 19/12/2025	Vessel:	M.V "FAR EASTERN MERCURY"			Voyage No.	V2506					
Version No.															
Load / Unload Port			PARANAGUA/BRAZIL		Cargo(es): Soybean Meal	Assumed Stowage factor of cargo(es)	55.0 CF T	Ballast pumping rate:	1100 x 2set=2200T/Hours	Dock water densi	1.016-1.020	Max draught available(HW)	13.1	Max air draught in berth(to hatch coaming)	18.00
To / From Port			BRAKE/GERMEANY		Last Cargo: IRON ORE	No. of loader/ discharger	2	Load/discharge rate	1400 MT/PER HOUR	Min draught available	13.1	Max sailing/ arrival draught	12.00		
Tonnes	E/R	NO.7		NO.6		NO.5		NO.4		NO.3		NO.2		NO.1	
		Soybean Meal		Soybean Meal		Soybean Meal		Soybean Meal		Soybean Meal		Soybean Meal		Soybean Meal	
		6550 MT		9480 MT		9140 MT		9200 MT		9120 MT		9190 MT		7820 MT	
		77%		100%		100%		100%		100%		100%		100%	

Totals: **60500.000**

Pour No	Cargo		Ballast operations	Time require d (hours)	Comments	Calculated values				Calculated values			Observes value			Signed OOW
	Hold No.	Tonnes				Draught(m)		Maximum		Air draught to hatch coaming	Draught mid (m)	Trim (m)	Draught			
						Fwd	Aft	SF(%)	BM(%)				Fwd	Aft	Mid	
					ARR SEA CONDITION	4.50	6.70	38	51	18.00	5.59	2.23				
1	2	5000	PO NO.1 TO EMPTY	2.0												
	5	5000				5.30	8.15	33	44	17.40	6.78	2.85				
2	1	5000	PO ,NO.2 , NO.3 TO EMPTY	9.0												
	6	5000				4.82	8.93	-57	73	17.80	6.87	4.11				
3	3	5000	PO NO.4 .NO.5 FPR TO EMPTY	9.0												
	7	5000				5.03	9.65	-43	63	17.50	7.34	4.62				
4	2	4190	STRIPPING	4.0												
	4	5000				7.75	9.55	-38	41	15.10	8.65	1.79				
5	4	4200														
	6	4480				8.24	11.66	-22	22	14.50	9.95	3.43				
6	3	4120	PO APT TO EMPTY	2.0												
	5	4140				10.00	12.00	29	-48	12.80	11.02	1.96				
7	1	2220														
	7	1050				11.08	11.95	-15	-28	11.90	11.49	0.88				
INTERMEDIATE DRAFT CHECK TRIMMING HOLD																
15	1	600	TRIMMING													
	7	500	TRIMMING		SEA GOING CONDITION	11.32	12.10	14	-23	11.70	11.65	0.73				
					Sea condition											
TOTAL		60500.00		26.0												

NO DEVIATION FROM ABOVE PLAN WITHOUT PRIOR APPROVAL OF CHIEF MATE
Pours to numbered 1A, 1B, 2A, 2B, etc. when using two loaders.
Abbreviations : PI= Pump In GI= Graviate In F= Full PO= Pump Out
GO= Graviate Out EMT= Empty
All entries the box must be completed as far as possible. The entries outside the box are optional.

Signed Terminal:

Signed Master:

Signed CO :

2/O

3/O

*Bending moments (BM) shear forces (SF) are to be expressed as a percentage of maximum permitted in-port values for intermediate stages, and of maximum permitted at-see values for the final stage. Every step in the loading/unloading plan must remain within the allowable limits for hull girder shear forces, bending moments and tonnage per hold, where applicable. Loading/unloading operations may have to be paused to allow for ballasting/ deballasting in order to keep actual values within limits.

M/V "Far Eastern Mercury"

IMO NO. 9442770 FLAG: Hong Konger BUILD: 2008

DRAUGHT SURVEY CERTIFICATE

PGUA/DS/004/26

	INITIAL SURVEY		FINAL SURVEY	
	Inner roads 9.2		Wharf 212	
	09.01.2026 - 11:30 h		12.01.2026 - 11:10 h	
	0,10 m. waves		0,25 m. waves	
	Wind force 01		Wind force 01	
	Ebb tide, 1 Knot		No tide flow	
	Weather: Fine		Weather: Cloudy	
DRAUGHT	INITIAL		FINAL	
Forward port	4,3700 m		11,3000 m	
Forward starboard	4,5500 m		11,3200 m	
Forward mean	4,4600 m		11,3100 m	
Stem correction	-0,0418 m		-0,0096 m	
Draught forward (corrected to fore perpendicular)	4,4182 m		11,3004 m	
Midship port	5,2900 m		11,7500 m	
Midship starboard	5,6200 m		11,6100 m	
Midship mean	5,4550 m		11,6800 m	
Midship correction	0,0000 m		0,0000 m	
Draught midship (corrected to midship perpendicular)	5,4550 m		11,6800 m	
Aft port	6,6100 m		11,8400 m	
Aft starboard	6,6600 m		11,7800 m	
Aft mean	6,6350 m		11,8100 m	
Stern correction	0,1029 m		0,0237 m	
Draught after (corrected to after perpendicular)	6,7379 m		11,8337 m	
Kell correction	0,0000 m		0,0000 m	
Means of means corrected:	5,4858 m		11,6518 m	
True trim				
Heel (angle & in cm)	BY STERN	2,32 m	BY STERN	0,53 m
Hull deflexion:	S 001 °	33,00 cm	P 000 °	14,00 cm
	HOGGING	12,30 cm	SAGGING	11,30 cm
DISPLACEMENTS	INITIAL		FINAL	
Displacement in salt water	33.373,7 t		74.384,1 t	
First trim correction	-559,0 t		4,7 t	
Second trim correction	25,0 t		2,0 t	
Displacement corrected for trim	32.839,8 t		74.390,8 t	
Water density	1,01900		1,01750	
Displacement corrected for density	32.647,6 t		73.846,5 t	
Deductibles (fresh water, oils, etc.)	20.905,9 t		1.444,2 t	
Displacement corrected for deductibles	11.741,6 t		72.402,2 t	
Light Ship	11.271,0 t			
Calculated constant	498,1 t			
Anchor + chain	27,5 t		0,0 t	
Total cargo loaded on board as per draught survey			60633,1 t	
Loading terminals: CO, .				
Cargo: Soybean meal pellets in bulk	TPC	63,9 t/cm	TPC	69,3 t/cm
Paranaguá, Br - Brazil. January 12th, 2026	MTC +0.5	928,4 t*cm	MTC +0.5	1176,9 t*cm
	MTC -0.5	907,7 t*cm	MTC -0.5	1145,0 t*cm
Total cargo loaded on board as per shore scales			60.616,475 t	
Total cargo loaded on board as per draught survey			60.633,120 t	
Surplus	16,645 t		0,03 %	

Standard Brazil Marine Surveys & Services Ltda.

José Antonio Machado Gomes Pereira / Thiago Henrique Barbosa Verhagen
Licensed Marine Officer / Marine Surveyor / 375460MM

Master/Ch.Off: 60.617,360 t 0,885 t 0,00 %
Customs: 60.656,763 t 40,288 t 0,07 %

Master/Ch.Off:



CARGONAVE

STOWAGE PLAN

M/V " FAR EASTERN MERCURY "
HONG KONG - FLAG

PORT OF : PARANAGUÁ, BRAZIL
DATE : JANUARY 12TH, 2.026.

	7	6	5	4	3	2	1
	6.561.555 MT	9.477.780 MT	9.133.625 MT	9.204.625 MT	9.138.725 MT	9.190.505 MT	7.909.660 MT
	BRAZILIAN SOYABEAN MEAL SOLVENT IN BULK	BRAZILIAN SOYABEAN MEAL SOLVENT IN BULK	BRAZILIAN SOYABEAN MEAL SOLVENT IN BULK	BRAZILIAN SOYABEAN MEAL SOLVENT IN BULK	BRAZILIAN SOYABEAN MEAL SOLVENT IN BULK	BRAZILIAN SOYABEAN MEAL SOLVENT IN BULK	BRAZILIAN SOYABEAN MEAL SOLVENT IN BULK
	SLACK	FULL	FULL	FULL	FULL	FULL	FULL
CUBIC FEET	462.026	521.744	503.158	506.587	502.511	505.788	430.313
ST. FACTOR		55,05	55,09	55,04	54,99	55,03	54,40

TOTAL CARGO LOADED: 60.616.475 MT OF BRAZILIAN SOYABEAN MEAL SOLVENT EXTRACTED TOASTED, COAMO PRODUCTION, IN BULK
/// AVERAGE S/F 54,93 CBT / MT



AGENCIA MARITIMA CARGONAVE LTDA.
Avenida Gabriel de Lara, 1.040
Paranagua - PR - Brazil
83.203-550
E-Mail : cargonave@cargonave.com.br



NAVIO:	Far Eastern Mercury
AGÊNCIA:	AGÊNCIA MARITIMA CARGONAVE LTDA
OPERADOR:	AGÊNCIA MARITIMA CARGONAVE LTDA
DATA EMBARQUE:	12.01.2026
PESO TERRA:	60.616,475
PESO BORDO:	60.633,120
VARIAÇÃO:	16,645
PERCENTUAL:	0,03%
Entrar na estatística	Sim

PORÃO	1	2	3	4	5	6	7	TOTAL
PRODUTO	SBMP	SBMP	SBMP	SBMP	SBMP	SBMP	SBMP	
AGTL								0,000
CARGILL								0,000
CENTRO SUL								0,000
CIMBESSUL								0,000
COAMO	7.909,660	9.190,505	9.138,725	9.204,625	9.133,625	9.477,780	6.561,555	60.616,475
CORREDOR - V								0,000
CORREDOR - H								0,000
COTRIGUAÇU								0,000
INTERALLI								0,000
DREYFUS								0,000
ROCHA								0,000
TOTAL	7.909,660	9.190,505	9.138,725	9.204,625	9.133,625	9.477,780	6.561,555	60.616,475
CUBAGEM	430.313	505.788	502.511	506.587	503.158	521.744	462.026	
FATOR DE ESTIVA	54,40	55,03	54,99	55,04	55,09	55,05	70,41	
CONDIÇÃO PORÃO	FULL	FULL	FULL	FULL	FULL	FULL	SLACK	

Observações: