

MV "Serifos"

DRAUGHT SURVEY REPORT

PGUA/DS/011/26

CONTENTS	PAGE
1) PERSONS CONTACTED/ WITNESSES:	02
2) SHIP'S PARTICULARS	03
3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF	03
4) SHIP'S HYDROSTATIC AND TANKS SOUNDING TABLES:	03
5) LOAD LINES	04
6) INITIAL DRAUGHT SURVEY DETAILS	04
7) FINAL DRAUGHT SURVEY DETAILS	04
8) CARGO PARTICULARS	04
9) DRAUGHT SURVEY CERTIFICATE	05
10) INITIAL BALLAST CONDITION	06
11) FINAL BALLAST CONDITION	06
12) INITIAL FRESH WATER CONDITION	07
13) FINAL FRESH WATER CONDITION	07
14) CONSUMABLES / OILS	07

ANNEXES

- SHIP'S PARTICULARS;
- CREW LIST;
- PRE-STOWAGE PLAN;
- LOADING SEQUENCE;
- DRAUGHT SURVEY CERTIFICATE
- BUNKER DELIVERY NOTE
- FINAL CARGO PLAN;
- DETAILED CARGO PLAN PER LOADING TERMINAL;
- LINK TO THE DIGITAL DOCUMENTATION, PHOTOGRAPHS AND VIDEOS;



MV "Serifos"

PGUA/DS/011/26
DRAUGHT SURVEY REPORT

THIS IS TO CERTIFY THAT the undersigned marine surveyor did, in compliance with instructions received from:

Messrs. AGTL - Armazéns Gerais Terminal Ltda., Messrs. Cimbessul Terminal Portuario S/A, Messrs. Cotriguaçu Cooperativa Central Regional Iguaçu Ltda., Messrs. Interalli Administração e Participações S.A., Messrs. ALTP .

Attend on board the referenced vessel on January 12th, 2026 from 15:30 until 17:30 hours, whilst she was anchored at inner roads area 9,2, and on January 15th, 2026 from 17:10 until 18:45 hours, whilst she was berthed alongside wharf 212 at port of Paranaguá, Br - Brazil, with views to perform the initial and final draft surveys, ascertaining the following figures:

1) PERSONS CONTACTED/ WITNESSES:

During the present survey, the following persons were contacted:

MV "Serifos"

Mr. Raymund Suarez, the Master
Mr. Dexter Ebalan, the Chief Officer
Mr. Nelson Duyag, the Chief Engineer

WILLIAMS SERVIÇOS MARÍTIMOS LTDA.
(As Local Agents)

Mr. Bruno Felipe da Costa Barbosa

TIBAGI SERVIÇOS MARÍTIMOS LTDA.
(As Port Operators)

Mr. Antonio Celso Silva
Mr. João Victor Lacerda

VAN HERP & FRUMENTO
(As Owners P&I surveyors)

Mr. João Helio Frumento Filho
Mr. Abilio Abreu

BRAZILIAN CUSTOMS SURVEYOR

Mr. Iranor Norberto Jamnik Filho

STANDARD BRAZIL MARINE SURVEYS
& SERVICES LTDA.

Mr. José Antônio M. G. Pereira
the undersigned marine surveyor
Mr. Haroldo Fernandes Alves Junior



2) SHIP'S PARTICULARS:

Vessel: Serifos
 Call sign: V7A6033
 Port of Register: Majuro
 Flag: Marshallese
 IMO: 9710141
 LOA: 229,00
 LBP: 226,15
 Depth: 20,00
 Breadth: 32,26
 GRT: 43.229,0
 NRT: 27.278,0
 Classification: LRS: +100A1 Bulk Carrier, CSR, BC-A, Holds 2, 4, 6 may be empty, GRAB[20], ESP, ShipRight, (CM, ACS(B)), *IWS, LI, +LMC, UMS
 Light Ship: 12.503,0
 Summer deadweight/draft: 81086,00 on 14,47500 m
 Shipyard: JMU Japan Marine United Corporation - Tsu Shipyard
 Owners: Marty Owning Company Limited
 Operators: TMS-DRY Limited - Greece

3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF

Hold	Capacity (cub.ft.)	Cargo	Quantity loaded (t) Exp. Corridor	SF
no.1	465.270,0	Soybeans	9.593,778	48,50
no.2	498.960,0	Soybeans	9.540,816	SLACK
no.3	499.031,0	Soybeans	10.309,082	48,41
no.4	477.136,0	Soybeans	9.867,085	48,36
no.5	498.254,0	Soybeans	10.290,085	48,42
no.6	497.018,0	Soybeans	9.273,840	SLACK
no.7	460.220,0	Soybeans	9.517,315	48,36
Total	3.395.889,0		68.392,001	

4)SHIP'S APPROVED HYDROSTATIC AND TANKS SOUNDING TABLES:

Hydrostatic table: Issued by JMU Japan Marine United Corporation
 on 29.09.2015, Dwg. No. 1033200
 Approved by LRS on 07.12.2015

Sounding table: Issued by JMU Japan Marine United Corporation
 on 08.08.2015 Dwg. no. 1033074

5) LOAD LINES

	FB (m)	Draught (m)	Displ. (t)	DWT (t)
Tropical Fresh Water:	4,943	15,106	95.678,0	83.175,0
Fresh Water:	5,244	14,815	93.592,0	81.089,0
Tropical:	5,273	14,776	95.726,0	83.223,0
Summer:	5,574	14,475	93.589,0	81.086,0
Winter:	5,875	14,174	91.454,0	78.951,0

6) INITIAL DRAUGHT SURVEY DETAILS:

Date:	January 12th, 2026 from 15:30 until 17:30 hrs
Place :	Paranaguá, Br - Brazil (inner roads 9.2)
Waves:	0,10 m
Beaufort scale Wind force:	02
Tide:	Ebb tide, < 1knot
Weather:	Rainy

7) FINAL DRAUGHT SURVEY DETAILS:

Date:	January 15th, 2026 from 17:10 until 18:45 hrs
Place :	Paranaguá, Br - Brazil (wharf 212)
Waves:	0,10 m
Beaufort scale Wind force:	01
Tide:	Ebb tide, 1 knot
Weather:	Fine

8) CARGO PARTICULARS:

Cargo:	Soybeans in bulk
Port of Loading:	Port of Paranaguá, Br - Brazil
Port of Discharge:	One China Port
Last cargo:	Coal in bulk
Last Port:	Port Dickson, Malaysia

Shore Scales Figures: 68.392,001 t

Draught Survey Figures:

STANDARD BRAZIL:	68.436,500	t
MASTER/ CHIEF OFFICER:	68.479,000	t
CUSTOMS SURVEYOR :	68.531,153	t
OWNERS P&I SURVEYOR:	68.393,754	t



MV "Serifos"	INITIAL SURVEY		FINAL SURVEY	
	Inner roads 9.2		Wharf 212	
	12.01.2026 - 15:35 h		15.01.2026 - 17:45 h	
	0,10 m. waves		0,10 m. waves	
IMO NO. 9710141 FLAG: Marshallese BUILD: 2015	Wind force 02		Wind force 01	
DRAUGHT SURVEY CERTIFICATE	Ebb tide, < 1knot		Ebb tide, 1 knot	
PGUA/DS/011/26	Weather: Rainy		Weather: Fine	
DRAUGHT	INITIAL		FINAL	
Forward port	5,0500 m		13,0200 m	
Forward starboard	5,0100 m		13,0200 m	
Forward mean	5,0300 m		13,0200 m	
Stem correction	-0,1029 m		-0,0015 m	
Draught forward (corrected to fore perpendicular)	4,9271 m		13,0185 m	
Midship port	6,0400 m		13,0900 m	
Midship starboard	5,9500 m		13,0800 m	
Midship mean	5,9950 m		13,0850 m	
Midship correction	0,0000 m		-0,0001 m	
Draught midship (corrected to midship perpendicular)	5,9950 m		13,0849 m	
Aft port	7,1500 m		13,0500 m	
Aft starboard	7,1500 m		13,0500 m	
Aft mean	7,1500 m		13,0500 m	
Stern correction	0,1039 m		0,0015 m	
Draught after (corrected to after perpendicular)	7,2539 m		13,0515 m	
Kell correction	0,0000 m		0,0000 m	
Waterplane coefficient correction for hull deflexion	0,0096 m		-0,0071 m	
Means of means corrected for deflexion:	6,0284 m		13,0654 m	
True trim	BY STERN	2,33 m	BY STERN	0,03 m
Heel (angle & in cm)	P 000 °	9,00 cm	P 000 °	1,00 cm
Hull deflexion:	HOGGING	9,55 cm	SAGGING	4,99 cm
DISPLACEMENTS	INITIAL		FINAL	
Displacement in salt water	36.001,4 t		83.609,5 t	
First trim correction	-451,3 t		2,1 t	
Second trim correction	39,5 t		0,0 t	
Displacement corrected for trim	35.589,6 t		83.611,7 t	
Water density	1,01700		1,01750	
Displacement corrected for density	35.311,8 t		82.999,9 t	
Deductibles (fresh water, oils, etc.)	22.494,9 t		1.722,5 t	
Displacement corrected for deductibles	12.817,0 t		81.277,4 t	
Light Ship	12.503,0 t			
Calculated constant	337,9 t			
Anchor + chain	23,9 t		0,0 t	
Total cargo loaded on board as per draught survey			68436,5 t	
Loading terminals: AG, CB, CT, IT, AP, .	TPC	64,3 t/cm	TPC	70,6 t/cm
Cargo: Soybeans in bulk	MTC +0.5	931,5 t*cm	MTC +0.5	1209,8 t*cm
Paranaguá, Br - Brazil. January 15th, 2026	MTC -0.5	898,4 t*cm	MTC -0.5	1189,2 t*cm
Total cargo loaded on board as per shore scales			68.392,001 t	
Total cargo loaded on board as per draught survey			68.436,500 t	
Surplus	44,499 t		0,07 %	

Remarks: 1) Due to huge hull deflexion in hogging on initial draft survey, it was applied the waterplane area coefficient correction for the deflexion formula as per UN/ECE/Energy/19/1992. 2) According to the Master/Chief Officer usual constant would amount to 350 t.

Standard Brazil Marine Surveys & Services Ltda.
 José Antonio Machado Gomes Pereira / Haroldo Fernandes Alves Junior
 Licensed Marine Officer / Marine Surveyor / 375460MM

Master/Ch. Off: 68.479,000 t 86,999 t 0,13 %
 Customs : 68.531,153 t 139,152 t 0,20 %
 Owners P&I: 68.393,754 t 1,753 t 0,00 %

10) INITIAL BALLAST CONDITION:

Date / Time : 12.01.26 /

16:10 h

Trim: 2,33 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	21,16	0,31	8,64	-0,04	0,00	8,60	943,20	1,017	959,20
1 DB (P)	20,92	0,28	20,24	-0,12	0,01	20,13	1395,20	1,017	1418,90
1 DB (S)	20,92	0,29	20,49	-0,12	-0,01	20,37	1422,68	1,017	1446,90
2 DB (P)	20,92	0,29	20,57	-0,14	0,01	20,43	1587,66	1,017	1614,60
2 DB (S)	20,93	0,30	20,65	-0,14	-0,01	20,50	1590,00	1,017	1617,00
3 DB (P)	20,92	0,28	20,54	-0,26	0,01	20,29	3077,19	1,018	3132,60
3 DB (S)	20,92	0,27	20,54	-0,26	-0,01	20,27	3089,97	1,016	3139,40
4 DB (P)	20,84	0,30	20,57	-0,27	0,01	20,31	2486,59	1,017	2528,90
4 DB (S)	20,85	0,30	20,54	-0,27	-0,07	20,21	2466,31	1,017	2508,20
5 DB (P)	20,94	0,28	20,57	-0,13	0,01	20,44	1305,96	1,017	1328,20
5 DB (S)	20,94	0,30	21,02	-0,13	-0,01	20,88	1314,60	1,017	1336,90
A.PK	13,39	0,28	4,45	0,05	0,00	4,50	341,10	1,015	346,20
TOTAL							21020,46		21377,00

11) FINAL BALLAST CONDITION:

Date / Time : 15.01.26 /

17:15 h

Trim: 0,03 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	21,16	0,31	0,15			0,15	1,40	1,017	1,40
1 DB (P)	20,92	0,28	0,00			0,00	9,10	1,017	9,30
1 DB (S)	20,92	0,29	0,00			0,00	9,10	1,017	9,30
2 DB (P)	20,92	0,29	0,00			0,00	11,30	1,017	11,50
2 DB (S)	20,93	0,30	0,00			0,00	11,30	1,017	11,50
3 DB (P)	20,92	0,28	0,00	Directly applied on volume		0,00	21,40	1,018	21,80
3 DB (S)	20,92	0,27	0,00			0,00	21,70	1,016	22,00
4 DB (P)	20,84	0,30	0,00			0,00	9,50	1,017	9,70
4 DB (S)	20,85	0,30	0,00			0,00	9,50	1,017	9,70
5 DB (P)	20,94	0,28	0,00			0,00	0,70	1,017	0,70
5 DB (S)	20,94	0,30	0,00			0,00	0,70	1,017	0,70
A.PK	13,39	0,28	4,70			4,70	378,80	1,015	384,50
TOTAL							484,50		492,10

12) INITIAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)				GAUGE			60,00	1,000	60,00
FWT (S)							124,00	1,000	124,00
TOTAL							184,00		184,00

13) FINAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)				GAUGE			60,00	1,000	60,00
FWT (S)							104,00	1,000	104,00
TOTAL							164,00		164,00

14) DEDUCTIBLES

	<u>INITIAL</u>	<u>FINAL</u>
INTERMEDIATE FUEL OIL	832,5 t	965,7 t
MARINE DIESEL OIL	101,3 t	100,7 t
LUBRICATING	K	K
FRESH WATER	184,0 t	164,0 t
BALLAST	21377,0 t	492,1 t
OTHERS	0,0 t	0,0 t
TOTAL	22494,9 t	1722,5 t

MV SERIFOS
Port of registry : MAJURO

VSAT 1 TEL: +302111997058
 VSAT 2 TEL: 4724037054 / 4724037055
 INM-C TLX: 453852671 / 453852672
 E-MAIL : serifos@gtships.com

SHIP'S PARTICULARS

SHIP'S NAME	M/V SERIFOS	NATIONALITY : MARSHALL ISLAND
PORT OF REGISTRY:	MAJURO	
OFFICIAL NUMBER	10435	
CALL SIGN :	V7A6033	MMSI : 538010435
IMO NUMBER	9710141	
CLASS	LR	
P+I CLUB	GARD	
OWNERS	MARTY OWNING COMPANY LIMITED	
OPERATORS	TMS-DRY LTD, MAROUSSI ATHENS, GREECE	
	TEL : +30 2103441600 FAX: +30 2103441655	E-MAIL: operation@tms-dry.com
BUILDER	TSU SHIPYARD, JAPAN	
KEEL LAID	26/11/2013	LAUNCHED : 26/06/2015 DELIVERED : 16/10/2015
GROSS TONNAGE	43229	
NET TONNAGE	27278	
REGISTERED LENGTH		
L.O.A	229	BREADTH : 32.26 M DEPTH : 20.00 M extreme
L.B.P	226.15 M	
T P C	70.98 MT	F.W.A : 330 mm
LIGHT SHIP	12503	
HEIGH KEEL - TOP OF MAST	50.35 M	
KEEL - TOP OF H-COVER	No.1: 22.98 M, No.4: 22.98 M, No.7 : 22.98 M	
STRENGTH LOAD (tanktop)	C/H 1-3-5-7 : 27.94 t/m2 ; C/H 2-4-6 : 17.947 t/m2	
STRENGTH LOAD H-COVERS	No.1-3.79 MT/SQM - No.2- 4.04 MT/SQM - No.3-5-6-7 3.44MT/SQM - No 4-3.60 MT/SQM	
STRENGTH LOAD DECK	N/A	
H/ COVERS DIMENSIONS	No.1: 16.72 m x 15.30 m, No.2-3-4-5-6-7: 17.60 m x 15.30 m	
BALLAST PUMPS	1100 CUBIC METRES / HOUR x 2 PUMPS	
STRIPPING EDUCTOR	200 CUBIC METRES / HOUR 1 SET	
BALLAST CAPACITY	21758 CBM	C/H NO.4 BALLAST CAPACITY : 13575 CBM
FW CAPACITY	458 MT	
H.F.O CAPACITY	IFO 1779 CBM (100%) 1061 CBM (90%) ; MDO 442 CBM (100%) 398 CBM (90%)	
MAIN ENGINE	MITSUI - MAN B&W 6S60ME-C8.2 / 8880 kW	
	NCR (normal continuous rating) 7100 KW at 80.3 RPM	
GENERATORS	Maker : Yanmar Co., Ltd / 6EY18ALW 3x500 kW	
PANAMA CANAL	NET : 35698 SIN : 6015520	
SUEZ CANAL	GROSS : 44480.09 NET : 40440.21 SCID : 48015	

HOLDS CAPACITY			DEADWEIGHT PARTICULARS					
HOLD No.	CUB.MTRS	CUB.FT		MARK	FREEBOARD	DRAFT	DISPL.	DWT
HOLD No.1	13175.00	465270.78	Trop.fresh	TF	4.943	15.106	95678	83.175
HOLD No.2	14129.00	498960.97	Fresh water	F	5.244	14.805	93592	81.089
HOLD No.3	14131.00	499031.60	Tropical	T	5.273	14.776	95726	83.223
HOLD No.4	13511.00	477136.51	Summer	S	5.574	14.475	93589	81.086
HOLD No.5	14109.00	498254.68	Winter	W	5.875	14.174	91454	78.951
HOLD No.6	14074.00	497018.67						
HOLD No.7	13072.00	460220.70						
	96201.00	3395893.90						



CAPT. CRUZ RAYMUND S.
 MASTER MV SERIFOS



IMO CREW LIST

Page No.
1

☒ Arrival		☐ Departure										
1. Name of ship: M/V "SERIFOS"		2. Port of Arrival: PARANAGUA, BRAZIL		3. Date of Arrival: 03-Jan-26		IMO NO: 9710141		Call Sign: V7A6033				
4. Nationality of ship: MARSHALL ISLANDS		5. Port arrived from: PORT DICKSON, MALAYSIA		6. Nature and No. of identity document								
7. No. 8. Family name, given names		9. Rank or rating	10. Nationality	11. SEX	12. Date and place of birth		Passport Number	Country of Issuance & Expiry Date	Seamanbook Number	Country of Issuance & Expiry Date	PLACES & DATE OF JOINING DD-MM-YY	
1	CRUZ	RAYMUND SUAREZ	Master	FILIPINO	Male	29 MAY 1969	BACOLOD CITY	P5678077B	PHILIPPINES 22 Oct 2030	A0097824	PHILIPPINES 21 10 2030	ALBANY AUSTRALIA 07.05.2025
2	ENANO	DEXTER EBALAN	Ch. Off.	FILIPINO	Male	28 MAR 1978	IGBARAS ILOILO	P4187784B	PHILIPPINES 10 Dec 2029	C1502040	PHILIPPINES Dec 19, 2029	FANGCHENG CHINA 17.04.2025
3	LOPEZ	FELBERT GUTIEREZ	2nd Off.	FILIPINO	Male	04 AUG 1987	ST BERNARD S LTE	P4779412B	PHILIPPINES 11 Feb 2030	C1383397	PHILIPPINES Feb 23, 2029	FANGCHENG CHINA 17.04.2025
4	SINANGOTE	PEDRO JR. ANCERO	3rd Off.	FILIPINO	Male	25 DEC 1980	CAIBIRAN LEYTE	P9062237A	PHILIPPINES 07 Oct 2028	C1401062	PHILIPPINES Oct 05, 2028	SINGAPORE 09.09.2025
5	DIAMANTE	NELSON DUYAG	Ch. Eng.	FILIPINO	Male	02 JAN 1970	ILOILO CITY	P8485208A	PHILIPPINES 23 Aug 2028	A0022179	PHILIPPINES 23 09 2030	TABONEO INDONESIA 16.11.2025
6	CALIBO	ELMER ALMEROL	2nd Eng.	FILIPINO	Male	28 SEP 1973	KAROMATAN LDN	P9952779A	PHILIPPINES 14 Dec 2028	A0081135	PHILIPPINES 09 03 2030	FANGCHENG CHINA 17.04.2025
7	CONOS	NELSON SUPIENGCO	3rd Eng.	FILIPINO	Male	18 AUG 1987	ABUYOG LEYTE	P6027471A	PHILIPPINES 13 Feb 2028	C1188417	PHILIPPINES Feb 12, 2028	ALBANY AUSTRALIA 07.05.2025
8	SALANATIN	ROY SOBREJUANITE	4th Eng.	FILIPINO	Male	15 SEP 1976	CABATUAN ILOILO	P1903001B	PHILIPPINES 09 Jun 2029	C1357603	PHILIPPINES Jun 26, 2029	SINGAPORE 09.09.2025
9	LEBEDKO	OLEH	Elect.	UKRAINE	Male	28 DEC 78	UKR	FL440498	UKRAINE 01 Feb 28	AB 622741	UKRAINE 24.05.2028	TABONEO INDONESIA 16.11.2025
10	SAN DIEGO	JOEL FULGENCIO	BOSUN	FILIPINO	Male	14 OCT 1975	STA MARIA BUL	P6340567A	PHILIPPINES 08 Mar 2028	A0105121	PHILIPPINES 21 12 2030	SHANGHAI DRYDOCK 26.10.2025
11	VILLENA	CEPERIANO QUINDAP	A.B	FILIPINO	Male	07 JUN 1983	VICTORIAS NEG OC	P3113201B	PHILIPPINES 06 Sep 2029	C0948481	PHILIPPINES Nov 15, 2026	SHANGHAI DRYDOCK 19.10.2025
12	DEMELLITES	JORGE II VERZOSA	A.B	FILIPINO	Male	30 JUN 1979	QUEZON CITY	P0127353D	PHILIPPINES 21 Jul 2035	C1566762	PHILIPPINES Feb 04, 2030	SHANGHAI DRYDOCK 26.10.2025
13	BERNABE	REY RUIZ TOBIAS	A.B	FILIPINO	Male	29 NOV 1982	MAMBUSAO CAPIZ	P6880799B	PHILIPPINES 28 May 2031	A0399904	PHILIPPINES 22 07 2035	SHANGHAI DRYDOCK 19.10.2025
14	ETCUBAN	MARLON TUMAKAY	O.S.	FILIPINO	Male	21 SEP 1979	MEDELLIN CEBU	P7022551B	PHILIPPINES 20 Jun 2031	C1207186	PHILIPPINES Jan 20, 2028	SINGAPORE 09.09.2025
15	JAVIER	GENEROSO VILLEGAS	O.S.	FILIPINO	Male	17 JUL 1976	SAN LEONARDO NE	P3133971B	PHILIPPINES 08 Sep 2029	C1545037	PHILIPPINES Sep 24, 2029	SHANGHAI DRYDOCK 26.10.2025
16	SANDOVAL	MARC JHOSEL GERODIAS	Oiler	FILIPINO	Male	06 MAR 1999	ARITAO N VIZ	P6570736B	PHILIPPINES 25 Mar 2031	C1067949	PHILIPPINES Jul 24, 2027	SHANGHAI DRYDOCK 26.10.2025
17	RAÑISES	TITUS LAURENCE NARIT	Oiler	FILIPINO	Male	07 JUL 1992	MAASIN SO LEYTE	P7700875A	PHILIPPINES 26 Jun 2028	C1288682	PHILIPPINES Oct 27, 2028	SHANGHAI DRYDOCK 26.10.2025
18	ADOBO	NICOLAS ELY ACOSTA	Oiler	FILIPINO	Male	06 NOV 1969	TANDAG SGO DS	P8915841A	PHILIPPINES 26 Sep 2028	C0967644	PHILIPPINES Dec 19, 2026	SHANGHAI DRYDOCK 19.10.2025
19	HABLO	NELSON AUGELIO	Cook	FILIPINO	Male	02 OCT 1977	BACOLOD NEG OC	P0839450B	PHILIPPINES 26 Feb 2029	C1434402	PHILIPPINES Feb 20, 2029	SHANGHAI DRYDOCK 26.10.2025
20	REBAÑO	AXL NAMA	MESSMAN	FILIPINO	Male	30 MAY 1994	NEW WS AKLAN	P1132905B	PHILIPPINES 20 Mar 2029	C1344618	PHILIPPINES Mar 14, 2029	SHANGHAI DRYDOCK 19.10.2025

13. Date and signature by master, authorized agent or officer.

DATE: 03-Jan-2026


CAPT. RAYMUND S. CRUZ
MASTER MV SERIFOS

M/V SERIFOS
MAJURO

DATE : 30 DECEMBER 2025
DEP. PORT : PARANAGUA, BRAZIL

PRE-STOWAGE PLAN

CARGO : SOYA BEANS
QUANTITY : 68300.00 MT



7	6	5	4	3	2	1
100.00%	88.00%	100.00%	100.00%	100.00%	95.00%	100.00%
SOYA BEANS	SOYA BEANS	SOYA BEANS	SOYA BEANS	SOYA BEANS	SOYA BEANS	SOYA BEANS
SF=48.5 CFT/MT	SF=48.5 CFT/MT	SF=48.5 CFT/MT	SF=48.5 CFT/MT	SF=48.5 CFT/MT	SF=48.5 CFT/MT	SF=48.5 CFT/MT
9518.0MT	9047.0MT	10273.0MT	9837.0MT	10289.0MT	9743.0MT	9593.0MT
PARANAGUA	PARANAGUA	PARANAGUA	PARANAGUA	PARANAGUA	PARANAGUA	PARANAGUA

EST:DEP. DRAFT: PARANGUA
EST:ARR. DRAFT: CHINA

F= 13.08 M
F= 13.00 M

A= 13.08M
A= 13.00M

MN: 13.08 M
MN: 13.00 M

DENSITY: 1.015
DENSITY: 1.025

1. Subject to given SF 49.00 cf /mt
 2. Subject to vessel's deflection (SAG/HOG) upon completion of loading.
 3. Quantities per hold subject to change for trim purposes or change of SF.
 4. Subject to actual weights on board the vessel upon loading completion.
 5. Pre-stow plan quantities in holds are about and subject to actual stowage factor.
 6. Pre calculated drafts are about and subject to:
 - actual water density at load /discharge port;
 - actual bunker quantity will be consumed;
 - sagging / hogging values upon loading completion;
- * Basis bunkering at load port 150 mt
* Basis bunkering atSingapore to meet redelivery figure

PREPARED BY:

DEXTER E. ENANO
CH. OFFICER

APPROVED BY:

CAPT. RAYMUND S. CRUZ
MASTER OF M/V SERIFOS

Choose Condition

MV "Serifos"

IMO NO. 9710141 FLAG: Marshalllese BUILD: 2015

DRAUGHT SURVEY CERTIFICATE

PGUA/DS/011/26

INITIAL SURVEY	FINAL SURVEY
Inner roads 9.2	Wharf 212
12.01.2026 - 15:35 h	15.01.2026 - 17:45 h
0,10 m. waves	0,10 m. waves
Wind force 02	Wind force 01
Ebb tide, < 1knot	Ebb tide, 1 knot
Weather: Rainy	Weather: Fine

DRAUGHT	INITIAL	FINAL
Forward port	5,0500 m	13,0200 m
Forward starboard	5,0100 m	13,0200 m
Forward mean	5,0300 m	13,0200 m
Stem correction	-0,1029 m	-0,0015 m
Draught forward (corrected to fore perpendicular)	4,9271 m	13,0185 m
Midship port	6,0400 m	13,0900 m
Midship starboard	5,9500 m	13,0800 m
Midship mean	5,9950 m	13,0850 m
Midship correction	0,0000 m	-0,0001 m
Draught midship (corrected to midship perpendicular)	5,9950 m	13,0849 m
Aft port	7,1500 m	13,0500 m
Aft starboard	7,1500 m	13,0500 m
Aft mean	7,1500 m	13,0500 m
Stern correction	0,1039 m	0,0015 m
Draught after (corrected to after perpendicular)	7,2539 m	13,0515 m
Kell correction	0,0000 m	0,0000 m
Waterplane coefficient correction for hull deflexion	0,0096 m	-0,0071 m
Means of means corrected for deflexion:	6,0284 m	13,0654 m
True trim	BY STERN 2,33 m	BY STERN 0,03 m
Heel (angle & in cm)	P 000 ° 9,00 cm	P 000 ° 1,00 cm
Hull deflexion:	HOGGING 9,55 cm	SAGGING 4,99 cm

DISPLACEMENTS	INITIAL	FINAL
Displacement in salt water	36.001,4 t	83.609,5 t
First trim correction	-451,3 t	2,1 t
Second trim correction	39,5 t	0,0 t
Displacement corrected for trim	35.589,6 t	83.611,7 t
Water density	1,01700	1,01750
Displacement corrected for density	35.311,8 t	82.999,9 t
Deductibles (fresh water, oils, etc.)	22.494,9 t	1.722,5 t
Displacement corrected for deductibles	12.817,0 t	81.277,4 t
Light Ship	12.503,0 t	
Calculated constant	337,9 t	
Anchor + chain	23,9 t	0,0 t
Total cargo loaded on board as per draught survey		68436,5 t

Loading terminals: AG, CB, CT, IT, AP, .	TPC	64,3 t/cm	TPC	70,6 t/cm
Cargo: Soybeans in bulk	MTC +0.5	931,5 t/cm	MTC +0.5	1209,8 t/cm
Paranaguá, Br - Brazil. January 15th, 2026	MTC -0.5	898,4 t/cm	MTC -0.5	1189,2 t/cm

Total cargo loaded on board as per shore scales	68.392,001 t
Total cargo loaded on board as per draught survey	68.436,500 t
Surplus	44,499 t 0,07 %

Remarks: 1) Due to huge hull deflexion in hogging on initial draft survey, it was applied the waterplane area coefficient correction for the deflexion formula as per UN/ECE/Energy/19/1992. 2) According to the Master/Chief Officer usual constant would amount to 350 t.

Standard Brazil Marine Surveys & Services Ltda.

José Antonio Machado Gomes Pereira / Haroldo Fernandes Alves Junior

Licensed Marine Officer / Marine Surveyor / 375460MM

Master/Ch. Off:	68.479,000 t	86,999 t	0,13 %
Customs :	68.531,153 t	139,152 t	0,20 %
Owners P&I	68.393,754 t	1,753 t	0,00 %

Master/Ch. Off:

www.standardbrazil.com.br



PETROBRAS

N°

REV

TÍTULO:

**Comprovante de Fornecimento a Navio - CFN
(Bunker Delivery Note - BDN)**

FOLHA

de

Petróleo Brasileiro S.A.

Av. Henrique Valadares - 28 - Torre A - Rio de Janeiro - RJ - Brasil
CEP: 20.231-030
Tel: (+ 55 21) 2166-7393
Fax: (+ 55 21) 2166-9221
E-mail: bunker@petrobras.com.br

Preencher com letras de forma – sem rasuras (Fill in with block letters - without remarks)

N° do CFN (BDN no):

16008/25

Nome do Navio (Ship's name):

SERIFOS

N° IMO do Navio (Ship's IMO no.):

9710141

Cliente (Customer):

LOUIS DREYFUS COMPANY FREIGHT ASIA PTE LTD.

Bandeira (Flag):

MARSHALL ISLANDS

N° do lacre da amostra do navio
(Ship's sample seal no.)

0013159

N° do lacre da amostra da PETROBRAS
(PETROBRAS'S sample seal no.)

0013108

N° do lacre da amostra da
MARPOL
(MARPOL's sample seal no.)

0013115

Local de fornecimento
(Supply area)

AZ 12

Porto
(Port)

PARANAGUA-PR

Órgão
(Origin)

N° do anexo único/processo (Process No.)

27810595BKR01

TP/DDT/DTSSPCO/SUL/PRSC/TEPAR

Produto (Grade)

VLSFO 0,5% S

Quantidade fornecida (Delivered quantity) (x.xxx,yyy)

Volume ambiente (Observed volume)

163,777

M³

Volume a 20 °C (Volume at 20 °C)

161,846

M³

Quantidade (Quantity)

150,031

MT

Densidade a 20 °C
(Specific gravity at 20 °C)

0,9270

Densidade a 15 °C
(Specific gravity at 15 °C)

0,9303

Viscosidade cinemática
(Kinematic viscosity)

32,22 cSt at 50 °C

Ponto de fulgor
(Flash point)

95,0 °C

Teor de enxofre
(Sulphur content) (x.yy)

0,41

% m/m

Entrega por (Delivery by)

Operação (Operation)

Início (Start)

Término (End)

Nome da barcaça
(Barge name)

E-240

Data (Date)
(dd/mm/yyyy)

14/01/2026

Data (Date)
(dd/mm/yyyy)

14/01/2026

Duto (Pipeline)

Hora (Time)

18:55

Hora (Time)

19:50

Atenção: As reclamações somente serão aceitas quando recebidas dentro de 21 dias corridos da data da entrega. (Attention: The claims shall only be accepted if received within 21 days from delivery date).

Foi emitida carta protesto (Was a Letter of protest issued)?

Sim (Yes)

X

Não (No)

O bunker aqui fornecido atende aos regulamentos 14 (1) e 18 (3) da Marpol 73/78 Anexo VI
(The bunker herein supplied is in conformity with regulations 14 (1) and 18 (3) of Marpol 73/78 Annex VI)

Nomes em letras de forma, Assinaturas e Carimbos
(Names in block letters, Signatures and Stamps)

Representante do navio
(Ship's representative)Representante da PETROBRAS
(PETROBRAS'S representative)

C/E. N. DIAMANTE

Mario Ricardo Gonçalves Junior
Gerente de Navegação Ltda



STOWAGE PLAN

MV

"SERIFOS"

Loading Port: **PARANAGUÁ / BRAZIL**

Date...: **JANUARY 15TH, 2026.**

Discharging Port.: **CHINA PORT(S) .**

Cargo: **68.392,001 MTONS OF BRAZILIAN S.BEANS, IN BULK.**

Average Stowage Factor: **48,41**

	Hold 7	Hold 6	Hold 5	Hold 4	Hold 3	Hold 2	Hold 1	"SERIFOS"
	FULL	SLACK	FULL	FULL	FULL	SLACK	FULL	
	9.517,315	9.273,840	10.290,085	9.867,085	10.309,082	9.540,816	9.593,778	
	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	
	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	
Cubic Capacity	460.220	497.018	498.254	477.136	499.031	498.960	465.270	
Stowage Factor	48,36	53,59	48,42	48,36	48,41	52,30	48,50	



Master or Chief Officer
MV "SERIFOS"

TIBAGI SERVIÇOS MARÍTIMOS LTDA.
PORT OPERATORS
SINCE 1961

Tibagi Shipping agents & Port Operators

REMARK: Weight, measure, quality, quantity, condition, contents and value unknown.

NAVIO:	Serifos
AGÊNCIA:	WILLIAMS SERVIÇOS MARÍTIMOS LTDA.
OPERADOR:	TIBAGI SERVIÇOS MARÍTIMOS LTDA.
DATA EMBARQUE:	15.01.2026
PESO TERRA:	68,392.001
PESO BORDO:	68,436.500
VARIAÇÃO:	44.499
PERCENTUAL:	0.07%
Entrar na estatística	Sim

PORÃO	1	2	3	4	5	6	7	TOTAL
PRODUTO	Soybeans	Soybeans	Soybeans	Soybeans	Soybeans	Soybeans	Soybeans	
AGTL	1,657.100	4,331.474	410.015	5,000.885	1,633.645			13,033.119
ALTP	3,636.660	1,467.480	408.685	4,116.200		7,523.840	3,173.755	20,326.620
BTG 01								0.000
BTG H								0.000
BTG V								0.000
CARGILL								0.000
CIMBESSUL	4,300.018	3,741.862	9,490.382					17,532.262
COAMO								0.000
COTRIGUAÇU					8,656.440		6,343.560	15,000.000
INTERALLI				750.000		1,750.000		2,500.000
ROCHA								0.000
TOTAL	9,593.778	9,540.816	10,309.082	9,867.085	10,290.085	9,273.840	9,517.315	68,392.001
CUBAGEM	465,270	498,960	499,031	477,136	498,254	497,018	460,220	
FATOR DE ESTIVA	48.50	52.30	48.41	48.36	48.42	53.59	48.36	
CONDIÇÃO PORÃO	FULL	SLACK	FULL	FULL	FULL	SLACK	FULL	

Observações: