

M/V "YANGZE 25"

DRAUGHT SURVEY REPORT

PGUA/DS/121/26

CONTENTS

PAGE

1) PERSONS CONTACTED/ WITNESSES:	02
2) SHIP'S PARTICULARS	03
3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF	03
4)SHIP'S HYDROSTATIC AND TANKS SOUNDING TABLES:	03
5) LOAD LINES	04
6) INITIAL DRAUGHT SURVEY DETAILS	04
7) FINAL DRAUGHT SURVEY DETAILS	04
8) CARGO PARTICULARS	04
9) DRAUGHT SURVEY CERTIFICATE	05
10) INITIAL BALLAST CONDITION	06
11) FINAL BALLAST CONDITION	06
12) INITIAL FRESH WATER CONDITION	07
13) FINAL FRESH WATER CONDITION	07
14) DEDUCTIBLES	07

ANNEXES

- SHIP'S PARTICULARS;
- CREW LIST;
- PRE-STOWAGE PLAN;
- LOADING SEQUENCE;
- DRAUGHT SURVEY CERTIFICATE
- BUNKER DELIVERY NOTE
- FINAL CARGO PLAN;
- DETAILED CARGO PLAN PER LOADING TERMINAL;
- LINK TO THE DIGITAL DOCUMENTATION, PHOTOGRAPHS AND VIDEOS;



M/V "YANGZE 25"

PGUA/DS/121/26

DRAUGHT SURVEY REPORT

THIS IS TO CERTIFY THAT the undersigned marine surveyor did, in compliance with instructions received from:

Messrs. AGTL - Armazéns Gerais Terminal Ltda., Messrs. Cotriguaçu Cooperativa Central Regional Iguaçu Ltda., Messrs. Amaggi & LDC Brasil Terminais Portuários Paranaguá S/A, Messrs. Rocha Terminais Portuários e Logística .

Attend on board the referenced vessel on April 17th, 2026 from 12:50 until 14:50 hours, whilst she was berthed alongside wharf 213, and on April 19th, 2026 from 16:40 until 18:40 hours, whilst she was berthed alongside wharf 213 at port of Paranaguá, Br - Brazil, with views to perform the initial and final draft surveys, ascertaining the following figures:

1) PERSONS CONTACTED/ WITNESSES:

During the present survey, the following persons were contacted:

M/V "YANGZE 25"

Mr. Yuan Jin Dai, the Master
Mr. Jin Shun Li, the Chief Officer
Mr. Lei Tang, the Chief Engineer

WILSON SONS AGÊNCIA MARÍTIMA
(As Local Agents)

Mr. Zacharias Leite da Silva
Mrs. Maria Eduarda

TIBAGI SERVIÇOS MARÍTIMOS LTDA.
(As Port Operators)

Mr. Antonio Celso Silva
Mr. João Victor Lacerda

UNISURVEY LTDA.

Mr. Joni Nunes Carvalho
Mr. Ernesto Lara Nunes

BRAZILIAN CUSTOMS SURVEYOR

Mr. Miguel Timóteo M. Alexandrino

STANDARD BRAZIL MARINE SURVEYS
& SERVICES LTDA.

Mr. José Antônio M. G. Pereira
the undersigned marine surveyor
Mr. Igor do Carmo C. Pinotti



2) SHIP'S PARTICULARS:

Vessel:	YANGZE 25
Call sign:	9V9867
Port of Register:	Singapore
Flag:	Singaporean
IMO:	9958236
LOA:	229,00
LBP:	225,30
Depth:	20,00
Breadth:	32,26
GRT:	44.479,0
NRT:	27.570,0
Classification:	CCS: +100A1, Bulk Carrier, CSR, BC-A, {Holds 2,4 and 6 May be Empty}, Grab[30], ESP, ShipRight (CM, ACS(B)), *IWS, LI +LMC, UMS, BWTS With descriptive notes ShipRight "(BWMP(T), SCM, IHM)".
Light Ship:	13.626,1
Summer deadweight/draft:	82420,00 on 14,45000 m
Shipyard:	Jiangsu Yangzi-Mitsui Shipbuilding Co., Ltd. - China
Owners:	Canon Shipping Pte. Ltd. - Singapore
Operators:	Shanghai Run Yuan Shipping Management Co., Ltd. - China

3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF

Hold	Capacity (cub.ft.)	Cargo	Quantity loaded (t) Exp. Corridor	SF
no.1	450.563,0	SOYBEANS	9.405,285	47,91
no.2	486.495,0	SOYBEANS	9.980,275	SLACK
no.3	484.839,0	SOYBEANS	10.139,810	47,82
no.4	484.278,0	SOYBEANS	10.091,700	47,99
no.5	485.393,0	SOYBEANS	10.096,480	48,08
no.6	484.414,0	SOYBEANS	10.007,670	SLACK
no.7	558.940,0	SOYBEANS	11.159,545	50,09
Total	3.434.922,0		70.880,765	

4)SHIP'S APPROVED HYDROSTATIC AND TANKS SOUNDING TABLES:

Hydrostatic table: Issued by Jiangsu Yangzi-Mitsui Shipbuilding Co., Ltd.
on 14.11.2023, Dwg. No. B1-0401
Approved by LLR on 08.12.2023

Sounding table: Issued by Jiangsu Yangzi-Mitsui Shipbuilding Co., Ltd.
on 23.10.2023 Dwg. no. B1-0212.1



5) LOAD LINES

	FB (m)	Draught (m)	Displ. (t)	DWT (t)
Tropical Fresh Water:	4,944	15,082	98.177,1	84.551,0
Fresh Water:	5,245	14,781	96.046,1	82.420,0
Tropical:	5,275	14,751	98.229,1	84.603,0
Summer:	5,576	14,450	96.046,1	82.420,0
Winter:	5,877	14,149	93.864,1	80.238,0

6) INITIAL DRAUGHT SURVEY DETAILS:

Date: April 17th, 2026 from 12:50 until 14:50 hrs
 Place : Paranaguá, Br - Brazil (wharf 213)
 Waves: 0,15 m
 Beaufort scale Wind force: 01
 Tide: Flood tide, 1knot
 Weather: Sunny

7) FINAL DRAUGHT SURVEY DETAILS:

Date: April 19th, 2026 from 16:40 until 18:40 hrs
 Place : Paranaguá, Br - Brazil (wharf 213)
 Waves: 0,15 m
 Beaufort scale Wind force: 01
 Tide: No tide flow
 Weather: Fine

8) CARGO PARTICULARS:

Cargo: Soybeans in bulk
 Port of Loading: Port of Paranaguá, Br - Brazil
 Port of Discharge: One China port
 Last cargo: Coal in bulk
 Last Port: Paradip, India

Shore Scales Figures: 70.880,765 t

Draught Survey Figures: STANDARD BRAZIL: 70.959,596 t
 MASTER/ CHIEF OFFICER: 70.940,137 t
 CUSTOMS SURVEYOR : 70.944,583 t
 OWNERS P&I SURVEYOR: 70.955,091 t



M/V "YANGZE 25"	INITIAL SURVEY		FINAL SURVEY	
	Wharf 213		Wharf 213	
	17.04.2026 - 13:00 h		19.04.2026 - 17:20 h	
	0,15 m. waves		0,15 m. waves	
IMO NO. 9958236 FLAG: Singaporean BUILD: 2023	Wind force 01		Wind force 01	
DRAUGHT SURVEY CERTIFICATE	Flood tide, 1knot		No tide flow	
PGUA/DS/121/26	Weather: Sunny		Weather: Fine	
DRAUGHT	INITIAL		FINAL	
Forward port	5,0800 m		13,2300 m	
Forward starboard	5,1700 m		13,2300 m	
Forward mean	5,1250 m		13,2300 m	
Stem correction	-0,0951 m		-0,0162 m	
Draught forward (corrected to fore perpendicular)	5,0299 m		13,2138 m	
Midship port	6,1200 m		13,2900 m	
Midship starboard	6,2300 m		13,2400 m	
Midship mean	6,1750 m		13,2650 m	
Midship correction	-0,0275 m		-0,0169 m	
Draught midship (corrected to midship perpendicular)	6,1475 m		13,2481 m	
Aft port	7,6400 m		13,2100 m	
Aft starboard	7,6400 m		13,2000 m	
Aft mean	7,6400 m		13,2050 m	
Stern correction	-0,0362 m		-0,0186 m	
Draught after (corrected to after perpendicular)	7,6038 m		13,1864 m	
Kell correction	0,0170 m		0,0170 m	
Means of means corrected:	6,1898 m		13,2361 m	
True trim	BY STERN	2,57 m	BY HEAD	-0,03 m
Heel (angle & in cm)	S 000 °	11,00 cm	P 000 °	5,00 cm
Hull deflexion:	HOGGING	16,94 cm	SAGGING	4,80 cm
DISPLACEMENTS	INITIAL		FINAL	
Displacement in salt water	38.115,8 t		87.258,2 t	
First trim correction	-406,7 t		-3,5 t	
Second trim correction	77,2 t		0,0 t	
Displacement corrected for trim	37.786,3 t		87.254,7 t	
Water density	1,01800		1,01800	
Displacement corrected for density	37.528,2 t		86.658,8 t	
Deductibles (fresh water, oils, etc.)	23.445,7 t		1.616,6 t	
Displacement corrected for deductibles	14.082,6 t		85.042,2 t	
Light Ship	13.626,1 t			
Calculated constant	456,5 t			
Anchor + chain	0,0 t		0,0 t	
Total cargo loaded on board as per draught survey			70959,6 t	
Loading terminals: AG, CT, ALTP, RO, .	TPC	66,1 t/cm	TPC	72,3 t/cm
Cargo: Soybeans in bulk	MTC +0.5	1016,4 t*cm	MTC +0.5	1292,7 t*cm
Paranaguá, Br - Brazil. April 19th, 2026	MTC -0.5	963,9 t*cm	MTC -0.5	1280,6 t*cm
Total cargo loaded on board as per shore scales			70.880,765 t	
Total cargo loaded on board as per draught survey			70.959,596 t	
Surplus	78,831 t		0,11 %	

Standard Brazil Marine Surveys & Services Ltda.
 José Antonio Machado Gomes Pereira / Igor do Carmo C. Pinotti
 Licensed Marine Officer / Marine Surveyor / 375460MM



Master/Ch. Off: 70.940,137 t 59,372 t 0,08 %
 Customs : 70.944,583 t 63,818 t 0,09 %
 Owners P&I: 70.955,091 t 74,326 t 0,10 %

10) INITIAL BALLAST CONDITION:

Date / Time : 17.04.26 / 13:25 h

Trim: 2,57 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	24,23	0,32	23,05			23,05	1178,00	1,020	1201,60
1 WBT (P)	21,37	0,27	21,40			21,40	1491,00	1,020	1520,80
1 WBT (S)	21,40	0,20	21,33			21,33	1490,00	1,020	1519,80
2 WBT (P)	21,02	0,32	21,05			21,05	3257,10	1,020	3322,20
2 WBT (S)	21,02	0,32	21,07			21,07	3256,30	1,020	3321,40
3 WBT (P)	21,02	0,30	20,51			20,51	2780,50	1,020	2836,10
3 WBT (S)	21,05	0,30	20,46	Directly applied on volume		20,46	2767,50	1,020	2822,90
4 WBT (P)	21,01	0,32	20,32			20,32	1207,50	1,020	1231,70
4 WBT (S)	21,08	0,32	20,27			20,27	1205,00	1,020	1229,10
5 DB (P)	21,23	0,30	20,68			20,68	838,30	1,020	855,10
5 DB (S)	21,23	0,30	20,71			20,71	838,30	1,020	855,10
5 TS (P)	6,55	0,78	6,60			6,60	329,20	1,020	335,80
5 TS (S)	6,59	0,78	6,60			6,60	329,20	1,020	335,80
A.PK	8,70	1,05	7,18			7,18	1134,20	1,020	1156,90
TOTAL							22102,10		22544,30

11) FINAL BALLAST CONDITION:

Date / Time : 19.04.26 / 16:50 h

Trim: -0,03 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	24,23	0,32	0,06			0,06	2,00	1,020	2,00
1 WBT (P)	21,37	0,27	0,01			0,01	5,20	1,02	5,30
1 WBT (S)	21,40	0,20	0,01			0,01	5,20	1,02	5,30
2 WBT (P)	21,02	0,32	0,00			0,00	8,00	1,02	8,20
2 WBT (S)	21,02	0,32	0,01			0,01	14,70	1,02	15,00
3 WBT (P)	21,02	0,30	0,01			0,01	14,70	1,02	15,00
3 WBT (S)	21,05	0,30	0,00	Directly applied on volume		0,00	8,00	1,02	8,20
4 WBT (P)	21,01	0,32	0,00			0,00	3,70	1,02	3,80
4 WBT (S)	21,08	0,32	0,00			0,00	3,70	1,02	3,80
5 DB (P)	21,23	0,30	0,00			0,00	20,50	1,02	20,90
5 DB (S)	21,23	0,30	0,00			0,00	20,50	1,02	20,90
5 TS (P)	6,55	0,78	1,93			1,93	56,40	1,02	57,50
5 TS (S)	6,59	0,78	0,40			0,40	0,00	1,020	0,00
A.PK	8,70	1,05	3,50			3,50	203,40	1,020	207,50
TOTAL							366,00		373,40



12) INITIAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)							68,10	1,000	68,10
FWT (S)							28,60	1,000	28,60
DIST (S)							49,50	1,000	49,50
TOTAL							146,20		146,20

13) FINAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)							59,80	1,000	59,80
FWT (S)							28,60	1,000	28,60
DIST (S)							49,50	1,000	49,50
TOTAL							137,90		137,90

14) DEDUCTIBLES

	INITIAL	FINAL
INTERMEDIATE FUEL OIL	630,6 t	973,0 t
MARINE DIESEL OIL	124,5 t	124,0 t
LUBRICATING	K	K
FRESH WATER	146,2 t	137,9 t
BALLAST	22544,3 t	373,4 t
OTHERS	0,0 t	8,3 t
TOTAL	23445,7 t	1616,6 t



MV YANGZE 25

<https://standardbrazil.com.br/atendimentos/link?tag=PGUA/DS/121/26&tk=4041042804>


Ship's Particulars

Ship's Particulars					
Ship's Name	YANGZE 25	Call Sign	9V9867	IMO No.	9958236
Nationality	SINGAPORE	Port of Registry	SINGAPORE	Official No.	403668
Class	CCS	MMSI	563233200	Delivery	18/Dec/2023
Ship's Type	Bulk Carrier	Keel laid : 22 Dec 2015; Launched: 05-Oct 2023			SGP AAIC: NL01
Builder	JIANGSU YANGZI-MITSUI SHIPBUILDING Co. LTD, CHINA.				
Owner	CANON SHIPPING PTE LTD/01B,54 Republic Plaza, 9, Raffles Place 018619, SINGAPORE				
Manager/DOC	Shanghai Run Yuan Shipping Management Co., Ltd.			Address:No.1 Lianyi Road, Jiangyin-Jingjiang Industry Zone, Jingjiang City, Jiangsu Province, P.R.C.	
P&I Club	UK P&I H&M/CPI (China Shipowner's Mutual Assurance Association)				
LOA (M)	229.00	LBP (M)	225.30	Hull No.	YZJ2015-2222
Breadth (M)	32.26	Depth (M)	20.00	Keel to Topest (M)	51.414
Gross Tonnage	44479	Suez Tonnage G/N	46050/41543.02	Bridge To Fore (M)	197.85 m
Net Tonnage	27570	Panama Tonnage G/N	37868	Bridge To Astern (M)	31.15 m
Summer Draft (M)	14.467	Displacement (MT)	96046	Deadweight (MT)	82420
Tropical Draft (M)	14.768	Displacement (MT)	98229	Deadweight (MT)	84603
Fresh Watre Draft (M)	14.798	Displacement (MT)	96046	Deadweight (MT)	82420
Tropical Fresh (M)	15.099	Displacement (MT)	98178	Deadweight (MT)	84551
Winter Draft (M)	14.166	Displacement (MT)	93864	Deadweight (MT)	80238
Light Ship (MT)	13626.1	TPC (MT/CM)	72.5	FWA (MM)	331
Constant	abt 450				
Cargo Holds	Grain Capacity In CBM	Bale Capacity In CBM	Hatch Cover Dimensions(m)/ Hold Dimensions(m)		
Hold No.1	12758.5		15.48 X 13.30M /23.2M X (A)24.06M,(F)12.00M		
Hold No.2	13776		15.48 X 15.00M /23.00 X 24.00M		
Hold No.3	13729.1		15.48 X 15.00M /23.00 X 24.00M		
Hold No.4	13713.2		15.48 X 15.00M /23.00 X 24.00M		
Hold No.5	13744.8		15.48 X 15.00M /23.00 X 24.00M		
Hold No.6	13728.4		15.48 X 15.00M /23.00 X 24.06M		
Hold No.7	15827.4		15.48 X 15.00M /28.20 X (F)24.00M,(A)10.80M		
Total Capacity	97,277.40		Hatch Cover Type: Weathertight Side Rolling		
DESIGNED LOADS	TANKTOP:No.1-23.5T/SQM, No.2-16T, No.3/5 -21T/SQM, No.4 -17T/SQM, No.6 -14T/SQM, No.7 -24T/SQM				
CARGO GEAR	NIL		Propeller Pitch: 5945 mm		
Main Engine	MAN B&W		Maker	CSSC-MES DIESEL CO., LTD	
Type	6S60ME-C10.5 TIER II	Power Rating KW	9000KW	RPM Rating	84
Full Speed Consumption T/Day	32.5/30.0	Laden Speed Kts	13.5	Ballast Speed Kts	14.0
ECO Speed Consumption T/Day	22.0/18.5	Laden Speed Kts	12.0	Ballast Speed Kts	12.0
Bunker Grade	IFO: (IF-380cst) ISO8217 RMG35				
Auxiliary Engine	YAMAR		Maker	Yamar Power Technology Co., Ltd	
Power Rating KW	680 KW /900 RPM x 3		Type	6EY-18ALW * 3	
TANKS CAPACITY					
Ballast Water M³	22361.6	Fresh Water M³	596.7	F.O. Tank M³	0
D.O. Tank M³	537.9	L.O. Tank M³	139.6	L.S.F.O. Tank M³	2582.1
Ballast Pump	2 Sets 1400 CBM/H x 0.3MPa Each		Ballast Eductor	2 Sets 100 CBM/H x 0.1 MPa Each	
MarineSat V-sat Tel: +86 21 36814497		iridium Tel: +881 6 777 61562		EMAIL:yangze25@fleetmail.inmarsat.com	
INM-C:	463740996 / 463740998				

IMO CREW LIST

										Page no					
										✓	Arrival			Departure	1/1
1. Name of Ship						2. Port of Arrival/Departure				3. Date of Arrival/Departure					
M/V YANGZE 25						PARANAGUA				02/Apr/2026					
4. Nationality of Ship						5. Port Arrival From /Port of Destination									
SINGAPORE						PARADIP									
No	Family Name, Given Name	Sex	Rank	Nationality	Date of Birth	Place of Birth	Passport No.	Expiry date	Seafarer Passport No	Expiry date	Joining Date	Joining Place			
1	DAI YUANJIN	Male	CAPT	P.R.CHINA	13-Nov-1981	JIANGSU	EP7491495	6-May-2035	A90234664	1-Jul-2027	25-Jun-2025	ZHOUSHAN			
2	LI JINSHUN	Male	C/O	P.R.CHINA	2-Nov-1988	HEBEI	EJ1782057	7-Jun-2030	A90149899	26-Aug-2026	15-Jun-2025	SINGAPORE			
3	YE YINGDONG	Male	2/O	P.R.CHINA	5-Feb-1989	JILIN	EJ4866130	4-Nov-2031	A90521614	4-Jul-2030	15-Jun-2025	SINGAPORE			
4	LIU MINGXIN	Male	3/O	P.R.CHINA	12-Aug-1998	JIANGSU	EC2567824	22-Jan-2028	A90297557	17-Jan-2028	25-Jun-2025	ZHOUSHAN			
5	TANG LEI	Male	C/E	P.R.CHINA	26-Nov-1976	FUJIAN	EP9876414	15-Jun-2035	A90391076	5-Dec-2028	25-Jun-2025	ZHOUSHAN			
6	LI YIDONG	Male	2/E	P.R.CHINA	18-Aug-1973	SHANDONG	EE5502981	30-Oct-2028	A90141136	29-Jul-2026	15-Jun-2025	SINGAPORE			
7	WANG HAO	Male	3/E	P.R.CHINA	20-Jul-1991	SHANDONG	EJ9251469	23-Feb-2033	A90309355	23-Feb-2028	25-Jun-2025	ZHOUSHAN			
8	WANG GANGYANG	Male	4/E	P.R.CHINA	7-Jan-1988	SHANDONG	EJ6235360	13-Oct-2032	A90225075	2-Jun-2027	15-Jun-2025	SINGAPORE			
9	XING TAO	Male	ETO	P.R.CHINA	25-Jun-2000	LIAONING	EJ5636591	8-Jun-2032	A90219619	13-May-2027	2-Dec-2025	LIANYUNGANG			
10	ZHOU KANG	Male	BSN	P.R.CHINA	29-Nov-1986	JIANGSU	EJ5628382	4-May-2032	A90162429	11-Oct-2026	27-Sep-2025	KHALIFA			
11	CUI ZHIBIN	Male	AB	P.R.CHINA	25-Jun-1987	HENAN	EE2987456	16-Sep-2028	A90368283	5-Sep-2028	25-Jun-2025	ZHOUSHAN			
12	MING ZONGWANG	Male	AB	P.R.CHINA	17-Jan-1991	SHANDONG	EJ4867152	10-Nov-2031	A90168775	28-Oct-2026	25-Jun-2025	ZHOUSHAN			
13	JIA MINGKUO	Male	AB	P.R.CHINA	1-Jun-1992	SHANDONG	EK1320100	27-Mar-2033	A90321394	31-Mar-2028	25-Jun-2025	ZHOUSHAN			
14	LI YUNFEI	Male	OS	P.R.CHINA	26-Jul-1997	HEBEI	EN2796596	10-Sep-2034	A90453655	23-Sep-2029	25-Jun-2025	ZHOUSHAN			
15	LI PINGFU	Male	FTR	P.R.CHINA	15-Jul-1974	SICHUAN	EN1200182	7-Aug-2034	A90218178	9-May-2027	25-Jun-2025	ZHOUSHAN			
16	YU CHENGGU	Male	OLR	P.R.CHINA	13-Aug-1985	GUIZHOU	E95856060	20-Mar-2027	A90191934	21-Jan-2027	25-Jun-2025	ZHOUSHAN			
17	DENG YUANJUN	Male	OLR	P.R.CHINA	14-Apr-1984	CHONGQING	EB8165994	28-Mar-2028	A90238997	15-Jul-2027	15-Jun-2025	SINGAPORE			
18	MA JIXIAO	Male	WIPER	P.R.CHINA	28-Nov-1985	TIANJIN	EK4101942	15-May-2033	A90391064	5-Dec-2028	25-Jun-2025	ZHOUSHAN			
19	HU CHENGSHENG	Male	C/CK	P.R.CHINA	1-Sep-1982	HUNAN	EM4759943	23-May-2034	A90430851	14-Jun-2029	25-Jun-2025	ZHOUSHAN			
20	XIAO JIAN	Male	E/T	P.R.CHINA	14-Dec-1983	SHANDONG	EK9030766	7-Aug-2033	A90557675	28-Oct-2030	2-Dec-2025	LIANYUNGANG			
21	LI BAOJIN	Male	D/T	P.R.CHINA	18-Nov-2003	SHANDONG	EP6755235	27-Apr-2035	A90469376	6-Dec-2029	2-Dec-2025	LIANYUNGANG			
22	MA XIN	Male	E/T	P.R.CHINA	25-Sep-2004	HUBEI	EP6547739	15-May-2035	A90511089	28-May-2030	25-Jun-2025	ZHOUSHAN			

12. Date and signature by master, ~~authorized agent or officer~~

MASTER: DAI YUANJIN

RUNYUAN SHIPPING MANAGEMENT LTD

SHIP'S NAME: YANGZE 25

L/PORT: PARANAGUA,BR


D/PORT: CHINA

Voyage No.V2612

SF: 48.5 FT³/MT

PRE- STOWAGE PLAN

C/H NO.	WEIGHT(MT)	VOLUME(M3)	CAPACITY(%)
<u>1</u>	9290	12759	100%
<u>2</u>	10031	13776	100%
<u>3</u>	9996	13728	100%
<u>4</u>	9985	13713	100%
<u>5</u>	10008	13745	100%
<u>6</u>	9996	13728	100%
<u>7</u>	11524	15827	100%
TTL	70830	97275	100%



REMARK: BASE ON LOADING PORT S.G 1.018, DEP.LOADING PORT. Df=13.19m, Dm=13.25m, Da=13.28m.

C/O LI JINSHUN

Stevedore Rep. _____

PRELIMINARY LOADING SEQUENCE

M.V.		YANGZE 25		DATE:		2026.03.28		Voyage:		V2612		
LOAD/port: PARANAGUA BR		Cargo(es): SOYBEAN		Ballast rate:		2800mt/hr		Max Air Draught at berth:		NIL Density: 1.018		
DIS/port: CHINA		Last Cargo: COAL		No of loaders: 2		loading rate: 2000 mt/hr		Arrive draught:		Df=4.90m, Dm=6.25m, Da=7.60m		
TTL CARGO:		70,830.0						Depature draught:		Df=13.19m, Dm=13.25m, Da=13.28m		

7	6	5	4	3	2	1
SOYBEAN	SOYBEAN	SOYBEAN	SOYBEAN	SOYBEAN	SOYBEAN	SOYBEAN
11,524mt	9,996mt	10,008mt	9,985mt	9,996mt	10,031mt	9,290mt
100%	100%	100%	100%	100%	100%	100%

TTL CARGO FOR LOADING : 70,830 mt

Pour No.	Cargo		Ballast Operation	Calculated Values												
	Hold No.	Tonnes		time required	comments	Draught, m			Maximum		Trim	Air Draught		Observe Draught		
						Fwd	Mid	Aft	BM%	SF%		m	Fwd	Mid	Aft	
					ARR	4.90	6.25	7.60	79	78	2.7	16.4				
1	5	6000														
	3	6000		6.0		7.15	8.01	8.86	66	58	1.71	15.9				
2	6	6000														
	2	6000		6.0		9.45	9.74	10.03	60	44	0.58	13.7				
3	7	6000														
	1	6000	PO>BWT 1 2 3 4 5 FPT APT 70%	6.0		8.43	9.21	9.99	53	52	1.56	14.6				
4	5	4008														
	3	3996	PO>BWT 1 2 3 4 5 FPT APT 30%	4.0		8.66	9.42	10.18	21	52	1.52	14.4				
5	4	6000														
	7	5524		5.5		9.08	11.01	12.94	27	29	3.86	13.7				
6	1	3290														
	4	3985		4.0		11.57	12.08	12.58	33	36	1.01	11.6				
7	2	3231														
	6	3196	PLS INFORM C/O & SURVEYOR FOR DRAFT SURVEY	3.2		12.86	12.99	13.11	46	37	0.25	10.4				
13	2	800	TRIMMING													
14	6	800	TRIMMING	0.4		13.19	13.25	13.28	65	44	0.09	10.1				
TOTAL		70830		35.1												

REMARK: 1. NO DEVIATION FROM ABOVE PLAN WITHOUT PRIOR APPROVAL OF CHIEF MATE. 2. PLS KEEP VSL UPRIGHT AT ALL TIMES, NO MORE THAN TWO DEGREES.

C/O: LI JINSHUN	STEVEDORE REPRESENTATIVE:	Master: DAI YUANJIN
------------------------	----------------------------------	----------------------------

		INITIAL SURVEY		FINAL SURVEY	
M/V "YANGZE 25"		Wharf 213		Wharf 213	
		17.04.2026 - 13:00 h		19.04.2026 - 17:20 h	
		0,15 m. waves		0,15 m. waves	
		Wind force 01		Wind force 01	
IMO NO. 9958236 FLAG: Singaporean BUILD: 2023		Flood tide, 1knot		No tide flow	
DRAUGHT SURVEY CERTIFICATE		Weather: Sunny		Weather: Fine	
PGUA/DS/121/26					
		INITIAL		FINAL	
DRAUGHT		5,0800 m		13,2300 m	
Forward port		5,1700 m		13,2300 m	
Forward starboard		5,1250 m		13,2300 m	
Forward mean		-0,0951 m		-0,0162 m	
Stem correction		5,0299 m		13,2138 m	
Draught forward (corrected to fore perpendicular)		6,1200 m		13,2900 m	
Midship port		6,2300 m		13,2400 m	
Midship starboard		6,1750 m		13,2650 m	
Midship mean		-0,0275 m		-0,0169 m	
Midship correction		6,1475 m		13,2481 m	
Draught midship (corrected to midship perpendicular)		7,6400 m		13,2100 m	
Aft port		7,6400 m		13,2000 m	
Aft starboard		7,6400 m		13,2050 m	
Aft mean		-0,0362 m		-0,0186 m	
Stem correction		7,6038 m		13,1864 m	
Draught after (corrected to after perpendicular)		0,0170 m		0,0170 m	
Kell correction		6,1898 m		13,2361 m	
Means of means corrected:		BY STERN 2,57 m		BY HEAD -0,03 m	
True trim		S 000 ° 11,00 cm		P 000 ° 5,00 cm	
Heel (angle & in cm)		HOGGING 16,94 cm		SAGGING 4,80 cm	
Hull deflexion:					
		INITIAL		FINAL	
DISPLACEMENTS		38.115,8 t		87.258,2 t	
Displacement in salt water		-406,7 t		-3,5 t	
First trim correction		77,2 t		0,0 t	
Second trim correction		37.786,3 t		87.254,7 t	
Displacement corrected for trim		1,01800		1,01800	
Water density		37.528,2 t		86.658,8 t	
Displacement corrected for density		23.445,7 t		1.616,6 t	
Deductibles (fresh water, oils, etc.)		14.082,6 t		85.042,2 t	
Displacement corrected for deductibles		13.626,1 t			
Light Ship		456,5 t			
Calculated constant		0,0 t		0,0 t	
Anchor + chain				70959,6 t	
Total cargo loaded on board as per draught survey					
Loading terminals: AG, CT, ALTP, RO, .		TPC	66,1 t/cm	TPC	72,3 t/cm
Cargo: Soybeans in bulk		MTC +0.5	1016,4 t/cm	MTC +0.5	1292,7 t/cm
Paranaguá, Br - Brazil. April 19th, 2026		MTC -0.5	963,9 t/cm	MTC -0.5	1280,6 t/cm
Total cargo loaded on board as per shore scales				70.880,765 t	
Total cargo loaded on board as per draught survey				70.959,596 t	
Surplus		78,831 t		0,11 %	

Standard Brazil Marine Surveys & Services Ltda.
 José Antonio Machado Gomes Pereira / Igor do Carmo C. Pinotti
 Licensed Marine Officer / Marine Surveyor / 375460MM

Master/Ch.Off: 70.940,137 t 59,372 t 0,08 %
 Customs: 70.944,583 t 63,818 t 0,09 %
 Owners P&I: 70.955,091 t 74,326 t 0,10 %

Master/Ch.Off:

Petróleo Brasileiro S.A.

Av. Henrique Valadares - 28 - Torre A - Rio de Janeiro - RJ - Brasil
CEP: 20.231-030
Tel: (+ 55 21) 2166-7393
Fax: (+ 55 21) 2166-9221
E-mail: bunker@petrobras.com.br

Preencher com letras de forma - sem rasuras (Fill in with block letters - without remarks)

Nº do CFN (BDN no): **11597/2026** Nome do Navio (Ship's name): **YANGZE 25** Nº IMO do Navio (Ship's IMO no.): **9958236**

Cliente (Customer): **NORWEGIAN OIL TRADING A.S** Bandeira (Flag): **SINGAPORE**

Nº do lacre da amostra do navio (Ship's sample seal no.): **0022933** Nº do lacre da amostra da PETROBRAS (PETROBRAS'S sample seal no.): **0022928** Nº do lacre da amostra da MARPOL (MARPOL's sample seal no.): **0022954**

Local de fornecimento (Supply area): **AZ 13**

Porto (Port): **PARANAGUÁ - PR**

TP/DDT/DTSSPCO/SUL/PRSC/TEPAR
Produto (Grade): **VLSFO 0,5% S**

Nº do anexo único/processo (Process No.): **1WH61009BKR01**

Quantidade fornecida (Delivered quantity) (x.xxx,yyy)

Volume ambiente (Observed volume)	Volume a 20 °C (Volume at 20 °C)	Quantidade (Quantity)
378,990 M³	373,030 M³	350,611 MT
Densidade a 20 °C (Specific gravity at 20 °C): 0,9399	Densidade a 15 °C (Specific gravity at 15 °C): 0,9432	Viscosidade cinemática (Kinematic viscosity): 146,70 cSt at 50 °C
		Ponto de fulgor (Flash point): 107,00 °C
		Teor de enxofre (Sulphur content) (x.yy) % m/m: 0,46

Operação (Operation)

Término (End)

Entrega por (Delivery by)	Início (Start)	Término (End)
Nome da barça (Barge name): OMS V	Data (Date) (dd/mm/yyyy): 18/04/2026	Data (Date) (dd/mm/yyyy): 18/04/2026
Duto (Pipeline): -----	Hora (Time): 11:20	Hora (Time): 13:10
Caminhão (Truck): -----		

Atenção: As reclamações somente serão aceitas quando recebidas dentro de 21 dias corridos da data da entrega. (Attention: The claims shall only be accepted if received within 21 days from delivery date).

Foi emitida carta protesto (Was a Letter of protest issued?): **Sim (Yes)** **Não (No)**

O bunker aqui fornecido atende aos regulamentos 14 (1) e 18 (3) da Marpol 73/78 Anexo VI
(The bunker herein supplied is in conformity with regulations 14 (1) and 18 (3) of Marpol 73/78 Annex VI)

Nomes em letras de forma, Assinaturas e Carimbos
(Names in block letters, Signatures and Stamps)

Representante do navio
(Ship's representative)

Representante da PETROBRAS
(PETROBRAS'S representative)

M.V. YANG ZE 25
.....
Chief Engineer

Mário Ricardo Gonçalves Junior
Navegestra Serviços de Navegação Ltda.
MNC - Mestre





STOWAGE PLAN

MV

"YANGZE 25"

Loading Port : PARANAGUÁ / BRAZIL

Date.: APRIL 19TH, 2026.

Discharging Port.: CHINA PORT(S).

Cargo : 70.880,765 MTONS OF BRAZILIAN S.BEANS, IN BULK.

Average Stowage Factor: 48,39

	Hold 7	Hold 6	Hold 5	Hold 4	Hold 3	Hold 2	Hold 1	"YANGZE 25"
	FULL	FULL	FULL	FULL	FULL	SLACK	FULL	
	11.159,545	10.007,670	10.096,480	10.091,700	10.139,810	9.980,275	9.405,285	
	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	
	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	
Cubic Capacity	558.940	484.814	485.393	484.278	484.839	486.495	450.563	
Stowage Factor	50,09	48,44	48,08	47,99	47,82	48,75	47,91	



TIBAGI SERVIÇOS MARÍTIMOS LTDA
PORT OPERATORS
SINCE 1961

Tibagi Shipping agents & Port Operators

REMARK: Weight, measure, quality, quantity, condition, contents and value unknown.

PGUA/DS/121/26

NAVIO:	YANGZE 25
AGÊNCIA:	WILSON SONS AGÊNCIA MARÍTIMA
OPERADOR:	TIBAGI SERVIÇOS MARÍTIMOS LTDA.
DATA EMBARQUE:	19.04.2026
PESO TERRA:	70.880,765
PESO BORDO:	70.959,596
VARIAÇÃO:	78,831
PERCENTUAL:	0,11%
Entrar na estatística	Sim

PORÃO	1	2	3	4	5	6	7	TOTAL
PRODUTO	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	SOYBEANS	
AGTL		793,725		2.177,815	2.152,185	1.257,040		6.380,765
CARGILL								0,000
BTG 01								0,000
CIMBESSUL								0,000
COAMO								0,000
BTG 02 - V								0,000
BTG 03 - H								0,000
COTRIGUAÇU		4.004,090	6.002,545	903,240		2.106,490	4.983,635	18.000,000
INTERALLI								0,000
ALTP	2.405,285	5.182,460	4.137,265	6.199,100	1.057,705	644,030	174,155	26.800,000
ROCHA				811,545	6.886,590	6.000,110	6.001,755	19.700,000
TOTAL	2.405,285	9.986,275	10.139,810	10.091,700	10.096,480	10.007,670	11.159,545	70.880,765
CUBAGEM	450.563	486.495	484.839	484.278	485.393	484.414	558.940	
FATOR DE ESTIVA	47,91	48,75	47,82	47,99	48,08	48,40	50,09	
CONDIÇÃO PORÃO	FULL	SLACK	FULL	FULL	FULL	SLACK	FULL	

Observações: