

DRAUGHT SURVEY REPORT

PGUA/DS/358/25

CONTENTS	PAGE
1) PERSONS CONTACTED/ WITNESSES:	02
2) SHIP'S PARTICULARS	03
3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF	03
4)SHIP'S HYDROSTATIC AND TANKS SOUNDING TABLES:	03
5) LOAD LINES	04
6) INITIAL DRAUGHT SURVEY DETAILS	04
7) FINAL DRAUGHT SURVEY DETAILS	04
8) CARGO PARTICULARS	04
9) DRAUGHT SURVEY CERTIFICATE	05
10) INITIAL BALLAST CONDITION	06
11) FINAL BALLAST CONDITION	06
12) INITIAL FRESH WATER CONDITION	07
13) FINAL FRESH WATER CONDITION	07
14) CONSUMABLES / OILS	07

ANNEXES

- SHIP'S PARTICULARS;
- CREW LIST;
- PRE-STOWAGE PLAN;
- LOADING SEQUENCE;
- DRAUGHT SURVEY CERTIFICATE
- BUNKER DELIVERY NOTE
- FINAL CARGO PLAN;
- DETAILED CARGO PLAN PER LOADING TERMINAL;
- LINK TO THE DIGITAL DOCUMENTATION, PHOTOGRAPHS AND VIDEOS;



MV "EKATERINI"
PGUA/DS/358/25
DRAUGHT SURVEY REPORT

THIS IS TO CERTIFY THAT the undersigned marine surveyor did, in compliance with instructions received from:

Messrs. AGTL - Armazéns Gerais Terminal Ltda., Messrs. Cotriguaçu Cooperativa Central Regional Iguaçu Ltda., Messrs. Interalli Administração e Participações S.A., Messrs. Rocha Terminais Portuários e Logística .

#NOME?

1) PERSONS CONTACTED/ WITNESSES:

During the present survey, the following persons were contacted:

MV "EKATERINI"

Mr. Philip Engig Samson, the Master
Mr. Eugenio Arboladura Bongay, the Chief Officer
Mr. Rojan Tablac Palapus, the Chief Engineer

 WILSON SONS AGÊNCIA MARÍTIMA
(As Local Agents)

Mr. Zacharias Leite da Silva
Mr. Lucas Zwierzykowski

TIBAGI SERVIÇOS MARÍTIMOS LTDA.
(As Port Operators)

Mr. Antonio Celso Silva
Mr. João Victor Lacerda

BRAZILIAN CUSTOMS SURVEYOR

Mr. Sandoval Gomes Farias

STANDARD BRAZIL MARINE SURVEYS
& SERVICES LTDA.

Mr. José Antônio M. G. Pereira
the undersigned marine surveyor
Mr. Igor do Carmo C. Pinotti



2) SHIP'S PARTICULARS:

Vessel: EKATERINI
 Call sign: V7LC2
 Port of Register: Majuro
 Flag: Marshesele
 IMO: 9739563
 LOA: 229,00
 LBP: 225,30
 Depth: 20,00
 Breadth: 32,26
 GRT: 44.190,0
 NRT: 27.631,0
 Classification: DNV-GL: 1A1, BULK CARRIER BC(A), BIS, BWM, COAT-PSPC(B), CSR E0 ISP (GRAB(20T) HOLDS (2,4,6) MAY BE EMPTY TMON
 Light Ship: 13.456,7
 Summer deadweight/draft: 82,006.0 on 14.47 m
 Shipyard: Jiangsu New Yagzi Shipbuilding Co. Ltd.
 Owners: Kamsarmax Two Shipping Ltd.
 Operators: Eurobulk (Far East) Ltd.



3) HOLD'S CAPACITIES / CARGOES / QUANTITIES / SF

Hold	Capacity (cub.ft.)	Cargo	Quantity loaded (t) Exp. Corridor	SF
no.1	445.970,0	Soybeans	8.663,220	51,48
no.2	488.243,0	Soybeans	10.230,890	47,72
no.3	507.243,0	Soybeans	10.596,070	47,87
no.4	461.930,0	Soybeans	9.592,205	48,16
no.5	486.124,0	Soybeans	10.092,910	48,16
no.6	485.595,0	Soybeans	10.089,550	48,13
no.7	559.264,0	Soybeans	10.366,380	SLACK
Total	3.434.369,0		69.631,225	

4)SHIP'S APPROVED HYDROSTATIC AND TANKS SOUNDING TABLES:

Hydrostatic table: Issued by Jiangsu New Yagzi Shipbuilding Co. Ltd.
 on 30.08.2018, Dwg. No. B1-0403F
 Approved by DNV-GL on 13.04.2018

Sounding table: Issued by Jiangsu New Yagzi Shipbuilding Co. Ltd.
 on 21.03.2018 Dwg. no. VCS671J-31-0210F



5) LOAD LINES

	FB (m)	Draught (m)	Displ. (t)	DWT (t)
Tropical Fresh Water:	4,943	15,099	97.574,1	84.117,4
Fresh Water:	5,244	14,798	95.458,9	82.002,2
Tropical:	5,274	14,768	97.629,4	84.172,7
Summer:	5,575	14,467	95.462,7	82.006,0
Winter:	5,876	14,166	93.297,4	79.840,7

6) INITIAL DRAUGHT SURVEY DETAILS:

Date: December 11th, 2025 from 17:30 until 19:30 hrs
 Place : Paranaguá, Br - Brazil (inner roads 8.3)
 Waves: 0,20 m
 Beaufort scale Wind force: 01
 Tide: No tide Flow
 Weather: Sunny

7) FINAL DRAUGHT SURVEY DETAILS:

Date: December 14th, 2025 from 19:30 until 21:30 hrs
 Place : Paranaguá, Br - Brazil (wharf 214)
 Waves: 0,15 m
 Beaufort scale Wind force: 01
 Tide: Flood tide, 1knot
 Weather: Fine

8) CARGO PARTICULARS:

Cargo: Soybeans in bulk
 Port of Loading: Port of Paranaguá, Br - Brazil
 Port of Discharge: One China port
 Last cargo: Soybeans in bulk
 Last Port: Chiwan, China

Shore Scales Figures:

69.631,225 t

Draught Survey Figures:

STANDARD BRAZIL:
 MASTER/ CHIEF OFFICER:
 CUSTOMS SURVEYOR :

69.548,184 t

69.513,671 t

69.534,149 t



MV "EKATERINI"	INITIAL SURVEY		FINAL SURVEY	
	Inner roads 8.3		Wharf 214	
	11.12.2025 - 17:40 h		14.12.2025 - 19:55 h	
	0,20 m. waves		0,15 m. waves	
IMO NO. 9739563 FLAG: Marselese BUILD: 2018	Wind force 01		Wind force 01	
DRAUGHT SURVEY CERTIFICATE	No tide Flow		Flood tide, 1knot	
PGUA/DS/358/25	Weather: Sunny		Weather: Fine	
DRAUGHT	INITIAL		FINAL	
Forward port	4,4100 m		13,0100 m	
Forward starboard	4,4700 m		13,0100 m	
Forward mean	4,4400 m		13,0100 m	
Stem correction	-0,1276 m		-0,0173 m	
Draught forward (corrected to fore perpendicular)	4,3124 m		12,9927 m	
Midship port	5,9000 m		13,1000 m	
Midship starboard	6,0500 m		13,1000 m	
Midship mean	5,9750 m		13,1000 m	
Midship correction	-0,0319 m		-0,0170 m	
Draught midship (corrected to midship perpendicular)	5,9431 m		13,0830 m	
Aft port	7,9900 m		13,0200 m	
Aft starboard	7,9900 m		13,0200 m	
Aft mean	7,9900 m		13,0200 m	
Stern correction	-0,0361 m		-0,0164 m	
Draught after (corrected to after perpendicular)	7,9539 m		13,0036 m	
Kell correction	0,0170 m		0,0170 m	
Waterplane coefficient correction for hull deflexion	0,0204 m		-0,0128 m	
Means of means corrected for deflexion:	6,0110 m		13,0490 m	
True trim	BY STERN	3,64 m	BY STERN	0,01 m
Heel (angle & in cm)	S 0.27 °	15,00 cm	N °	0,00 cm
Hull deflexion:	HOGGING	19,01 cm	SAGGING	8,48 cm
DISPLACEMENTS	INITIAL		FINAL	
Displacement in salt water	36.896,7 t		85.398,0 t	
First trim correction	-643,2 t		1,5 t	
Second trim correction	126,2 t		0,0 t	
Displacement corrected for trim	36.379,8 t		85.399,5 t	
Water density	1,01900		1,01900	
Displacement corrected for density	36.166,8 t		84.899,6 t	
Deductibles (fresh water, oils, etc.)	22.519,3 t		1.673,3 t	
Displacement corrected for deductibles	13.647,5 t		83.226,3 t	
Light Ship	13.456,7 t			
Calculated constant	221,4 t		0,0 t	
Anchor + chain	30,6 t			
Total cargo loaded on board as per draught survey			69548,2 t	
Loading terminals: AG, CT, IT, RO, .	TPC	65,2 t/cm	TPC	71,7 t/cm
Cargo: Soybeans in bulk	MTC +0.5	974,4 t*cm	MTC +0.5	1265,4 t*cm
Paranaguá, Br - Brazil. December 14th, 2025	MTC -0.5	931,5 t*cm	MTC -0.5	1255,2 t*cm
Total cargo loaded on board as per shore scales			69.631,225 t	
Total cargo loaded on board as per draught survey			69.548,184 t	
Shortage	-83,041 t		-0,12 %	

Remarks: 1) Due to huge hull deflexion in hogging on initial draft survey and sagging on final draft survey, it was applied the waterplane area coefficient correction for the deflexion formula as per UN/ECE/Energy/19/1992. 2) According to the Master/Chief Officer usual constant would amount to 220 t.

Standard Brazil Marine Surveys & Services Ltda.
 José Antonio Machado Gomes Pereira / Igor do Carmo C. Pinotti
 Licensed Marine Officer / Marine Surveyor / 375460MM

Master/Ch.Off: 69.513,671 t -117,554 t -0,17 %
 Customs : 69.534,149 t -97,076 t -0,14 %

10) INITIAL BALLAST CONDITION:

Date / Time : 11.12.25 / 18:00 h Trim: 3,64 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	24,50	0,50	5,35			5,35	754,17	1,019	768,50
1 DB (P)	21,34	0,22	19,71			19,71	775,40	1,019	790,10
1 DB (S)	21,37	0,24	19,78			19,78	775,40	1,019	790,10
2 DB (P)	20,94	0,23	18,87			18,87	1795,20	1,019	1829,30
2 DB (S)	20,94	0,21	19,82			19,82	1795,20	1,019	1829,30
3 DB (P)	20,94	0,21	18,95			18,95	1955,10	1,019	1992,20
3 DB (S)	20,92	0,21	20,33			20,33	1955,10	1,019	1992,20
4 DB (P)	20,95	0,22	20,90			20,90	832,60	1,019	848,40
4 DB (S)	20,92	0,22	20,83			20,83	832,60	1,019	848,40
5 DB (P)	21,57	0,50	21,60	Applied directly in volumes		21,60	835,40	1,019	851,30
5 DB (S)	21,58	0,51	21,60			21,60	835,40	1,019	851,30
1 TS (P)	6,62	0,47	6,36			6,36	600,74	1,019	612,20
1 TS (S)	6,61	0,47	6,26			6,26	580,97	1,019	592,00
2 TS (P)	6,26	0,50	6,01			6,01	1145,56	1,019	1167,30
2 TS (S)	6,27	0,53	5,99			5,99	1138,06	1,019	1159,70
3 TS (P)	5,77	0,55	5,49			5,49	1174,37	1,019	1196,70
3 TS (S)	5,76	0,56	5,49			5,49	1251,44	1,019	1275,20
4 TS (P)	6,36	0,57	5,97			5,97	397,91	1,019	405,50
4 TS (S)	6,33	0,58	5,85			5,85	389,16	1,019	396,60
A.PK	7,41	0,52	7,50			7,50	1190,30	1,019	1212,90
TOTAL							21010,08		21409,20

11) FINAL BALLAST CONDITION:

Date / Time : 14.12.25 / 19:00 h Trim: 0,01 m

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
F.PK	24,50	0,50	0,13			0,13	2,00	1,019	2,00
1 DB (P)	21,34	0,22	0,05			0,05	12,90	1,019	13,10
1 DB (S)	21,37	0,24	0,01			0,01	4,00	1,019	4,10
2 DB (P)	20,94	0,23	0,04			0,04	19,13	1,019	19,50
2 DB (S)	20,94	0,21	0,06			0,06	29,10	1,019	29,70
3 DB (P)	20,94	0,21	0,06			0,06	44,15	1,019	45,00
3 DB (S)	20,92	0,21	0,06			0,06	44,15	1,019	45,00
4 DB (P)	20,95	0,22	0,02			0,02	1,08	1,019	1,10
4 DB (S)	20,92	0,22	0,01			0,01	8,00	1,019	8,20
5 DB (P)	21,57	0,50	0,02	Applied directly in volumes		0,02	12,40	1,019	12,60
5 DB (S)	21,58	0,51	0,01			0,01	16,00	1,019	16,30
1 TS (P)	6,62	0,47	0,02			0,02	0,00	1,019	0,00
1 TS (S)	6,61	0,47	0,02			0,02	0,00	1,019	0,00
2 TS (P)	6,26	0,50	0,04			0,04	0,00	1,019	0,00
2 TS (S)	6,27	0,53	0,05			0,05	0,00	1,019	0,00
3 TS (P)	5,77	0,55	0,00			0,00	0,00	1,019	0,00
3 TS (S)	5,76	0,56	0,00			0,00	0,00	1,019	0,00
4 TS (P)	6,36	0,57	0,17			0,17	0,00	1,019	0,00
4 TS (S)	6,33	0,58	0,16			0,16	0,00	1,019	0,00
A.PK	7,41	0,52	0,10			0,10	0,10	1,019	0,10
TOTAL							193,01		196,70

12) INITIAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)							97,00	1,000	97,00
FWT (S)			GAUGE				58,00	1,000	58,00
DIST (S)							112,00	1,000	112,00
TOTAL							267,00		267,00

13) FINAL FRESH WATER CONDITION:

Vessel's	Observed	Pipe	Observed	Correction (m)		Corrected	Observed	Observed	Weight
Tank No.	Height (m)	A.D.L (m)	Sound. (m)	Trim	List	Sound. (m)	Volu. (m3)	Density	Total (t)
FWT (P)							85,00	1,000	85,00
FWT (S)			GAUGE				44,00	1,000	44,00
DIST (S)							69,00	1,000	69,00
TOTAL							198,00		198,00

14) DEDUCTIBLES

	<u>INITIAL</u>	<u>FINAL</u>
INTERMEDIATE FUEL OIL	584,5 t	1020,0 t
MARINE DIESEL OIL	258,6 t	258,6 t
LUBRICATING	K	K
FRESH WATER	267,0 t	198,0 t
BALLAST	21409,2 t	196,7 t
OTHERS	0,0 t	0,0 t
TOTAL	22519,3 t	1673,3 t



MV EKATERINE

<https://standardbrazil.com.br/atendimentos/link?tag=PGUA/DS/358/25&tk=3370430421>

SHIP'S PARTICULARS

MMSI	538007847	
SHIP NAME	M.V. "EKATERINI"	
OFFICIAL NO.	7847	SAT TEL: +870773911203
IMO NO.	9739563	MMSI: 538007847
SIGNAL LETTERS	V7LC2	E-mail: MV.Ekaterini@Eurofleet.net
NATIONALITY	MARSHALL ISLANDS	INM. C TLX: 453845334 / 453845335
PORT REGISTRY	MAJURO	
SHIP BUILDER	JIANGSU NEW YANGZI SHIPBUILDING CO. LTD. CHINA	
KEEL LAID	NOVEMBER 20, 2015	
LAUNCHED	JANUARY 01, 2018	
DELIVERED	MAY 07, 2018	
TYPE OF SHIP	82,006 DWT BULK CARRIER	
KIND OF SHIP	BULK CARRIER	
CLASS	+1A1, Bulk carrier BC(A) BIS BWM (T,E(s,f)) COAT-PSPC(B) CSR E0 ISP (Grab(20t) Holds (2,4,6) may be empty TMON	
LENGTH OVER ALL	229.00 METERS	
LENGTH (BETWEEN P.)	225.30 METERS	
BREADTH (MLD)	32.26 METERS	
DEPTH (MLD)	20.00 METERS	
SUMMER DRAFT	moulded 14.450 M (14.467 Mextreme) DISPLACEMENT - 95,463 MT DEADWEIGHT - 82,006.0 MT	
TROPICAL DRAFT	moulded 14.751 M DISPLACEMENT - 97,629 MT DEADWEIGHT - 84,173 MT	
WINTER DRAFT	moulded 14.149 M DISPLACEMENT - 93,297 MT DEADWEIGHT - 79,841 MT	
FRESH	moulded 14.781 M DISPLACEMENT - 95,459 MT DEADWEIGHT - 82,002 MT	TPC-72.0 mt/cm
TROPICAL FRESH	moulded 15.082 M DISPLACEMENT - 97,574 MT DEADWEIGHT - 84,117 MT	
INTERNATIONAL TONNAGE		
* GROSS	44,190 T	
* NET	27,631 T	
LIGHT SHIP	13,456.7 MT	FWA 331 mm
HIGHEST PT. FM KEEL	49.80 M	
MAIN ENGINE	DMD MAN B&W 6S60ME-C8.2-TII MCO 9801KW X 90.3 RPM CSO 7448 KW X 82.4 RPM	
SPEED	14.00 KNOTS	CRUISING AREA - OCEANGOING

CARGO HATCH/HOLD DIMENSION

HATCH: NO.1 = L15.48 M x B13.30 M
" NO.2 - 7 = L15.48 M x B15.00 M
HOLD: NO.1 = L-25.80m, B-32.22m, H-18.92m
" NO.2 L-26.70m, B-32.22m, H-18.92m
" NO.3 L-27.70m, B-32.22m, H-18.92m
" NO.4 L-25.80m, B-32.22m, H-18.92m
" NO.5 L-26.80m, B-32.22m, H-18.92m
" NO.6 L-26.70m, B-32.22m, H-18.92m
" NO.7 L-31.86m, B-32.22m, H-18.92m

CARGO HOLD CAPACITY

NO. 1 - 12628.5 M3 NO. 2 - 13825.4 M3
NO. 3 - 14363.0 M3 NO. 4 - 13080.3 M3
NO. 5 - 13765.2 M3 NO. 6 - 13750.5 M3
NO. 7 - 15836.9 M3

OWNER

KAMSARMAX TWO SHIPPING LTD.
TRUST COMPANY COMPLEX, AJELTAKE ROAD, AJELTAKE ISLAND,
MAJURO, MARSHALL ISLANDS MH96960

OPERATOR

EUROBULK (FAR EAST) LTD
10 FLOOR MA. NATIVIDAD BLDG.
TM. KALAW COR. CORTADA STS.
ERMITA, MANILA PHILIPPINES


CAPT. PHILIP E. SAMSON
MASTER M/V EKATERINI



(Name of shipping line, agent, etc.)

IMO CREW LIST

Page No.

EUROBULK (FAR EAST) LTD

☒ Arrival ☐ Departure

1

1. Name of ship M/V EKATERINI			2. Port of Arrival / Departure PARANAGUA BRAZIL		3. Date of Arrival / Departure 10 DEC 2025		
4. Nationality of ship MARSHALL ISLANDS			5. Last Port of call CHIWAN CHINA		6. Nature and No. of		
7. No. 8. Family name, G.names			9. Rank or rating	10. sex	11. Nationality	12. Date and place of birth	DATE & PLACE OF JOINING
1. SAMSON, PHILIP			MASTER	MALE	FILIPINO	04 Apr 1980	27-Oct-25
ENGIG						MONTEVISTA DAVAO	CHIWAN CHINA
2. BONGAY, EUGENIO			C/MATE	MALE	FILIPINO	08 Jul 1971	18-Oct-25
ARBOLADURA						PANGLAO BOHOL	SINGAPORE
3. SAMSON, ALEXANDER			2/MATE	MALE	FILIPINO	15 Aug 1994	8-Mar-25
ENGIG						TAGUM DAVAO	SFDS BRAZIL
4. MINA, JOHN PAUL			3/MATE	MALE	FILIPINO	07 Jun 1997	18-Oct-25
OLIVEROS						SAN JOSE OC MDO	SINGAPORE
5. PALAPUS, ROJAN			C/ENGR	MALE	FILIPINO	23 Dec 1978	27-Oct-25
TABLAC						ALLACAPAN CAG	CHIWAN CHINA
6. HERNANE, JEFFREY			2/ENGR	MALE	FILIPINO	10 Dec 1976	18-Oct-25
CAÑON						ILIGAN CITY	SINGAPORE
7. PARAGON, NIÑO			3/ENGR	MALE	FILIPINO	15 Nov 1978	27-Oct-25
NERPIOL						MATALAM NO COT	CHIWAN CHINA
8. BADOLES, DENVER			ELECT.	MALE	FILIPINO	27 May 1979	18-Oct-25
TALEON						ILOILO CITY	SINGAPORE
9. VILLENA, ROMMEL			BOSUN	MALE	FILIPINO	24 Jul 1971	21-Apr-25
NICANOR						SIOCON ZAM DN	SINGAPORE
10. MANDASOC, JOSE			A/B	MALE	FILIPINO	06 Oct 1990	21-Apr-25
VILLAREAL						BUSTOS BULACAN	SINGAPORE
11. DONAIRE, RENATO			A/B	MALE	FILIPINO	03 May 1977	21-Apr-25
HIDALGO						POLOMOLOK SO COT	SINGAPORE
12. MONTUYA, MICHAEL			A/B	MALE	FILIPINO	08 Apr 1979	8-Jul-25
CORBITA						TUBIGON BOHOL	SINGAPORE
13. JULIAN, JAYMARK			O/S	MALE	FILIPINO	23 Aug 1995	18-Oct-25
ENRIQUEZ						TANTANGAN SO COT	SINGAPORE
14. RENTURA, ALVEIN JUNE			O/S	MALE	FILIPINO	12 Jun 2000	21-Apr-25
ESPINOZA						DAVAO CITY	SINGAPORE
15. NODORA, ELMER JR.			D/CADET	MALE	FILIPINO	15 Jun 2001	8-Jul-25
MARTINEZ						PASUQUIN ILS NO	SINGAPORE
16. CALIMPON, JOHN KENNETH			OILER	MALE	FILIPINO	17 Jun 1993	18-Oct-25
BAURA						MARIA SIQUIJOR	SINGAPORE
17. ALBURO, JEINEKEN			OILER	MALE	FILIPINO	13 Nov 1982	21-Apr-25
LAPITAN						OZAMIZ CITY	SINGAPORE
18. BUGAY, JHON ROVIC			E/CADET	MALE	FILIPINO	09 Sep 1999	8-Mar-25
FAMULARCANO						SAN JUAN MM	SFDS BRAZIL
19. PIGAO, JOHN			FITTER	MALE	FILIPINO	04 Apr 1972	18-Oct-25
VENTURA						APARRI CAGAYAN	SINGAPORE
20. MARFA, RONNIE			COOK	MALE	FILIPINO	28 Apr 1999	27-Oct-25
TRAZO						TALISAY CEBU	CHIWAN CHINA
21. MARIN, EVERWIN			MESSMAN	MALE	FILIPINO	03 Apr 1991	13-May-25
LEAÑO						CLAVERIA CAGAYAN	LONGKOU

13. Date and signature by master, authorized agent or officer

CAPT. PHILIP E. SAMSON
Master M.V. EKATERINI



Stowage Distribution

The SF (Stowage Factor) considered [WOG] for the purpose of Stowage Distribution is / are:

TOTAL CARGO

48.5 CFT / MT

for Cargo Grade


SOYA BEAN

SOYA BEANS

69,500 MT

GRAND TOTAL 69,500.000 MT

Hold dimension, not to scale



TOTAL 10,474.000 MT 9,524.000 MT 10,458.000 MT 10,066.000 MT 8,943.000 MT

RESTRICTION
POINT

Port: PARANAGUA

Draft: FWD 13.10 Mtrs

Draft: AFT 13.10 Mtrs

Draft: MID 13.10 Mtrs

TRIM 0.00 Mtrs

SINGAPORE CHINA

12.92 Mtrs 12.96 Mtrs

12.96 Mtrs 13.11 Mtrs

12.94 Mtrs 13.04 Mtrs

0.04 Mtrs 0.15 Mtrs

@ Density 1.015

1.025 1.025

Disclaimer: Pre-stowage plan and relevant Deadweight Calculation presented here are based on information provided by the Charterers and/or their servants & agent(s) on about basis, in good faith, WOG. Additionally, these are always subject to actual ROB, stresses causing deflections (sagging/hogging), actual SF of the cargo supplied at the time of loading, actual density of water in the port and actual height of tide controlling the available depth of water in the port at the time of loading. In case there is a draft restriction controlled by tidal variation, the said calculation is based on assumed loading completion date and relevant tide info as given by shippers / terminals. Vessel Command has the authority to revise / change the above stowage plan at any time, for the safety of the vessel and her crew.

Prepared By: Chief Officer

Approved By: Master





Health, Safety, Environmental & Quality
Management System

Date:	01/11/15	Doc. No.:	HSE D42
Issue/Rev:	01/00	Page:	1 of 2
Issued by:	DPA/HSEQ coordinator		
Approved by:	Managing director		

Loading/Unloading Sequence Plan

NG/UNLOADING PLAN			Date: 10 December 2025		Vessel: "EKATERINI"						Voyage No: 11L/25					
nload: iranagua, Brazil			Cargo(es): Soyabeans		Assumed stowage factor of cargo(es): 48.5 ft³/MT		BallastPumping rate: 1400m³/hr x 2 PUMPS =: 2800 m³/hr		Dock water Density: 1.016 MT/m³		Max draught: available (H/W) 13.10 m		Max air draught in berth : 18 m			
n: ingdao, China			Last Cargo: SOYABEANS		No.of loaders: 2 dischargers:		Load/ Discharge rate: Abt 1666 MT /HR		Min draught available:		Max sailing/ Arrival: 13.10 m					
fold	7	6	5	4	3	2	1									
uantity	10474	10012	10023	9524	10458	10066	8943									
ype	SOYABEAN	SOYABEAN	SOYABEAN	SOYABEAN	SOYABEAN	SOYABEAN	SOYABEAN	SOYABEAN								
Cargo		Ballast operations		Time Required (hours)	Remarks		Calculated values				Calculated values			Observed values		
Hold No	Tonnes						Draught		Maximum		Air Draught	Draught Mid	Trim	Draught		
							Fwd	Aft	BM*	SF*				Fwd	A.ft	Mid
ARRIVAL CONDITION																
4	5000	P.Out TST#3 & 4 P/S / 2.5 h	6h	Balance to Load HOLD #4 abt 4524MT		4.50	7.90	88	91	16.77	6.20	3.40				
6	5000		6h	Balance to Load HOLD #6 abt 5012MT		4.90	9.48	70	74	16.35	7.24	4.48				
3	5000		6h	Balance to Load HOLD #3 abt 5458MT												
5	5000	P.Out TST# 2 & DBT 4&5 P/S / 4.46h	6h	Balance to Load HOLD #5 abt 5023MT		6.24	9.33	71	79	16.73	7.78	3.09				
1	5000		6h	Balance to Load HOLD #1 abt 4195MT												
7	5000	P.Out TST#1 & DBT 1 P/S/P.Out APT REMAIN 180mt / 2.9h	6h	Balance to Load HOLD #7 abt 6115MT		6.42	9.68	56	41	15.88	8.05	3.26				
2	5000		6h	Balance to Load HOLD #2 abt 5066MT												
6	5012	P.Out DBT 2 P/S & FPT /3.2 h	6h	Complete load hold #6		6.54	11.12	30	32	14.77	8.83	4.57				
3	5458	Start Stripping	6.6h	Complete load hold #3												
5	5023	Cont. Stripping	6h	Complete load hold #5		8.67	11.99	81	67	14.28	10.33	3.31				
1	2943	Remain 1000Mt	3.6h	Balance to Load HOLD #1 abt 1000mt												
7	4474	Remain 1000Mt	5.1h	Balance to Load HOLD #7 abt 1000mt		9.65	13.15	41	36	12.64	11.40	3.50				
2	5066	Cont. Stripping	6.1	Complete Load Hold# 2												
4	4524	Cont. Stripping	5.4	Complete Load Hold# 4		12.70	12.92	67	37	10.64	12.81	0.22				
		Intermediate														
1	1000	Cont. Stripping	1.2h	Complete Load Hold# 1												
7	1000	Complete	1.2h	Complete Loading		13.10	13.10	53	34	10.28	13.10	0				
TOTAL	69500			SAILING CONDITION												

Note:

moments (BM)&shear forces (SF) are to be expressed as a percentage of maximum permitted in-port values for intermediate stages and of maximum permitted at-sea values for the final stage. Every step in the loading plan must remain within the allowable limits for hull girder shear forces, bending moments and tonnage per hold, where applicable. Loading/unloading operations may have to be paused to allow for ballasting in order to keep actual values within limits.

Locality: As required	Distribution: Master	Hard	Electronic	File No.: Voyage file
-----------------------	----------------------	------	------------	-----------------------

MV "EKATERINI"	INITIAL SURVEY		FINAL SURVEY	
	Inner roads 8.3		Wharf 214	
	11.12.2025 - 17:40 h		14.12.2025 - 19:55 h	
	0,20 m. waves		0,15 m. waves	
IMO NO. 9739563 FLAG: Marhelese BUILD: 2018	Wind force 01		Wind force 01	
DRAUGHT SURVEY CERTIFICATE	No tide Flow		Flood tide, 1knot	
PGUA/DS/358/25	Weather: Sunny		Weather: Fine	
DRAUGHT	INITIAL		FINAL	
Forward port	4,4100 m		13,0100 m	
Forward starboard	4,4700 m		13,0100 m	
Forward mean	4,4400 m		13,0100 m	
Stem correction	-0,1276 m		-0,0173 m	
Draught forward (corrected to fore perpendicular)	4,3124 m		12,9927 m	
Midship port	5,9000 m		13,1000 m	
Midship starboard	6,0500 m		13,1000 m	
Midship mean	5,9750 m		13,1000 m	
Midship correction	-0,0319 m		-0,0170 m	
Draught midship (corrected to midship perpendicular)	5,9431 m		13,0830 m	
Aft port	7,9900 m		13,0200 m	
Aft starboard	7,9900 m		13,0200 m	
Aft mean	7,9900 m		13,0200 m	
Stem correction	-0,0361 m		-0,0164 m	
Draught after (corrected to after perpendicular)	7,9539 m		13,0036 m	
Kell correction	0,0170 m		0,0170 m	
Waterplane coefficient correction for hull deflexion	0,0204 m		-0,0128 m	
Means of means corrected for deflexion:	6,0110 m		13,0490 m	
True trim	BY STERN	3,64 m	BY STERN	0,01 m
Heel (angle & in cm)	S 000 °	15,00 cm	N °	0,00 cm
Hull deflexion:	HOGGING	19,01 cm	SAGGING	8,48 cm
DISPLACEMENTS	INITIAL		FINAL	
Displacement in salt water	36.896,7 t		85.398,0 t	
First trim correction	-643,2 t		1,5 t	
Second trim correction	126,2 t		0,0 t	
Displacement corrected for trim	36.379,8 t		85.399,5 t	
Water density	1,01900		1,01900	
Displacement corrected for density	36.166,8 t		84.899,6 t	
Deductibles (fresh water, oils, etc.)	22.519,3 t		1.673,3 t	
Displacement corrected for deductibles	13.647,5 t		83.226,3 t	
Light Ship	13.456,7 t			
Calculated constant	221,4 t			
Anchor + chain	30,6 t		0,0 t	
Total cargo loaded on board as per draught survey			69.548,2 t	
Loading terminals: AG, CT, IT, RO, .	TPC	65,2 t/cm	TPC	71,7 t/cm
Cargo: Soybeans in bulk	MTC +0.5	974,4 t*cm	MTC +0.5	1265,4 t*cm
Paranagua, Br - Brazil. December 14th, 2025	MTC -0.5	931,5 t*cm	MTC -0.5	1255,2 t*cm
Total cargo loaded on board as per shore scales			69.631,225 t	
Total cargo loaded on board as per draught survey			69.548,184 t	
Shortage	-83,041 t		-0,12 %	

Remarks: 1) Due to huge hull deflexion in hogging on initial draft survey and sagging on final draft survey, it was applied the waterplane area coefficient correction for the deflexion formula as per UN/ECE/Energy/19/1992. 2) According to the Master/Chief Officer usual constant would amount to 220 t.

Standard Brazil Marine Surveys & Services Ltda.
José Antonio Machado Gomes Pereira / Igor do Carmo C. Pinotti
Licensed Marine Officer / Marine Surveyor / 375460MM

Master/Ch. Off: 69.513,671 t -117,554 t -0,17 %
Customs : 69.534,149 t -97,076 t -0,14 %

Master/Ch. Off:




 PETROBRAS	Nº		REV.	
	FOLHA		de	
	TÍTULO: Comprovante de Fornecimento a Navio - CFN (Bunker Delivery Note - BDN)			
Petróleo Brasileiro S.A. Av. Henrique Valadares - 28 - Torre A - Rio de Janeiro - RJ - Brasil CEP: 20.231-030 Tel: (+ 55 21) 2166-7393 Fax: (+ 55 21) 2166-9221 E-mail: bunker@petrobras.com.br				
Preencher com letras de forma – sem rasuras (Fill in with block letters - without remarks)				
Nº do CFN (BDN no):		Nome do Navio (Ship's name):		Nº IMO do Navio (Ship's IMO no.):
15549/2025		EKATERINI		9739563
Cliente (Customer):			Bandeira (Flag):	
LOUIS DREYFUS COMPANY SUISSE SA.			MARSHALL ISLANDS	
Nº do lacre da amostra do navio (Ship's sample seal no.)	Nº do lacre da amostra da PETROBRAS (PETROBRAS'S sample seal no.)		Nº do lacre da amostra da MARPOL (MARPOL's sample seal no.)	
0011526	0011584		0011564	
Local de fornecimento (Supply area)	Porto (Port)		Órgão (Origin)	
AZ 14	PARANAGUA-PR		TP/DDT/DTSSPCO/SUL/PRSC/TEPAR	
Nº do anexo único/processo (Process No.)			Produto (Grade)	
27810588BKR01			VLSFO 0,5% S	
Quantidade fornecida (Delivered quantity) (x.xxx,yyy)				
Volume ambiente (Observed volume)		Volume a 20 °C (Volume at 20 °C)		Quantidade (Quantity)
494,109 M³		485,945 M³		450,131 MT
Densidade a 20 °C (Specific gravity at 20 °C)	Densidade a 15 °C (Specific gravity at 15 °C)	Viscosidade cinemática (Kinematic viscosity)	Ponto de fulgor (Flash point)	Teor de enxofre (Sulphur content) (x,yy)
0,9263	0,9296	26,31 cSt at 50 °C	94,0 °C	0,41 % m/m
Operação (Operation)				
Entrega por (Delivery by)		Início (Start)		Término (End)
Nome da barçaça (Barge name)	E-240	Data (Date) (dd/mm/yyyy)	12/12/2025	Data (Date) (dd/mm/yyyy)
Duto (Pipeline)	*****	Hora (Time)	17:05	Hora (Time)
Caminhão (Truck)	*****			19:15
Atenção: As reclamações somente serão aceitas quando recebidas dentro de 21 dias corridos da data da entrega. (Attention: The claims shall only be accepted if received within 21 days from delivery date).				
Foi emitida carta protesto (Was a Letter of protest issued)?: Sim (Yes) X Não (No)				
O bunker aqui fornecido atende aos regulamentos 14 (1) e 18 (3) da Marpol 73/78 Anexo VI (The bunker herein supplied is in conformity with regulations 14 (1) and 18 (3) of Marpol 73/78 Annex VI)				
Nomes em letras de forma, Assinaturas e Carimbos (Names in block letters, Signatures and Stamps)				
Representante do navio (Ship's representative)		Representante da PETROBRAS (PETROBRAS'S representative)		
 ROJAN PALAPUS		 Bledson Lima Pereira Mestre Serviço de Navegação Ltda MNC - MESTRE		
				
AS INFORMAÇÕES DESTES DOCUMENTOS SÃO PROPRIEDADE DA PETROBRAS. NÃO É PERMITIDA A UTILIZAÇÃO FORA DA SUA FINALIDADE. FORMULÁRIO PERTENCENTE À PETROBRAS N-2652 REV. F. ANEXO B - FOLHA 01/01.				

STOWAGE PLAN

MV "EKATERINI"

Loading Port: PARANAGUÁ / BRAZIL Date...: DECEMBER 14TH, 2025.
 Discharging Port..: CHINA PORT(S) .
 Cargo: **69.631,225** MTONS OF BRAZILIAN S.BEANS, IN BULK.
 Average Stowage Factor: **48,01**




	Hold 7	Hold 6	Hold 5	Hold 4	Hold 3	Hold 2	Hold 1	
	SLACK	FULL	FULL	FULL	FULL	FULL	SLACK	"EKATERINI"
	10.366,380	10.089,550	10.092,910	9.592,205	10.596,070	10.230,890	8.663,220	
	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	M/Tons	
	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	S.BEANS	
Cubic Capacity	559.264	485.595	486.124	461.930	507.243	488.243	445.970	
Stowage Factor	53,95	48,13	48,16	48,16	47,87	47,72	51,48	


 Master or Chief Officer
 MV "EKATERINI"



TIBAGI SERVIÇOS MARÍTIMOS LTDA.
 PORT OPERATORS
 SINCE 1961


 Tibagi Shipping agents & Port Operators

REMARK: Weight, measure, quality, quantity, condition, contents and value unknown.

PGUA/DS/358/25

NAVIO:	EKATERINI
AGÊNCIA:	WILSON SONS AGÊNCIA MARÍTIMA
OPERADOR:	TIBAGI SERVIÇOS MARÍTIMOS LTDA.
DATA EMBARQUE:	14.12.2025
PESO TERRA:	69.631,225
PESO BORDO:	69.548,184
VARIAÇÃO:	-83,041
PERCENTUAL:	-0,12%
Entrar na estatística	Sim

PORÃO	1	2	3	4	5	6	7	TOTAL
PRODUTO	Soybeans	Soybeans	Soybeans	Soybeans	Soybeans	Soybeans	Soybeans	
AGTL	5.274,480	5.000,340	10.151,055	5.008,260				25.434,135
CARGILL								0,000
CENTRO SUL								0,000
CIMBESSUL								0,000
COAMO								0,000
CORREDOR - V								0,000
CORREDOR - H								0,000
COTRIGUAÇU					5.504,275	3.407,600	5.153,990	14.065,865
INTERALLI	2.676,575	5.230,550	239,730	1.853,145				10.000,000
DREYFUS								0,000
ROCHA	712,165		205,285	2.730,800	4.588,635	6.681,950	5.212,390	20.131,225
TOTAL	8.663,220	10.230,890	10.596,070	9.592,205	10.092,910	10.089,550	10.366,380	69.631,225
CUBAGEM	445.970	488.243	507.243	461.930	486.124	485.595	559.264	
FATOR DE ESTIVA	51,48	47,72	47,87	48,16	48,16	48,13	53,95	
CONDIÇÃO PORÃO	FULL	FULL	FULL	FULL	FULL	FULL	SLACK	

Observações: