






R1



+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 10.0.0.0/24 is directly connected, Ethernet0/0

L 10.0.0.1/32 is directly connected, Ethernet0/0

15.0.0.0/24 is subnetted, 1 subnets

S 15.0.0.0 [1/0] via 20.0.0.2

20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 20.0.0.0/24 is directly connected, Ethernet0/1

L 20.0.0.1/32 is directly connected, Ethernet0/1

21.0.0.0/24 is subnetted, 1 subnets

S 21.0.0.0 [1/0] via 20.0.0.2

30.0.0.0/24 is subnetted, 1 subnets

S 30.0.0.0 [1/0] via 20.0.0.2

162.14.0.0/16 is variably subnetted, 2 subnets, 2 masks

S 162.14.0.0/16 [1/0] via 20.0.0.2

S 162.14.0.0/32 [1/0] via 20.0.0.2

172.19.0.0/24 is subnetted, 1 subnets

S 172.19.0.0 [1/0] via 20.0.0.2

S 192.168.168.0/24 [1/0] via 20.0.0.2

R1#

R1#

10.0.0.10



R2

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

10.0.0.0/24 is subnetted, 1 subnets
S 10.0.0.0 [1/0] via 20.0.0.1
15.0.0.0/24 is subnetted, 1 subnets
S 15.0.0.0 [1/0] via 30.0.0.2
20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 20.0.0.0/24 is directly connected, Ethernet0/0
L 20.0.0.2/32 is directly connected, Ethernet0/0
21.0.0.0/24 is subnetted, 1 subnets
S 21.0.0.0 [1/0] via 30.0.0.2
30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 30.0.0.0/24 is directly connected, Ethernet0/1
L 30.0.0.1/32 is directly connected, Ethernet0/1
162.14.0.0/24 is subnetted, 1 subnets
S 162.14.0.0 [1/0] via 30.0.0.2
172.19.0.0/24 is subnetted, 1 subnets
S 172.19.0.0 [1/0] via 30.0.0.21
S 192.168.168.0/24 [1/0] via 30.0.0.2

R2#

a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

```
S      10.0.0.0/24 is subnetted, 1 subnets
        10.0.0.0 [1/0] via 30.0.0.1
S      15.0.0.0/24 is subnetted, 1 subnets
        15.0.0.0 [1/0] via 172.19.0.2
S      20.0.0.0/24 is subnetted, 1 subnets
        20.0.0.0 [1/0] via 30.0.0.1
S      21.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C      21.0.0.0/24 is directly connected, Ethernet0/2
L      21.0.0.1/32 is directly connected, Ethernet0/2
C      30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C      30.0.0.0/24 is directly connected, Ethernet0/0
L      30.0.0.2/32 is directly connected, Ethernet0/0
S      162.14.0.0/24 is subnetted, 1 subnets
        162.14.0.0 [1/0] via 21.0.0.2
S      172.19.0.0/16 is variably subnetted, 2 subnets, 2 masks
C      172.19.0.0/24 is directly connected, Ethernet0/1
L      172.19.0.1/32 is directly connected, Ethernet0/1
S      192.168.168.0/24 [1/0] via 21.0.0.2
R3#
```


o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

```
10.0.0.0/24 is subnetted, 1 subnets
S    10.0.0.0 [1/0] via 172.19.0.1
15.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    15.0.0.0/24 is directly connected, Ethernet0/0
L    15.0.0.1/32 is directly connected, Ethernet0/0
20.0.0.0/24 is subnetted, 1 subnets
S    20.0.0.0 [1/0] via 172.19.0.1
21.0.0.0/24 is subnetted, 1 subnets
S    21.0.0.0 [1/0] via 172.19.0.1
30.0.0.0/24 is subnetted, 1 subnets
S    30.0.0.0 [1/0] via 172.19.0.1
S    162.14.0.0/16 [1/0] via 172.19.0.1
172.19.0.0/16 is variably subnetted, 2 subnets, 2 masks
C    172.19.0.0/24 is directly connected, Ethernet0/1
L    172.19.0.2/32 is directly connected, Ethernet0/1
S    192.168.168.0/24 [1/0] via 172.19.0.1
```

R4#

R4#



R5

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

10.0.0.0/24 is subnetted, 1 subnets

S 10.0.0.0 [1/0] via 21.0.0.1

15.0.0.0/24 is subnetted, 1 subnets

S 15.0.0.0 [1/0] via 21.0.0.1

20.0.0.0/24 is subnetted, 1 subnets

S 20.0.0.0 [1/0] via 21.0.0.1

21.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 21.0.0.0/24 is directly connected, Ethernet0/0

L 21.0.0.2/32 is directly connected, Ethernet0/0

30.0.0.0/24 is subnetted, 1 subnets

S 30.0.0.0 [1/0] via 21.0.0.1

162.14.0.0/24 is subnetted, 1 subnets

S 162.14.0.0 [1/0] via 192.168.168.2

172.19.0.0/24 is subnetted, 1 subnets

S 172.19.0.0 [1/0] via 21.0.0.1

192.168.168.0/24 is variably subnetted, 2 subnets, 2 masks

C 192.168.168.0/24 is directly connected, Ethernet0/1

L 192.168.168.1/32 is directly connected, Ethernet0/1

R5#



R6


+ - replicated route, % - next hop override, p - overrides from PfR


Gateway of last resort is not set


```
10.0.0.0/24 is subnetted, 1 subnets
S      10.0.0.0 [1/0] via 192.168.168.1
15.0.0.0/24 is subnetted, 1 subnets
S      15.0.0.0 [1/0] via 192.168.168.1
20.0.0.0/24 is subnetted, 1 subnets
S      20.0.0.0 [1/0] via 192.168.168.1
21.0.0.0/24 is subnetted, 1 subnets
S      21.0.0.0 [1/0] via 192.168.168.1
30.0.0.0/24 is subnetted, 1 subnets
S      30.0.0.0 [1/0] via 192.168.168.1
162.14.0.0/16 is variably subnetted, 2 subnets, 2 masks
C      162.14.0.0/24 is directly connected, Ethernet0/0
L      162.14.0.1/32 is directly connected, Ethernet0/0
172.19.0.0/24 is subnetted, 1 subnets
S      172.19.0.0 [1/0] via 192.168.168.1
192.168.168.0/24 is variably subnetted, 2 subnets, 2 masks
C      192.168.168.0/24 is directly connected, Ethernet0/1
L      192.168.168.2/32 is directly connected, Ethernet0/1
R6#
R6#
```

10.0.0.10

QEMU (Win-1)







QEMU (Win-1)



My Documents

My Computer

My Network Places

Recycle Bin

Internet Explorer

Cisco ASDM-1...

Old Java ASDM

PuTTY

Tftpd32

```
C:\WINDOWS\system32\cmd.exe
Reply from 162.14.0.10: bytes=32 time=3ms TTL=123
Reply from 162.14.0.10: bytes=32 time=3ms TTL=123
Reply from 162.14.0.10: bytes=32 time=4ms TTL=123

Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 4ms, Average = 3ms

C:\Documents and Settings\user>ping 15.0.0.10

Pinging 15.0.0.10 with 32 bytes of data:
Reply from 15.0.0.10: bytes=32 time=4ms TTL=124
Reply from 15.0.0.10: bytes=32 time=1ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124

Ping statistics for 15.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 4ms, Average = 2ms

C:\Documents and Settings\user>ping 162.14.0.10

Pinging 162.14.0.10 with 32 bytes of data:
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Reply from 162.14.0.10: bytes=32 time=3ms TTL=123
Reply from 162.14.0.10: bytes=32 time=3ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123

Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 3ms, Average = 2ms

C:\Documents and Settings\user>
```



My Documents



My Computer

My Network
Places

Recycle Bin

Internet
ExplorerCisco
ASDM-I...

C:\WINDOWS\system32\cmd.exe

Pinging 10.0.0.10 with 32 bytes of data:

Reply from 10.0.0.10: bytes=32 time=1ms TTL=124

Reply from 10.0.0.10: bytes=32 time=2ms TTL=124

Reply from 10.0.0.10: bytes=32 time=3ms TTL=124

Reply from 10.0.0.10: bytes=32 time=3ms TTL=124

Ping statistics for 10.0.0.10:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 1ms, Maximum = 3ms, Average = 2ms

C:\Documents and Settings\user>ping 162.14.0.10

Pinging 162.14.0.10 with 32 bytes of data:

Reply from 162.14.0.10: bytes=32 time=1ms TTL=124

Reply from 162.14.0.10: bytes=32 time=2ms TTL=124

Reply from 162.14.0.10: bytes=32 time=3ms TTL=124

Reply from 162.14.0.10: bytes=32 time=3ms TTL=124

Ping statistics for 162.14.0.10:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 1ms, Maximum = 3ms, Average = 2ms

C:\Documents and Settings\user>



My Documents

My Computer

My Network Places

Recycle Bin

Internet Explorer

Cisco ASDM-I...

C:\WINDOWS\system32\cmd.exe

```
Reply from 10.0.0.10: bytes=32 time=4ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
```

Ping statistics for 10.0.0.10:

```
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 2ms, Maximum = 4ms, Average = 2ms
```

C:\Documents and Settings\user>ping 15.0.0.10

Pinging 15.0.0.10 with 32 bytes of data:

```
Reply from 15.0.0.10: bytes=32 time=5ms TTL=124
Reply from 15.0.0.10: bytes=32 time=3ms TTL=124
Reply from 15.0.0.10: bytes=32 time=4ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
```

Ping statistics for 15.0.0.10:

```
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 2ms, Maximum = 5ms, Average = 3ms
```

C:\Documents and Settings\user>