KPIs, Solution Design Reference (SDR) and e-commerce journey analysis

NovaMart · Adobe Analytics
KPIs (Product Analysis, Orders / Transactions Insights), Solution Design Reference and e-commerce journey analysis, written for analysts new to Adobe Analytics.
Source files in the repository: `doc/kpi-and-sdr-guide.md`, `doc/sdr/novamart-sdr.csv`, `doc/sdr/product-classification.csv`. Companion: `doc/adobe-analytics-setup-guide.md`.

For: someone new to Adobe Analytics, working on the NovaMart training site (`https://main--frescopa-eds-analytics--sravaneds.aem.page/`)
Builds on: Adobe Analytics setup guide (same variable numbers) and the **readiness assessment**

Files that come with this guide:

File	What it is
`sdr/novamart-sdr.csv`	The SDR itself: every variable, what it means, where its value comes from, and which KPI uses it. Open it in Excel or Google Sheets
`sdr/product-classification.csv`	Product details (name, brand, category, price) for the 24 NovaMart products, ready to upload as an Analytics **classification**

Contents

1. The ideas in five minutes
2. KPI 1: Product Analysis
3. KPI 2: Orders / Transactions Insights
4. What an SDR is, and how to build one (step by step)
5. The NovaMart SDR for these two KPIs
6. Implementing it (what to change in Analytics and Tags)

7. E-commerce journey analysis
8. Your first week: a learning plan
9. Things to confirm with the business

1. The ideas in five minutes

Term	Meaning	NovaMart example
Business question	Something a person needs to know to decide	"Which products get looked at but not bought?"
KPI (Key Performance Indicator)	A small set of measures that answer business questions, tracked over time	*Product Analysis*, *Orders / Transactions Insights*
Metric	A number you count or calculate	Product Views, Orders, Revenue
Dimension	A way to slice a metric	Product, Category, Brand, Product List, Payment Method
Calculated metric	A formula built from metrics in Analytics	Average Order Value = Revenue ÷ Orders
SDR (Solution Design Reference)	The **blueprint** that connects each business question → metric/dimension → Analytics variable → data-layer value → Tags rule	The table in section 5 and `sdr/novamart-sdr.csv`
Data layer	What the website already tells Tags about the page and actions	`adobeDataLayer.push({ event: 'cartAdd', eventInfo: { productId: 'EL-1008', quantity: 1 } })`

The chain you'll always follow:

```
Business question → KPI → metrics + dimensions → Analytics variables (eVar / prop / event)
      → data-layer value (what the site sends) → Tags rule (how it's sent) → report (how it's read)
```

If you can fill in every link of that chain for a question, your implementation will work.

2. KPI 1: Product Analysis

Description

Product Analysis shows how shoppers **discover, consider and buy** each product: how often it's seen in a list, clicked, viewed on its detail page, added to the cart, removed, and finally ordered, and how much revenue it brings. It helps merchandisers decide which products to promote, re-price, re-photograph or drop, and which lists, carousels and searches send shoppers to products that sell.

Business questions it answers

1. Which products, categories and brands get the most **views**, and which turn those views into **sales**?
2. Which products are **viewed but rarely added to the cart**? (Price, images or description may be the problem.)
3. Which products are **added to the cart but often removed or not bought**?
4. Which **product lists** (Shop carousel, category grid, recommendations, search results) produce the most clicks and revenue?
5. Does a product's **position** in a list change how often it's clicked?
6. Which products get **saved to the wishlist** (interest without purchase)?

Metrics

Metric	Type	Definition on NovaMart	Comes from (data layer)
Product List Views	Counter (event21)	A product grid or carousel became half visible	`productListImpression`
Product Clicks	Counter (event22)	A product card was clicked in a list	`productClick`, `productCarouselClick`, `recommendationClick`
Product Views	Standard (prodView)	A product detail page was shown	`productView`
Cart Additions	Standard (scAdd)	A product was added (or its quantity increased)	`cartAdd`
Cart Removals	Standard (scRemove)	A product was removed (or its quantity decreased)	`cartRemove`
Wishlist Adds	Counter (event42)	Heart / "Add to wishlist"	`wishlistAdd`
Orders, Units, Revenue	Standard (purchase)	Ordered products (from KPI 2)	`checkoutComplete`

Calculated metrics (create in Analysis Workspace → Components → Calculated metrics)

Calculated metric	Formula	What "good" looks like
List click-through rate	Product Clicks ÷ Product List Views	Higher = the list shows the right products
View-to-cart rate	Cart Additions ÷ Product Views	Higher = the PDP convinces
Cart removal rate	Cart Removals ÷ Cart Additions	Lower = fewer second thoughts
Product conversion rate	Orders ÷ Product Views	The headline product KPI
Revenue per product view	Revenue ÷ Product Views	Compares products fairly regardless of traffic

Dimensions

Dimension	Variable	Source
Product (SKU)	`s.products`	`productId` (e.g. `EL-1008`)
Product Name, Brand, Category, List Price	**Classifications** of Products	`sdr/product-classification.csv` (uploaded once)
Product List Name	eVar12 (merchandising)	`listName` (e.g. `featured-for-you-electronics`, `cart`, `wishlist`)
Product List Position	eVar13 (merchandising)	`position`
Cart Add Source	eVar14 (merchandising)	`source` (`pdp`, list name, `cart-quantity`, `wishlist`)
Page Type	eVar2 / prop1	`page.pageType`

> **Why classifications?** The site only needs to send the SKU. Name, brand, category and price are attached in Analytics from the uploaded file, so they stay consistent even if a product name changes on one page.

Example reports (Analysis Workspace)

Visualisation	Rows	Columns
Freeform table: "Product funnel"	Products (or Product Category classification)	Product Views, Cart Additions, View-to-cart rate, Orders, Revenue, Product conversion rate

Visualisation	Rows	Columns
Freeform table: "Which lists sell"	Product List Name (eVar12)	Product Clicks, Cart Additions, Orders, Revenue
Scatter plot: "Viewed but not bought"	Products	X = Product Views, Y = Product conversion rate
Freeform table: "Position effect"	Product List Position (eVar13)	Product Clicks, List click-through rate

3. KPI 2: Orders / Transactions Insights

Description

Orders / Transactions Insights shows how many orders the site takes, how big they are, how they're paid and shipped, how discounts affect them, and how many shoppers who start checking out actually finish. It helps the business track sales performance, spot checkout problems, measure coupon campaigns and understand new versus repeat customers.

Business questions it answers

1. How many **orders** and how much **revenue** per day, week and month?
2. What is the **average order value (AOV)** and **units per order**? Are they going up?
3. What share of visits end in an order (**conversion rate**)? What share of checkouts finish?
4. Which **coupons** are used, and how much **discount** do they cost?
5. Which **shipping** and **payment** methods do shoppers choose?
6. How much revenue comes from **new** versus **repeat** customers?
7. Where in checkout do shoppers **drop out**?

Metrics

Metric	Type	Definition on NovaMart	Comes from
Orders	Standard (purchase)	Order placed	`checkoutComplete`
Revenue	Standard (from `s.products` price)	**Product revenue** = price × quantity (excludes tax and shipping; see section 9)	`checkoutComplete.products[]`

Metric	Type	Definition on NovaMart	Comes from
Units	Standard	Sum of quantities in the order	`checkoutComplete.products[].quantity`
Order Discount	Currency event (event80)	Coupon discount amount	`checkoutComplete.discount`
Shipping Amount	Currency event (event81)	Shipping charged	`checkoutComplete.shipping`
Tax Amount	Currency event (event82)	Tax charged	`checkoutComplete.tax`
Checkouts	Standard (scCheckout)	Checkout opened with items	`checkoutStart`
Carts	Standard (scOpen)	First item added to an empty cart	`cartOpen`
Coupon Applied / Invalid Coupon	Counters (event39 / event40)	Coupon accepted / rejected	`couponApply` (`couponStatus`)
Checkout Step	Counter (event45)	Each checkout step reached	`checkoutStep`, `shippingSelect`, `paymentSelect`
Visits	Standard	Sessions	automatic

Calculated metrics

Calculated metric	Formula
Average Order Value (AOV)	Revenue ÷ Orders
Units per Order	Units ÷ Orders
Conversion rate	Orders ÷ Visits
Checkout completion rate	Orders ÷ Checkouts
Cart-to-order rate	Orders ÷ Carts
Cart abandonment rate	1 − (Orders ÷ Carts)
Discount share	Order Discount ÷ Revenue
Total order value incl. tax and shipping	Revenue + Shipping Amount + Tax Amount − Order Discount

Dimensions

Dimension	Variable	Source
Order ID	`s.purchaseID` (deduplication) + eVar48 (to report on it)	`orderId` (e.g. `NM-394674`)
Coupon Code	eVar6	`couponCode` (`SAVE10`, `WELCOME15`, `VIP20`, `FREESHIP`)
Shipping Method	eVar46	`shippingMethod` (`standard`, `express`, `next-day`, `pickup`)
Payment Method	eVar47	`paymentMethod` (`credit-card`, `paypal`, `apple-pay`, `gift-card`)
New vs Repeat Customer	eVar49	`user.orderCount` at purchase: `0` → `new`, otherwise `repeat`
Checkout Step	eVar45	`checkoutStep`
Audience Type	eVar20	`user.audienceType`
Product, Category, Brand	`s.products` + classifications	as KPI 1

Example reports

Visualisation	Rows	Columns
Line chart: "Sales trend"	Day	Orders, Revenue, AOV
Freeform table: "Coupons"	Coupon Code (eVar6)	Orders, Revenue, Order Discount, Discount share
Freeform table: "Payment and shipping mix"	Payment Method (eVar47) × Shipping Method (eVar46)	Orders, Revenue
Freeform table: "New vs repeat"	New vs Repeat Customer (eVar49)	Orders, Revenue, AOV
Fallout: "Checkout"	Checkouts → Checkout Step = shipping-method → Checkout Step = payment → Orders	—

4. What an SDR is, and how to build one (step by step)

An **SDR** is one spreadsheet that everyone (business, analyst, developer, QA) agrees on. Each row is one Analytics variable, and the row says **why it exists, what goes in it, where the value comes from and how it's sent**. Without an SDR, variables get reused for different things and reports become untrustworthy.

The columns of a good SDR

Column	Example
KPI	Orders / Transactions Insights
Business question	Which coupons drive orders?
Variable	eVar6
Friendly name	Coupon Code
Type / settings	eVar, expire on Purchase, Most recent
Description	Coupon code applied to the order
Example value	`SAVE10`
Data-layer source	`checkoutComplete.eventInfo.couponCode`
Set on (Tags rule)	Rule 11: Purchase
Hit type	`s.tl()` link hit
Page / block	`/checkout` → Checkout block
Owner, status, notes	Analytics team, implemented, empty when no coupon

Steps (do them in this order)

Step 1: Write the business questions. Ask the people who will use the reports: "What do you want to decide?" Write each answer as a question (see sections 2 and 3). *Don't start from variables.*

Step 2: Group the questions into KPIs. Here: *Product Analysis* and *Orders / Transactions Insights*.

Step 3: For each question, list the metrics and dimensions. "Which coupons drive orders?" → metrics Orders, Revenue, Order Discount; dimension Coupon Code.

Step 4: Check what the website already sends. Open the site with `?aep-debug=1`, or run `adobeDataLayer.getState()` in the console. The site's event list is in Step 1 of the **setup guide**. Write down the exact name of each value, e.g. `checkoutComplete.eventInfo.couponCode`. **If a value isn't sent, note it as a gap. Don't invent it.**

Step 5: Choose an Analytics variable for each item.

- Counting something → a **success event** (`purchase`, `scAdd` or a custom `eventNN`)
- Money that isn't product revenue (tax, discount) → a **currency event**
- A description that should be remembered until a later success (coupon code until purchase, list name until the

product is bought) → an **eVar** with the right **expiration**

- A description for that one hit only → a **prop**
- Product details that never change → **classifications** of the Products variable

Step 6: Decide the settings. For each eVar: expiration (Hit, Visit, Purchase) and allocation (usually *Most recent*). For product-related eVars: **merchandising, product syntax**.

Step 7: Map each variable to a Tags rule. Which data-layer message sets it, and does it go on a page-view hit (`s.t()`) or a link hit (`s.tl()`)?

Step 8: Review the SDR with the business, privacy and the developer. Check that no variable holds personal data (email, name, phone). Check the definitions, especially **revenue**. Sign it off.

Step 9: Build it. Create the variables in the report suite (Admin), then the Tags data elements and rules (section 6).

Step 10: Test against the SDR. For every row, do the action and check the value in the Experience Platform Debugger. Mark the row's status as *Tested*.

Step 11: Build the reports (sections 2, 3 and 7) and share them.

Step 12: Keep the SDR alive. Every new variable, change or retirement is recorded in the SDR first.

---

5. The NovaMart SDR for these two KPIs

The full version, with data-layer paths, rules, example values and status, is in `sdr/novamart-sdr.csv`. Summary:

Success events

Variable	Name	KPI	Data-layer source	Rule
prodView	Product Views	Product	`productView`	4
event21	Product List Views	Product	`productListImpression`	2
event22	Product Clicks	Product	`productClick`, `productCarouselClick`, `recommendationClick`	3
scOpen	Carts	Orders	`cartOpen`	5
scAdd	Cart Additions	Product, Orders	`cartAdd`	6
scRemove	Cart Removals	Product	`cartRemove`	7
scView	Cart Views	Orders	`cartView`	8
scCheckout	Checkouts	Orders	`checkoutStart`	9
event45	Checkout Step	Orders	`checkoutStep`, `shippingSelect`, `paymentSelect`	10
purchase	Orders / Units / Revenue	Both	`checkoutComplete`	11
event39	Coupon Applied	Orders	`couponApply` (`couponStatus = success`)	**16 (new)**
event40	Invalid Coupon	Orders	`couponApply` (`couponStatus = invalid`)	**16 (new)**
event42	Wishlist Adds	Product	`wishlistAdd`	**17 (new)**
event80	Order Discount (currency)	Orders	`checkoutComplete.discount`	11 (extended)
event81	Shipping Amount (currency)	Orders	`checkoutComplete.shipping`	11 (extended)
event82	Tax Amount (currency)	Orders	`checkoutComplete.tax`	11 (extended)

Conversion variables (eVars)

Variable	Name	Expire	KPI	Data-layer source
eVar6	Coupon Code	Purchase	Orders	`couponApply.couponCode`, `checkoutComplete.couponCode`
eVar12	Product List Name *(merch, product syntax)*	Purchase	Product	`listName`
eVar13	Product List Position *(merch, product syntax)*	Purchase	Product	`position`
eVar14	Cart Add Source *(merch, product syntax)*	Purchase	Product	`cartAdd.source`
eVar45	Checkout Step	Hit	Orders	`checkoutStep`
eVar46	Shipping Method	Purchase	Orders	`shippingMethod`
eVar47	Payment Method	Purchase	Orders	`paymentMethod`
eVar48	Order ID	Hit	Orders	`checkoutComplete.orderId`
eVar49	New vs Repeat Customer	Hit	Orders	`user.orderCount` (state)

Products variable and classifications

Variable	Content	Classification columns
`s.products`	`;SKU;quantity;line revenue;events;merch eVars`	Product Name, Brand, Category, List Price (**`sdr/product-classification.csv`**)

Known gaps (don't build these yet)

Gap	Why
Product variant / colour	Chosen on the PDP but not sent with `cartAdd` (assessment, section 2.3)
Unique order IDs	Random 6-digit IDs on the demo store; collisions are possible
Real revenue	Demo checkout; no payment provider or order system
Stock / availability	Not available in the site data

6. Implementing it (what to change in Analytics and Tags)

Do the **setup guide** first (Rules 1–15). Then add the items below.

6a. Report suite (Admin → Report Suites → Edit Settings)

Where	Add
Conversion → Success Events	event39 *Coupon Applied* (Counter), event40 *Invalid Coupon* (Counter), event42 *Wishlist Adds* (Counter), event80 *Order Discount* (**Currency**), event81 *Shipping Amount* (**Currency**), event82 *Tax Amount* (**Currency**)
Conversion → Conversion Variables	eVar6 *Coupon Code* (expire **Purchase**), eVar48 *Order ID* (expire **Hit**), eVar49 *New vs Repeat Customer* (expire **Hit**)
Conversion → Conversion Variables	Check eVar12, eVar13, eVar14 are **Merchandising: Enabled, Product Syntax**
Traffic → Classifications	Variable **Products** → add classifications *Product Name*, *Brand*, *Category*, *List Price*

6b. Upload the product classification

1. **Admin → Classification Importer → Download Template** for the Products variable (this shows the exact column headers your report suite expects).
2. Copy the rows from `sdr/product-classification.csv` into the template. The `Key` column is the SKU that the site sends (`EL-1001`…).
3. **Import File**, choose the report suite, and wait for processing (it can take a few hours).
4. Check: in Workspace, drag **Products → Category** into a table. You should see `electronics`, `fashion` and `home-appliances`.

6c. Tags: extend Rule 11 (Purchase)

Replace the custom code of Rule 11 with:

```
var info = event.message.eventInfo;
s.purchaseID = info.orderId;
s.eVar48 = info.orderId;
s.eVar6 = info.couponCode || '';
s.eVar46 = info.shippingMethod;
s.eVar47 = info.paymentMethod;
// orderCount is the visitor's order count when the page loaded (before this order)
s.eVar49 = Number(adobeDataLayer.getState('user.orderCount') || 0) > 0 ? 'repeat' : 'new';
s.products = (info.products || []).map(function (p) {
  return ';' + p.productId + ';' + p.quantity + ';' + (p.price * p.quantity).toFixed(2);
}).join(',');
var ev = ['purchase'];
if (info.discount > 0) ev.push('event80=' + Number(info.discount).toFixed(2));
if (info.shipping > 0) ev.push('event81=' + Number(info.shipping).toFixed(2));
if (info.tax > 0) ev.push('event82=' + Number(info.tax).toFixed(2));
s.events = ev.join(',');
s.useBeacon = true;
s.linkTrackVars = 'products,events,purchaseID,eVar6,eVar46,eVar47,eVar48,eVar49';
s.linkTrackEvents = 'purchase,event80,event81,event82';
```

6d. Tags: Rule 16 (new): Coupon applied

- **Event:** Adobe Client Data Layer → Data Pushed → `couponApply`
- **Set Variables → custom code:**

```
var info = event.message.eventInfo;
s.eVar6 = info.couponCode;
s.events = info.couponStatus === 'success' ? 'event39' : 'event40';
s.linkTrackVars = 'eVar6,events';
s.linkTrackEvents = 'event39,event40';
```

- **Send Beacon:** `s.tl()`, Other, `coupon` · **Clear Variables**

6e. Tags: Rule 17 (new): Wishlist add

- **Event:** Data Pushed → `wishlistAdd`
- **Set Variables → custom code:**

```
var info = event.message.eventInfo;
s.products = ';' + info.productId + ';;;;eVar14=wishlist-' + (info.source || 'unknown');
s.events = 'event42';
s.linkTrackVars = 'products,events';
s.linkTrackEvents = 'event42';
```

- **Send Beacon:** `s.tl()`, Other, `wishlist add` · **Clear Variables**

6f. Test it


Do this on the preview	Check in Experience Platform Debugger
Product page → heart (wishlist)	`event42`, `products=;EL-…;;;;eVar14=wishlist-pdp`
Cart → apply `BOGUS`	`event40`, `eVar6=BOGUS`
Cart → apply `SAVE10`	`event39`, `eVar6=SAVE10`
Place an order with Express + PayPal	`purchase`, `event80` (discount), `event81=14.99`, `event82` (tax), `eVar46=express`, `eVar47=paypal`, `eVar48=NM-…`, `eVar49=new`
Place a second order	`eVar49=repeat`
Check every hit	No email address, no names

7. E-commerce journey analysis

What it is

E-commerce journey analysis follows shoppers through the steps from arriving on the site to placing an order. It measures how many continue at each step and where they leave. Both KPIs live inside this journey: *Product Analysis* covers the first half (discover → consider → add), and *Orders / Transactions Insights* covers the second half (cart → checkout → order).

The NovaMart journey



Step	Pages / blocks on NovaMart	Measured by	Question to ask	If shoppers drop here, check…
1 Arrive	Home, Shop, category pages (Hero, Cards, Banner)	Visits, Page Views (`pageView`)	Where do visitors land and from which campaign?	Landing-page relevance, campaign targeting
2 Discover	Product Grid, Product Carousel, Search block, header search	event21 List Views, event22 Clicks, event20 Searches, event27 Null Searches	Do lists and search lead to products?	List CTR, null-search terms, list position
3 Consider	Product page (Product Info, Tabs, Reviews)	prodView	Which products get attention?	Images, price, reviews, description
4 Intent	"Add to cart" on PDP, cards, wishlist	scAdd, scOpen	Do product views turn into cart adds?	View-to-cart rate, price, stock
5 Cart	Cart page	scView, scRemove, coupon events	Do carts move to checkout?	Removals, coupon errors, shipping cost surprise
6 Checkout	Checkout page (address → shipping → payment)	scCheckout, event45 + eVar45	Which step loses people?	Form errors, shipping options, payment options
7 Order	Order confirmation	purchase, Revenue, AOV	How much and how often do people buy?	Coupon use, new vs repeat, AOV

How to build the journey reports (Analysis Workspace)

1. **Fallout (the funnel):** Workspace → Visualizations → **Fallout**. Drop these touchpoints in order:
    - Visits
    - Product List Views (event21)
    - Product Views (prodView)

- Cart Additions (scAdd)
- Checkouts (scCheckout)
- Orders (purchase)

The chart shows the percentage that continues at each step. The biggest drop is where to look first.

1. **Checkout fallout:** a second Fallout with Checkouts → Checkout Step = `shipping-method` → Checkout Step = `payment` → Orders.
2. **Flow:** Visualizations → **Flow**, entry dimension *Page Name*. Shows the real paths, for example `novamart:shop` → `novamart:products:…` → `novamart:cart`.
3. **Segments to compare** (Components → Segments, then drag onto the Fallout):
   - *Visits with a search* (event20 exists)
   - *Visits from a campaign* (Tracking Code exists)
   - *New vs repeat customers* (eVar49)
   - *Electronics vs fashion* (Products → Category classification)
4. **Product journey table:** Products as rows and the KPI 1 metrics as columns. It shows the funnel per product.

Reading the journey (worked example)

Step	Count	Continues to next step
Visits	1,000	62 % see a product list
Product List Views	620	45 % view a product
Product Views	280	25 % add to cart
Cart Additions	70	57 % start checkout
Checkouts	40	75 % order
Orders	30	Conversion rate 3 % · AOV = Revenue ÷ 30

Example numbers, for illustration only. Here the biggest relative drop is **Product View → Cart Addition** (75 % leave). Use the KPI 1 table to find which products have the lowest view-to-cart rate.

---

8. Your first week: a learning plan

Day	Do	Learn
1	Open the site with `?aep-debug=1`; shop, add to cart, check out; watch the event log	What the data layer is
2	Read sections 2–5 of this guide; open `sdr/novamart-sdr.csv`	KPIs, metrics, dimensions, SDR
3	Follow the **setup guide** Steps 2–4 (report suite, extensions, data elements)	Admin and Tags basics
4	Build Rules 1–11, then section 6 of this guide (Rules 16–17, extended Rule 11)	Rules and `s.products`
5	Test with the Debugger (tables in the setup guide and section 6f)	QA against the SDR
6	Upload the classification; build the KPI tables and the Fallout	Reporting
7	Present the journey: where is the biggest drop, and which products cause it?	Turning data into answers

9. Things to confirm with the business

Question	Why it matters
Is **Revenue** product revenue only (this guide) or including tax and shipping?	Changes every revenue and AOV number
Which system gives **real order IDs** when the site moves beyond the demo?	Prevents duplicate or lost orders
Do empty **cart views** count?	Affects cart and abandonment rates
Are **coupon codes** safe to store (not personal codes)?	Privacy
Which **consent** category covers Analytics, and must tracking wait for consent?	The site has no consent banner yet. Needed before real visitors
Should **wishlist** count as a product "intent" step in the journey?	Shapes the funnel

Appendix A. The NovaMart SDR (full table)

Same content as `doc/sdr/novamart-sdr.csv`. Status "Planned" changes to "Tested" when a row passes QA.

KPI	Business question	Variable	Friendly name	Type / settings	Description	Example value	Data-layer source	Tags rule (setup guide)	Hit type	Page / block	Status	Notes
Both	Which pages lead to sales?	pageName	Page Name	s.pageName	Page identifier novamart: <path>	novamart:shop	page.pageName (state)	Rule 1: Page view	s.t()	All pages	Planned	
Both	Which page types lead to sales?	eVar2 / prop1	Page Type	eVar expire Hit; prop	Template page type	product	page.pageType (state)	Rule 1: Page view	s.t()	All pages	Planned	
Both	Which site sections perform?	channel	Site Section	s.channel	Top-level section	shop	page.siteSection (state)	Rule 1: Page view	s.t()	All pages	Planned	
Both	Do audiences buy differently?	eVar20	Audience Type	eVar expire Visit	Primary visitor audience	returning-visitors	user.audienceType (state)	Rule 1: Page view	s.t()	All pages	Planned	
Product Analysis	Which products are bought, viewed, added?	s.products	Products	Products variable	;SKU;quantity;line revenue;events;merch eVars	;EL-1008;1;129.00	eventInfo.productId (+ quantity, price)	Rules 2-4, 6, 7, 9, 11, 17	s.tl()	Grid, carousel, PDP, cart, checkout	Planned	Name, brand, category, price come from classifications
Product Analysis	Which brands and categories sell?	Products classifications	Product Name / Brand / Category / List Price	Classification of Products	Uploaded from sdr/product-classification.csv	EL-1008 -> AirLite Wireless Earbuds / Nova Audio / electronics / 129.00	tools/aep-training/catalog.mjs	Upload in Classification Importer	-	-	Planned	Re-upload when the catalog changes
Product Analysis	Do lists show the right products?	event21	Product List Views	Counter	Product grid or carousel half visible	1	productListImpression	Rule 2: Product list view	s.tl()	Product Grid, Product Carousel	Planned	Once per list per page view
Product Analysis	Which lists and positions get clicks?	event22	Product Clicks	Counter	Product card clicked	1	productClick, productCarouselClick, recommendationClick	Rule 3: Product click	s.tl() with useBeacon	Product Grid, Product Carousel	Planned	Browser navigates right after the click

KPI	Business question	Variable	Friendly name	Type / settings	Description	Example value	Data-layer source	Tags rule (setup guide)	Hit type	Page / block	Status	Notes
Product Analysis	Which products get attention?	prodView	Product Views	Standard event	Product detail page shown	1	productView	Rule 4: Product view	s.tl()	PDP: Product Info block	Planned	Also fires on prerendered pages (assessment D2)
Both	Do views turn into cart adds?	scAdd	Cart Additions	Standard event	Product added or quantity increased	1	cartAdd	Rule 6: Add to cart	s.tl()	PDP, grid, carousel, wishlist, cart	Planned	
Product Analysis	Which products are removed?	scRemove	Cart Removals	Standard event	Product removed or quantity decreased	1	cartRemove	Rule 7: Remove from cart	s.tl()	Cart block	Planned	
Product Analysis	Which products are wanted but not bought?	event42	Wishlist Adds	Counter	Added to wishlist	1	wishlistAdd	Rule 17 (new): Wishlist add	s.tl()	PDP, product cards	Planned	See kpi-and-sdr-guide.md section 6e
Product Analysis	Which lists sell?	eVar12	Product List Name	eVar, merchandising, product syntax, expire Purchase	List the product was seen or clicked in	featured-for-you-electronics	eventInfo.listName	Rules 2, 3	s.tl()	Grid, carousel	Planned	Taken from the section heading; changes if authors rename it
Product Analysis	Does position change clicks?	eVar13	Product List Position	eVar, merchandising, product syntax, expire Purchase	Position of the product in the list	3	eventInfo.position	Rules 2, 3	s.tl()	Grid, carousel	Planned	
Product Analysis	Where are products added from?	eVar14	Cart Add Source	eVar, merchandising, product syntax, expire Purchase	Component that added the product	pdp	cartAdd.eventInfo.source	Rules 6, 17	s.tl()	PDP, grid, carousel, wishlist	Planned	
Orders / Transactions Insights	How many shoppers start a cart?	scOpen	Carts	Standard event	First item added to an empty cart	1	cartOpen	Rule 5: Cart open	s.tl()	Any add-to-cart	Planned	
Orders / Transactions Insights	Do shoppers look at their cart?	scView	Cart Views	Standard event	Cart page shown	1	cartView	Rule 8: Cart view	s.tl()	/cart: Cart block	Planned	Business: count empty carts?

KPI	Business question	Variable	Friendly name	Type / settings	Description	Example value	Data-layer source	Tags rule (setup guide)	Hit type	Page / block	Status	Notes
Orders / Transactions Insights	How many start checkout?	scCheckout	Checkouts	Standard event	Checkout shown with items	1	checkoutStart	Rule 9: Checkout start	s.tl()	/checkout: Checkout block	Planned	Refresh sends it again (assessment D6)
Orders / Transactions Insights	Which checkout step loses people?	event45	Checkout Step	Counter	Checkout step reached	1	checkoutStep, shippingSelect, paymentSelect	Rule 10: Checkout step	s.tl()	/checkout: Checkout block	Planned	
Orders / Transactions Insights	Which checkout step loses people?	eVar45	Checkout Step	eVar expire Hit	Step name	shipping-method	checkoutStep.eventInfo.checkoutStep	Rule 10	s.tl()	/checkout	Planned	
Orders / Transactions Insights	Which shipping methods are chosen?	eVar46	Shipping Method	eVar expire Purchase	Shipping option	express	shippingSelect / checkoutComplete .shippingMethod	Rules 10, 11	s.tl()	/checkout	Planned	
Orders / Transactions Insights	Which payment methods are chosen?	eVar47	Payment Method	eVar expire Purchase	Payment option	paypal	paymentSelect / checkoutComplete .paymentMethod	Rules 10, 11	s.tl()	/checkout	Planned	
Both	How many orders, units and how much revenue?	purchase	Orders / Units / Revenue	Standard event (revenue from s.products)	Order placed; revenue = price x quantity	1 order, 1 unit, 129.00	checkoutComplete (products[])	Rule 11: Purchase	s.tl() with useBeacon	/checkout -> /order-confirmation	Planned	Business: revenue incl. or excl. tax and shipping?
Orders / Transactions Insights	Avoid double-counted orders	s.purchaseID	Purchase ID	Deduplication	Order ID; Analytics ignores repeats	NM-394674	checkoutComplete.eventInfo.orderId	Rule 11	s.tl()	/checkout	Planned	Demo IDs are random 6 digits; collisions possible
Orders / Transactions Insights	Look up a specific order	eVar48	Order ID	eVar expire Hit	Order ID as a dimension	NM-394674	checkoutComplete.eventInfo.orderId	Rule 11 (extended)	s.tl()	/checkout	Planned	High-cardinality; use for QA and lookups

KPI	Business question	Variable	Friendly name	Type / settings	Description	Example value	Data-layer source	Tags rule (setup guide)	Hit type	Page / block	Status	Notes
Orders / Transactions Insights	Do new or repeat customers buy more?	eVar49	New vs Repeat Customer	eVar expire Hit	new when orderCount was 0 at page load, else repeat	new	user.orderCount (state)	Rule 11 (extended)	s.tl()	/checkout	Planned	
Orders / Transactions Insights	Which coupons drive orders?	eVar6	Coupon Code	eVar expire Purchase	Coupon applied or used	SAVE10	couponApply / checkoutComplete .couponCode	Rules 11 (extended), 16	s.tl()	/cart, /checkout	Planned	Empty when no coupon
Orders / Transactions Insights	Do coupons work?	event39	Coupon Applied	Counter	Coupon accepted	1	couponApply (couponStatus = success)	Rule 16 (new): Coupon	s.tl()	/cart: Cart block	Planned	
Orders / Transactions Insights	Do coupons fail?	event40	Invalid Coupon	Counter	Coupon rejected	1	couponApply (couponStatus = invalid)	Rule 16 (new): Coupon	s.tl()	/cart: Cart block	Planned	
Orders / Transactions Insights	How much do discounts cost?	event80	Order Discount	Currency event	Discount amount of the order	12.90	checkoutComplete.eventInfo.discount	Rule 11 (extended)	s.tl()	/checkout	Planned	
Orders / Transactions Insights	How much shipping is charged?	event81	Shipping Amount	Currency event	Shipping amount of the order	14.99	checkoutComplete.eventInfo.shipping	Rule 11 (extended)	s.tl()	/checkout	Planned	
Orders / Transactions Insights	How much tax is charged?	event82	Tax Amount	Currency event	Tax amount of the order	10.32	checkoutComplete.eventInfo.tax	Rule 11 (extended)	s.tl()	/checkout	Planned	
Product Analysis	Do lists show the right products?	Calculated metric	List click-through rate	Workspace	Product Clicks / Product List Views	0.18	-	-	-	-	Planned	
Product Analysis	Does the PDP convince?	Calculated metric	View-to-cart rate	Workspace	Cart Additions / Product Views	0.25	-	-	-	-	Planned	
Product Analysis	Headline product KPI	Calculated metric	Product conversion rate	Workspace	Orders / Product Views	0.10	-	-	-	-	Planned	
Orders / Transactions Insights	How big are orders?	Calculated metric	Average Order Value	Workspace	Revenue / Orders	154.31	-	-	-	-	Planned	
Orders / Transactions Insights	How many items per order?	Calculated metric	Units per Order	Workspace	Units / Orders	1.4	-	-	-	-	Planned	

KPI	Business question	Variable	Friendly name	Type / settings	Description	Example value	Data-layer source	Tags rule (setup guide)	Hit type	Page / block	Status	Notes
Orders / Transactions Insights	How many visits buy?	Calculated metric	Conversion rate	Workspace	Orders / Visits	0.03	-	-	-	-	Planned	
Orders / Transactions Insights	Do checkouts finish?	Calculated metric	Checkout completion rate	Workspace	Orders / Checkouts	0.75	-	-	-	-	Planned	
Orders / Transactions Insights	How many carts are abandoned?	Calculated metric	Cart abandonment rate	Workspace	1 - (Orders / Carts)	0.57	-	-	-	-	Planned	

Appendix B. Product classification file

Same content as `doc/sdr/product-classification.csv`. Upload with Admin → Classification Importer (Products variable). `Key` = the SKU the site sends.

Key	Product Name	Brand	Category	Category Name	List Price
EL-1001	Nova Pro Wireless Headphones	Nova Audio	electronics	Electronics	249.00
EL-1002	Lumen Book 14 Laptop	Lumen	electronics	Electronics	1099.00
EL-1003	Pulse X Smartphone	Pulse	electronics	Electronics	799.00
EL-1004	Orbit Smartwatch	Orbit	electronics	Electronics	299.00
EL-1005	Aperture M50 Mirrorless Camera	Aperture	electronics	Electronics	649.00
EL-1006	Echo Mini Bluetooth Speaker	Nova Audio	electronics	Electronics	79.00
EL-1007	Vista 55" 4K Smart TV	Vista	electronics	Electronics	549.00
EL-1008	AirLite Wireless Earbuds	Nova Audio	electronics	Electronics	129.00
FA-2001	Summit Puffer Jacket	Northline	fashion	Fashion	179.00
FA-2002	Riviera Linen Dress	Maison Lune	fashion	Fashion	89.00
FA-2003	Trailblazer Running Sneakers	Stride	fashion	Fashion	119.00
FA-2004	Coastline Polarized Sunglasses	Solace	fashion	Fashion	69.00
FA-2005	Everyday Organic Hoodie	Northline	fashion	Fashion	59.00
FA-2006	Weekender Canvas Tote	Maison Lune	fashion	Fashion	59.00
FA-2007	Heritage Leather Boots	Stride	fashion	Fashion	189.00
FA-2008	Metro Commuter Backpack	Northline	fashion	Fashion	99.00
HA-3001	Vortex Pro Blender	KitchenCraft	home-appliances	Home Appliances	129.00
HA-3002	Cyclone Cordless Vacuum	AirHome	home-appliances	Home Appliances	349.00
HA-3003	Barista Touch Espresso Machine	KitchenCraft	home-appliances	Home Appliances	499.00
HA-3004	CrispAir XL Air Fryer	AirHome	home-appliances	Home Appliances	119.00
HA-3005	Pour-Over Smart Kettle	KitchenCraft	home-appliances	Home Appliances	79.00
HA-3006	FreshLoad Front-Load Washer	AirHome	home-appliances	Home Appliances	899.00
HA-3007	PureBreeze Air Purifier	AirHome	home-appliances	Home Appliances	229.00
HA-3008	BakeMaster Stand Mixer	KitchenCraft	home-appliances	Home Appliances	379.00