

Table:---

| order_id | customer_name | food_item    | category     | quantity | price  | order_date | restaurant   |
|----------|---------------|--------------|--------------|----------|--------|------------|--------------|
| 1        | Arjun         | Pizza        | Fast Food    | 2        | 500.00 | 2025-01-05 | Domino's     |
| 2        | Sneha         | Burger       | Fast Food    | 3        | 450.00 | 2025-01-06 | McDonald's   |
| 3        | Rahul         | Biryani      | Main Course  | 1        | 250.00 | 2025-01-07 | Paradise     |
| 4        | Priya         | Dosa         | South Indian | 2        | 200.00 | 2025-01-08 | Saravana Bh. |
| 5        | Kiran         | Pasta        | Italian      | 1        | 300.00 | 2025-01-09 | Olive Garden |
| 6        | Aditi         | Sandwich     | Snacks       | 2        | 220.00 | 2025-01-10 | Subway       |
| 7        | Ramesh        | Salad        | Healthy      | 1        | 150.00 | 2025-01-11 | Fresh Bowl   |
| 8        | Kavya         | Ice Cream    | Dessert      | 3        | 180.00 | 2025-01-12 | Cream Stone  |
| 9        | Manoj         | Noodles      | Chinese      | 2        | 240.00 | 2025-01-13 | Mainland Ch. |
| 10       | Meera         | Paneer Curry | Main Course  | 1        | 280.00 | 2025-01-14 | Bikanervala  |
| NULL     | NULL          | NULL         | NULL         | NULL     | NULL   | NULL       | NULL         |

## GROUP BY & Aggregates

1. Find the total sales amount for each restaurant.

```
select restaurant, sum(price) as totalAmount  
from foodorders  
group by restaurant;
```

| restaurant   | totalAmount |
|--------------|-------------|
| Domino's     | 500.00      |
| McDonald's   | 450.00      |
| Paradise     | 250.00      |
| Saravana Bh. | 200.00      |
| Olive Garden | 300.00      |
| Subway       | 220.00      |
| Fresh Bowl   | 150.00      |
| Cream Stone  | 180.00      |
| Mainland Ch. | 240.00      |
| Bikanervala  | 280.00      |

2. Show the average price of food items per category.

```
select category, food_item, avg(price) as avgPricefood_item
```

**from foodorders**

**group by category, food\_item;**

|   | category     | food_item    | avgPricefood_item |
|---|--------------|--------------|-------------------|
| ▶ | Fast Food    | Pizza        | 500.000000        |
|   | Fast Food    | Burger       | 450.000000        |
|   | Main Course  | Biryani      | 250.000000        |
|   | South Indian | Dosa         | 200.000000        |
|   | Italian      | Pasta        | 300.000000        |
|   | Snacks       | Sandwich     | 220.000000        |
|   | Healthy      | Salad        | 150.000000        |
|   | Dessert      | Ice Cream    | 180.000000        |
|   | Chinese      | Noodles      | 240.000000        |
|   | Main Course  | Paneer Curry | 280.000000        |

3. Count how many orders were placed for each food category.

**select category ,count(quantity) as quantityCount**

**from foodorders**

**group by category;**

|   | category     | quantityCount |
|---|--------------|---------------|
| ▶ | Fast Food    | 2             |
|   | Main Course  | 2             |
|   | South Indian | 1             |
|   | Italian      | 1             |
|   | Snacks       | 1             |
|   | Healthy      | 1             |
|   | Dessert      | 1             |
|   | Chinese      | 1             |

4. Find the maximum quantity ordered for each food item.

**select food\_item ,max(quantity) as quantityCount**

**from foodorders**

**group by food\_item;**

|   | food_item    | quantityCount |
|---|--------------|---------------|
| ▶ | Pizza        | 2             |
|   | Burger       | 3             |
|   | Biryani      | 1             |
|   | Dosa         | 2             |
|   | Pasta        | 1             |
|   | Sandwich     | 2             |
|   | Salad        | 1             |
|   | Ice Cream    | 3             |
|   | Noodles      | 2             |
|   | Paneer Curry | 1             |

5. Show the total amount spent by each customer.

```
select customer_name, sum(price) as totalAmount  
from foodorders  
group by customer_name;
```

|   | customer_name | totalAmount |
|---|---------------|-------------|
| ▶ | Arjun         | 500.00      |
|   | Sneha         | 450.00      |
|   | Rahul         | 250.00      |
|   | Priya         | 200.00      |
|   | Kiran         | 300.00      |
|   | Aditi         | 220.00      |
|   | Ramesh        | 150.00      |
|   | Kavya         | 180.00      |
|   | Manoj         | 240.00      |
|   | Meera         | 280.00      |

## HAVING

6. Find restaurants with total sales greater than 800.

```
select restaurant, sum(price) as totalSales  
from foodorders  
group by restaurant  
having totalSales>800;
```

|             |            |              |
|-------------|------------|--------------|
| Result Grid |            | Filter Rows: |
|             | restaurant | totalSales   |

### 7. Show customers who spent more than 500 in total.

```
select customer_name, sum(price) as totalAmount
from foodorders
group by customer_name
having totalAmount >500;
```

|             |               |              |
|-------------|---------------|--------------|
| Result Grid |               | Filter Rows: |
|             | customer_name | totalAmount  |

### 8. Find food categories where the average item price > 250.

```
select category, avg(price) as avgPricefood_item
from foodorders
group by category
having avgPricefood_item>250;
```

|             |             |                   |
|-------------|-------------|-------------------|
| Result Grid |             | Filter Rows:      |
|             | category    | avgPricefood_item |
| ▶           | Fast Food   | 475.000000        |
|             | Main Course | 265.000000        |
|             | Italian     | 300.000000        |

### 9. Get restaurants with more than 2 orders.

```
select restaurant ,count(quantity) as quantity
from foodorders
group by restaurant
having quantity>2;
```



|   | customer_name | totalSpending |
|---|---------------|---------------|
| ▶ | Ramesh        | 150.00        |
|   | Rahul         | 250.00        |
|   | Meera         | 280.00        |
|   | Kiran         | 300.00        |
|   | Priya         | 400.00        |
|   | Aditi         | 440.00        |
|   | Manoj         | 480.00        |
|   | Kavya         | 540.00        |
|   | Arjun         | 1000.00       |
|   | Sneha         | 1350.00       |

13. Display restaurants ordered by total quantity sold.

```
select restaurant,sum(quantity) as totalquantitySold  
from foodorders  
group by restaurant  
order by totalquantitySold;
```

|   | restaurant   | totalquantitySold |
|---|--------------|-------------------|
| ▶ | Paradise     | 1                 |
|   | Olive Garden | 1                 |
|   | Fresh Bowl   | 1                 |
|   | Bikanervala  | 1                 |
|   | Domino's     | 2                 |
|   | Saravana Bh. | 2                 |
|   | Subway       | 2                 |
|   | Mainland Ch. | 2                 |
|   | McDonald's   | 3                 |
|   | Cream Stone  | 3                 |

14. Show the top 3 highest-priced food items.

```
select food_item,price  
from foodorders  
group by food_item,price  
order by price desc  
limit 3;
```

| Result Grid |           |  |  | Filter |
|-------------|-----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------|
|             | food_item | price                                                                             |                                                                                   |        |
| ▶           | Pizza     | 500.00                                                                            |                                                                                   |        |
|             | Burger    | 450.00                                                                            |                                                                                   |        |
|             | Pasta     | 300.00                                                                            |                                                                                   |        |

15. List orders sorted by order\_date (latest first).

**select \***

**from foodorders**

**order by order\_date desc;**

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Co

|   | order_id | customer_name | food_item    | category     | quantity | price  | order_date | restaurant   |
|---|----------|---------------|--------------|--------------|----------|--------|------------|--------------|
| ▶ | 10       | Meera         | Paneer Curry | Main Course  | 1        | 280.00 | 2025-01-14 | Bikanervala  |
|   | 9        | Manoj         | Noodles      | Chinese      | 2        | 240.00 | 2025-01-13 | Mainland Ch. |
|   | 8        | Kavya         | Ice Cream    | Dessert      | 3        | 180.00 | 2025-01-12 | Cream Stone  |
|   | 7        | Ramesh        | Salad        | Healthy      | 1        | 150.00 | 2025-01-11 | Fresh Bowl   |
|   | 6        | Aditi         | Sandwich     | Snacks       | 2        | 220.00 | 2025-01-10 | Subway       |
|   | 5        | Kiran         | Pasta        | Italian      | 1        | 300.00 | 2025-01-09 | Olive Garden |
|   | 4        | Priya         | Dosa         | South Indian | 2        | 200.00 | 2025-01-08 | Saravana Bh. |
|   | 3        | Rahul         | Biryani      | Main Course  | 1        | 250.00 | 2025-01-07 | Paradise     |
|   | 2        | Sneha         | Burger       | Fast Food    | 3        | 450.00 | 2025-01-06 | McDonald's   |
|   | 1        | Arjun         | Pizza        | Fast Food    | 2        | 500.00 | 2025-01-05 | Domino's     |
| ✱ | NULL     | NULL          | NULL         | NULL         | NULL     | NULL   | NULL       | NULL         |

LIMIT & OFFSET

16. Show the first 5 orders from the table.

**select \***

**from foodorders**

**limit 5;**

|   | order_id | customer_name | food_item | category     | quantity | price  | order_date | restaurant   |
|---|----------|---------------|-----------|--------------|----------|--------|------------|--------------|
| ▶ | 1        | Arjun         | Pizza     | Fast Food    | 2        | 500.00 | 2025-01-05 | Domino's     |
|   | 2        | Sneha         | Burger    | Fast Food    | 3        | 450.00 | 2025-01-06 | McDonald's   |
|   | 3        | Rahul         | Biryani   | Main Course  | 1        | 250.00 | 2025-01-07 | Paradise     |
|   | 4        | Priya         | Dosa      | South Indian | 2        | 200.00 | 2025-01-08 | Saravana Bh. |
|   | 5        | Kiran         | Pasta     | Italian      | 1        | 300.00 | 2025-01-09 | Olive Garden |
| ✱ | NULL     | NULL          | NULL      | NULL         | NULL     | NULL   | NULL       | NULL         |

17. Get the top 3 most expensive orders.

```

select *
from foodorders
order by price desc
limit 3;

```

| order_id | customer_name | food_item | category  | quantity | price  | order_date | restaurant   |
|----------|---------------|-----------|-----------|----------|--------|------------|--------------|
| 1        | Arjun         | Pizza     | Fast Food | 2        | 500.00 | 2025-01-05 | Domino's     |
| 2        | Sneha         | Burger    | Fast Food | 3        | 450.00 | 2025-01-06 | McDonald's   |
| 5        | Kiran         | Pasta     | Italian   | 1        | 300.00 | 2025-01-09 | Olive Garden |
| NULL     | NULL          | NULL      | NULL      | NULL     | NULL   | NULL       | NULL         |

18. Skip the first 3 rows and show the next 4 orders.

```

select *
from foodorders
limit 4 offset 3;

```

| order_id | customer_name | food_item | category     | quantity | price  | order_date | restaurant   |
|----------|---------------|-----------|--------------|----------|--------|------------|--------------|
| 4        | Priya         | Dosa      | South Indian | 2        | 200.00 | 2025-01-08 | Saravana Bh. |
| 5        | Kiran         | Pasta     | Italian      | 1        | 300.00 | 2025-01-09 | Olive Garden |
| 6        | Aditi         | Sandwich  | Snacks       | 2        | 220.00 | 2025-01-10 | Subway       |
| 7        | Ramesh        | Salad     | Healthy      | 1        | 150.00 | 2025-01-11 | Fresh Bowl   |
| NULL     | NULL          | NULL      | NULL         | NULL     | NULL   | NULL       | NULL         |

19. Find the second highest-priced food item using LIMIT + OFFSET.

```

select *
from foodorders
order by price desc
limit 1 offset 1;

```

| order_id | customer_name | food_item | category  | quantity | price  | order_date | restaurant |
|----------|---------------|-----------|-----------|----------|--------|------------|------------|
| 2        | Sneha         | Burger    | Fast Food | 3        | 450.00 | 2025-01-06 | McDonald's |
| NULL     | NULL          | NULL      | NULL      | NULL     | NULL   | NULL       | NULL       |

20. Show the top 2 customers by total spending.

```

select customer_name, sum(quantity*price) as totalSpending
from foodorders
group by customer_name
order by totalSpending desc

```



**limit 2;**

|   | customer_name | totalSpending |
|---|---------------|---------------|
| ▶ | Sneha         | 1350.00       |
|   | Arjun         | 1000.00       |

1. Find the total spending by each customer, but show only those who spent more than ₹500,

ordered by spending descending.

**select customer\_name, sum(quantity\*price) as totalSpending**

**from foodorders**

**group by customer\_name**

**having totalSpending > 500**

**order by totalSpending desc;**

|   | customer_name | totalSpending |
|---|---------------|---------------|
| ▶ | Sneha         | 1350.00       |
|   | Arjun         | 1000.00       |
|   | Kavya         | 540.00        |

2. Show the top 3 food categories with the highest total sales amount.

**select category, sum(quantity\*price) as totalSpending**

**from foodorders**

**group by category**

**order by totalSpending desc**

**limit 3;**

|   | category    | totalSpending |
|---|-------------|---------------|
| ▶ | Fast Food   | 2350.00       |
|   | Dessert     | 540.00        |
|   | Main Course | 530.00        |

3. Find the restaurants where average price > 250, ordered by average price descending.

**select restaurant, avg(price) as avg\_price**

**from foodorders**

**group by restaurant**  
**having avg\_price > 250**  
**order by avg\_price desc;**

|   | restaurant   | avg_price  |
|---|--------------|------------|
| ▶ | Domino's     | 500.000000 |
|   | McDonald's   | 450.000000 |
|   | Olive Garden | 300.000000 |
|   | Bikanervala  | 280.000000 |

4. Show the top 2 customers who placed the highest quantity of food items (using GROUP BY + ORDER BY + LIMIT).

**select customer\_name,food\_item,quantity**  
**from foodorders**  
**group by customer\_name,food\_item,quantity**  
**order by quantity desc**  
**limit 2;**

|   | customer_name | food_item | quantity |
|---|---------------|-----------|----------|
| ▶ | Sneha         | Burger    | 3        |
|   | Kavya         | Ice Cream | 3        |

5. Find the restaurant with the maximum total sales, but skip the top 1 and show the second

highest restaurant (using LIMIT + OFFSET).

**select restaurant , max(price) as totalSale**  
**from foodorders**  
**group by restaurant**  
**order by totalSale desc**  
**limit 1 offset 1;**

|   | restaurant | totalSale |
|---|------------|-----------|
| ▶ | McDonald's | 450.00    |

6. List the categories with more than 2 total orders, ordered by total quantity sold.

```

select category, sum(quantity) as totalQuantity
from foodorders
group by category
having totalQuantity>2;

```

| category  | totalQuantity |
|-----------|---------------|
| Fast Food | 5             |
| Dessert   | 3             |

7. Find the top 3 food items by total sales amount, grouped by food\_item, ordered descending.

```

select food_item, sum(price) as totalSaleAmount
from foodorders
group by food_item
having totalSaleAmount>2
order by totalSaleAmount desc;

```

|   | food_item    | totalSaleAmount |
|---|--------------|-----------------|
| ▶ | Pizza        | 500.00          |
|   | Burger       | 450.00          |
|   | Pasta        | 300.00          |
|   | Paneer Curry | 280.00          |
|   | Biryani      | 250.00          |
|   | Noodles      | 240.00          |
|   | Sandwich     | 220.00          |
|   | Dosa         | 200.00          |
|   | Ice Cream    | 180.00          |
|   | Salad        | 150.00          |

8. Show customers who ordered more than 2 different categories, ordered by the count of categories descending.

```

select customer_name, count(distinct category) as category_count
from foodorders
group by customer_name
having count(distinct category) > 2

```

**order by category\_count desc;**

|  | customer_name | category_count |
|--|---------------|----------------|
|--|---------------|----------------|