

# Rajalakshmi Engineering College

Name: sravanthika s  
Email: 241001258@rajalakshmi.edu.in  
Roll no:  
Phone: 7010331084  
Branch: REC  
Department: IT - Section 4  
Batch: 2028  
Degree: B.E - IT

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 4\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

In a publishing company, editors often need to quickly analyze passages of text to check for punctuation usage. To assist them, you are asked to write a program that counts the number of specific punctuation marks in each passage.

The punctuation marks of interest are:

Commas (,)Periods (.)Question marks (?)

##### ***Input Format***

The first line of input contains an integer T, representing the number of test cases (passages).

Each of the next T lines contains a single passage of text.

### ***Output Format***

For each test case, print three integers separated by spaces, representing the number of commas, periods, and question marks in the passage.

The first line of output corresponds to the first passage, the second line to the second passage, and so on.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1

Hello, world. How are you?

Output: 1 1 1

### ***Answer***

// You are using Java

import java.util.Scanner;

```
public class Main{
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        int T = Integer.parseInt(scanner.nextLine());
        for (int i = 0; i < T; i++) {
            String passage = scanner.nextLine();
            int commas = 0, periods = 0, questions = 0;

            for (int j = 0; j < passage.length(); j++) {
                char ch = passage.charAt(j);
                if (ch == ',') {
                    commas++;
                } else if (ch == '.') {
                    periods++;
                } else if (ch == '?') {
                    questions++;
                }
            }
        }
    }
}
```

```
        System.out.println(commas + " " + periods + " " + questions);
    }
    scanner.close();
}
```

**Status :** Correct

**Marks :** 10/10

# Rajalakshmi Engineering College

Name: sravanthika s  
Email: 241001258@rajalakshmi.edu.in  
Roll no:  
Phone: 7010331084  
Branch: REC  
Department: IT - Section 4  
Batch: 2028  
Degree: B.E - IT

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 4\_Q2

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Anu is developing a tool for a conference registration system. Participants submit keywords related to their fields of interest. The organizer wants to sort these keywords alphabetically to generate tags for session grouping.

Write a program that accepts at least five keywords as input arguments and outputs them in sorted alphabetical order.

##### ***Input Format***

The first line of input contains an integer n, representing the number of keywords.

The second line of input contains n space-separated keywords (string).

##### ***Output Format***

The output prints n space separated strings representing the sorted keyword in alphabetical order.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 5

Blockchain Cloud AI Data Cybersecurity

Output: AI Blockchain Cloud Cybersecurity Data

### ***Answer***

// You are using Java

```
import java.util.*;
```

```
public class Main {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
  
        int n = sc.nextInt();  
        String[] keywords = new String[n];  
  
        for (int i = 0; i < n; i++) {  
            keywords[i] = sc.next();  
        }  
  
        Arrays.sort(keywords);  
  
        for (int i = 0; i < n; i++) {  
            System.out.print(keywords[i]);  
            if (i < n - 1) {  
                System.out.print(" ");  
            }  
        }  
    }  
}
```

**Status :** Correct

**Marks :** 10/10

# Rajalakshmi Engineering College

Name: sravanthika s  
Email: 241001258@rajalakshmi.edu.in  
Roll no:  
Phone: 7010331084  
Branch: REC  
Department: IT - Section 4  
Batch: 2028  
Degree: B.E - IT

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 4\_Q3

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Bechan Chacha is seeking help to filter out valid mobile numbers from a list provided by his crush. He can only pick his crush's number if the list contains valid mobile numbers.

A mobile number is considered valid if:

It has exactly 10 digits. It consists only of numeric values (0–9). It does not begin with zero.

Your task is to determine whether each mobile number in the list is valid or not.

##### ***Input Format***

The first line contains an integer T, representing the number of mobile numbers

to check.

The next T lines each contain a string S, representing a mobile number.

### ***Output Format***

For each mobile number S, the output print "YES" if it is valid.

Otherwise, print "NO".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1  
9876543210  
Output: YES

### ***Answer***

```
// You are using Java
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int T = sc.nextInt();
        sc.nextLine();

        for (int i = 0; i < T; i++) {
            String mobile = sc.nextLine();

            if (isValidMobile(mobile)) {
                System.out.println("YES");
            } else {
                System.out.println("NO");
            }
        }
    }

    private static boolean isValidMobile(String s) {
```

```
    if (s.length() != 10) {  
        return false;  
    }  
    if (s.charAt(0) == '0') {  
        return false;  
    }  
    for (char c : s.toCharArray()) {  
        if (!Character.isDigit(c)) {  
            return false;  
        }  
    }  
  
    return true;  
}  
}
```

**Status :** Correct

**Marks :** 10/10



# Rajalakshmi Engineering College

Name: sravanthika s  
Email: 241001258@rajalakshmi.edu.in  
Roll no:  
Phone: 7010331084  
Branch: REC  
Department: IT - Section 4  
Batch: 2028  
Degree: B.E - IT

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 4\_Q4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Arjun is learning how to filter words from a sentence based on grammar rules. He wants to identify the valid words in a sentence.

A word is considered valid if it satisfies all these conditions:

The word contains only alphabets (a–z, A–Z). The word length is at least 2 characters. The word should not contain digits or special characters.

Your task is to read a sentence and print all the valid words in it.

##### *Input Format*

The input contains a single line containing a sentence S.

##### *Output Format*

The output prints all the valid words separated by spaces.

If no valid word exists, print "No valid words."

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: Hello world1 123 ab" @#\$ Hi

Output: Hello Hi

### **Answer**

```
// You are using Java
import java.util.Scanner;
```

```
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String sentence = sc.nextLine();

        String[] words = sentence.split(" ");
        StringBuilder validWords = new StringBuilder();

        for (String word : words) {
            if (isValidWord(word)) {
                validWords.append(word).append(" ");
            }
        }

        if (validWords.length() > 0) {
            System.out.println(validWords.toString().trim());
        } else {
            System.out.println("No valid words.");
        }
    }

    private static boolean isValidWord(String word) {
        if (word.length() < 2) {
            return false;
        }
    }
}
```

```
    }  
    for (char c : word.toCharArray()) {  
        if (!Character.isLetter(c)) {  
            return false;  
        }  
    }  
    return true;  
}  
}
```

**Status :** Correct

**Marks :** 10/10

# Rajalakshmi Engineering College

Name: sravanthika s  
Email: 241001258@rajalakshmi.edu.in  
Roll no:  
Phone: 7010331084  
Branch: REC  
Department: IT - Section 4  
Batch: 2028  
Degree: B.E - IT

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 4\_Q5

Attempt : 1  
Total Mark : 10  
Marks Obtained : 0

#### Section 1 : Coding

##### 1. Problem Statement

In a secure banking system, customers are required to create PIN codes for accessing their accounts. The bank wants to validate these PIN codes before accepting them.

A PIN code is considered valid if:

It consists of exactly 4 digits. All characters must be numeric (0–9). It cannot contain all identical digits (e.g., 1111 is invalid).

Your task is to determine whether each PIN code in the list is valid or not.

##### ***Input Format***

The first line of input contains an integer T, representing the number of PIN codes to check.

The next T lines each contain a string S, representing a PIN code.

### ***Output Format***

For each PIN code S, the output print "YES" if it is valid.

Otherwise, the output print "NO".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1

1234

Output: YES

### ***Answer***

// You are using Java

```
import java.util.Scanner;
```

```
public class Main{  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);
```

```
  
        int T = sc.nextInt();  
        sc.nextLine();
```

```
  
        for (int i = 0; i < T; i++) {  
            String pin = sc.nextLine();
```

```
  
            if (isValidPin(pin)) {  
                System.out.println("YES");  
            } else {  
                System.out.println("NO");  
            }  
        }
```

```
    }  
}
```

```
  
private static boolean isValidPin(String pin) {
```

```
    if (pin.length() != 4) {  
        return false;  
    }  
  
    for (char c : pin.toCharArray()) {  
        if (!Character.isDigit(c)) {  
            return false;  
        }  
    }  
  
    char first = pin.charAt(0);  
    for (char c : pin.toCharArray()) {  
        if (c != first) {  
            return true;  
        }  
    }  
  
    return false;  
}  
}
```

**Status :** Wrong

**Marks :** 0/10

# Rajalakshmi Engineering College

Name: sravanthika s  
Email: 241001258@rajalakshmi.edu.in  
Roll no:  
Phone: 7010331084  
Branch: REC  
Department: IT - Section 4  
Batch: 2028  
Degree: B.E - IT

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### REC\_2028\_OOPS using Java\_Week 4\_PAH

Attempt : 1  
Total Mark : 40  
Marks Obtained : 40

#### Section 1 : Coding

##### 1. Problem Statement

At a digital library, the system needs to analyze passages to identify the frequency of vowels, since they are key for linguistic research. You are asked to write a program that counts the number of vowels in each passage of text.

The vowels of interest are:

a, e, i, o, u (both uppercase and lowercase).

##### ***Input Format***

The first line of input contains an integer T, representing the number of test cases (passages).

Each of the next T lines contains a single passage of text.

### ***Output Format***

For each test case, print a single integer representing the total number of vowels in the passage.

The first line of output corresponds to the first passage, the second line to the second passage, and so on.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1  
Hello World

Output: 3

### ***Answer***

```
// You are using Java
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int T = sc.nextInt();
        sc.nextLine();

        for (int i = 0; i < T; i++) {
            String passage = sc.nextLine();
            int count = countVowels(passage);
            System.out.println(count);
        }
    }

    private static int countVowels(String text) {
        int count = 0;
        String vowels = "aeiouAEIOU";

        for (char c : text.toCharArray()) {
            if (vowels.indexOf(c) != -1) {
```



```
        count++;
    }
}

return count;
}
```

**Status :** Correct

**Marks :** 10/10

## 2. Problem Statement

Riya is preparing a puzzle game for her friends. She wants to include a feature that highlights special words in a sentence – specifically, palindromic words (words that read the same forward and backward).

Your task is to help Riya by writing a program that extracts all palindrome words from the given sentence. If there are no palindromes, print "No palindromes found".

### ***Input Format***

The input contains a single string S representing a sentence.

### ***Output Format***

The output prints all palindromic words separated by a space.

If no palindrome exists, print "No palindromes found".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: madam went to school

Output: madam

### ***Answer***

// You are using Java

```

import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String sentence = sc.nextLine();

        String[] words = sentence.split(" ");
        StringBuilder palindromes = new StringBuilder();

        for (String word : words) {
            if (isPalindrome(word)) {
                palindromes.append(word).append(" ");
            }
        }

        if (palindromes.length() > 0) {
            System.out.println(palindromes.toString().trim());
        } else {
            System.out.println("No palindromes found");
        }
    }

    private static boolean isPalindrome(String word) {
        int left = 0, right = word.length() - 1;
        while (left < right) {
            if (word.charAt(left) != word.charAt(right)) {
                return false;
            }
            left++;
            right--;
        }
        return true;
    }
}

```

**Status :** Correct

**Marks :** 10/10

### 3. Problem Statement

Sana is analyzing text for a secret code. She wants to find all words in a

sentence that start and end with the same letter. These words are considered "special words" for her analysis.

Your task is to write a program that extracts and prints all words that start and end with the same letter (case-insensitive).

If no such word exists, print "No special words found".

### ***Input Format***

The input contains a single line containing a sentence with multiple words.

### ***Output Format***

The output prints all words that start and end with the same letter separated by a space.

If no word satisfies the condition, print "No special words found".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: Anna went to the civic center

Output: Anna civic

### ***Answer***

```
// You are using Java
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String sentence = sc.nextLine();

        String[] words = sentence.split(" ");
        StringBuilder specialWords = new StringBuilder();

        for (String word : words) {
            if (word.length() > 0) {
                char first = Character.toLowerCase(word.charAt(0));
```

```
        char last = Character.toLowerCase(word.charAt(word.length() - 1));

        if (first == last) {
            specialWords.append(word).append(" ");
        }
    }

    if (specialWords.length() > 0) {
        System.out.println(specialWords.toString().trim());
    } else {
        System.out.println("No special words found");
    }
}
```

**Status :** Correct

**Marks :** 10/10

#### 4. Problem Statement

Ravi is analyzing text messages for his research on typing patterns. He wants to count the number of uppercase letters, lowercase letters, and digits in a sentence to understand typing trends.

Your task is to help Ravi by writing a program that takes a sentence and prints the count of uppercase letters, lowercase letters, and digits.

##### ***Input Format***

The input contains a single line containing a sentence (string).

##### ***Output Format***

The output prints three integers separated by spaces:

- Number of uppercase letters
- Number of lowercase letters
- Number of digits

Refer to the sample output for formatting specifications.

**Sample Test Case**

Input: Hello World 123

Output: 2 8 3

**Answer**

```
// You are using Java
import java.util.Scanner;
```

```
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String sentence = sc.nextLine();

        int uppercaseCount = 0;
        int lowercaseCount = 0;
        int digitCount = 0;

        for (char c : sentence.toCharArray()) {
            if (Character.isUpperCase(c)) {
                uppercaseCount++;
            } else if (Character.isLowerCase(c)) {
                lowercaseCount++;
            } else if (Character.isDigit(c)) {
                digitCount++;
            }
        }

        System.out.println(uppercaseCount + " " + lowercaseCount + " " +
            digitCount);
    }
}
```

**Status : Correct**

**Marks : 10/10**

# Rajalakshmi Engineering College

Name: sravanthika s  
Email: 241001258@rajalakshmi.edu.in  
Roll no:  
Phone: 7010331084  
Branch: REC  
Department: IT - Section 4  
Batch: 2028  
Degree: B.E - IT

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### REC\_2028\_OOPS using Java\_Week 4\_PAH

Attempt : 1  
Total Mark : 40  
Marks Obtained : 40

#### Section 1 : Coding

##### 1. Problem Statement

At a digital library, the system needs to analyze passages to identify the frequency of vowels, since they are key for linguistic research. You are asked to write a program that counts the number of vowels in each passage of text.

The vowels of interest are:

a, e, i, o, u (both uppercase and lowercase).

##### ***Input Format***

The first line of input contains an integer T, representing the number of test cases (passages).

Each of the next T lines contains a single passage of text.

### ***Output Format***

For each test case, print a single integer representing the total number of vowels in the passage.

The first line of output corresponds to the first passage, the second line to the second passage, and so on.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1  
Hello World

Output: 3

### ***Answer***

```
// You are using Java
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int T = sc.nextInt();
        sc.nextLine();

        for (int i = 0; i < T; i++) {
            String passage = sc.nextLine();
            int count = countVowels(passage);
            System.out.println(count);
        }
    }

    private static int countVowels(String text) {
        int count = 0;
        String vowels = "aeiouAEIOU";

        for (char c : text.toCharArray()) {
            if (vowels.indexOf(c) != -1) {
```

```

        count++;
    }
}

return count;
}
}

```

**Status :** Correct

**Marks :** 10/10

## 2. Problem Statement

Riya is preparing a puzzle game for her friends. She wants to include a feature that highlights special words in a sentence – specifically, palindromic words (words that read the same forward and backward).

Your task is to help Riya by writing a program that extracts all palindrome words from the given sentence. If there are no palindromes, print "No palindromes found".

### ***Input Format***

The input contains a single string S representing a sentence.

### ***Output Format***

The output prints all palindromic words separated by a space.

If no palindrome exists, print "No palindromes found".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: madam went to school

Output: madam

### ***Answer***

// You are using Java



```

import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String sentence = sc.nextLine();

        String[] words = sentence.split(" ");
        StringBuilder palindromes = new StringBuilder();

        for (String word : words) {
            if (isPalindrome(word)) {
                palindromes.append(word).append(" ");
            }
        }

        if (palindromes.length() > 0) {
            System.out.println(palindromes.toString().trim());
        } else {
            System.out.println("No palindromes found");
        }
    }

    private static boolean isPalindrome(String word) {
        int left = 0, right = word.length() - 1;
        while (left < right) {
            if (word.charAt(left) != word.charAt(right)) {
                return false;
            }
            left++;
            right--;
        }
        return true;
    }
}

```

**Status :** Correct

**Marks :** 10/10

### 3. Problem Statement

Sana is analyzing text for a secret code. She wants to find all words in a

sentence that start and end with the same letter. These words are considered "special words" for her analysis.

Your task is to write a program that extracts and prints all words that start and end with the same letter (case-insensitive).

If no such word exists, print "No special words found".

### ***Input Format***

The input contains a single line containing a sentence with multiple words.

### ***Output Format***

The output prints all words that start and end with the same letter separated by a space.

If no word satisfies the condition, print "No special words found".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: Anna went to the civic center

Output: Anna civic

### ***Answer***

```
// You are using Java
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String sentence = sc.nextLine();

        String[] words = sentence.split(" ");
        StringBuilder specialWords = new StringBuilder();

        for (String word : words) {
            if (word.length() > 0) {
                char first = Character.toLowerCase(word.charAt(0));
```

```
        char last = Character.toLowerCase(word.charAt(word.length() - 1));

        if (first == last) {
            specialWords.append(word).append(" ");
        }
    }

    if (specialWords.length() > 0) {
        System.out.println(specialWords.toString().trim());
    } else {
        System.out.println("No special words found");
    }
}
```

**Status :** Correct

**Marks :** 10/10

#### 4. Problem Statement

Ravi is analyzing text messages for his research on typing patterns. He wants to count the number of uppercase letters, lowercase letters, and digits in a sentence to understand typing trends.

Your task is to help Ravi by writing a program that takes a sentence and prints the count of uppercase letters, lowercase letters, and digits.

##### ***Input Format***

The input contains a single line containing a sentence (string).

##### ***Output Format***

The output prints three integers separated by spaces:

- Number of uppercase letters
- Number of lowercase letters
- Number of digits

Refer to the sample output for formatting specifications.

**Sample Test Case**

Input: Hello World 123

Output: 2 8 3

**Answer**

```
// You are using Java
import java.util.Scanner;
```

```
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String sentence = sc.nextLine();

        int uppercaseCount = 0;
        int lowercaseCount = 0;
        int digitCount = 0;

        for (char c : sentence.toCharArray()) {
            if (Character.isUpperCase(c)) {
                uppercaseCount++;
            } else if (Character.isLowerCase(c)) {
                lowercaseCount++;
            } else if (Character.isDigit(c)) {
                digitCount++;
            }
        }

        System.out.println(uppercaseCount + " " + lowercaseCount + " " +
            digitCount);
    }
}
```

**Status :** Correct

**Marks :** 10/10