

```
mysql> show databases;
```

Database
dbms_lab
employee
information_schema
inventorydb
mysql
performance_schema
sakila
sys
world

```
9 rows in set (0.453 sec)
```

```
mysql> CREATE DATABASE Student;
Query OK, 1 row affected (0.433 sec)
```

```
mysql> USE Student;
```

Database changed

```
mysql> CREATE TABLE Student(
  -> regno INT PRIMARY KEY,
  -> name VARCHAR(15),
  -> gender CHAR(1),
  -> DOB DATE,
  -> MobileNumber INT(10),
  -> City VARCHAR(15)
  -> );
```

```
Query OK, 0 rows affected, 1 warning (1.812 sec)
```

```
mysql> DESC Student;
```

Field	Type	Null	Key	Default	Extra
regno	int	NO		NULL	
name	varchar(15)	YES		NULL	
gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNumber	int	YES		NULL	
City	varchar(15)	YES		NULL	

```
6 rows in set (0.032 sec)
```

```
mysql> Show databases;
```

Database
dbms_lab
employee
information_schema
inventorydb

mysql
performance_schema
sakila
student
sys
world

+-----+
10 rows in set (0.025 sec)

```
mysql> CREATE DATABASE Faculty;
Query OK, 1 row affected (0.540 sec)
```

```
mysql> USE Faculty;
Database changed
mysql> CREATE TABLE Faculty(
```

```
    -> Name VARCHAR(15),
    -> FacNo VARCHAR(4),
    -> Gender CHAR(1),
    -> DOB DATE,
    -> DOJ DATE,
    -> MobileNo INT(10)
    -> );
```

Query OK, 0 rows affected, 1 warning (0.899 sec)

```
mysql> DESC Faculty;
```

Field	Type	Null	Key	Default	Extra
Name	varchar(15)	YES		NULL	
FacNo	varchar(4)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
DOJ	date	YES		NULL	
MobileNo	int	YES		NULL	

6 rows in set (0.349 sec)

```
mysql> Show databases;
```

Database
dbms_lab
employee
faculty
information_schema
inventorydb
mysql
performance_schema
sakila
student
sys

```
| world |
+-----+
11 rows in set (0.020 sec)
```

```
mysql> CREATE TABLE Department(
-> DeptNo VARCHAR(4),
-> DeptName VARCHAR(15),
-> DeptHead VARCHAR(4)
-> );
Query OK, 0 rows affected (0.457 sec)
```

```
mysql> DESC Department;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| DeptNo | varchar(4) | YES | | NULL | |
| DeptName | varchar(15) | YES | | NULL | |
| DeptHead | varchar(4) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.330 sec)
```

```
mysql> Show databases;
+-----+
| Database |
+-----+
| dbms_lab |
| employee |
| faculty |
| information_schema |
| inventorydb |
| mysql |
| performance_schema |
| sakila |
| student |
| sys |
| world |
+-----+
11 rows in set (0.320 sec)
```

```
mysql> CREATE DATABASE Course;
Query OK, 1 row affected (0.495 sec)
```

```
mysql> USE Course;
Database changed
mysql> CREATE TABLE Course(
-> CourseNo VARCHAR(3),
-> Coursedesc VARCHAR(14),
-> CourseType CHAR(1),
-> SemNo CHAR(1),
-> HallNo VARCHAR(4),
-> FacNo VARCHAR(4)
```

->);

Query OK, 0 rows affected (0.833 sec)

mysql> DESC Course;

Field	Type	Null	Key	Default	Extra
CourseNo	varchar(3)	YES		NULL	
Coursedesc	varchar(14)	YES		NULL	
CourseType	char(1)	YES		NULL	
SemNo	char(1)	YES		NULL	
HallNo	varchar(4)	YES		NULL	
FacNo	varchar(4)	YES		NULL	

6 rows in set (0.062 sec)

mysql> USE Faculty;

Database changed

mysql> ALTER TABLE Faculty

-> ADD dept VARCHAR(10);

Query OK, 0 rows affected (1.700 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> DESC Faculty;

Field	Type	Null	Key	Default	Extra
Name	varchar(15)	YES		NULL	
FacNo	varchar(4)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
DOJ	date	YES		NULL	
MobileNo	int	YES		NULL	
dept	varchar(10)	YES		NULL	

7 rows in set (0.035 sec)

mysql>