


GIT


3. Git-HOL

Step 1: Go to your repository

A terminal window titled 'MINGW64/c/Users/sravy/GitDemo' showing the following commands and output:

```
sravy@Sravyachowdary MINGW64 ~  
$ cd ~/GitDemo  
  
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)  
$ git branch  
* main  
  
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)  
$ |
```

Step 2: Create a new branch

A terminal window titled 'MINGW64/c/Users/sravy/GitDemo' showing the following commands and output:

```
sravy@Sravyachowdary MINGW64 ~  
$ cd ~/GitDemo  
  
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)  
$ git branch  
* main  
  
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)  
$ git branch GitNewBranch  
  
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)  
$ git branch  
GitNewBranch  
* main  
  
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)  
$
```

COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 3: Switch to the new branch

```
MINGW64~/c:/Users/sravy/GitDemo
sravy@Sravyachowdary MINGW64 ~
$ cd ~/GitDemo

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch
* main

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch GitNewBranch

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch
  GitNewBranch
* main

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git switch GitNewBranch
Switched to branch 'GitNewBranch'

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git branch
  GitNewBranch
* main

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$
```

Step 4: Create a file

```
MINGW64~/c:/Users/sravy/GitDemo
sravy@Sravyachowdary MINGW64 ~
$ cd ~/GitDemo

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch
* main

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch GitNewBranch

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch
  GitNewBranch
* main

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git switch GitNewBranch
Switched to branch 'GitNewBranch'

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git branch
  GitNewBranch
* main

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ echo "This is Branch File" > branch.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ ls
branch.txt  welcome.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$
```

Step 5: Add the file

```
MINGW64/c/Users/sravy/GitDemo
sravy@Sravyachowdary MINGW64 ~
$ cd ~/GitDemo

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch
* main

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch GitNewBranch

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch
  GitNewBranch
* main

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git switch GitNewBranch
Switched to branch 'GitNewBranch'

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git branch
  GitNewBranch
* main

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ echo "This is Branch File" > branch.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ ls
branch.txt  welcome.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git add .
warning: in the working copy of 'branch.txt', LF will be replaced by CRLF the next time Git touches it

Commit
sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git commit -m "Added branch file"
[GitNewBranch 78f6a74] Added branch file
1 file changed, 1 insertion(+)
create mode 100644 branch.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ |
```

Step 6: Check status

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git commit -m "Added branch file"
[GitNewBranch 78f6a74] Added branch file
1 file changed, 1 insertion(+)
create mode 100644 branch.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git status
On branch GitNewBranch
nothing to commit, working tree clean

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ |
```

Step 7: Switch back to main

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git commit -m "Added branch file"
[GitNewBranch 78f6a74] Added branch file
1 file changed, 1 insertion(+)
create mode 100644 branch.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git status
On branch GitNewBranch
nothing to commit, working tree clean

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git checkout main
Switched to branch 'main'

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ |
```

COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 8: Compare differences

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git commit -m "Added branch file"
[GitNewBranch 78f6a74] Added branch file
1 file changed, 1 insertion(+)
create mode 100644 branch.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git status
On branch GitNewBranch
nothing to commit, working tree clean


sravy@Sravyachowdary MINGW64 ~/GitDemo (GitNewBranch)
$ git checkout main
Switched to branch 'main'

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git diff main GitNewBranch
diff --git a/branch.txt b/branch.txt
new file mode 100644
index 0000000..3f30172
--- /dev/null
+++ b/branch.txt
@@ -0,0 +1 @@
+This is Branch File

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```

Step 9: View branch differences (P4Merge)

git difftool main GitNewBranch



Step 10: Merge the branch

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git merge GitNewBranch
Updating 4be129d..78f6a74
Fast-forward
 branch.txt | 1 +
1 file changed, 1 insertion(+)
create mode 100644 branch.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```

COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 11: View commit history

```
MINGW64/c/Users/sravy/GitDemo
sravy@Sravyachowdary MINGW64 ~
$ cd ~/GitDemo

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ pwd
/c/Users/sravy/GitDemo

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git log --oneline --graph --decorate
* 78f6a74 (HEAD -> main, GitNewBranch) Added branch file
* 4be129d First
```

Step 12: Delete the branch

```
MINGW64/c/Users/sravy/GitDemo
sravy@Sravyachowdary MINGW64 ~
$ cd ~/GitDemo

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ pwd
/c/Users/sravy/GitDemo

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git log --oneline --graph --decorate
* 78f6a74 (HEAD -> main, GitNewBranch) Added branch file
* 4be129d First

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 78f6a74).
```

Step 13: Final status

```
MINGW64/c/Users/sravy/GitDemo
sravy@Sravyachowdary MINGW64 ~
$ cd ~/GitDemo

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ pwd
/c/Users/sravy/GitDemo

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git log --oneline --graph --decorate
* 78f6a74 (HEAD -> main, GitNewBranch) Added branch file
* 4be129d First

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 78f6a74).

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git statu
git: 'statu' is not a git command. See 'git --help'.

The most similar commands are
    status
    stage
    stash

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git status
On branch main
nothing to commit, working tree clean

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```