

React

2. ReactJS-HOL

Step 1: Create the React Project

```
Microsoft Windows [Version 10.0.26200.8875]
(c) Microsoft Corporation. All rights reserved.

C:\Users\srvay>npm create-react-app studentapp

Creating a new React app in C:\Users\srvay\studentapp.

Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1300 packages in 2m

272 packages are looking for funding
  run `npm fund` for details
Git repo not initialized Error: Command failed: git --version
    at genericNodeError (node:internal/errors:985:15)
    at wrappedFn (node:internal/errors:539:14)
    at checkExecSyncError (node:child_process:925:11)
    at execSync (node:child_process:997:15)
    at tryGitInit (C:\Users\srvay\studentapp\node_modules\react-scripts\scripts\init.js:46:5)
    at module.exports (C:\Users\srvay\studentapp\node_modules\react-scripts\scripts\init.js:276:7)
    at [eval]:3:14
    at runScriptInThisContext (node:internal/vm:219:18)
    at node:internal/process/execution:451:12
    at [eval]-wrapper:6:24 {
  status: 1,
  signal: null,
  output: [ null, null, null ],
  pid: 18424,
  stdout: null,
  stderr: null
}

Installing template dependencies using npm...

added 17 packages, and removed 1 package in 7s

271 packages are looking for funding
  run `npm fund` for details
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
```

```
run `npm fund` for details

28 vulnerabilities (9 low, 6 moderate, 13 high)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.

Success! Created studentapp at C:\Users\srvay\studentapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd studentapp
  npm start

Happy hacking!
C:\Users\srvay>
```

COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 2: Go to the Project Folder

```
Command Prompt
28 vulnerabilities (9 low, 6 moderate, 13 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run 'npm audit' for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run 'npm approve-scripts --allow-scripts-pending' to review, or 'npm approve-scripts <pkg>' to allow.
Success! Created studentapp at C:\Users\sraavy\studentapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd studentapp
  npm start

Happy hacking!
C:\Users\sraavy>cd studentapp
C:\Users\sraavy\studentapp>
```

Step 3: Open VS Code

```
Command Prompt
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run 'npm audit' for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run 'npm approve-scripts --allow-scripts-pending' to review, or 'npm approve-scripts <pkg>' to allow.
Success! Created studentapp at C:\Users\sraavy\studentapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.


  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:


  cd studentapp
  npm start

Happy hacking!
C:\Users\sraavy>cd studentapp
C:\Users\sraavy\studentapp>code .
C:\Users\sraavy\studentapp>
```


COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE



Step 4: Create Components Folder




Step 5: Create Home.js




COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 6: Create About.js




Step 7: Create Contact.js




COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 8: Replace App.js



Step 9: Run the Project



Step 10: Output

