


GIT


1. Git-HOL

Step 1: Check Git Version

A terminal window titled 'MINGW64:/c/Users/sravy' with standard window controls. The prompt is 'sravy@Sravyachowdary MINGW64 ~'. The command '\$ git --version' is entered, and the output is 'git version 2.55.0.windows.3'. The prompt returns to '\$'.


```
sravy@Sravyachowdary MINGW64 ~  
$ git --version  
git version 2.55.0.windows.3  
  
sravy@Sravyachowdary MINGW64 ~  
$
```

Step 2: Configure Username

A terminal window titled 'MINGW64:/c/Users/sravy' with standard window controls. The command '\$ git config --global --list' is entered, showing configuration for 'user.name=YourName', 'user.email=youremail@gmail.com', and 'core.editor=notepad++.exe -multiInst -nosession'. Then, the command '\$ git config --global user.name "Sravya"' is entered.

```
$ git config --global --list  
user.name=YourName  
user.email=youremail@gmail.com  
core.editor=notepad++.exe -multiInst -nosession  
  
sravy@Sravyachowdary MINGW64 ~  
$ git config --global user.name "Sravya"
```

Step 3: Configure Email


A terminal window titled 'MINGW64:/c/Users/sravy' with standard window controls. The prompt is 'sravy@Sravyachowdary MINGW64 ~'. The command '\$ git config --global user.name "Sravya"' is entered. Then, the command '\$ git config --global user.email "sravyakilaru68@gmail.com"' is entered.

```
sravy@Sravyachowdary MINGW64 ~  
$ git config --global user.name "Sravya"  
  
sravy@Sravyachowdary MINGW64 ~  
$ git config --global user.email "sravyakilaru68@gmail.com"
```

Step 4 - Verify Git Configuration

```
sravy@Sravyachowdary MINGW64 ~  
$ git config --global user.name "Sravya"  
  
sravy@Sravyachowdary MINGW64 ~  
$ git config --global user.email "sravyakilaru68@gmail.com"  
  
sravy@Sravyachowdary MINGW64 ~  
$ git config --global --list  
user.name=Sravya  
user.email=sravyakilaru68@gmail.com  
core.editor=notepad++.exe -multiInst -nosession  
  
sravy@Sravyachowdary MINGW64 ~  
$
```

Step 5: Check Notepad++




Step 6: Configure Notepad++ as Git Editor


```
MINGW64/c/Users/sravy  
$  
  
sravy@Sravyachowdary MINGW64 ~  
$  
  
sravy@Sravyachowdary MINGW64 ~  
$ notepad++ ~/.gitconfig  
  
sravy@Sravyachowdary MINGW64 ~  
$ git config --global core.editor "notepad++.exe -multiInst -nosession"  
  
sravy@Sravyachowdary MINGW64 ~  
$
```

COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE


Step 7: Verify Default Editor



Step 8: Create Repository Folder



Step 9: Verify Hidden Git Folder



COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 10: Create welcome.txt

```
MINGW64:/c/Users/sravy/GitDemo
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ ls -al
total 53
drwxr-xr-x 1 sravy 197609  0 Jul 28 22:50 ./
drwxr-xr-x 1 sravy 197609  0 Jul 28 23:33 ../
drwxr-xr-x 1 sravy 197609  0 Jul 28 23:36 .git/
-rw-r--r-- 1 sravy 197609 18 Jul 28 22:54 .gitignore
-rw-r--r-- 1 sravy 197609 6111 Jul 28 21:44 README.md
-rw-r--r-- 1 sravy 197609 21 Jul 28 21:05 branch.txt
-rw-r--r-- 1 sravy 197609 19 Jul 28 21:26 error.log
-rw-r--r-- 1 sravy 197609 58 Jul 28 22:52 hello.xml
drwxr-xr-x 1 sravy 197609  0 Jul 28 21:27 log/
-rw-r--r-- 1 sravy 197609 30 Jul 28 15:20 welcome.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ echo "welcome to the version control" >> welcome.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```

Step 11: Verify File

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ echo "welcome to the version control" >> welcome.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ ls -al
total 53
drwxr-xr-x 1 sravy 197609  0 Jul 28 22:50 ./
drwxr-xr-x 1 sravy 197609  0 Jul 28 23:33 ../
drwxr-xr-x 1 sravy 197609  0 Jul 28 23:36 .git/
-rw-r--r-- 1 sravy 197609 18 Jul 28 22:54 .gitignore
-rw-r--r-- 1 sravy 197609 6111 Jul 28 21:44 README.md
-rw-r--r-- 1 sravy 197609 21 Jul 28 21:05 branch.txt
-rw-r--r-- 1 sravy 197609 19 Jul 28 21:26 error.log
-rw-r--r-- 1 sravy 197609 58 Jul 28 22:52 hello.xml
drwxr-xr-x 1 sravy 197609  0 Jul 28 21:27 log/
-rw-r--r-- 1 sravy 197609 61 Jul 28 23:37 welcome.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```

Step 12: Check File Content

```
MINGW64:/c/Users/sravy/GitDemo
-rw-r--r-- 1 sravy 197609 61 Jul 28 23:37 welcome.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ cat welcome.txt
welcometo the version control
welcome to the version control

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ rm welcome.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ echo "Welcome to the version control" > welcome.txt

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ cat welcome.txt
Welcome to the version control

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```

Step 13: Check Status

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ cat welcome.txt
welcome to the version control

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   welcome.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        log/

no changes added to commit (use "git add" and/or "git commit -a")

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ |
```

Step 14: Add File to Staging

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   welcome.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        log/

no changes added to commit (use "git add" and/or "git commit -a")

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the next time Git touches it

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```

Step 15: Commit Changes

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the next time Git touches it

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git commit -m "Added welcome.txt"
[main cf54dcf] Added welcome.txt
1 file changed, 1 insertion(+), 1 deletion(-)

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```

Step 16: Verify Working Tree

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```

COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 17: Create a GitLab repository.

KL University-group / New project / Create blank project

Create blank project

Create a blank project to store your files, plan your work, and collaborate on code, among other things.

Project name
GitDemo

Start with a letter, digit, emoji, or underscore.

Project URL
https://gitlab.com/sravyakilaru68

Project slug
gitdemo

Project deployment target (optional)
Select the deployment target

Visibility Level

- ☐ Private
Project access must be granted explicitly to each user. If this project is part of a group, access is granted to members of the group.
- ☐ Internal
The project can be accessed by any logged in user except external users.
- ☒ Public
The project can be accessed without any authentication.

Project Configuration

- ☒ Initialize repository with a README
Allows you to immediately clone this project's repository. Skip this if you plan to push up an existing repository.
- ☐ Enable Static Application Security Testing (SAST)

Step 18: Verify Remote Repository Configuration

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git remote -v
origin https://gitlab.com/sravyakilaru68/gitdemo.git (fetch)
origin https://gitlab.com/sravyakilaru68/gitdemo.git (push)
```

Step 19: Push Local Repository to GitLab

```
sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git remote -v
origin https://gitlab.com/sravyakilaru68/gitdemo.git (fetch)
origin https://gitlab.com/sravyakilaru68/gitdemo.git (push)

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$ git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 290 bytes | 145.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
To https://gitlab.com/sravyakilaru68/gitdemo.git
  29c04d6..cf54dcf  main -> main

sravy@Sravyachowdary MINGW64 ~/GitDemo (main)
$
```