

Spring REST using Spring Boot 3

Spring Core – Load Country from Spring Configuration XML

Step 1: Configure Spring Boot Project using Spring Initializr

The screenshot shows the Spring Initializr web application in a browser. The interface is divided into several sections:

- Project:** Includes radio buttons for **Gradle - Groovy**, **Gradle - Kotlin**, **Java** (selected), **Kotlin**, and **Groovy**. Below this is a radio button for **Maven** (selected).
- Spring Boot:** Includes radio buttons for **4.1.1 (SNAPSHOT)**, **4.1.0**, **4.0.8 (SNAPSHOT)**, **4.0.7**, and **3.5.16** (selected).
- Project Metadata:** Includes text input fields for **Group** (com.cognizant), **Artifact** (spring-learn), and **Package name** (com.cognizant.springlearn). Below these are radio buttons for **Packaging** (**Jar** selected, **War** unselected) and **Configuration** (**Properties** selected, **YAML** unselected). At the bottom of this section are radio buttons for **Java** (**26**, **25**, **21**, and **17** selected).
- Dependencies:** Includes a button **ADD DEPENDENCIES... CTRL + B**. Below this are two sections: **Spring Web** (with a **WEB** tag) and **Spring Boot DevTools** (with a **DEVELOPER TOOLS** tag).

At the bottom of the form are two buttons: **GENERATE CTRL + G** and **EXPLORE CTRL + SPACE**.

Step 2: Import Spring Maven Project into Eclipse

The screenshot shows the Eclipse IDE with a Spring Maven project imported. The **Project Explorer** on the left shows the project structure:


- spring-learn** (selected)
 - src/main/java
 - src/main/resources
 - src/test/java
 - JRE System Library [JavaSE-17]
 - Maven Dependencies
 - src
 - target
 - HELP.md
 - mvnw
 - mvnw.cmd
 - pom.xml

The **Editor** on the right shows the **SpringLearnApplication.java** file with the following code:


```
1 package com.cognizant.springlearn;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5
6 @SpringBootApplication
7 public class SpringLearnApplication {
8
9     public static void main(String[] args) {
10         SpringApplication.run(SpringLearnApplication.class, args);
11     }
12 }
13
14
```

COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE


Step 3: Verify Project Structure




Step 4: Create Country.java Class



COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE




Step 5: Create country.xml Configuration File




COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 6: Create pom.xml Configuration File




Step 7: Modify SpringLearnApplication.java



COGNIZANT DIGITAL NURTURE 5.0 – JAVA FSE

Step 8: Execute the Spring Boot Application & Verify Console Output



```
1 package com.cognizant.springlearn;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5 import org.springframework.context.ApplicationContext;
6 import org.springframework.context.support.ClassPathXmlApplicationContext;
7
8 @SpringBootApplication
9 public class SpringLearnApplication {
10
11     public static void main(String[] args) {
12         SpringApplication.run(SpringLearnApplication.class, args);
13         displayCountry();
14     }
15
16     public static void displayCountry() {
17
18         ApplicationContext context =
19             new ClassPathXmlApplicationContext("country.xml");
20
21         Country country = context.getBean("country", Country.class);
22         System.out.println(country);
23     }
24 }
25
26
27 }
```

Problems Javadoc Declaration Console Progress

SpringLearnApplication [Java Application] C:\Users\sravya\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_17.0.10\jre\bin\java.exe (06-Jul-2026, 3:14:08 pm elapsed 0:00:09) [pid: 4672]

2026-07-06T15:14:12.476+05:30 INFO 4672 --- [spring-learn] [restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext

2026-07-06T15:14:12.488+05:30 INFO 4672 --- [spring-learn] [restartedMain] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization complete

2026-07-06T15:14:13.152+05:30 INFO 4672 --- [spring-learn] [restartedMain] o.s.b.d.a.OptionalLiveReloadServer : LiveReload server is running on port 35729

2026-07-06T15:14:13.246+05:30 INFO 4672 --- [spring-learn] [restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path=/

2026-07-06T15:14:13.246+05:30 INFO 4672 --- [spring-learn] [restartedMain] c.c.springlearn.SpringLearnApplication : Started SpringLearnApplication in 3.645 seconds (process running for 3.645 seconds)

Inside Country Constructor.

Inside setCode()

Inside setName()

Country [code=IN, name=India]