

UI/UX Master Documentation For Beginners

By Chanda Shrestha - 2025 Edition

A complete beginner-friendly guide to UI/UX design.



Table of Contents

1. Introduction to UI/UX.....	11
1.1 What is UI/UX?.....	11
1.2 Why UI/UX Matters in Every Digital Product.....	12
1.3 Difference Between UI and UX (Corporate Explanation).....	12
1.4 Where UI/UX Fits Inside a Product Team.....	13
1.5 Types of Digital Products That Require UI/UX.....	14
1.6 UI/UX and Business KPIs.....	14
1.7 Exercise.....	14
1.8 Beginner Checklist.....	15
2. UX Foundation.....	15
2.1 Human-Centered Design (HCD).....	15
2.2 UX Principles Every Designer Must Know.....	16
2.3 Understanding User Goals & Mental Models.....	16
2.4 Behavioral Design Basics.....	17
2.5 Affordances, Signifiers & Constraints.....	17
2.6 Task Flows vs User Flows.....	18
2.7 UX Laws.....	19
2.8 Exercise.....	22
2.9 UX Foundation Checklist.....	22
3. UI Foundations.....	22
3.1 What Is User Interface (UI) Design?.....	22
3.2 Visual Hierarchy (The Heart of UI Design).....	23
3.3 Layout & Spacing (The 8-Point System).....	24
3.4 Color Theory for UI.....	26

UI/UX Master Documentation for Beginners - By Chanda Shrestha

3.5 Typography Basics.....	27
3.6 Iconography & Shape Language.....	28
3.7 Component States (Very Important).....	29
3.8 UI Consistency Checklist.....	30
3.9 Exercise.....	31
3.10 Corporate UI Best Practices.....	31
4. User Research Methods.....	32
4.1 What Is UX Research?.....	32
4.2 Types of Research (Beginner-Friendly Breakdown).....	32
4.3 Qualitative vs Quantitative Research.....	33
4.5 How to Conduct a User Interview.....	35
4.6 Sample Interview.....	36
4.7 Empathy Mapping.....	37
4.8 Heuristic Evaluation.....	37
4.9 Exercise.....	38
4.10 Research Checklist.....	38
4.11 Deliverables at the End of Research.....	39
5. Personas, User Stories & Journey Mapping.....	39
5.1 What Are Personas?.....	39
5.2 Why Personas Matter in UI/UX.....	40
5.3 Types of Personas.....	40
5.4 Persona Template (Corporate Format).....	41
5.5 Exercise.....	42
5.6 What Are User Stories?.....	42
5.7 What Is a User Journey Map?.....	44

UI/UX Master Documentation for Beginners - By Chanda Shrestha

5.8 Journey Map Template.....	44
5.9 Touchpoints & Emotions.....	45
5.10 Exercise.....	46
5.11 Checklist.....	46
6. Information Architecture (IA).....	46
6.1 What Is Information Architecture (IA)?.....	46
6.2 Why IA Is Critical.....	47
6.3 Key Components of IA.....	48
6.4 Types of Navigation Models.....	48
6.5 Categorization: Open vs Closed Card Sorting.....	50
6.6 Tree Testing (Beginner-Friendly Explanation).....	50
6.7 Labeling System (Critical in Corporate UX).....	51
6.8 Creating a Sitemap (Diagram).....	51
6.9 Content Hierarchy (Levels of Information).....	52
6.10 Designing Menu Systems.....	53
6.11 Search & Filtering (Part of IA).....	53
6.12 Exercise — Build a Sitemap for a Mobile App.....	54
6.13 IA Checklist (Corporate Style).....	54
7. Wireframing.....	55
7.1 What Is Wireframing?.....	55
7.2 Why Wireframes Are Critical.....	55
7.3 Types of Wireframes.....	56
7.4 Tools for Wireframing.....	56
7.5 Wireframe Anatomy.....	56
7.6 Wireframe Symbols.....	58

UI/UX Master Documentation for Beginners - By Chanda Shrestha

7.7 Layout Frameworks for Beginners.....	58
7.8 Wireframe Examples.....	61
7.9 Empty, Loading & Error States.....	62
7.10 Exercise — Create Wireframes for a Simple App.....	64
7.11 Wireframing Checklist.....	64
8. Prototyping.....	65
8.1 What Is Prototyping?.....	65
8.2 Why Prototyping Matters.....	65
8.3 Levels of Prototyping.....	66
8.4 Interaction Types in Prototyping.....	67
8.5 How to Build a Prototype in Figma (Step-by-Step).....	67
8.6 Common Prototyping Flows.....	69
8.7 Micro-Interactions (Beginner-Friendly).....	69
8.8 Best Practices for Prototyping.....	70
8.9 Mistakes Beginners Make.....	70
8.10 Exercise — Build a Basic Prototype.....	71
8.11 Prototyping Checklist (Corporate Style).....	71
9. Visual Design Principles.....	72
9.1 What Are Visual Design Principles?.....	72
9.2 CRAP Framework (Industry Standard).....	72
9.3 Contrast (Make Important Things Stand Out).....	72
9.4 Repetition (Consistency Across the Product).....	73
9.5 Alignment (Every Element Must Line Up).....	73
9.6 Proximity (Group Related Items Together).....	74
9.7 White Space / Negative Space.....	74

UI/UX Master Documentation for Beginners - By Chanda Shrestha

9.8 Color Systems & Palette Strategy.....	74
9.9 Typography System.....	75
9.10 Iconography (Shape, Style, & Consistency).....	76
9.11 Depth, Shadows, & Elevation.....	77
9.12 Visual Hierarchy.....	77
9.13 Grid Systems (Mobile & Web).....	78
9.14 Component-Based Visual Design.....	79
9.15 Visual UI Mistakes Beginners Make.....	79
9.16 Exercise — Improve This UI (Beginner Task).....	80
9.17 Visual Design Checklist (Corporate Style).....	80
10. Interaction Design.....	81
10.1 What Is Interaction Design (IxD)?.....	81
10.2 The 5 Pillars of Interaction Design.....	81
10.3 Types of Interactions.....	82
10.4 Micro-Interactions (Small but Powerful).....	84
10.5 Animation in UI (Beginner Guidelines).....	85
10.6 Button Behavior & Rules.....	85
10.7 Form Interactions (Most Important in IxD).....	86
10.8 Navigation Interaction Patterns.....	86
10.9 Error Handling & Prevention.....	87
10.10 Loading & Progress Interactions.....	88
10.11 Accessibility in Interaction Design.....	88
10.12 Exercise — Fix Interaction Problems.....	89
10.13 IxD Checklist (Corporate Style).....	89
11. Accessibility & Inclusive Design.....	89

UI/UX Master Documentation for Beginners - By Chanda Shrestha

11.1 What Is Accessibility in UX?	89
11.2 Why Accessibility Matters	90
11.3 Four Principles of WCAG (POUR)	91
11.4 Color Accessibility	92
11.5 Typography Accessibility	92
11.6 Accessible Interaction Design	93
11.7 Screen Reader Accessibility	93
11.8 Form Accessibility	94
11.9 Cognitive Accessibility	94
11.10 Inclusive Design	95
11.11 Accessibility Testing Methods	95
11.12 Exercise — Make a Screen Accessible	96
11.13 Accessibility Checklist	96
12. Usability Testing	97
12.1 What Is Usability Testing?	97
12.2 Why Usability Testing Is Critical	97
12.3 Types of Usability Testing	98
12.5 Tasks for Usability Testing	100
12.6 The Usability Test Script (Corporate Template)	100
12.7 Think-Aloud Protocol	101
12.8 What to Observe During Testing	101
12.9 Metrics to Measure	102
12.10 Formatting Findings (Beginner Template)	103
12.11 Five-Second Test	103
12.12 A/B Testing	103

UI/UX Master Documentation for Beginners - By Chanda Shrestha

12.13 Common Usability Problems.....	104
12.14 Exercise.....	105
12.15 Usability Testing Checklist.....	105
13. Design System (UI Components, Tokens & Documentation).....	106
13.1 What Is a Design System?.....	106
13.2 Why Design Systems Matter.....	106
13.3 Components of a Design System.....	107
13.4 What Are Design Tokens?.....	108
13.5 Color System.....	110
13.6 Typography System.....	111
13.7 Iconography System.....	112
13.8 Components Library.....	113
13.9 Anatomy of a Component.....	114
13.10 Layouts & Grids.....	115
13.11 Interaction Patterns.....	116
13.12 Accessibility Guidelines (Part of Design System).....	116
13.13 Voice, Tone & Content Guidelines.....	117
13.14 Documentation Standards.....	117
13.15 How to Build a Design System in Figma (Beginner Guide).....	118
13.16 Exercise — Build a Mini Design System.....	119
13.17 Design System Checklist.....	119
14. Responsive and Mobile Design.....	120
14.1 What Is Responsive Design?.....	120
14.2 Why Responsive Design Matters.....	120
14.3 Mobile-First Design (Best Practice).....	121

UI/UX Master Documentation for Beginners - By Chanda Shrestha

14.4 Breakpoints (Industry Standard).....	122
14.5 Responsive Grid Systems.....	122
14.6 Responsive Layout Patterns.....	123
14.7 Mobile Design Guidelines (Beginner-Friendly).....	124
14.8 Thumb Zone Theory (Ergonomic Design).....	124
14.9 Responsive Typography.....	124
14.10 Responsive Components.....	125
14.12 Common Responsive Failures (Beginner Mistakes).....	126
14.13 Responsive Testing Tools.....	127
14.14 Exercise — Make a Layout Responsive.....	127
14.15 Responsive Design Checklist.....	128
15.UX Writing & Content Design.....	128
15.1 What Is UX Writing?.....	128
15.2 Content Design vs Copywriting vs UX Writing.....	129
15.3 Principles of Good UX Writing.....	130
15.4 Button & CTA Writing.....	130
15.5 Writing Form Labels & Inputs.....	131
15.7 Empty States.....	132
15.8 Tooltips & Help Text.....	133
15.9 Onboarding Text.....	133
15.10 Microcopy (Small Words, Big Impact).....	134
15.12 Content Structure & Hierarchy.....	135
15.13 Accessibility in UX Writing.....	135
15.14 Writing for Different Contexts.....	136
15.15 Localization & Internationalization.....	136

UI/UX Master Documentation for Beginners - By Chanda Shrestha

15.16 Exercise — Improve These Texts.....	137
15.17 UX Writing Checklist.....	137
16. UX Documentation & Developer Handoff.....	137
16.1 What Is UX Documentation?.....	137
16.2 Why Developer Handoff Matters.....	138
16.3 What to Document (Complete List).....	139
16.4 Anatomy of a Perfect Figma Handoff.....	140
16.5 Interaction Documentation (Critical).....	141
16.6 Documentation Formats.....	141
16.7 Redlining (Developer-Friendly Specs).....	142
16.8 Documenting Edge Cases.....	142
16.9 Asset Export Guidelines.....	143
16.10 Writing a Handoff Document (Corporate Template).....	143
16.12 Real-World Handoff Flow.....	145
16.13 Design QA (Quality Assurance).....	146
16.14 Exercise — Create a Handoff Package.....	146
16.15 UX Documentation Checklist.....	147
17. UX Case Studies & Portfolio Building.....	147
17.1 What Is UX Case Study?.....	147
17.2 Why Case Studies Matter for Beginners.....	148
17.3 The Core Structure of Every Case Study.....	148
17.4 How Many Case Studies Should a Beginner Have?.....	150
17.5 How to Write a Strong Problem Statement.....	151
17.7 How to Present Research in a Case Study.....	151
17.8 How to Show Wireframes.....	152

UI/UX Master Documentation for Beginners - By Chanda Shrestha

17.9 How to Present UI Design.....	153
17.10 How to Display Prototypes.....	153
17.11 Usability Testing Section.....	153
17.12 Final Outcome Section.....	154
17.13 Results & Impact.....	154
17.14 Writing Portfolio Case Studies — Do & Don't.....	155
17.15 UX Portfolio Structure.....	155
17.16 Tools for Portfolio Building.....	156
17.17 Exercise — Create a Case Study Outline.....	156
18. UX Tools, Career Paths, Workflows & Industry Tips.....	157
18.1 Essential UX/UI Tools.....	157
18.2 UX Design Job Roles Explained.....	159
18.3 UX Career Levels.....	160
18.4 How to Start Your Career in UX (Beginner Roadmap).....	161
18.6 The UX Interview Process.....	163
18.7 Interview Questions Beginners Must Practice.....	164
18.8 Soft Skills Every Designer Needs.....	165
18.9 How to Work With Developers.....	165
18.10 Real-World UX Workflow (Agile).....	166
18.11 Tools to Continue Learning.....	167
18.12 Final Beginner Portfolio Checklist.....	167
18.13 Industry Tips for Beginners.....	167
18.14 Exercise — Create Your First Portfolio.....	168
The full 18-module UI/UX Training Manual is complete.....	169

Introduction to UIUX

1.1 What is UI/UX?

UI/UX refers to two essential disciplines used in creating digital products:

User Interface (UI)

UI is the look and feel of the product. Think of UI as the skin of the product.

It includes:

- Layout
- Colors
- Typography
- Icons
- Buttons
- Spacing
- Visual hierarchy

User Experience (UX)

UX is the interaction and emotional journey the user has while using the product.

It includes:

- Usability
- Task flows
- User research
- Information architecture
- Interaction design
- Accessibility
- User satisfaction

Think of UX as the brain and nervous system of the product.

1.2 Why UI/UX Matters in Every Digital Product

Good UI/UX determines:

- Whether users stay or leave
- How easily tasks can be completed
- How users perceive the brand
- Customer satisfaction and loyalty
- Operational efficiency
- Business revenue and engagement metrics

“

A beautiful UI with bad UX = useless.

Great UX with bad UI = unpleasant but workable.

Great UI + Great UX = a successful product.

1.3 Difference Between UI and UX (Corporate Explanation)

Category	UI	UX
Focus	Visual appearance	User journey & usability
Output	Screens, components, visuals	Flows, research insights, structures
Goal	Make product visually appealing	Make product efficient and meaningful
Tools	Figma, Adobe XD, Sketch	Miro, Notion, Figma, research tools

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Typical Task	Color, spacing, layout, typography	Research, flows, wireframes, IA
--------------	------------------------------------	---------------------------------

UI = How it looks


UX = How it works

1.4 Where UI/UX Fits Inside a Product Team

Common Team Roles:

- UI Designer
- UX Designer
- Product Designer (combined role)
- UX Researcher
- Product Manager
- Front-End Developer
- Back-End Developer
- QA Tester

Workflow Collaboration:



1.5 Types of Digital Products That Require UI/UX

- Mobile apps
- Websites
- SaaS dashboards
- B2B management systems
- E-commerce platforms
- Internal tools
- Wearable apps
- Kiosk interfaces
- Smart appliances
- Automotive infotainment screens
- AI chat systems

1.6 UI/UX and Business KPIs

Good design directly impacts:

- Retention
- Conversion
- Net Promoter Score (NPS)
- Time-on-task
- Task success rate
- Revenue
- Customer satisfaction
- Error rate reduction

A redesigned checkout flow can reduce drop-off by **20–40%**.

1.7 Exercise

Choose any app you use daily (TikTok, Uber, Instagram, Spotify).

Answer the following:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

1. Is the app easy to understand?
2. Are the buttons clearly visible?
3. Are you able to find what you are looking for quickly?
4. Which part of the app feels confusing?
5. What would you improve if you were the designer?

This builds UX awareness.

1.8 Beginner Checklist

You must develop the ability to:

- Understand users
- Identify UI patterns
- Recognize common UX problems
- Use Figma comfortably
- Create simple wireframes
- Understand flows and navigation
- Use consistent spacing
- Apply basic typography rules
- Conduct small usability tests

This is the starting point for every UI/UX designer.

2. UX Foundation

2.1 Human-Centered Design (HCD)

Human-Centered Design is the foundation of UX. It means you design for humans first, not for technology, business, or trends.

Core Principles of HCD:

- Understand users deeply
- Solve real problems

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Observe behavior, not assumptions
- Design with empathy
- Prototype early, test early
- Iterate continuously

If the user cannot use it — it doesn't matter how beautiful it looks.

2.2 UX Principles Every Designer Must Know

1. Principle 1: Clarity

The interface must communicate clearly.

If the user has to guess → it's bad UX.

2. Principle 2: User Control

Users should feel in control, not trapped.

Examples:

- Back button
- Undo actions
- Clear labels

3. Principle 3: Consistency

Patterns must repeat across the product. Consistent UI improves learnability.

4. Principle 4: Feedback

Buttons should respond, forms must show errors, and actions need acknowledgement.

5. Principle 5: Accessibility

Design for all users, including people with disabilities.

6. Principle 6: Efficiency

- Minimize steps.
- Reduce friction.
- Save time.

2.3 Understanding User Goals & Mental Models

A **mental model** is how a user thinks something works.

Examples:

- Users think a "trash icon" means delete
- They think a “magnifying glass” means search
- They expect a “hamburger menu” to open navigation

If your product breaks a mental model, users get confused.

Types of User Goals:

- **Practical:** order food, book a ride
- **Emotional:** feel confident, safe, satisfied
- **Social:** share, connect, belong

Your job is to **align the product’s behavior with real user expectations.**

2.4 Behavioral Design Basics

Behavior design focuses on why people take actions.

Three Factors Influence Behavior:

1 Motivation – desire to complete the task

2 Ability – how easy the task is

3 Trigger – reminder or cue to act

Even if motivation is high, a difficult interface kills the task.

2.5 Affordances, Signifiers & Constraints

Affordances

UI/UX Master Documentation for Beginners - By Chanda Shrestha

What an element can do.

Example:

A button affords clicking.

Signifiers

Signals that tell users *what to do*.

Example:

- Underlined text → clickable
- Trash icon → delete

Constraints


Limit what users can do to prevent mistakes.

Example:

- Disabled buttons
- Mandatory fields

These three shape user comprehension.

2.6 Task Flows vs User Flows




Why This Matters:

Good flows reduce confusion and mental friction.

2.7 UX Laws

1. Fitts's Law

The closer and bigger a target is, the easier it is to click.



2. Hick's Law

More choices = slower decisions.

Hard

- ☐ List Item 1
- ☐ List Item 2
- ☐ List Item 3
- ☐ List Item 4
- ☐ List Item 5
- ☐ List Item 6
- ☐ List Item 7
- ☐ List Item 8

Easier


- 
- ☐ List Item 1
 - ☐ List Item 2
 - ☐ List Item 3
 - ☐ List Item 4

Easiest

- ☐ List Item 1
- ☐ List Item 2
- ☐ List Item 3
- ☐ List Item 4

3. Miller's Law


People can remember about 7 ± 2 items.



4. Jakob's Law


UI/UX Master Documentation for Beginners - By Chanda Shrestha

Users expect your app to work like other apps they already know.



5. Law of Proximity

Items placed close together feel related.



2.8 Exercise

Choose a website you use often.

List **5 usability issues** you notice, such as:

- Hard-to-find menu
- Too many options
- Poor spacing
- Slow loading
- Confusing icons
- Long forms

This builds your UX problem-sensing skill.

2.9 UX Foundation Checklist

- Humans first, not features
- Solve real problems
- Reduce friction in every step
- Be consistent in actions & patterns

- Provide feedback for all interactions
- Use common UX laws
- Understand user mental models
- Make every process efficient
- Keep visual noise low
- Test early & often

3. UI Foundations

3.1 What Is User Interface (UI) Design?

UI design is the **visual and interactive layer** of a digital product. It determines **how the product looks, how components are arranged, and how users interact with them.**

UI is responsible for:

- Layout
- Colors
- Typography
- Spacing
- Buttons & Inputs
- Icons & Imagery
- Visual Hierarchy
- States (hover, pressed, disabled, error)

A good UI:


- feels clean
- looks professional
- supports the UX
- reduces cognitive load
- improves user trust

3.2 Visual Hierarchy (The Heart of UI Design)

Visual hierarchy controls **what the user sees first**, second, and last.

Hierarchy is controlled by:

- Size
- Color
- Contrast
- Position
- Spacing
- Grouping




A large, bold CTA (Call-to-Action) at the bottom of the screen is seen first. Good hierarchy makes the interface **easy to scan**.

3.3 Layout & Spacing (The 8-Point System)

Professional digital products use an **8-point spacing grid**:

8 → 16 → 24 → 32 → 40 → 48 → 56 → 64 ...



Why this system?

- keeps spacing consistent
- scales across mobile & web
- makes developer handoff easier
- reduces visual clutter

Rules:

- Space between elements = multiples of 8
- Padding inside components = 8, 12, 16, 20, 24
- Keyboard-safe, thumb-safe mobile margins

Consistency = cleaner UI + easier development.

3.4 Color Theory for UI

Color influences:

- user mood
- brand personality
- visual hierarchy
- accessibility
- Comprehension

3 Types of Colors in UI

Primary

- main brand color
- used for CTAs

Secondary

- accents
- supporting elements

Semantic Colors

- Success (green)
- Warning (orange/yellow)
- Error (red)
- Info (blue)

Rules for Beginners:

- Use 1 primary, 1 secondary, semantic colors, + greys
- Avoid bright neon colors
- Check color contrast (WCAG)
- Don't rely ONLY on color to show meaning

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Use a consistent palette

Primary (brand colors)



Secondary / Accent colors



Neutral colors



3.5 Typography Basics


Typography dictates readability.

Key Concepts:

- **Font families:** Sans serif is best for digital (e.g., Inter, Roboto, SF Pro).
- **Font size scale:** 12–14–16–20–24–32–48
- **Font weight:** Regular, Medium, Semibold, Bold
- **Line height:** 1.4–1.6 for readability

Rules:

- Never use more than **2 fonts**
- Keep body text 14–17px
- Use weight to show importance, not color



3.6 Iconography & Shape Language


Icons must be:

- Simple
- Recognizable
- Consistent in weight & style
- Used sparingly

Shape Language Example:

- Rounded corners → friendly, modern
- Sharp corners → professional, serious

Choose a language that matches your brand.



3.7 Component States (Very Important)

Every UI component must have **multiple states**:

Button States:

- Default
- Hover
- Active
- Disabled
- Loading

Input Field States:

- Default
- Focused
- Error
- Disabled
- Success (optional)

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Missing states = inconsistent UI + confused users.

State	Fill	Outline	Ghost
Default			
Hover			
Active			
Focus			
Disabled			

Input States

Account name Inactive	Account name Hover	Account name Albert Einstein Disabled
Account name Alb Focus/active	Account name Albert Einstein Verification... Validation	Account name Albert Einstein ✗ Name taken Error

by Taras Bakusevych

3.8 UI Consistency Checklist

- Same spacing everywhere
- Same corner radius

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Same shadow level
- Same color naming system
- Same icons style
- Same typography scale
- Familiar patterns reused
- Aligned elements
- Uniform button sizes
- Consistent component states

Consistency builds **trust, usability, and visual clarity**.

3.9 Exercise

Task:

Take any basic login screen and redesign it using:

- proper spacing
- clean typography
- clear CTAs
- labeled inputs
- error message samples
- accessible contrast

This builds your visual design foundation.

3.10 Corporate UI Best Practices

- White space is not empty — it's strategic
- Avoid decorative elements
- Icons must enhance, not distract
- CTAs must be obvious
- Use grid & alignment ALWAYS
- Aim for simplicity, not complexity

- Avoid too many colors
- Use real content instead of lorem ipsum in final mockups

4. User Research Methods

4.1 What Is UX Research?

UX Research is the process of **understanding users, their goals, behaviors, frustrations, and needs** through data-driven methods.

Research helps answer:

- Who are our users?
- What do they need?
- Where are they struggling?
- Why do they behave this way?
- How can we improve the product?

Good research prevents:

- blind design decisions
- wasted development
- product failures
- wrong features

Good UX is impossible without research.

4.2 Types of Research (Beginner-Friendly Breakdown)

A. Primary Research

You collect data directly.

Examples:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Interviews
- Surveys
- Field studies
- Usability tests

B. Secondary Research

You analyze existing data.

Examples:

- Competitor analysis
- Analytics reports
- Industry studies
- Existing product data

Both are essential in UX.

4.3 Qualitative vs Quantitative Research

Qualitative (Why users behave a certain way)

Methods:

- Interviews
- Observations
- Think-aloud testing
- Diary studies

Output:

- Insights
- Themes
- Emotions

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Behaviors

Quantitative (What, how many & how often)

Methods:

- Surveys
- Heatmaps
- Analytics data
- A/B experiments

Output:

- Metrics
- Charts
- Data patterns

Best UX research combines both.

4.4 Common Research Methods (Corporate-Level Guide)

4.4.1. User Interviews

Goal: Understand motivations & emotions.

Format: Semi-structured conversation.

Questions examples:

- “Walk me through how you order food.”
- “What part of the app do you enjoy least?”
- “What is the hardest step for you?”

4.4.2. Surveys

Goal: Collect quick data at scale.

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Use tools: Google Forms, Typeform.

4.4.3. Field Observation (Contextual Inquiry)

Watching users perform real tasks in their environment.

Example:

Observe how restaurant staff use a POS system.

4.4.4. Heuristic Evaluation

Apply Nielsen's 10 usability principles to find issues.

Examples:

- "Visibility of system status"
- "Error prevention"
- "Match between system & real world"

4.4.5. Competitive Analysis

Compare competitors to understand patterns & opportunities.

4.4.6. Card Sorting (Open/Closed)

Helps structure navigation.

4.4.7. Tree Testing

Tests whether IA is easy to navigate.

4.4.8. Usability Testing

Users attempt tasks while you observe behaviors.

4.5 How to Conduct a User Interview

1. Define goals

What do you want to learn?

2. Prepare questions

Keep them open-ended.

3. Recruit participants

Choose users who match your personas.

4. Create a safe environment

Make participants comfortable.

5. Record insights

Write down quotes, actions, emotions.

6. Analyze


Look for patterns across participants.

4.6 Sample Interview

- “Tell me about your daily routine.”
- “What tools/apps do you use often?”
- “What frustrates you most about ordering online?”
- “If you could change anything, what would it be?”
- “Can you show me how you complete this task?”

4.7 Empathy Mapping

EMPATHY MAP *Example (Buying a TV)*



Use empathy maps to understand emotional layers of the user.

4.8 Heuristic Evaluation

- Visibility of system status
- Match between system & real world
- User control & freedom
- Consistency & standards
- Error prevention
- Recognition over recall
- Flexibility & efficiency
- Aesthetic minimalism
- Error recovery
- Help & documentation

These principles are industry standard.

4.9 Exercise

Write questions related to a product like:

- Food ordering app
- Ride sharing app
- Fitness tracker

Example:

1. What is the most confusing part of ordering food online?
2. How do you decide what restaurant to choose?
3. How long do you usually wait before abandoning the order?
4. What frustrates you when tracking deliveries?
5. How do you prefer to pay?

This builds beginner research skills.

4.10 Research Checklist

- Goal defined
- Target users identified
- Method selected (interview/survey/testing)
- Script prepared
- Tools ready
- Data captured clearly
- Insights categorized
- Actionable recommendations generated

4.11 Deliverables at the End of Research

- Interview notes
- Audio/video recordings
- Survey reports
- Competitor analysis spreadsheet
- Usability test report
- Insights report
- Opportunity areas
- UX recommendations

These become the foundation for design.

5. Personas, User Stories & Journey Mapping

5.1 What Are Personas?

A **persona** is a fictional, research-based representation of your user. It helps the design team understand:

- who the user is
- what they want

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- what challenges they face
- how they think and behave

Personas bring clarity, empathy, and structure.

5.2 Why Personas Matter in UI/UX

Personas ensure you design for **real needs**, not assumptions. Personas help teams:

- align on user priorities
- make informed decisions
- avoid designing for “everyone”
- evaluate ideas based on real goals
- improve collaboration with developers & PMs

A product that tries to serve everyone ends up serving no one.

5.3 Types of Personas

1. Proto-Personas

Quick, assumption-based personas used early when data is limited.

2. Research-Based Personas

Created after interviews, surveys, and real data collection.

3. Behavioral Personas

Based on user motivations and behaviors.

4. Goal-Oriented Personas

Focused on the user’s main tasks.

5. Negative Personas

Users who are not your target audience.

5.4 Persona Template (Corporate Format)

Persona Example: “Chanda, The Busy Professional”

Name: Chanda Shrestha

Age: 25

Location: Newcastle

Occupation: Marketing Assistant

Tech Skills: Intermediate

Primary Device: Mobile (iOS)

Goals:

- Order lunch quickly during work breaks
- Track food delivery in real-time
- Save favorite restaurants

Frustrations:

- Too many steps in checkout
- Slow loading apps
- Confusing delivery tracking
- Overwhelming restaurant lists


Behavioral Traits:

- Makes quick decisions
- Prefers simple, clean UI
- Likes saved preferences

Quote:

“I don’t have time to think — I just want fast and easy.”

UI/UX Master Documentation for Beginners - By Chanda Shrestha



5.5 Exercise

Choose a product (food app, ride app, fitness app) and define:

- Name
- Age
- Tech comfort level
- Goals
- Pain points
- Behaviors
- Motivation quote

5.6 What Are User Stories?

User stories help clarify what users want to achieve.

Format:

As a [user type], I want to [action], so that I can [benefit].

Examples:

- As a shopper, I want to save items, so I can buy them later.

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- As a driver, I want a map view, so I can see where to go.
- As a student, I want dark mode, so I can study at night.

Acceptance Criteria:

- Clear, simple behavior description
- Specific success conditions

Example:

- User can add item to wishlist
- Wishlist saves even if app restarts

User-Story Map: Mobile App Feature for Depositing Checks

NNGROUP.COM NN/g

1. Activities:

High-level tasks users can do in the digital product

Check account balance

Deposit a check

2. Steps:

Steps users go through to complete the activity above

Log in

Access accounts

Enter mobile deposit details

Sign check

Photograph check

Submit deposit

Confirm deposit

Enter username or email

View account balances

Choose account

Read tips for taking check photos

Enable camera access

Confirm deposit

View confirmation message

3. Details:

Granular, discrete interactions to complete the step above

Enter password

See pending transactions

Enter deposit amount

Turn phone horizontal

Understand amount available

Receive email confirmation

Press login button

Open new account

View transaction limits

Take photo of front & back

Cancel deposit

Initiate forgot password

See legal disclosures

Send check to bank via drone

Autofill numbers

Get instant access to all funds

View deposit in past deposits

Toggle remember me

Get savings advice

View past deposits

Review error messages

Receive text message

5.7 What Is a User Journey Map?

A user journey map visualizes the entire experience a user goes through.

It shows:

- steps
- actions
- emotions
- pain points
- opportunities



5.8 Journey Map Template

Example: Food Ordering Journey

Stage	Action	Emotion	Pain Point	Opportunity
-------	--------	---------	------------	-------------

UI/UX Master Documentation for Beginners - By Chanda Shrestha

1.	Opens app	neutral	Slow loading	optimize speed
2.	Searches food	frustrated	Too many results	improved filters
3.	Adds item	satisfied	missing customization	add toppings UI
4.	Check out	anxious	long forms	enable auto-fill
5.	Tracking	curious	no real-time updates	better tracking UI

5.9 Touchpoints & Emotions

Touchpoints are moments where the user interacts with your product:

- app interface
- push notifications
- email
- customer support
- Settings
- help center

Each touchpoint must be designed intentionally.

Emotions influence:

- user satisfaction
- brand trust
- likelihood of returning
- frustration or delight

5.10 Exercise

Choose a simple task:

- Booking a taxi
- Resetting a password
- Buying a movie ticket

Map:

- steps
- pain points
- emotions
- opportunities

This builds UX strategy skills.

5.11 Checklist

- Based on real data
- Clear goals & frustrations
- Describes behavior, not demographics only
- Includes motivations
- Highlights emotions
- Journey identifies friction
- Actionable improvement opportunities
- Easily understood by non-designers

6. Information Architecture (IA)

6.1 What Is Information Architecture (IA)?

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Information Architecture is the organization, structure, and labeling of content in a product.

It defines:

- how content is grouped
- how users navigate
- how easy it is to find information
- what belongs where
- the hierarchy of screens

IA creates the *skeleton* of an app or website.

Without IA → users get lost.

With good IA → users feel confident and in control.

6.2 Why IA Is Critical

Great IA improves:

- Findability
- navigation
- Understanding
- task success rate
- user satisfaction
- overall conversion

Bad IA causes:

- confusion
- long search times
- high bounce rate
- support tickets
- user frustration

IA is the foundation of usability.

6.3 Key Components of IA

1. Structure

How information is arranged.

2. Navigation

How users move between content.

3. Taxonomy

How content is categorized.

4. Labeling System

Names used for menus, buttons, categories.

5. Hierarchy

Levels of importance and relationships.

6. Search & Filtering


Helping users find content quickly.

IA = all the invisible decisions that make an app feel simple.

6.4 Types of Navigation Models

1. Hierarchical (Tree Structure)

Example:



2. Sequential Navigation

Step-by-step flow.

Example: Checkout → Payment → Success.

3. Matrix Navigation

Users navigate freely through multiple paths.

Example: Netflix (search, categories, trending).

4. Hub-and-Spoke

A central hub navigates to multiple spokes.

Example: iPhone home screen apps.

5. Flat Navigation

No hierarchy; all items equal.

Example: Instagram bottom bar.

6.5 Categorization: Open vs Closed Card Sorting

Open Card Sorting

Users create their own categories.

Useful for:

- discovering natural groupings
- understanding user mental models

Closed Card Sorting

Categories are predefined; users place items into them.

Useful for:

- validating your IA
- testing if categories are intuitive

6.6 Tree Testing (Beginner-Friendly Explanation)

Tree testing evaluates:

- how easily users navigate
- whether labels make sense
- if categories feel logical

Example task:

“Find where you can update your email.”

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Users try navigating the text-only IA tree (without UI).

If they struggle, your IA needs improvement.

6.7 Labeling System (Critical in Corporate UX)

Labels must be:

- Clear
- Consistent
- Simple
- easily understood by beginners
- Free from jargon

Bad labels = frustrated users.

Bad Example:

“Profile Preferences Management Interface”


Good Example:

“Account Settings”

6.8 Creating a Sitemap (Diagram)

Simple E-commerce App Sitemap

Sitemaps guide the design of user flows and wireframes.



6.9 Content Hierarchy (Levels of Information)

Level 1 — Primary

Most important screens.

Example: Home, Search, Cart.

Level 2 — Secondary

Details, settings.

Example: Product Page.

Level 3 — Tertiary

Deep, less frequently used.

Example: Payment Method -> Add Card.

Hierarchy reduces cognitive load.

6.10 Designing Menu Systems

Mobile Navigation Types:

- Bottom navigation
- Hamburger menu
- Tab bar
- Card-based navigation
- Floating Action Button (FAB)

Web Navigation Types:

- Top bar menu
- Mega menu
- Sidebar
- Breadcrumbs

Choose based on task frequency & importance.

6.11 Search & Filtering (Part of IA)

Search is essential when:

- there is a lot of content
- users have varied goals
- products/categories are large

Filters help users refine results.

Examples:

- price
- color
- size

- rating
- category

6.12 Exercise — Build a Sitemap for a Mobile App

Choose one:

- Task management app
- Food delivery app
- E-learning app
- Fitness app

Create:

- Levels 1–3
- Labels
- Navigation structure
- Groups & categories

This builds your IA strategy skills.

6.13 IA Checklist (Corporate Style)

- Clear hierarchy
- Intuitive navigation
- User-friendly labels
- Logical categories
- No duplicate paths
- Simple, predictable structures
- Supports main user goals
- Includes search when needed
- Consistent across screens

- Tested with card sorting or tree testing

7. Wireframing

7.1 What Is Wireframing?

A **wireframe** is a low-fidelity blueprint of a screen. It focuses on:

- structure
- layout
- flow
- content placement
- hierarchy

Wireframes DO NOT include:

- Colors
- Fancy fonts
- Images
- Gradients
- Shadows

Wireframes = Function first, aesthetics later.

7.2 Why Wireframes Are Critical

Wireframes help:

- Test ideas early
- Identify layout issues
- Align teams on structure
- Save time before UI design
- Improve developer clarity

- Speed up feedback cycles

They bring clarity before visual design begins.

7.3 Types of Wireframes

1. Low-Fidelity Wireframes

Very rough, simple shapes. Used for early ideation.

2. Mid-Fidelity Wireframes

More refined, include:

- basic spacing
- real content
- button labels
- simple icons

3. High-Fidelity Wireframes

Almost close to UI, but still grayscale. Used for detailed interaction planning.

7.4 Tools for Wireframing

- Figma (recommended for all beginners)
- Sketch
- Adobe XD
- Miro
- Balsamiq (good for low-fi)
- Pen + paper (fastest)

Figma is the industry standard.

7.5 Wireframe Anatomy

Each wireframe must include:

Header

- page title
- back button
- search/menu

Body (Main Content Area)

- cards
- text blocks
- images/placeholders


Footer

- navigation bar
- CTAs

Notes

- annotations
- behavior descriptions

7.6 Wireframe Symbols



These symbols help quickly sketch layouts.

7.7 Layout Frameworks for Beginners


1. Z-Pattern Layout

Good for simple screens.

Z shaped scan path:

Title → Image → Button

UI/UX Master Documentation for Beginners - By Chanda Shrestha




2. F-Pattern Layout

Best for content-heavy pages.


F scanning:

Top → Left → Down



3. Card Grid Layout


Used in e-commerce, menus, feed screens.



4. List Layout

Best for messaging, emails, browsing categories.


UI/UX Master Documentation for Beginners - By Chanda Shrestha




7.8 Wireframe Examples

Example 1: Mobile Home Screen

UI/UX Master Documentation for Beginners - By Chanda Shrestha



Example 2: Product Detail




7.9 Empty, Loading & Error States

Empty State

When no data is available.


Example:



Loading State

Skeleton screens or spinners.


Example:



Error State

Clear instructions.

Example:



These improve user trust and reduce frustration.

7.10 Exercise — Create Wireframes for a Simple App

Choose:

- Login flow
- Signup flow
- Home screen
- Product detail
- Basket/cart

Task:

1. Create low-fi wireframes
2. Add labels
3. Add structure
4. Add notes

This builds practical wireframing skills.

7.11 Wireframing Checklist

- Clear hierarchy
- Consistent spacing
- Realistic content labels
- No unnecessary details
- All states included
- Annotations added
- User flow represented
- Navigation visible
- Accessible layouts
- Feedback opportunities identified

8. Prototyping

8.1 What Is Prototyping?

A **prototype** is an interactive simulation of your design. It helps teams and users **experience the product before development**.

A prototype allows you to:

- Click through screens
- Test flows
- Validate interactions
- Identify UX issues early
- Communicate with developers

Prototypes range from **basic clickable wireframes** to **fully animated simulations**.

8.2 Why Prototyping Matters

Without prototyping:

- Users cannot test the product
- Developers misinterpret UI
- UX issues appear late
- High cost of redesign after development
- Poor stakeholder alignment

With prototyping:

- You test before coding
- You validate decisions
- You detect usability issues early
- You improve team communication

- You save time and money

Prototyping = risk reduction + clarity.

8.3 Levels of Prototyping

There are 3 major levels:

1. Low-Fidelity Prototype (Lo-Fi)

- Simple clickable wireframes
- Minimal details
- No color
- Ideal for early stages

Tools:

Figma, Miro, Balsamiq

2. Mid-Fidelity Prototype (Mid-Fi)

- Some structure & spacing
- Basic interactions
- More realistic content

Tools:

Figma (most used)

3. High-Fidelity Prototype (Hi-Fi)

- Full visuals
- Real UI
- Smooth interactions
- Micro-animations
- Ready for usability testing

Tools:

Figma, Protopie, Axure RP

8.4 Interaction Types in Prototyping

Prototypes support many types of interactions:

Navigation Interactions

- Tap/click
- Back navigation
- Linking screens

UI Interactions

- Dropdown
- Toggle switch
- Scrolling
- Swiping

Advanced Interactions

- Modal & overlays
- Lottie animations
- Toast messages
- State changes
- Drags & gestures (mobile)

8.5 How to Build a Prototype in Figma (Step-by-Step)

Step 1: Prepare your screens

You must have:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- wireframes (lo-fi), or
- UI screens (hi-fi)

Step 2: Switch to Prototype mode

- Click “Prototype” in Figma sidebar

Step 3: Connect elements

Select a button → drag blue arrow → attach to the next screen.

Step 4: Choose interaction

Examples:

- On Tap
- On Click
- While Hovering
- While Pressing

Step 5: Choose animation type

Common animations:

- Instant
- Dissolve
- Smart Animate
- Move In
- Slide In / Slide Out
- Push Left / Push Right

Step 6: Fine-tune transitions

You can adjust:

- easing

- duration
- delay
- speed

Step 7: Test your prototype

Click "Present" → simulate the real app.

8.6 Common Prototyping Flows

1. Login Flow

- Splash screen → Login → Forgot password → Reset → Success

2. Checkout Flow

- Product → Cart → Payment → Confirmation

3. Onboarding Flow

- Intro slides → Permissions → Homepage

4. Settings Flow

- Account → Notifications → Privacy → Save

8.7 Micro-Interactions (Beginner-Friendly)

Micro-interactions are small feedback animations:

Examples:

- Button ripple
- Heart animation (like on Instagram)

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Loading spinners
- Progress bars
- Hover glow

They make the interface feel alive.

Purpose of Micro-Interactions

- Improve usability
- Provide feedback
- Add delight
- Indicate state changes

8.8 Best Practices for Prototyping

- Don't prototype everything — only flows
- Use simple animations
- Keep names clear
- Organize screens logically
- Use connection arrows neatly
- Test as a user, not a designer
- Use real text — not lorem ipsum
- Always test on mobile when designing mobile

8.9 Mistakes Beginners Make

- Adding too many animations
- Creating non-realistic flows
- Using lorem ipsum in final prototypes
- Overcomplicating navigation
- Connecting screens randomly
- Showing no feedback or states

- Not testing the flow with real users

Avoid these when creating prototypes.

8.10 Exercise — Build a Basic Prototype

Task:

Create a simple prototype of a **3-step flow**:

Example:

- Screen 1: Home
- Screen 2: Product
- Screen 3: Payment

Add:

- Tap interactions
- Smart animate
- A loading state
- A success message

This builds core prototyping skills.

8.11 Prototyping Checklist (Corporate Style)

- All primary flows are clickable
- Interactions are consistent
- Animations support usability
- Clear entry & exit points
- Buttons have correct states
- Multi-step processes are connected
- All paths are testable

- Behavior is documented
- Prototype feels “real enough”
- Tested on real device

9. Visual Design Principles

9.1 What Are Visual Design Principles?

Visual design principles guide how UI elements are arranged so users can:

- understand information faster
- navigate with ease
- experience clarity instead of confusion
- feel emotionally comfortable with the interface

Visual design is NOT just “making it pretty.”

It is **communicating information effectively**.

9.2 CRAP Framework (Industry Standard)

Contrast, Repetition, Alignment, Proximity

These four principles ensure your UI is clean, usable, and visually structured.

9.3 Contrast (Make Important Things Stand Out)

Contrast helps users see differences between:

- buttons
- text levels
- icons
- card sections
- headings vs body

Types of Contrast:

- Color
- Size
- Weight
- Shape
- Spacing
- Position

9.4 Repetition (Consistency Across the Product)

Repetition builds familiarity and reduces cognitive load.

You must repeat:

- button styles
- fonts
- color usage
- spacing system
- icon style
- component patterns

When users see familiar patterns, they trust the product more.

9.5 Alignment (Every Element Must Line Up)

Alignment creates visual order.

Rules:

- align content left wherever possible
- align labels with input fields
- align icons with text
- align card contents

- NEVER mix centered, left, and right alignment randomly

Bad alignment makes your UI look unprofessional.

9.6 Proximity (Group Related Items Together)

Proximity communicates **relationships**.

Items placed close together feel related. Items spaced apart feel unrelated.

Correct proximity improves scanning & usability.

9.7 White Space / Negative Space

White space = breathing room.

It:

- improves readability
- reduces cognitive stress
- clarifies hierarchy
- makes UI feel clean and modern

White space is not wasted space — it is a design tool.

9.8 Color Systems & Palette Strategy

Your product should have:

1 Primary Color

Used for:

- main buttons
- key highlights

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- core brand areas

1–2 Secondary Colors

Used for:

- accents
- illustrations
- supporting things

Semantic Colors:

- Success (green)
- Error (red)
- Warning (yellow/orange)
- Info (blue)

Must Follow:

- WCAG contrast rules
- consistent usage
- not relying solely on color for meaning
- avoid neon or oversaturated colors

9.9 Typography System

Typography defines how readable & structured text is.

Font Families (Recommended):

- Inter
- Roboto
- SF Pro
- Poppins

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Open Sans

Font Scale Example:

- H1: 32px
- H2: 24px
- Subtitle: 18px
- Body: 16px
- Caption: 12–14px

Rules:

- 1–2 fonts only
- consistent line height (1.4–1.6)
- avoid long line lengths
- avoid too much bold text

Typography is responsible for 80% of UI clarity.

9.10 Iconography (Shape, Style, & Consistency)

Icons should be:

- simple
- consistent stroke width
- used sparingly
- paired with labels when needed
- universally recognizable

Shape language:

- rounded = friendly
- sharp = strong, professional

Icons must match the theme of your UI.

9.11 Depth, Shadows, & Elevation

Shadows communicate:

- hierarchy
- separation
- interactivity

Shadow Guidelines:

- Subtle
- Soft
- Consistent
- Avoid dark heavy shadows
- Avoid multiple shadows

Example “material design” elevation levels:

- Level 1: cards
- Level 2: surfaces
- Level 3: floating elements

9.12 Visual Hierarchy

Visual hierarchy tells the user:

- what to look at first
- what to ignore
- where the main action is


Hierarchy controls attention through:

- size
- weight
- contrast

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- spacing
- layout

Example:



The eye naturally follows this order.

9.13 Grid Systems (Mobile & Web)

Grids keep designs clean and consistent.

Mobile Grid:

- 4–12 columns
- margins: 16–24px
- gutters: 8–16px

Web Grid:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- 12-column layout
- margins: 24–32px
- flexible spacing

Grids make responsive design MUCH easier.

9.14 Component-Based Visual Design

Your UI must include consistent components:

- buttons
- cards
- chips
- banners
- forms
- navigation bars
- modals
- alerts

Consistency improves usability & scalability.

9.15 Visual UI Mistakes Beginners Make

- too many colors
- inconsistent spacing
- random alignment
- heavy shadows
- decorative fonts
- overly detailed icons
- mixing border radii
- over-complication
- ignoring accessible text contrast

Avoid these if you want a professional design.

9.16 Exercise — Improve This UI (Beginner Task)

Take any UI from:

- Instagram
- Facebook
- Amazon
- TikTok
- a random app

Improve:

- Spacing
- Headings
- Alignment
- Contrast
- Proximity
- Button visibility

This builds visual design sensitivity.

9.17 Visual Design Checklist (Corporate Style)

- consistent spacing
- strong contrast
- clean alignment
- minimal clutter
- readable typography
- icons match style
- consistent color usage
- semantic colors applied

- generous white space
- clear hierarchy

10. Interaction Design

10.1 What Is Interaction Design (IxD)?

Interaction Design focuses on **how users interact** with an interface. It defines:

- how screens respond
- how buttons behave
- how transitions feel
- how errors are communicated
- how system feedback is delivered

If UI is the *face* of the product, IxD is the *behavior*.

Good interaction design makes the product:

- Intuitive
- Responsive
- Comfortable
- Predictable
- Enjoyable

Bad interactions create:

- Frustration
- Confusion
- Mistakes
- Abandonment

10.2 The 5 Pillars of Interaction Design

1. Feedback

The system must *respond* to user actions.

Examples:

- Button ripple
- Hover glow
- Click sound
- Success message

2. Visibility

Users must always understand:

- what can be clicked
- what is disabled
- what state the system is in

3. Consistency

Interactions must behave the same across the product.

Example:

All dropdowns should open the same way.

4. Learnability

Users should quickly understand how to perform tasks.

Patterns > custom interactions.

5. Predictability

Users should never be surprised.

Good IxD = “I knew that would happen.”

10.3 Types of Interactions

1. Tap/Click Interaction

Basic interaction for selecting and navigating.

2. Swipe Gesture (Mobile)

Used for:

- deleting
- revealing actions
- browsing horizontally

3. Drag & Drop

Used in:

- dashboards
- organizing items
- sorting lists

4. Hover Interaction (Web)

Useful for:

- tooltips
- previews
- highlighting selections

5. Form Interactions

Critical for usability:

- auto-focus

- input validation
- auto-fill
- step-by-step forms

6. System-Initiated Interactions

Examples:

- loading states
- error messages
- success confirmation
- progress bars

10.4 Micro-Interactions (Small but Powerful)

Micro-interactions guide user behavior.

Examples:

- heart animation on “like”
- vibrating error input
- checkmark on successful action
- animated loader
- message “Copied to clipboard”

Micro-interactions do 4 things:

1. **Trigger** (user clicks)
2. **Rule** (logic)
3. **Feedback** (animation)
4. **Loop** (repetition or one-time)

They make products feel “alive.”

10.5 Animation in UI (Beginner Guidelines)

Animation adds meaning, NOT decoration.

Good animations:

- guide attention
- reduce cognitive load
- provide spatial awareness
- improve transitions

Bad animations:

- too slow
- too flashy
- too frequent

Ideal duration:

- 150–250ms (fast, smooth)

Examples:

- Slide in/out
- Fade
- Smart animate
- Scale on tap

10.6 Button Behavior & Rules

Buttons must follow consistent behavior:

States:

- default

- hover
- pressed
- disabled
- loading

Best practices:

- use clear CTAs (“Save”, “Continue”)
- minimum height 44px (mobile)
- full-width primary buttons on mobile
- use icons only when necessary
- never use ALL CAPS unless brand-specific

10.7 Form Interactions (Most Important in IxD)

Forms are the #1 place where users drop off.

Form usability rules:

- left-aligned labels
- inline validation
- progress indicators for long forms
- auto-fill support
- visible error messages
- numeric keyboard where appropriate

10.8 Navigation Interaction Patterns

Mobile Navigation

- Bottom nav
- Tab bar
- FAB (floating action button)

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Drawer menu

Web Navigation

- Top navigation
- Sidebar
- Mega menus
- Breadcrumbs

Navigation interactions must be:

- Predictable
- Consistent
- Clearly labeled

10.9 Error Handling & Prevention

Good UX prevents errors before they happen.

Error Prevention:

- disable submit until fields are valid
- real-time validation
- correct keyboard type
- confirmation for destructive actions

Error Recovery:

- helpful message
- explain what went wrong
- guide user to fix it
- allow retry

Bad error messages destroy trust.

10.10 Loading & Progress Interactions

Examples:

- skeleton loading screens
- circular spinners
- progress bars
- “Saving...” states
- shimmer effects

Good loading behavior:

- never freeze screen
- show progress
- use skeleton UI for content-heavy pages

10.11 Accessibility in Interaction Design

Accessible interactions help:

- visually impaired users
- motor-impaired users
- color-blind users
- elderly users
- neurodivergent users

Rules:

- keyboard accessible
- enough touch target size
- avoid fast animations
- descriptive labels

Good interaction design is inclusive by default.

10.12 Exercise — Fix Interaction Problems

Take any app and identify:

1. Where interaction feedback is missing
2. Where animations feel too slow
3. Where forms cause frustration
4. Where gestures feel unintuitive
5. Where micro-interactions can improve clarity

This builds IxD intuition.

10.13 IxD Checklist (Corporate Style)

- Clear feedback
- Predictable results
- Consistent behaviors
- Smooth transitions
- Minimal cognitive load
- Accessible interactions
- User-friendly gestures
- Clear form validation
- Responsive UI states
- Error prevention built-in

11. Accessibility & Inclusive Design

11.1 What Is Accessibility in UX?

Accessibility (A11Y) means designing digital products that can be used by **everyone**, including people with:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- visual disabilities
- hearing impairments
- motor limitations
- cognitive conditions
- color blindness
- temporary limitations (injured hand, bright sunlight)

Accessibility is NOT optional.

It is a necessary part of **good UX**, **equal rights**, and in many countries — **legal compliance**.

11.2 Why Accessibility Matters

1. Ethical Responsibility

Everyone deserves equal access to digital tools.

2. Legal Requirements

Many countries require WCAG compliance:

- USA: ADA
- Europe: EN 301 549
- Australia: DDA
- Canada: ACA

3. Business Benefits

- more users
- better usability
- reduced drop-offs
- improved SEO
- stronger brand trust

4. UX Benefits

Accessible products are easier for *everyone*.

11.3 Four Principles of WCAG (POUR)

WCAG = Web Content Accessibility Guidelines

All accessibility rules fall under **POUR**:

P — Perceivable

Users must be able to *perceive* content.

- text alternatives for images
- captions on videos
- readable font sizes
- color contrast

O — Operable

Users must be able to *use* the interface.

- keyboard navigation
- no time-based traps
- skip-to-content buttons

U — Understandable

Content must be *easy to understand*.

- clear labels
- predictable navigation
- consistent patterns

R — Robust

Products must work with assistive technologies.

- screen readers
- magnifiers
- voice control

11.4 Color Accessibility

Contrast Requirements

WCAG 2.1 Level AA requires:

- **Text contrast ratio:** 4.5:1
- **Large text:** 3:1
- **Icons/UI elements:** 3:1

Avoid Color-Only Indicators

- “Required fields in red”
- Add text labels or icons

Color Blindness Types

- Deuteranopia (green blindness)
- Protanopia (red blindness)
- Tritanopia (blue blindness)

Use color-safe palettes.

11.5 Typography Accessibility

Rules:

- Minimum body size: 16px
- Line-height: 1.4–1.6
- Avoid all caps

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Avoid decorative fonts
- Increase spacing for readability
- Use high contrast between text and background

Good typography = better comprehension.

11.6 Accessible Interaction Design

Touch Targets

Minimum size: **44px x 44px**

Keyboard Accessibility

All elements must be reachable with:

- Tab
- Enter
- Space
- Arrow keys

Focus States

Keyboard focus must be visible.

Avoid Fast Animations

Animations faster than **200ms** can trigger dizziness.

11.7 Screen Reader Accessibility

Screen readers read content to visually impaired users.

Your product must include:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- aria-labels
- correct semantic HTML
- proper heading levels
- alt text for images
- descriptive buttons (“Save Changes”)
- skip navigation links

Never rely on visuals alone.

11.8 Form Accessibility

Forms are often the hardest for disabled users.

Rules:

- labels must be clickable
- real-time validation
- error messages must be descriptive
- avoid placeholder-only labels
- provide examples & hints

11.9 Cognitive Accessibility

Design for users with ADHD, dyslexia, autism, anxiety, etc.

Guidelines:

- simple language
- minimal distractions
- consistent layout
- use icons + text
- avoid long paragraphs
- chunk information

Don't overwhelm the user's brain.

11.10 Inclusive Design

Inclusive design goes beyond disabilities.

It includes designing for:

- different cultures
- different languages
- different age groups
- different mental models
- temporary impairments
- low-connectivity environments
- different literacy levels

Examples:

- gender-neutral language
- simple icons
- easy-to-understand wording
- multilingual support
- offline-friendly features

Inclusive design = design for real people.

11.11 Accessibility Testing Methods

Automated Tools

- WAVE
- Lighthouse
- Axe DevTools

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Stark
- Color Oracle

Manual Testing

- keyboard-only navigation
- screen reader testing
- color blindness testing
- zoom/magnification testing

User Testing

Testing with real users with disabilities is the gold standard.

11.12 Exercise — Make a Screen Accessible

Choose any screen (e.g., login or checkout):

Fix:

- contrast
- labels
- alt text
- focus indicators
- button sizes
- error messages

This builds real-world accessibility skills.

11.13 Accessibility Checklist

- contrast ratio passes
- text size readable
- keyboard accessible

- focus visible
- alt text added
- forms accessible
- labels clear
- predictable navigation
- no color-only indicators
- screen reader friendly
- animations safe
- headings structured properly

12. Usability Testing

12.1 What Is Usability Testing?

Usability testing evaluates **how real users interact with your product**.

It answers:

- Can users complete tasks easily?
- Where do they get stuck?
- What confuses them?
- What needs improvement?
- Is the flow intuitive?

Usability testing is **not** about asking users what they *like*. It's about observing what they *do*.

12.2 Why Usability Testing Is Critical

Without usability testing:

- designers rely on assumptions
- critical UX issues stay hidden
- users struggle and quit

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- development cost increases
- product quality drops

With usability testing:

- catch issues early
- validate design decisions
- reduce redesign costs
- improve user satisfaction
- guide product improvements
- measure usability with real evidence

12.3 Types of Usability Testing

1. Moderated Testing

You guide and observe the participant live.

Pros:

- deeper insights
- clarifications & follow-up questions
- emotional observation

2. Unmoderated Testing

The user completes tasks alone.

Pros:

- quick
- scalable
- cost-effective

3. Remote Testing

UI/UX Master Documentation for Beginners - By Chanda Shrestha

User tests from their own device.

Pros:

- natural environment
- easier recruitment
- cheaper

4. In-Person Testing

Face-to-face sessions.

Pros:

- rich behavioral data
- deeper observation

5. Guerrilla Testing

Quick testing with people in public places.

Pros:

- fast
- cheap
- real-world feedback

12.4 What to Test (Beginner-Friendly)

You should test:

- navigation
- forms
- buttons & CTAs
- checkout flow
- signup flow

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- search & filters
- onboarding
- new or redesigned features
- error handling
- comprehension of labels

Focus on **task success**, not opinions.

12.5 Tasks for Usability Testing

Tasks must be:

- Realistic
- Simple
- Goal-oriented
- Measurable

Example Tasks:

Task 1: “Find and order a pizza.”

Task 2: “Reset your password.”

Task 3: “Change your delivery address.”

Task 4: “Add an item to the wishlist.”

Task 5: “Navigate to payment settings.”

12.6 The Usability Test Script (Corporate Template)

Introduction:

- Explain purpose
- Assure user that *the product is being tested, not them*
- Ask for permission to record

Warm-up Questions:

- What apps do you use to order food/book rides/etc.?
- How comfortable are you using mobile apps?

Main Tasks:

Give tasks one at a time.

Observe, do NOT help.

Follow-up Questions:

- How was your experience?
- What was the hardest step?
- Was anything confusing?

12.7 Think-Aloud Protocol

Ask users to speak aloud:

- what they see
- what they expect to happen
- what confuses them

Example:

“I expected the cart icon to show item count.”

“This button looks disabled.”

“I’m not sure whether it was saved.”

This reveals mental models.

12.8 What to Observe During Testing

You must observe:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Behavior (hesitation, scrolling, confusion)
- Comments (frustration, delight, confusion)
- Time taken
- Errors
- Steps taken
- Navigation patterns
- Facial expressions, tone

Your job is to **watch**, not direct.

12.9 Metrics to Measure

1. Task Success Rate

% of users completing the task correctly.

2. Time on Task

How long it takes.

3. Error Rate

Number of mistakes.

4. Satisfaction Score

Ask users to rate experience (1–5).

5. System Usability Scale (SUS)

Industry-standard 10-question survey.

These metrics help compare versions.

12.10 Formatting Findings (Beginner Template)

Usability Findings Report Example

Issue	Severity	Evidence	Recommendation
Users struggle to find “Add Address”	High	4/5 users failed	Move button to top, add icon
Users cannot see cart total	Medium	Users scroll up repeatedly	Add floating bar
Signup form confusing	High	Many errors	Simplify form, add hints

Severity Levels:

- High → Must fix
- Medium → Improve soon
- Low → Optional

12.11 Five-Second Test

Show screens for **5 seconds** and ask:

- What is this screen for?
- What is the main action?
- What stands out?

If users cannot guess → hierarchy is weak.

12.12 A/B Testing

A/B testing compares two versions:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Version A
- Version B

Measure which performs better.

Examples:

- Button color
- Layout
- CTA text
- Navigation placement

Use analytics tools:

- Google Optimize
- VWO
- Optimizely

12.13 Common Usability Problems

- unclear labels
- too many steps
- small text
- low contrast
- hidden buttons
- long forms
- unclear error messages
- poor feedback
- confusing navigation
- too much content

These are frequent beginner mistakes.

12.14 Exercise

Choose a small feature:

Examples:

- login
- checkout
- search
- product filter

Run the test with:

- 3–5 users
- 3–4 tasks
- record behavior
- summarize insights

This builds real-world UX testing experience.

12.15 Usability Testing Checklist

- tasks prepared
- test script ready
- prototype working
- participants recruited
- consent obtained
- observations captured
- errors noted
- insights grouped
- prioritized recommendations
- clear report created

13. Design System (UI Components, Tokens & Documentation)

13.1 What Is a Design System?

A **Design System** is a centralized, reusable collection of:

- design rules
- UI components
- visual styles
- layout patterns
- documentation
- accessibility guidelines

It ensures that every screen, every component, and every feature of the product stays:

- Consistent
- Scalable
- Easy to maintain
- Efficient for designers and developers

A design system is **the single source of truth** for the entire product.

13.2 Why Design Systems Matter

Without a design system:

- different teams produce inconsistent screens
- developers implement mismatched UI
- spacing, colors, fonts become random
- redesign costs increase
- onboarding new designers is slow
- the product looks unprofessional

UI/UX Master Documentation for Beginners - By Chanda Shrestha

With a design system:

- thousands of screens match perfectly
- UX becomes predictable
- UI becomes scalable
- development becomes faster
- design debt disappears
- accessibility stays standard

Top companies rely heavily on design systems:

- Google Material Design
- Apple Human Interface Guidelines
- Airbnb
- Shopify Polaris
- IBM Carbon

13.3 Components of a Design System

A typical design system includes:

1. Design Tokens
2. Color System
3. Typography System
4. Iconography System
5. Components Library
6. Layouts & Grids
7. Patterns (Navigation, Forms, etc.)
8. Voice & Tone Guidelines
9. Accessibility Rules
10. Documentation

Each part must be documented clearly.

13.4 What Are Design Tokens?

Design Tokens are the **smallest reusable design values**.


Examples:

Colors

--color-primary: #007AFF

--color-neutral-100: #F5F5F5

--color-error: #FF3B30



Spacing

--spacing-8: 8px

--spacing-16: 16px

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Variables		Gap and Padding	
Collections	⌵⌴ +	Name	Value
Colors	55	GapPadding 0	0
Gap and Padding	36	GapPadding 2	2
Round Radius	20	GapPadding 4	4
Stroke	11	GapPadding 6	6
Groups	All 36	GapPadding 10	10
		GapPadding 12	12
		GapPadding 14	14
		GapPadding 16	16
		GapPadding 18	18
		GapPadding 20	20
		GapPadding 8	8
		GapPadding 24	24

Typography

--font-size-body: 16px

--font-weight-semibold: 600

Text styles	
32	
Ag Bold · 32/Auto	
Ag SemiBold · 32/Auto	
Ag Medium · 32/Auto	
Ag Regular · 32/Auto	
24	
Ag Bold · 24/Auto	
Ag SemiBold · 24/Auto	
Ag Medium · 24/Auto	
Ag Regular · 24/Auto	
20	
Ag Bold · 20/Auto	
Ag SemiBold · 20/Auto	
Ag Medium · 20/Auto	
Ag Regular · 20/Auto	

Radius

--radius-sm: 4px

--radius-lg: 12px

Variables		Round Radius	
Collections	⌵ ⌶ +	Name	Value
Colors	55	Radius 0	0
Gap and Padding	36	Radius 2	2
Round Radius	20	Radius 4	4
Stroke	11	Radius 5	5
Groups		Radius 6	6
All		Radius 8	8
		Radius 10	10
		Radius 12	12
		Radius 14	14
		Radius 16	16
		Radius 18	18

Tokens help developers and designers speak the same language.

13.5 Color System

A proper color system includes:

1. Primary Color

Used for:

- main buttons

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- key highlights
- links

2. Secondary Colors

Used for accents.

3. Semantic Colors

- Success: green
- Warning: yellow/orange
- Error: red
- Info: blue

4. Neutral Colors (Greyscale)

Grey-50

Grey-100

Grey-200

Grey-300

Grey-400

Grey-500

Grey-600

Grey-700

Grey-800

Grey-900

Rules:

- avoid too many colors
- use consistent contrast
- follow WCAG accessibility standard

13.6 Typography System

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Define:

Font Families

- primary font (e.g., Inter)
- fallback font

Font Scale

H1 — 32px

H2 — 24px

H3 — 20px

Body — 16px

Caption — 12–14px

Font Weights

- Regular
- Medium
- Semibold
- Bold

Typography must be consistent across screens.

13.7 Iconography System

Define:

- stroke width (e.g., 2px)
- corner radius (rounded or sharp)
- filled vs outlined
- sizes (16/24/32)

Rules:

- icons match each other
- icons reinforce functionality
- icons always paired with labels (for clarity)
- icons used sparingly

13.8 Components Library

Components are the reusable building blocks of UI.

Basic Components

- Buttons
- Text fields
- Dropdowns
- Tabs
- Chips
- Switches
- Toggles
- Radio buttons
- Checkboxes

Complex Components

- Navigation bars
- Cards
- Product tiles

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Forms
- Tables
- Modals
- Toasts
- Progress bars
- Bottom sheets

Each component must have:

- default state
- hover state
- pressed state
- disabled state
- loading state

13.9 Anatomy of a Component

Example: Button Component

Anatomy:

- background color
- text label
- padding
- radius
- icon (optional)

States:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- default
- hover
- active
- disabled
- loading

Guidelines:

- only one primary button per screen
- icon optional
- clear CTA text

13.10 Layouts & Grids

Define:

- column structure
- Gutters
- Spacing Rules
- responsive grid system
- mobile vs desktop layout behavior

Example:

Mobile:

- 4 / 8 / 12 column grid
- margin 16–24px

Web:

- 12-column grid
- fluid or fixed layout

13.11 Interaction Patterns

Document common user flows:

Navigation Patterns

- bottom navigation
- sidebar
- tabs
- breadcrumbs

Form Patterns

- inline validation
- placeholder usage
- multi-step forms
- autofill support

Error Patterns

- standardized error messages
- consistent error colors

13.12 Accessibility Guidelines (Part of Design System)

Include:

- contrast rules

- color blindness rules
- keyboard navigation
- focus ring styles
- accessible component states

13.13 Voice, Tone & Content Guidelines

Every design system must standardize communication.

Voice (Personality of Brand)

- friendly?
- professional?
- casual?
- serious?

Tone (Depends on Context)

Error messages tone $\neq$ onboarding tone.

Example:

“Oops! Something went wrong. Try again.” (friendly)

“Your payment could not be processed.” (formal)

13.14 Documentation Standards

Your design system must include:

- Naming conventions
- Usage rules
- Examples

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- do/don't lists
- component anatomy
- accessibility rules
- developer code snippets
- version history

Documentation makes the design system usable.

13.15 How to Build a Design System in Figma (Beginner Guide)

Step 1: Create a separate file

Name it: **Design System / UI Kit**

Step 2: Create design tokens

Colors, typography, spacing.

Step 3: Build base components

Buttons, inputs, cards.

Step 4: Add component variants

States, sizes, icons.

Step 5: Organize with auto-layout

Keeps components flexible & responsive.

Step 6: Publish styles & components

So, your team can reuse everything.

Step 7: Add documentation pages

Do's and Don'ts, patterns, rules.

13.16 Exercise — Build a Mini Design System

Create:

1. Color palette
2. Typography system
3. Buttons (primary, secondary)
4. Input fields
5. Cards
6. Icons
7. Example screen using those components

This gives you real experience.

13.17 Design System Checklist

- color tokens created
- typography scale defined
- Spacing system consistent
- icons standardized
- grid system documented
- component states included
- interactions documented
- Accessibility defined
- naming conventions consistent
- Figma library published
- documentation added
- Developer-friendly

14. Responsive and Mobile Design

14.1 What Is Responsive Design?

Responsive Design means the interface automatically adjusts to:

- different screen sizes
- different devices
- different orientations
- different resolutions

Your UI must look and work perfectly on:

- Mobile
- Tablet
- Desktop
- Large desktops
- Small laptops
- Foldable devices
- Ultra-wide screens

Responsive = flexible + scalable.

14.2 Why Responsive Design Matters

Users access products from everywhere:

- Mobile
- Laptops

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Desktop
- Tablets
- TVs
- Foldables

Good responsive design ensures:

- consistent user experience
- no broken layouts
- better accessibility
- better SEO
- higher conversions
- stronger brand trust

Bad responsive design causes:

- text overflow
- misaligned elements
- hidden content
- broken buttons
- unusable components

14.3 Mobile-First Design (Best Practice)

Designers must start designing **mobile first**, because:

- mobile screens have the highest constraints
- simplifies your layout
- forces clarity & focus
- scales nicely to larger screens

Mobile → Tablet → Desktop

Not the opposite.

14.4 Breakpoints (Industry Standard)

Breakpoints tell UI how to adapt at specific screen widths.

Common Breakpoints:

Device	Width
Mobile Small	320–375px
Mobile Large	414–480px
Tablet Vertical	600–768px
Tablet Horizontal	900–1024px
Laptop	1280px
Desktop	1440px
Wide Desktop	1920px

These breakpoints are used globally in products.

14.5 Responsive Grid Systems

Grids help maintain alignment across devices.

Mobile Grid

- 4 or 8 columns
- 16–24px margins
- 8–16px gutters

Tablet Grid

- 8 columns
- 24px margins

Desktop Grid

- 12 columns
- 24–32px margins

Rules:

- consistent spacing
- responsive column scaling
- flexible card behavior (stack → grid)
- maintain hierarchy

14.6 Responsive Layout Patterns

1. Stacked Layout

Mobile → stacked vertically

Desktop → side-by-side

2. Column Drop Layout

Columns drop into rows when screen shrinks.

3. Off-Canvas Menu

Hamburger on mobile → expanded menu on desktop.

4. Priority+ Navigation

Important items visible, others hidden under “More”.

5. Fluid Grids

Content resizes proportionally.

14.7 Mobile Design Guidelines (Beginner-Friendly)

- Minimum tap size: **44px x 44px**
- Bottom navigation for high-frequency actions
- Clear CTAs
- Simple forms
- Use native gestures
- Avoid tiny text
- Spacing must be generous
- Place primary action near thumb reach

Modern UI must be **thumb friendly**.

14.8 Thumb Zone Theory (Ergonomic Design)

Users hold phones in one hand.

Comfort Zones:

Green Zone (Easy to Reach)

Primary CTAs should be here.

Yellow Zone (Reachable with effort)

Secondary actions.

Red Zone (Hard to reach)

Avoid placing important actions here.

Good designers always consider ergonomics.

14.9 Responsive Typography

Use fluid or responsive typography to scale across screens.

Mobile:

- H1: 24–28px
- Body: 14–16px

Desktop:

- H1: 32–40px
- Body: 16–18px

Rules:

- maintain readability
- avoid tiny text
- use scalable line-height
- don't shrink text aggressively

14.10 Responsive Components

Components must be scaled too.

Buttons

- full width on mobile
- auto-width on desktop

Cards

- single column → multi-column grid on desktop

Navigation

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- hamburger → horizontal menu

Images

- responsive resize
- maintain aspect ratio

Tables

Mobile tables should be:

- scrollable
- collapsible
- stacked

14.11 Adaptive vs Responsive Design

Responsive

- Flexible layout
- Same design scales everywhere

Adaptive

- Different designs for different breakpoints
- More control
- More work

Many modern apps combine both strategies.

14.12 Common Responsive Failures (Beginner Mistakes)

- Fixed widths (e.g., width: 375px)

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Neglecting tablet entirely
- Buttons that shrink too small
- Text overlapping elements
- Hidden content that doesn't scroll
- Images stretching incorrectly
- Unresponsive grids

Avoid these mistakes by appearing professional.

14.13 Responsive Testing Tools

- Chrome DevTools Device Toolbar
- Browserstack
- Responsively.app
- Figma device frames
- iOS/Android real device testing

Test on actual devices whenever possible.

14.14 Exercise — Make a Layout Responsive

Choose a layout:

- Home screen
- Product screen
- Dashboard
- Sign-up form

Create 3 versions:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- Mobile (375px)
- Tablet (768px)
- Desktop (1440px)

Ensure:

- spacing scales
- components behave correctly
- text adjusts
- nav adapts

14.15 Responsive Design Checklist

- mobile-first approach
- logical breakpoints
- responsive grid used
- scalable typography
- buttons resize correctly
- images responsive
- navigation adapts
- forms work on mobile
- spacing consistently tested on multiple devices

15.UX Writing & Content Design

15.1 What Is UX Writing?

UX Writing is the practice of writing text inside interfaces to help users:

- understand
- navigate
- take action

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- avoid errors
- feel confident

UX Writing focuses on:

- Labels
- Buttons
- Form messages
- Notifications
- Settings descriptions
- Microcopy
- Tooltips
- Error messages
- Empty states
- Onboarding text

Good UX writing reduces friction.

Bad UX writing creates confusion.

15.2 Content Design vs Copywriting vs UX Writing

Copywriting

- persuades
- sells
- emotional

Example: “Get 50% OFF Today!”

Content Design

- structures information
- organizes content
- focuses on clarity

Example: FAQ, help center content.

UX Writing

- supports actions
- reduces friction
- guides behavior

Example: “Create Account”, “Try Again”, “Enter your email”.

UX writing = clarity + usability, not marketing.

15.3 Principles of Good UX Writing

1. Clarity

Users should immediately understand.

“Continue to Payment”

2. Brevity

Use fewer words.

“Required”

3. Consistency

Use the same terms everywhere.

“Sign in” only

4. Conversational

Write like a human talk.

“Enter your email and password”

5. Action-Oriented

Buttons must tell users what happens next.

“Create Account”

15.4 Button & CTA Writing

Buttons must:

- describe the action
- be short
- be specific

Examples:

- “Save Changes”
- “Add to Cart”
- “Book Ride”
- “Send Message”

Avoid vague CTAs:

“Submit”

“OK”

“Confirm” (confirm what?)

Clear buttons increase conversion.

15.5 Writing Form Labels & Inputs

- Labels must be above the input
- Use simple, clear terms
- Never remove labels on focus
- Use helper text when needed

Examples:

Label:

Email

Helper text:

We'll send a confirmation to this email.

Error text:

Enter a valid email address.

Avoid placeholder-only UX — it's inaccessible.

15.6 Error Messages

Error messages must:

- explain the issue
- explain how to fix it
- be human and calm
- avoid blaming the user

Bad:

“Invalid input.”

Good:

“Password must be at least 8 characters.”

Tone:

friendly, helpful, constructive

15.7 Empty States

Empty states = when a list or screen has no data.

Use them to guide users:

Example:

“No saved items yet.”

“Tap the heart icon on any item to save it.”

Components:

- friendly illustration
- clear message
- action suggestion

Empty states improve onboarding and reduce confusion.

15.8 Tooltips & Help Text

Tooltips must be:

- short
- contextual
- helpful
- optional

Example:

Tooltip for “Delivery Fee”:

“Covers driver costs and service fees.”

Don't overload tooltips with paragraphs.

15.9 Onboarding Text

Onboarding must:

- be short
- show value
- highlight benefits

- avoid long descriptions

Example:

“Track your deliveries in real-time.”

“Save your favorite restaurants.”

“Get offers tailored for you.”

15.10 Microcopy (Small Words, Big Impact)

Microcopy includes:

- “Try again”
- “Copied!”
- “Pull to refresh”
- “Saving...”
- “No connection”
- “Swipe to delete”

Microcopy improves clarity & reduces cognitive load.

15.11 Tone of Voice

Your product’s tone is how it speaks.

Tone Types:

- Friendly
- Professional
- Casual
- Playful
- Serious
- Empathetic
- Neutral

Adjust tone per situation:

Success message:

“Saved!”

Error:

“Please try again.” (don’t be funny here)

Onboarding:

“Let’s get started.”

Tone must always be intentional.

15.12 Content Structure & Hierarchy

Use:

- clear headings
- short paragraphs
- bullet points
- simple language

Better:

“Track your deliveries in real-time. Save your favorite restaurants. Receive personalized offers.”

Avoid:

Long paragraphs that overwhelm users.

15.13 Accessibility in UX Writing

- avoid jargon
- write simple sentences
- ensure screen readers understand context
- avoid sarcasm or jokes in critical moments

- use plain English

Example:

Instead of “Authentication error,” use:

“Incorrect email or password.”

15.14 Writing for Different Contexts

1. Notifications

Short, urgent, clear.

Examples:

- “Your order is on the way!”
- “Payment failed. Try again.”

2. Pop-ups

Direct & purposeful.

Example:

“Delete this item? This action cannot be undone.”

3. Error Pages

Use friendly tone.

Example:

“Page not found. Let’s get you back home.”

15.15 Localization & Internationalization

When writing globally:

- avoid idioms

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- avoid cultural references
- use universal language
- support pluralization
- be aware of text expansion

Example:

English: “1 item left”

German: “Nur noch 1 Artikel übrig” (longer)

15.16 Exercise — Improve These Texts

Bad → Good

✗ “Submit”

✓ “Create Account”

✗ “Error occurred.”

✓ “Something went wrong. Try again.”

✗ “Are you sure?”

✓ “Delete item? You can’t undo this.”

15.17 UX Writing Checklist

- clear
- short
- human
- action-oriented
- consistent
- helpful
- specific
- accessible
- emotion-aware
- useful microcopy

16. UX Documentation & Developer Handoff

16.1 What Is UX Documentation?

UX documentation is all the written, visual, and structural information that helps:

- Developers understand the design
- stakeholders understand decisions
- product managers plan features
- teams maintain consistency

Documentation is the **bridge between design and development**.

Good documentation prevents:

- confusion
- miscommunication
- incorrect implementation
- delays
- rework costs

16.2 Why Developer Handoff Matters

The handoff stage is where design meets engineering.

Without clear handoff:

- developers guess
- spacing becomes inconsistent
- components break
- prototypes don't match the final build
- accessibility gets ignored

With a proper handoff:

- development is faster
- UI stays consistent
- interactions behave correctly
- features match design
- design system is followed

16.3 What to Document (Complete List)

A professional UX designer documents:

1. User flows

Visual path of how a user completes a task.

2. Wireframes

Low/mid-fidelity structure.

3. High-fidelity UI screens

Final polished visuals.

4. Components & Design System Details

Buttons, cards, inputs, spacing, grid.

5. Interaction behavior

Hover, tap, drag, swipe, transitions.

6. States

Default, active, error, loading, disabled.

7. Accessibility guidelines

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Contrast, focus states, keyboard navigation.

8. Content & copy guidelines

Labels, error messages, microcopy.

9. API data dependency (optional)

For data-driven elements.

10. File names & version control

Clear, consistent structuring.

16.4 Anatomy of a Perfect Figma Handoff

Developers should be able to:

- inspect layers
- see spacing
- check colors
- copy typography values
- preview screen transitions
- read interaction rules

Organize your Figma file:

Page 1 — Documentation / Instructions

Page 2 — Design System / UI Kit

Page 3 — Components

Page 4 — Flows (Login, Checkout, etc.)

Page 5 — Screens (Hi-fi)

Page 6 — Prototypes

Use clear naming:

UI/UX Master Documentation for Beginners - By Chanda Shrestha

01. Login

02. Signup

03. Home

04. Product

05. Cart

16.5 Interaction Documentation (Critical)

Developers need explicit instructions:

Example annotation:

- Button (Primary)
- Default: 16px padding, brand color (#2D6CE4)
- Hover: darken by 8%
- Pressed: darken by 15%
- Disabled: #D1D1D1, no shadow
- Loading: left spinner + disabled state

Dropdown example:

- Dropdown
- Opens downward by default
- If near bottom, opens upward
- Each option height: 48px
- On tap: highlight with #F5F5F5

16.6 Documentation Formats

1. Figma Notes & Callouts

Add sticky notes, arrows, labels.

2. Notion or Confluence Docs

Used for large projects.

3. Flow diagrams

Used to illustrate user journeys.

4. PDFs

Depends on company workflow.

5. Design System Website

Larger companies maintain DS portals.

16.7 Redlining (Developer-Friendly Specs)

Redlining is adding visual measurement lines & annotations to clarify:

- Spacing
- padding
- element size
- grid alignment
- component boundaries

Example:

- Button width: 240px
- Padding: 16px top/bottom
- Spacing between items: 24px
- Component radius: 12px

Redlines remove guesswork.

16.8 Documenting Edge Cases

Professional designers document:

- what happens when list is empty
- what happens when list is long
- what happens on slow internet
- what happens on error
- what happens when no results
- responsive states

Edge cases are often ignored — causing real user problems.

16.9 Asset Export Guidelines

Designers must export:

- icons
- illustrations
- logos
- images
- components for dev

Export rules:

- use SVG for icons
- use PNG/JPG for images
- name files clearly

16.10 Writing a Handoff Document (Corporate Template)

Below is a full handoff structure

Section 1 — Summary

- feature overview
- use cases
- screens included

Section 2 — User Flow Diagram

- visual flow
- step-by-step breakdown

Section 3 — Component List

- reused from design system
- new components documented

Section 4 — Interaction Rules

- transitions
- animations
- feedback
- gestures

Section 5 — Screen-by-Screen Specs

- spacing
- colors

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- font
- states

Section 6 — Accessibility

- contrast
- keyboard focus
- alt text rules

Section 7 — Notes for Developers

- dependencies
- API needs
- dynamic content

16.11 Common Handoff Problems (and How to Fix Them)

- **Developers confused about spacing**
Document spacing system + grids.
- **Components inconsistent**
Use design system.
- **Designers forget hover/active states**
Include full state library.
- **Missing empty/error/loading states**
Document system states thoroughly.
- **Unclear Prototypes**
Add interaction notes.

16.12 Real-World Handoff Flow

Typical sequence:

1. **Design completes**
2. **Internal QA**
3. **UX review**
4. **UI review**
5. **Design system sync**
6. **Documentation writing**
7. **Developer presentation**
8. **Technical Q&A**
9. **Development starts**
10. **Design-Dev sync checks**
11. **Post-building QA**

Designers remain involved until launch.

16.13 Design QA (Quality Assurance)

Design QA ensures the final build matches the design.

What to check:

- Spacing
- Alignment
- color accuracy
- component consistency
- animation timings
- visual bugs
- accessibility compliance

Design QA happens before release.

16.14 Exercise — Create a Handoff Package

Choose any feature (e.g., login, checkout, profile):

Prepare:

- user flow
- 3–5 screens
- component list
- UI specs
- interaction notes
- accessibility notes

This exercise mirrors real company workflow.

16.15 UX Documentation Checklist

- user flows documented
- components referenced from DS
- spacing/grid defined
- interactions documented
- all states included
- screens labeled clearly
- responsive versions added
- accessibility included
- assets exported
- developer notes added
- versioning maintained

17. UX Case Studies & Portfolio Building

17.1 What Is UX Case Study?

A **UX Case Study** is a detailed story that shows:

- how you approached a problem
- how you used design processes
- how your decisions were made
- what challenges you solved
- what outcomes you achieved

It demonstrates:

- your thinking
- your skills
- your communication
- your design process
- your problem-solving mindset

A case study is NOT just screens. It's the **story behind the screens**.

17.2 Why Case Studies Matter for Beginners

Most junior designers don't have long work experience.

So companies judge you by your **case studies**, not by your years of experience.

Case studies help you:

- stand out
- communicate thinking
- prove your skill

- build trust
- show your process
- get hired faster

A strong case study beats a weak CV.

17.3 The Core Structure of Every Case Study

Use this universal template (accepted globally):

1. Title & Summary

- what the project is
- your role
- project duration
- tools used
- type of product

2. Problem Statement

What problem were users facing?

3. Goals & Objectives

What did the project aim to solve?

4. Research

- methods
- insights
- personas

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- pain points

5. User Journey

Mapping frustration points & opportunities.

6. Information Architecture

Sitemap, categories, labeling.

7. Wireframes

Show structure & iterations.

8. Visual Design

Final UI, design system, grid, spacing.

9. Prototypes

Interactive flows.

10. Usability Testing

Findings, improvements.

11. Final Solution

Show how design solves the problem.

12. Results & Impact

Metrics, user feedback, improvements.

13. Learnings

What you learned as a designer.

17.4 How Many Case Studies Should a Beginner Have?

Minimum: 2 strong case studies

Ideal: 3–4 complete case studies

Types of projects to include:

- mobile app redesign
- website redesign
- dashboard
- booking flow
- e-commerce
- restaurant app
- travel or fitness app

17.5 How to Write a Strong Problem Statement

A good problem statement is:

- clear
- specific
- user-based
- measurable

Example (bad):

“Users have issues ordering.”

Example (good):

“Users struggle to find restaurants due to confusing filters and lack of sorting options, causing high bounce rates and abandoned sessions.”

17.6 Example of a Perfect Case Study Summary

Project: Food Delivery App Redesign

Goal: Improve the browsing & checkout experience

Role: UX/UI Designer (Solo)

Duration: 4 weeks

Tools: Figma, Miro, Notion

Outcome: Reduced checkout steps from 6 → 3, improved task success rate by 30%

This sets context instantly.

17.7 How to Present Research in a Case Study

Show:

- **methods**

Interviews, surveys, user testing.

- **key findings**

Pain points, patterns.

- **quotes**

“Searching takes too long.”

“I can’t track my order properly.”

- **personas**

Short but meaningful.

- **journey map**

Highlight frustration points.

17.8 How to Show Wireframes

Display:

- low-fi sketches
- mid-fi screens
- iterations
- notes & annotations
- before/after comparisons

Keep it clean, not messy.

17.9 How to Present UI Design

Show:

- spacing rules
- typography
- grids
- color palette
- component states

Show polished screens with consistency.

17.10 How to Display Prototypes

- show clickable flows
- include short GIFs
- highlight transitions
- show the step-by-step journey

Prototypes prove you understand interaction.

17.11 Usability Testing Section

Include:

- tasks
- participants
- insights
- issues (with severity)
- improvements

Example:

Issue	Severity	Fix
Users didn't see "Add to cart"	High	Increased contrast + move above fold

17.12 Final Outcome Section

Show:

- improved flows
- better hierarchy
- simplified forms
- more intuitive UI
- improved accessibility
- better task completion

Add *before vs after* screenshots.

17.13 Results & Impact

Use measurable results if you have them:

- task time reduced by X%
- number of steps reduced
- error rate decreased
- users navigate faster
- satisfaction score improved

If you don't have real metrics, use qualitative insights.

17.14 Writing Portfolio Case Studies — Do & Don't

Do

- Tell a story
- Show your thinking
- Use clean visuals
- Be honest
- Highlight decisions
- Show your process

Don't

- only show final UI
- overload with text
- include everything
- hide mistakes
- use jargon

17.15 UX Portfolio Structure

Your portfolio should have:

Home Page

- intro
- your skills
- featured projects

Project Pages

Each with a full case study.

About Page

Who you are, tools, soft skills.

Contact Page

Email / LinkedIn / resume link.

Resume (Optional)

PDF link.

17.16 Tools for Portfolio Building

- Notion
- Behance
- Adobe Portfolio
- Wix
- Squarespace

- Webflow (advanced)
- Figma-to-website tools (Framer)

17.17 Exercise — Create a Case Study Outline

Pick a project and fill these:

1. Title
2. Problem
3. Goal
4. Users
5. Insights
6. IA
7. Wireframes
8. UI
9. Testing
10. Final Solution
11. Learnings

This builds your case study foundation.

17.18 Case Study Checklist (Corporate Style)

- clear problem
- real research
- user pain points
- wireframes

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- UI screens
- Prototypes
- usability testing
- final design
- results
- learnings
- clean visuals
- readable structure
- consistent formatting

18. UX Tools, Career Paths, Workflows & Industry Tips

18.1 Essential UX/UI Tools

These tools are used worldwide in professional teams.

Design & Prototyping Tools

1. Figma (industry standard)

- UI Design
- Prototyping
- Design systems
- Developer handoff
- Collaboration

2. Adobe XD

- basic prototyping
- UI design (less used now)

3. Sketch (Mac only)

- UI design
- requires plugins

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Research Tools

- **Miro** — whiteboarding, user flows
- **Optimal Workshop** — card sorting, tree testing
- **Hotjar** — heatmaps, user behavior
- **Lookback** — usability testing
- **UserTesting.com** — remote testing
- **Typeform/Google Forms** — surveys

Project Management Tools

- Jira
- Trello
- Asana
- ClickUp
- Notion

Big teams use them daily.

Developer Handoff Tools

- Zeplin
- Figma Inspect
- Storybook
- GitHub (for design tokens)

18.2 UX Design Job Roles Explained

The UX world has MANY roles. Here's a simple map:

- **UI Designer**
Focus: **visual design**
Work includes colors, layouts, typography, components, icons.
- **UX Designer**
Focus: **research, flows, structure, usability**
Work includes personas, IA, wireframes, testing.
- **Product Designer**
Combo of UI + UX.
Most popular modern role.
- **UX Researcher**
Focus: **deep research**
Interviews, surveys, usability tests, insights.
- **Interaction Designer (IxD)**
Focus: **behaviors & micro-interactions**
- **UX Writer**
Focus: **microcopy, content clarity & tone**
- **Design System Designer**
Focus: **component libraries + tokens**
- **Product Manager**
Not a design role, but works very closely with designers.

18.3 UX Career Levels

Intern / Junior (0–1.5 years)

- learn tools
- works on small tasks
- follows guidance

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- supports team

Mid-Level (1.5–3 years)

- independent work
- handles projects
- communicates with devs & PMs

Senior (3–7 years)

- leads features
- strategies UX
- mentors junior designers
- shapes product direction

Lead / Principal / Manager (7+ years)

- manages teams
- owns UX strategy
- builds design systems

18.4 How to Start Your Career in UX (Beginner Roadmap)

Here is the **exact roadmap** thousands follow successfully:

Step 1: Learn UI Foundations

- visual hierarchy
- color
- typography

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- layout
- spacing

Step 2: Learn UX Foundations

- research basics
- flows
- wireframes
- usability principles

Step 3: Learn Figma

- components
- variants
- auto-layout
- prototyping
- design systems

Step 4: Build 2–3 Case Studies

Each must include:

- problem
- research
- wireframes
- UI
- Testing
- outcome

Step 5: Build Your Portfolio

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Use:

- Wix
- Webflow
- Behance
- Notion
- Framer

Step 6: Apply for Internships or Freelance

Platforms:

- LinkedIn
- Upwork
- Dribbble
- Local companies

18.5 What Hiring Managers Look For

- Clean UI
- Clear case studies
- Reasoning shown
- Basic research ability
- Figma knowledge
- Communication skills
- Ability to explain decisions
- Collaboration mindset

They DO NOT expect perfection from beginners.

18.6 The UX Interview Process

Typical steps:

1. Recruiter Screen

General questions.

2. Design Manager Call

Evaluation:

- thinking
- attitude
- eagerness to learn

3. Portfolio Review

Show your:

- case studies
- process
- UI quality
- reasoning

4. Take-Home Assignment (sometimes)

Small 2–3 day task.

5. Final Interview

Culture fit + technical questions.

18.7 Interview Questions Beginners Must Practice

General UX Questions

- Tell us about your design process.
- How do you start a new project?
- What tools do you use?
- How do you handle feedback?

Case Study Questions

- What problem were you solving?
- Why did you choose this design direction?
- What challenges did you face?
- What would you improve?

Technical Questions

- What is IA?
- What is usability testing?
- Explain a design system.
- Difference between UI & UX.

18.8 Soft Skills Every Designer Needs

- Communication
- Curiosity
- Teamwork
- Empathy

UI/UX Master Documentation for Beginners - By Chanda Shrestha

- time management
- presentation skills
- open to feedback
- problem-solving mindset

Soft skills matter as much as design.

18.9 How to Work With Developers

DO:

- give clear specs
- share components
- communicate early
- test features after development
- attend stand-up meetings

DON'T:

send unfinished designs

- ignore edge cases
- give fuzzy requirements
- disappear after handoff

Collaboration is key.

18.10 Real-World UX Workflow (Agile)

1. Discover

Research, interviews, competitive analysis.

2. Define

Personas, journeys, IA.

3. Design

UI/UX Master Documentation for Beginners - By Chanda Shrestha

Wireframes → UI → Prototype.

4. Develop

Developers build features.

5. Test

QA, usability testing, iteration.

6. Release

Feature goes live.

7. Measure

Analytics, improvements.

18.11 Tools to Continue Learning

- YouTube UI/UX tutorials
- Coursera & Google UX Certificate
- Figma Community
- Medium UX blogs
- NNGroup (Nielsen Norman Group)
- Dribbble design practice

Continuous learning = continuous growth.

18.12 Final Beginner Portfolio Checklist

- 2–3 case studies
- strong visual UI

- real research (even lightweight)
- clear storytelling
- prototype links
- about page
- CV
- contact info
- mobile-friendly layout

Your portfolio = your design identity.

18.13 Industry Tips for Beginners

1. Focus on clarity, not complexity

Simple screens are harder to design.

2. Copy industry patterns

Good designers copy patterns — not whole screens.

3. Think in components

Everything must be reusable.

4. Don't be afraid of feedback

Feedback = growth.

5. Show your process everywhere

Screens without story = zero value.

6. Internships are more valuable than online certificates

Real-world experience matters more.

18.14 Exercise — Create Your First Portfolio

Inside Notion or Wix:

1. Add a homepage
2. Add 3 project thumbnails
3. Add case study pages
4. Add contact info
5. Add a short bio

Keep it clean and simple.



The full 18-module UI/UX Training Manual is complete.

You now have:

- 100+ pages of detailed content
- structured modules
- corporate-level explanations
- exercises
- examples
- diagrams
- checklists
- best practices
- career guidelines