



VIEWS


1. CREATE DATABASE / 2. CREATE CUSTOMER TABLE




3. CREATE ACCOUNT TABLE





4. CREATE BANK TRANSACTION TABLE




5. CREATE LOAN TABLE




6-9. INSERT CUSTOMER DATA / ACCOUNT DATA / TRANSACTION DATA / LOAN DATA




10. DISPLAY ORIGINAL TABLES



11. CREATE A VIEW FOR ALL CUSTOMERS



12. CREATE A VIEW FOR CUSTOMER BASIC INFORMATION



13. CREATE A VIEW FOR ACCOUNT INFORMATION

The screenshot shows the MySQL Workbench interface with a SQL script editor. The script defines a view named `VIEW_ACCOUNT_INFORMATION` that selects account details from the `ACCOUNT` table. The script is as follows:

```
USE 2520090005_Savings;

-- View
CREATE VIEW VIEW_ACCOUNT_INFORMATION AS
SELECT
  ACCOUNT_ID,
  ACCOUNT_TYPE,
  BALANCE,
  BRANCH
FROM
  ACCOUNT;
```

The 'Results' pane shows the output of the script, which includes the view definition and the execution results. The 'Messages' pane on the right indicates that the view was created successfully.

14. CREATE A VIEW FOR SAVINGS ACCOUNTS

The screenshot shows the MySQL Workbench interface with a SQL script editor. The script defines a view named `VIEW_SAVINGS_ACCOUNTS` that selects savings account details from the `ACCOUNT` table. The script is as follows:

```
USE 2520090005_Savings;

-- View
CREATE VIEW VIEW_SAVINGS_ACCOUNTS AS
SELECT
  ACCOUNT_ID,
  ACCOUNT_TYPE,
  BALANCE,
  BRANCH
FROM
  ACCOUNT
WHERE
  ACCOUNT_TYPE = 'Savings';
```

The 'Results' pane shows the output of the script, which includes the view definition and the execution results. The 'Messages' pane on the right indicates that the view was created successfully.

15. CREATE A VIEW FOR CURRENT ACCOUNTS

The screenshot shows the MySQL Workbench interface with a SQL script editor. The script defines a view named `VIEW_CURRENT_ACCOUNTS` that selects current account details from the `ACCOUNT` table. The script is as follows:

```
USE 2520090005_Savings;

-- View
CREATE VIEW VIEW_CURRENT_ACCOUNTS AS
SELECT
  ACCOUNT_ID,
  ACCOUNT_TYPE,
  BALANCE,
  BRANCH
FROM
  ACCOUNT
WHERE
  ACCOUNT_TYPE = 'Current';
```

The 'Results' pane shows the output of the script, which includes the view definition and the execution results. The 'Messages' pane on the right indicates that the view was created successfully.

16. HIGH BALANCE ACCOUNT VIEW

Automatic content help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Account_No	Customer_ID	Account_Type	Balance
0000	000	Current	0000.00
0001	000	Current	0000.00
0002	000	Current	0000.00

Time	Action	Message	Position - Hex
15:00:00	CREATE VIEW Customer_Saveys_New AS SELECT * FROM Customer	View created	0000000000000000
15:00:00	CREATE VIEW Account_Type AS SELECT * FROM Account WHERE Account_Type = 'Current'	View created	0000000000000000
15:00:00	CREATE VIEW Balance AS SELECT * FROM Account WHERE Account_Type = 'Current'	View created	0000000000000000
15:00:00	CREATE VIEW High_Balance_Account_View AS SELECT * FROM Account WHERE Account_Type = 'Current'	View created	0000000000000000

17. HYDERABAD ACCOUNT VIEW

Automatic content help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Account_No	Customer_ID	Account_Type	Balance
0000	000	Current	0000.00
0001	000	Current	0000.00
0002	000	Current	0000.00

Time	Action	Message	Position - Hex
15:00:00	CREATE VIEW Customer_Saveys_New AS SELECT * FROM Customer	View created	0000000000000000
15:00:00	CREATE VIEW Account_Type AS SELECT * FROM Account WHERE Account_Type = 'Current'	View created	0000000000000000
15:00:00	CREATE VIEW Balance AS SELECT * FROM Account WHERE Account_Type = 'Current'	View created	0000000000000000
15:00:00	CREATE VIEW Hyderabad_Account_View AS SELECT * FROM Account WHERE Account_Type = 'Current'	View created	0000000000000000


18. LOW BALANCE ACCOUNT VIEW

Automatic content help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.


Account_No	Customer_ID	Account_Type	Balance
0000	000	Current	0000.00
0001	000	Current	0000.00
0002	000	Current	0000.00

Time	Action	Message	Position - Hex
15:00:00	CREATE VIEW Customer_Saveys_New AS SELECT * FROM Customer	View created	0000000000000000
15:00:00	CREATE VIEW Account_Type AS SELECT * FROM Account WHERE Account_Type = 'Current'	View created	0000000000000000
15:00:00	CREATE VIEW Balance AS SELECT * FROM Account WHERE Account_Type = 'Current'	View created	0000000000000000
15:00:00	CREATE VIEW Low_Balance_Account_View AS SELECT * FROM Account WHERE Account_Type = 'Current'	View created	0000000000000000


19. CUSTOMER + ACCOUNT VIEW




20. HYDERABAD CUSTOMER ACCOUNT VIEW




21. CUSTOMER LOAN VIEW




22. COMPLETE CUSTOMER BANKING VIEW



23. TOTAL BANK BALANCE



24. AVERAGE ACCOUNT BALANCE



25. MAXIMUM ACCOUNT BALANCE

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

USE 2520090000_Scrvy;

CREATE VIEW Maximum_Balance_View AS
SELECT * FROM (
    SELECT * FROM Accounts
    ORDER BY Balance DESC
) AS Accounts;
    
```

Result grid: 1 row(s) | 1 column(s)

Time	Action	Storage	Duration / Step
15:40:00	USE 2520090000_Scrvy	Storage affected	0.000 sec
15:40:01	CREATE VIEW Maximum_Balance_View AS SELECT * FROM (SELECT * FROM Accounts ORDER BY Balance DESC) AS Accounts;	Storage affected	0.000 sec
15:40:01	SELECT * FROM Accounts	Storage affected	0.000 sec
15:40:01	CREATE VIEW Maximum_Balance_View AS SELECT * FROM (SELECT * FROM Accounts ORDER BY Balance DESC) AS Accounts;	Storage affected	0.000 sec
15:40:01	SELECT * FROM Accounts	Storage affected	0.000 sec
15:40:01	CREATE VIEW Maximum_Balance_View AS SELECT * FROM (SELECT * FROM Accounts ORDER BY Balance DESC) AS Accounts;	Storage affected	0.000 sec
15:40:01	SELECT * FROM Accounts	Storage affected	0.000 sec
15:40:01	CREATE VIEW Maximum_Balance_View AS SELECT * FROM (SELECT * FROM Accounts ORDER BY Balance DESC) AS Accounts;	Storage affected	0.000 sec
15:40:01	SELECT * FROM Accounts	Storage affected	0.000 sec

26. MINIMUM ACCOUNT BALANCE

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

USE 2620090000_Scrvy;

CREATE VIEW Minimum_Balance_View AS
SELECT * FROM (
    SELECT * FROM Accounts
    ORDER BY Balance ASC
) AS Accounts;
    
```

Result grid: 1 row(s) | 1 column(s)

Time	Action	Storage	Duration / Step
15:40:00	USE 2620090000_Scrvy	Storage affected	0.000 sec
15:40:01	CREATE VIEW Minimum_Balance_View AS SELECT * FROM (SELECT * FROM Accounts ORDER BY Balance ASC) AS Accounts;	Storage affected	0.000 sec
15:40:01	SELECT * FROM Accounts	Storage affected	0.000 sec
15:40:01	CREATE VIEW Minimum_Balance_View AS SELECT * FROM (SELECT * FROM Accounts ORDER BY Balance ASC) AS Accounts;	Storage affected	0.000 sec
15:40:01	SELECT * FROM Accounts	Storage affected	0.000 sec
15:40:01	CREATE VIEW Minimum_Balance_View AS SELECT * FROM (SELECT * FROM Accounts ORDER BY Balance ASC) AS Accounts;	Storage affected	0.000 sec
15:40:01	SELECT * FROM Accounts	Storage affected	0.000 sec
15:40:01	CREATE VIEW Minimum_Balance_View AS SELECT * FROM (SELECT * FROM Accounts ORDER BY Balance ASC) AS Accounts;	Storage affected	0.000 sec
15:40:01	SELECT * FROM Accounts	Storage affected	0.000 sec

27. TOTAL NUMBER OF ACCOUNTS

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

USE 2720090000_Scrvy;

CREATE VIEW Total_Accounts_View AS
SELECT COUNT(*) AS Total_Accounts
FROM Accounts;
    
```

Result grid: 1 row(s) | 1 column(s)

Time	Action	Storage	Duration / Step
15:40:00	USE 2720090000_Scrvy	Storage affected	0.000 sec
15:40:01	CREATE VIEW Total_Accounts_View AS SELECT COUNT(*) AS Total_Accounts FROM Accounts;	Storage affected	0.000 sec
15:40:01	SELECT COUNT(*) AS Total_Accounts FROM Accounts	Storage affected	0.000 sec
15:40:01	CREATE VIEW Total_Accounts_View AS SELECT COUNT(*) AS Total_Accounts FROM Accounts;	Storage affected	0.000 sec
15:40:01	SELECT COUNT(*) AS Total_Accounts FROM Accounts	Storage affected	0.000 sec
15:40:01	CREATE VIEW Total_Accounts_View AS SELECT COUNT(*) AS Total_Accounts FROM Accounts;	Storage affected	0.000 sec
15:40:01	SELECT COUNT(*) AS Total_Accounts FROM Accounts	Storage affected	0.000 sec
15:40:01	CREATE VIEW Total_Accounts_View AS SELECT COUNT(*) AS Total_Accounts FROM Accounts;	Storage affected	0.000 sec
15:40:01	SELECT COUNT(*) AS Total_Accounts FROM Accounts	Storage affected	0.000 sec

28. BRANCH-WISE ACCOUNT COUNT

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```

CREATE VIEW Branch_Account_Count AS
SELECT
  Branch,
  COUNT(*) AS Number_of_Accounts
FROM Account
GROUP BY Branch;

```

The Results tab displays the output of the query:

Branch	Number_of_Accounts
Hyderabad	2
Mysore	2
Chennai	1
Delhi	1
Mumbai	1
Pune	1

The Action Output tab shows the execution log:

#	Time	Action	Message	Errors	Duration/Status
1	21:00:21	CREATE VIEW Branch_Account_Count AS SELECT	Error Code: 1046: No database selected Select the...		0.000 sec
2	21:00:21	USE 2020090191_Jessica	Successfully affected		0.000 sec
3	21:00:40	INSERT INTO Customer (Customer_ID, Customer_...	Error Code: 1062: Duplicate entry '101' for key 'cust...		0.016 sec
4	21:00:50	CREATE VIEW Branch_Account_Count AS SELECT	Successfully affected		0.016 sec
5	21:00:50	SELECT * FROM Branch_Account_Count LIMIT 5...	Successfully returned		0.000 sec / 0.000 sec

29. BRANCH-WISE TOTAL BALANCE

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```

CREATE VIEW Branch_Total_Balance AS
SELECT
  Branch,
  SUM(Total_Balance) AS Total_Balance
FROM Account
GROUP BY Branch;

```

The Results tab displays the output of the query:

Branch	Total_Balance
Hyderabad	22000.00
Mysore	18000.00
Chennai	40000.00
Delhi	10000.00
Mumbai	20000.00
Pune	10000.00

The Action Output tab shows the execution log:

#	Time	Action	Message	Errors	Duration/Status
1	21:00:21	CREATE VIEW Branch_Account_Count AS SELECT	Error Code: 1046: No database selected Select the...		0.000 sec
2	21:00:21	USE 2020090191_Jessica	Successfully affected		0.000 sec
3	21:00:40	INSERT INTO Customer (Customer_ID, Customer_...	Error Code: 1062: Duplicate entry '101' for key 'cust...		0.016 sec
4	21:00:50	CREATE VIEW Branch_Account_Count AS SELECT	Successfully affected		0.016 sec
5	21:00:50	SELECT * FROM Branch_Account_Count LIMIT 5...	Successfully returned		0.000 sec / 0.000 sec
6	21:00:41	CREATE VIEW Branch_Total_Balance AS SELECT	Successfully affected		0.000 sec
7	21:00:50	SELECT * FROM Branch_Total_Balance LIMIT 5...	Successfully returned		0.000 sec / 0.000 sec

30. ACCOUNT TYPE COUNT

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following SQL code:

```

CREATE VIEW Account_Type_Count AS
SELECT
  Account_Type,
  COUNT(*) AS Number_of_Accounts
FROM Account
GROUP BY Account_Type;

```


The Results tab displays the output of the query:

Account_Type	Number_of_Accounts
Current	6


The Action Output tab shows the execution log:

#	Time	Action	Message	Errors	Duration/Status
1	21:00:21	CREATE VIEW Branch_Account_Count AS SELECT	Error Code: 1046: No database selected Select the...		0.000 sec
2	21:00:21	USE 2020090191_Jessica	Successfully affected		0.000 sec
3	21:00:41	INSERT INTO Customer (Customer_ID, Customer_...	Error Code: 1062: Duplicate entry '101' for key 'cust...		0.016 sec
4	21:00:50	CREATE VIEW Branch_Account_Count AS SELECT	Successfully affected		0.016 sec
5	21:00:50	SELECT * FROM Branch_Account_Count LIMIT 5...	Successfully returned		0.000 sec / 0.000 sec
6	21:00:41	CREATE VIEW Account_Type_Count AS SELECT	Successfully affected		0.000 sec
7	21:00:50	SELECT * FROM Account_Type_Count LIMIT 5...	Successfully returned		0.000 sec / 0.000 sec


31. ACCOUNT TYPE TOTAL BALANCE




32. BRANCHES WITH MORE THAN ONE ACCOUNT



33. BRANCHES WITH TOTAL BALANCE ABOVE 100000



34. DEPOSIT TRANSACTION VIEW



Automatic content help is disabled. Use the toolbar to manually get help for the current content position or to toggle automatic help.

SQL Statement:

```
SELECT T.Transaction_ID, A.Account_ID, B.Branch_ID, C.Customer_ID, T.Transaction_Type, T.Transaction_Amt, T.Transaction_Date
FROM Transaction T
JOIN Account A ON T.Account_ID = A.Account_ID
JOIN Branch B ON T.Branch_ID = B.Branch_ID
JOIN Customer C ON T.Customer_ID = C.Customer_ID
WHERE T.Transaction_Type = 'DEPOSIT'
```

Result grid:

Transaction_ID	Account_ID	Branch_ID	Customer_ID	Transaction_Type	Transaction_Amt	Transaction_Date
1	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
2	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
3	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
4	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
5	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
6	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00

Deposit_Transaction_View =

Output:

Information:

No object selected


SQL Statement:

```
SELECT T.Transaction_ID, A.Account_ID, B.Branch_ID, C.Customer_ID, T.Transaction_Type, T.Transaction_Amt, T.Transaction_Date
FROM Transaction T
JOIN Account A ON T.Account_ID = A.Account_ID
JOIN Branch B ON T.Branch_ID = B.Branch_ID
JOIN Customer C ON T.Customer_ID = C.Customer_ID
WHERE T.Transaction_Type = 'DEPOSIT'
```

Result grid:

Transaction_ID	Account_ID	Branch_ID	Customer_ID	Transaction_Type	Transaction_Amt	Transaction_Date
1	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
2	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
3	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
4	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
5	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00
6	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00

35. WITHDRAWAL TRANSACTION VIEW



Automatic content help is disabled. Use the toolbar to manually get help for the current content position or to toggle automatic help.

SQL Statement:

```
SELECT T.Transaction_ID, A.Account_ID, B.Branch_ID, C.Customer_ID, T.Transaction_Type, T.Transaction_Amt, T.Transaction_Date
FROM Transaction T
JOIN Account A ON T.Account_ID = A.Account_ID
JOIN Branch B ON T.Branch_ID = B.Branch_ID
JOIN Customer C ON T.Customer_ID = C.Customer_ID
WHERE T.Transaction_Type = 'WITHDRAWAL'
```

Result grid:

Transaction_ID	Account_ID	Branch_ID	Customer_ID	Transaction_Type	Transaction_Amt	Transaction_Date
1	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
2	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
3	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
4	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
5	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
6	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00

Withdrawal_Transaction_View =

Output:

Information:

No object selected


SQL Statement:

```
SELECT T.Transaction_ID, A.Account_ID, B.Branch_ID, C.Customer_ID, T.Transaction_Type, T.Transaction_Amt, T.Transaction_Date
FROM Transaction T
JOIN Account A ON T.Account_ID = A.Account_ID
JOIN Branch B ON T.Branch_ID = B.Branch_ID
JOIN Customer C ON T.Customer_ID = C.Customer_ID
WHERE T.Transaction_Type = 'WITHDRAWAL'
```

Result grid:

Transaction_ID	Account_ID	Branch_ID	Customer_ID	Transaction_Type	Transaction_Amt	Transaction_Date
1	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
2	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
3	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
4	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
5	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00
6	1000	1000	1000	WITHDRAWAL	1000.00	2008-09-12 10:00:00

36. TRANSACTION DETAILS WITH CUSTOMER



Automatic content help is disabled. Use the toolbar to manually get help for the current content position or to toggle automatic help.

SQL Statement:

```
SELECT T.Transaction_ID, A.Account_ID, B.Branch_ID, C.Customer_ID, T.Transaction_Type, T.Transaction_Amt, T.Transaction_Date, P.Product_ID, P.Product_Name
FROM Transaction T
JOIN Account A ON T.Account_ID = A.Account_ID
JOIN Branch B ON T.Branch_ID = B.Branch_ID
JOIN Customer C ON T.Customer_ID = C.Customer_ID
JOIN Product P ON T.Product_ID = P.Product_ID
```

Result grid:

Transaction_ID	Account_ID	Branch_ID	Customer_ID	Transaction_Type	Transaction_Amt	Transaction_Date	Product_ID	Product_Name
1	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	1	Fixed Deposit
2	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	2	Fixed Deposit
3	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	3	Fixed Deposit
4	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	4	Fixed Deposit
5	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	5	Fixed Deposit
6	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	6	Fixed Deposit

Transaction_Details_View =

Output:

Information:

No object selected

SQL Statement:

```
SELECT T.Transaction_ID, A.Account_ID, B.Branch_ID, C.Customer_ID, T.Transaction_Type, T.Transaction_Amt, T.Transaction_Date, P.Product_ID, P.Product_Name
FROM Transaction T
JOIN Account A ON T.Account_ID = A.Account_ID
JOIN Branch B ON T.Branch_ID = B.Branch_ID
JOIN Customer C ON T.Customer_ID = C.Customer_ID
JOIN Product P ON T.Product_ID = P.Product_ID
```

Result grid:

Transaction_ID	Account_ID	Branch_ID	Customer_ID	Transaction_Type	Transaction_Amt	Transaction_Date	Product_ID	Product_Name
1	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	1	Fixed Deposit
2	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	2	Fixed Deposit
3	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	3	Fixed Deposit
4	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	4	Fixed Deposit
5	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	5	Fixed Deposit
6	1000	1000	1000	DEPOSIT	1000.00	2008-09-12 10:00:00	6	Fixed Deposit

37. HIGH VALUE TRANSACTION VIEW

Automatic content help is disabled. Use the toolbar to manually get help for the current content position or to toggle automatic help.

Script:

```
USE Adventureworks2008
GO
CREATE VIEW High_Value_Transaction_View AS
SELECT Transaction_ID, Amount, Transaction_Type, Amount, Transaction_Date
FROM Transaction
WHERE Amount > 10000
ORDER BY Transaction_Date
```

Results:

Transaction_ID	Amount	Transaction_Type	Amount	Transaction_Date
1	10000	DEPOSIT	10000.00	2008-08-12 10:00
2	10000	DEPOSIT	10000.00	2008-08-12 10:00
3	10000	DEPOSIT	10000.00	2008-08-12 10:00
4	10000	DEPOSIT	10000.00	2008-08-12 10:00
5	10000	DEPOSIT	10000.00	2008-08-12 10:00
6	10000	DEPOSIT	10000.00	2008-08-12 10:00
7	10000	DEPOSIT	10000.00	2008-08-12 10:00
8	10000	DEPOSIT	10000.00	2008-08-12 10:00
9	10000	DEPOSIT	10000.00	2008-08-12 10:00
10	10000	DEPOSIT	10000.00	2008-08-12 10:00
11	10000	DEPOSIT	10000.00	2008-08-12 10:00
12	10000	DEPOSIT	10000.00	2008-08-12 10:00

38. ACCOUNTS ORDERED BY BALANCE

Automatic content help is disabled. Use the toolbar to manually get help for the current content position or to toggle automatic help.

Script:

```
USE Adventureworks2008
GO
CREATE VIEW Accounts_Ordered_By_Balance_View AS
SELECT Account_ID, Customer_ID, Account_Type, Balance
FROM Account
ORDER BY Balance
```

Results:

Account_ID	Customer_ID	Account_Type	Balance
10000	100	Current	10000.00
10001	100	Current	10000.00
10002	100	Current	10000.00
10003	100	Current	10000.00
10004	100	Current	10000.00
10005	100	Current	10000.00
10006	100	Current	10000.00
10007	100	Current	10000.00
10008	100	Current	10000.00
10009	100	Current	10000.00
10010	100	Current	10000.00
10011	100	Current	10000.00

39. CUSTOMERS ORDERED BY NAME

Automatic content help is disabled. Use the toolbar to manually get help for the current content position or to toggle automatic help.

Script:

```
USE Adventureworks2008
GO
CREATE VIEW Customers_Ordered_By_Name_View AS
SELECT Customer_ID, Customer_Name, City
FROM Customer
ORDER BY Customer_Name
```

Results:

Customer_ID	Customer_Name	City
100	Adrian Pappas	Seattle
101	Alfred Bruns	Seattle
102	Alfred Bruns	Seattle
103	Alfred Bruns	Seattle
104	Alfred Bruns	Seattle
105	Alfred Bruns	Seattle
106	Alfred Bruns	Seattle
107	Alfred Bruns	Seattle
108	Alfred Bruns	Seattle
109	Alfred Bruns	Seattle
110	Alfred Bruns	Seattle
111	Alfred Bruns	Seattle

40. LOAN INTEREST CALCULATION VIEW

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

SQL Query: `SELECT * FROM Loan_Interest_View`

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate	Term
101	101	Home Loan	100000.00	7.50	2400
102	102	Education Loan	50000.00	8.50	1200
103	103	Car Loan	80000.00	9.50	6000
104	104	Personal Loan	30000.00	10.50	1800
105	105	New Loan	40000.00	7.50	3600
106	106	Car Loan	60000.00	8.50	3600

Messages:

- 20 22:07:18 CREATE VIEW Customer_Transaction_View AS... 0 rows affected, 0.00 sec - 0.00 sec
- 21 22:07:18 SELECT FROM Customer_Transaction_View AS... 1 rows affected, 0.00 sec - 0.00 sec
- 22 22:07:18 CREATE VIEW High_Balance_Transaction_View AS... 0 rows affected, 0.00 sec - 0.00 sec
- 23 22:07:18 SELECT FROM High_Balance_Transaction_View AS... 0 rows affected, 0.00 sec - 0.00 sec
- 24 22:07:18 CREATE VIEW Balance_Ranking_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 25 22:07:18 SELECT FROM Balance_Ranking_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 26 22:07:18 CREATE VIEW Customer_Name_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 27 22:07:18 SELECT FROM Customer_Name_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 28 22:07:18 CREATE VIEW Loan_Interest_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 29 22:07:18 SELECT FROM Loan_Interest_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec

41. LOAN TOTAL AMOUNT VIEW

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

SQL Query: `SELECT * FROM Loan_Total_Amount_View`

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate	Term
101	101	Home Loan	100000.00	7.50	2400
102	102	Education Loan	50000.00	8.50	1200
103	103	Car Loan	80000.00	9.50	6000
104	104	Personal Loan	30000.00	10.50	1800
105	105	New Loan	40000.00	7.50	3600
106	106	Car Loan	60000.00	8.50	3600

Messages:

- 20 22:07:18 CREATE VIEW High_Balance_Transaction_View AS... 0 rows affected, 0.00 sec - 0.00 sec
- 21 22:07:18 SELECT FROM High_Balance_Transaction_View AS... 0 rows affected, 0.00 sec - 0.00 sec
- 22 22:07:18 CREATE VIEW Balance_Ranking_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 23 22:07:18 SELECT FROM Balance_Ranking_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 24 22:07:18 CREATE VIEW Customer_Name_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 25 22:07:18 SELECT FROM Customer_Name_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 26 22:07:18 CREATE VIEW Loan_Interest_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 27 22:07:18 SELECT FROM Loan_Interest_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 28 22:07:18 CREATE VIEW Loan_Total_Amount_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 29 22:07:18 SELECT FROM Loan_Total_Amount_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec

42. DISPLAY HIGH BALANCE ACCOUNTS FROM VIEW

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

SQL Query: `SELECT * FROM High_Balance_View`

Account_No	Customer_ID	Balance
10001	101	100000.00

Messages:

- 20 22:07:18 CREATE VIEW High_Balance_Transaction_View AS... 0 rows affected, 0.00 sec - 0.00 sec
- 21 22:07:18 SELECT FROM High_Balance_Transaction_View AS... 0 rows affected, 0.00 sec - 0.00 sec
- 22 22:07:18 CREATE VIEW Balance_Ranking_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 23 22:07:18 SELECT FROM Balance_Ranking_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 24 22:07:18 CREATE VIEW Customer_Name_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 25 22:07:18 SELECT FROM Customer_Name_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 26 22:07:18 CREATE VIEW Loan_Interest_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 27 22:07:18 SELECT FROM Loan_Interest_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 28 22:07:18 CREATE VIEW Loan_Total_Amount_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 29 22:07:18 SELECT FROM Loan_Total_Amount_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec
- 30 22:07:18 SELECT FROM High_Balance_View AS SELECT... 0 rows affected, 0.00 sec - 0.00 sec

43. DISPLAY SAVINGS ACCOUNTS ABOVE 60000

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the database structure, including tables like `tbl_customer`, `tbl_loan`, `tbl_savings_account`, and `tbl_transaction`. The right pane shows a query window with the following SQL code:

```
SELECT * FROM tbl_savings_account WHERE balance > 60000
```

The query results are displayed in a table with columns: `Customer_ID`, `Customer_Name`, `City`, `Balance`, and `Interest_Rate`. The results show several records with balances exceeding 60000.

44. DISPLAY HYDERABAD ACCOUNTS ABOVE 50000

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the database structure. The right pane shows a query window with the following SQL code:

```
SELECT * FROM tbl_savings_account WHERE city = 'Hyderabad' AND balance > 50000
```

The query results are displayed in a table with columns: `Customer_ID`, `Customer_Name`, `City`, `Balance`, and `Interest_Rate`. The results show several records for customers in Hyderabad with balances exceeding 50000.

45. DISPLAY CUSTOMERS FROM HYDERABAD

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the database structure. The right pane shows a query window with the following SQL code:

```
SELECT * FROM tbl_customer WHERE city = 'Hyderabad'
```

The query results are displayed in a table with columns: `Customer_ID`, `Customer_Name`, `City`, `Age`, and `Gender`. The results show several records for customers in Hyderabad.

46. DISPLAY CUSTOMER ACCOUNTS ORDERED BY BALANCE

The screenshot shows a Microsoft Word document with a SQL query and its results. The query is as follows:

```
USE 2020090505_1
SELECT * FROM Customer_Account ORDER BY Balance
```

The results are displayed in a table with the following columns: Customer_ID, Customer_Name, City, Account_No, Account_Type, and Balance. The table contains 10 rows of data, including customers like 'Hema Reddy', 'Ajay Reddy', 'Sandeep', 'Ravi Kumar', 'Lakshmi Devi', and 'Pooja Sharma'.

47. DISPLAY LOANS ABOVE 1000000

The screenshot shows a Microsoft Word document with a SQL query and its results. The query is as follows:

```
USE 2020090505_1
SELECT * FROM Loan ORDER BY Loan_Amount
```

The results are displayed in a table with the following columns: Customer_ID, Customer_Name, City, Loan_ID, Loan_Type, and Loan_Amount. The table contains 10 rows of data, including loans for 'Hema Reddy', 'Ajay Reddy', 'Sandeep', 'Ravi Kumar', 'Lakshmi Devi', and 'Pooja Sharma'.


48. UPDATE ACCOUNT BALANCE THROUGH VIEW

The screenshot shows a Microsoft Word document with a SQL query and its results. The query is as follows:


```
USE 2020090505_1
SELECT * FROM Account ORDER BY Account_No
```

The results are displayed in a table with the following columns: Account_No, Customer_ID, Account_Type, Balance, and Branch. The table contains 10 rows of data, including accounts for 'Hema Reddy', 'Ajay Reddy', 'Sandeep', 'Ravi Kumar', 'Lakshmi Devi', and 'Pooja Sharma'.


49. INSERT USING SIMPLE VIEW




50. DELETE USING SIMPLE VIEW




51. SHOW ALL VIEWS




52. SHOW VIEW DEFINITION




53. DESCRIBE VIEW



54. DROP ONE VIEW




55. DROP MULTIPLE VIEWS




Skill-ACID Properties


1. CREATE DATABASE




2. CREATE CUSTOMER TABLE




3. CREATE ACCOUNT TABLE




4. CREATE TRANSACTION TABLE




5. INSERT CUSTOMER DATA




6. INSERT ACCOUNT DATA




7. INSERT BANK TRANSACTION DATA




8. DISPLAY DATA




9. START A TRANSACTION




10. DEPOSIT MONEY




11. CHECK BALANCE




12. COMMIT TRANSACTION




13. CHECK BALANCE AFTER COMMIT



14. START TRANSACTION



15. WITHDRAW MONEY



The screenshot shows the MYOB WebAdmin interface. The top navigation bar includes 'MYOB WebAdmin', '1512019011_Myobase', and various menu items like 'File', 'Query', 'Database', 'Server', 'Tools', 'Display', and 'Help'. Below the navigation bar is a toolbar with icons for file operations and a search bar. The main content area is divided into three sections:

- Left Panel:** A tree view showing the account structure. The selected account is '15120190015_Saveys'.
- Center Panel:** A table titled 'Transfer' showing the transfer details. The table has columns for 'Account No.', 'Customer No.', 'Account Type', 'Balance', and 'Status'. The transfer is from '15120190015_Saveys' to '15120190015_Saveys' for a balance of 1000.00.
- Right Panel:** A 'Details' section showing the transfer details, including the account number, customer number, and balance.

The 'Transfer' table shows a transfer from '15120190015_Saveys' to '15120190015_Saveys' for a balance of 1000.00. The 'Details' section shows the transfer is successful.

[illegible]

The screenshot shows the SAP GUI interface. In the command field, the command is: `SELECT * FROM ACCT001 WHERE ACCT001-STATUS = '0000'`. The command is highlighted in blue. The SAP GUI also shows the 'Database Explorer' on the left and the 'Table Browser' on the right.

[illegible]

The screenshot shows the AWS IAM console interface. The 'Groups' page is displayed, with the 'AWS-ReadOnlyAccess' group selected. The 'Permissions' tab is active, showing a list of policies attached to the group. The 'Attach Policies' section is visible, listing several policies, including 'AmazonS3ReadOnlyAccess', 'AmazonEC2ReadOnlyAccess', and 'AmazonECSReadOnlyAccess'. The 'AmazonS3ReadOnlyAccess' policy is highlighted. The console also shows the 'Groups' list on the left and the 'Permissions' list on the right.

The screenshot shows the AWS IAM console interface. On the left, there's a navigation pane with 'Groups' selected. The main area displays a list of groups under the 'AWS-Managed-Groups' group. The 'AWS-Managed-Groups' group is highlighted, and its details are shown on the right. The details include the group name, type, and a list of permissions. The 'Permissions' tab is selected, showing a list of permissions. The 'AWS-Managed-Groups' group is highlighted, and its details are shown on the right. The details include the group name, type, and a list of permissions.

[illegible]

25. ROLLBACK TO SAVEPOINT

The screenshot shows the SQL Developer interface with a transaction window open. The transaction contains several SQL statements, including a ROLLBACK TO SAVEPOINT statement. The transaction is currently in a state where it can be committed or rolled back.

Automatic context help is disabled. Use the toolbar icon to manually get help for the current caret position or toggle automatic help.

Line	Text	Message	Duration / Text
1	SELECT * FROM Account WHERE Account_No = 10001	Transaction rolled back	0:00 sec / 0:00 sec
2	ROLLBACK	Transaction rolled back	0:00 sec / 0:00 sec
3	START TRANSACTION	Transaction rolled back	0:00 sec / 0:00 sec
4	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0:00 sec / 0:00 sec
5	SAVEPOINT Savepoint1	Transaction rolled back	0:00 sec / 0:00 sec
6	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0:00 sec / 0:00 sec
7	SAVEPOINT Savepoint2	Transaction rolled back	0:00 sec / 0:00 sec
8	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0:00 sec / 0:00 sec
9	ROLLBACK TO SAVEPOINT Savepoint1	Transaction rolled back	0:00 sec / 0:00 sec

26. COMMIT

The screenshot shows the SQL Developer interface with a transaction window open. The transaction contains several SQL statements, including a COMMIT statement. The transaction is currently in a state where it can be committed or rolled back.

Automatic context help is disabled. Use the toolbar icon to manually get help for the current caret position or toggle automatic help.

Line	Text	Message	Duration / Text
1	SELECT * FROM Account WHERE Account_No = 10001	Transaction rolled back	0:00 sec / 0:00 sec
2	ROLLBACK	Transaction rolled back	0:00 sec / 0:00 sec
3	START TRANSACTION	Transaction rolled back	0:00 sec / 0:00 sec
4	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0:00 sec / 0:00 sec
5	SAVEPOINT Savepoint1	Transaction rolled back	0:00 sec / 0:00 sec
6	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0:00 sec / 0:00 sec
7	SAVEPOINT Savepoint2	Transaction rolled back	0:00 sec / 0:00 sec
8	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0:00 sec / 0:00 sec
9	ROLLBACK TO SAVEPOINT Savepoint1	Transaction rolled back	0:00 sec / 0:00 sec
10	COMMIT	Transaction committed	0:00 sec / 0:00 sec

27. CHECK ACCOUNTS


The screenshot shows the SQL Developer interface with a transaction window open. The transaction contains several SQL statements, including a COMMIT statement. The transaction is currently in a state where it can be committed or rolled back.

Automatic context help is disabled. Use the toolbar icon to manually get help for the current caret position or toggle automatic help.


Line	Text	Message	Duration / Text
1	SELECT * FROM Account WHERE Account_No = 10001	Transaction rolled back	0:00 sec / 0:00 sec
2	ROLLBACK	Transaction rolled back	0:00 sec / 0:00 sec
3	START TRANSACTION	Transaction rolled back	0:00 sec / 0:00 sec
4	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0:00 sec / 0:00 sec
5	SAVEPOINT Savepoint1	Transaction rolled back	0:00 sec / 0:00 sec
6	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0:00 sec / 0:00 sec
7	SAVEPOINT Savepoint2	Transaction rolled back	0:00 sec / 0:00 sec
8	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0:00 sec / 0:00 sec
9	ROLLBACK TO SAVEPOINT Savepoint1	Transaction rolled back	0:00 sec / 0:00 sec
10	COMMIT	Transaction committed	0:00 sec / 0:00 sec
11	SELECT * FROM Account WHERE Account_No = 10001	Transaction committed	0:00 sec / 0:00 sec

Account_No	Customer_No	Account_Type	Balance	Branch
10001	101	Savings	6000.00	Hyderabad
10002	102	Savings	7000.00	Hyderabad
10003	103	Current	20000.00	Bangalore
10004	104	Savings	4000.00	Chennai
10005	105	Current	30000.00	Hyderabad
10006	106	Savings	5000.00	Hyderabad


28. TRANSFER MONEY




29. DEDUCT FROM SENDER




30. ADD TO RECEIVER




31. CHECK BOTH ACCOUNTS



32. COMMIT TRANSFER



33. FINAL BALANCES



34. START TRANSACTION

MySQL Workbench

2520090009_Script

USE 2520090009_Script

SELECT * FROM Account WHERE Account_No IN (250001,250002);

Automatic control is disabled. Use the toolbar manually get help for current control position or toggle automatic help

Execution Log:

Time	Action	Message	Status / Item
25:20:09.000	START TRANSACTION	Transaction started	0.00ms
25:20:09.000	SELECT * FROM Account WHERE Account_No IN (250001,250002);	1 row(s) affected Rows matched: 1 Changed: 1 ...	0.00ms

35. DEDUCT MONEY

MySQL Workbench

2520090009_Script

USE 2520090009_Script

SELECT * FROM Account WHERE Account_No IN (250001,250002);

Automatic control is disabled. Use the toolbar manually get help for current control position or toggle automatic help

Execution Log:

Time	Action	Message	Status / Item
25:20:09.000	START TRANSACTION	Transaction started	0.00ms
25:20:09.000	SELECT * FROM Account WHERE Account_No IN (250001,250002);	1 row(s) affected Rows matched: 1 Changed: 1 ...	0.00ms
25:20:09.000	UPDATE Account SET Balance = Balance - 100;	1 row(s) affected Rows matched: 1 Changed: 1 ...	0.00ms
25:20:09.000	COMMIT	Transaction committed	0.00ms

36. ADD MONEY

MySQL Workbench

2520090009_Script

USE 2520090009_Script

SELECT * FROM Account WHERE Account_No IN (250001,250002);

Automatic control is disabled. Use the toolbar manually get help for current control position or toggle automatic help

Execution Log:

Time	Action	Message	Status / Item
25:20:09.000	START TRANSACTION	Transaction started	0.00ms
25:20:09.000	SELECT * FROM Account WHERE Account_No IN (250001,250002);	1 row(s) affected Rows matched: 1 Changed: 1 ...	0.00ms
25:20:09.000	UPDATE Account SET Balance = Balance + 100;	1 row(s) affected Rows matched: 1 Changed: 1 ...	0.00ms
25:20:09.000	COMMIT	Transaction committed	0.00ms

37. CANCEL TRANSACTION

Automatic context help is disabled. Use the tool manually get help for current context position or toggle automatic help.

SQL Server Enterprise Manager - 2008 R2

Server: MSSQLSERVER

Database: master

Transaction: 2008-08-08 10:00:00.000

Messages:

Time	Message	Severity	Text
10:00:00.000	10805	16	Msg 10805, Level 16, State 1, User 'sa', Database 'master', Transaction 2008-08-08 10:00:00.000: The transaction has been rolled back.

38. CHECK BALANCES

Automatic context help is disabled. Use the tool manually get help for current context position or toggle automatic help.

SQL Server Enterprise Manager - 2008 R2

Server: MSSQLSERVER

Database: master

Transaction: 2008-08-08 10:00:00.000

Messages:

Time	Message	Severity	Text
10:00:00.000	10805	16	Msg 10805, Level 16, State 1, User 'sa', Database 'master', Transaction 2008-08-08 10:00:00.000: The transaction has been rolled back.

39. ATOMICITY

Automatic context help is disabled. Use the tool manually get help for current context position or toggle automatic help.

SQL Server Enterprise Manager - 2008 R2

Server: MSSQLSERVER


Database: master

Transaction: 2008-08-08 10:00:00.000

Messages:

Time	Message	Severity	Text
10:00:00.000	10805	16	Msg 10805, Level 16, State 1, User 'sa', Database 'master', Transaction 2008-08-08 10:00:00.000: The transaction has been rolled back.


42. DURABILITY



Automatic content help disabled. Use the toolbar manually get help for current caret position or toggle automatic help.

Time	Action	Message	Duration / User
41 21:37:08	ROLLBACK	Transaction rolled back	0.00 sec
42 21:37:08	SELECT FROM Account WHERE Account_No = 1000	Transaction rolled back	0.00 sec / 0.00 sec
43 21:37:08	START TRANSACTION	Transaction started	0.00 sec
44 21:37:08	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0.00 sec
45 21:37:08	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0.00 sec
46 21:37:08	COMMIT	Transaction committed	0.00 sec
47 21:37:08	START TRANSACTION	Transaction started	0.00 sec
48 21:37:08	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0.00 sec
49 21:37:08	COMMIT	Transaction committed	0.00 sec
50 21:37:08	SELECT FROM Account WHERE Account_No = 1000	Transaction rolled back	0.00 sec / 0.00 sec


43. CHECK CURRENT ISOLATION LEVEL



Automatic content help disabled. Use the toolbar manually get help for current caret position or toggle automatic help.

Time	Action	Message	Duration / User
41 21:37:08	ROLLBACK	Transaction rolled back	0.00 sec
42 21:37:08	SELECT FROM Account WHERE Account_No = 1000	Transaction rolled back	0.00 sec / 0.00 sec
43 21:37:08	START TRANSACTION	Transaction started	0.00 sec
44 21:37:08	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0.00 sec
45 21:37:08	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0.00 sec
46 21:37:08	COMMIT	Transaction committed	0.00 sec
47 21:37:08	START TRANSACTION	Transaction started	0.00 sec
48 21:37:08	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0.00 sec
49 21:37:08	COMMIT	Transaction committed	0.00 sec
50 21:37:08	SELECT FROM Account WHERE Account_No = 1000	Transaction rolled back	0.00 sec / 0.00 sec

44. READ UNCOMMITTED



Automatic content help disabled. Use the toolbar manually get help for current caret position or toggle automatic help.

Time	Action	Message	Duration / User
41 21:37:08	ROLLBACK	Transaction rolled back	0.00 sec
42 21:37:08	SELECT FROM Account WHERE Account_No = 1000	Transaction rolled back	0.00 sec / 0.00 sec
43 21:37:08	START TRANSACTION	Transaction started	0.00 sec
44 21:37:08	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0.00 sec
45 21:37:08	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0.00 sec
46 21:37:08	COMMIT	Transaction committed	0.00 sec
47 21:37:08	START TRANSACTION	Transaction started	0.00 sec
48 21:37:08	UPDATE Account SET Balance = Balance + 100	Transaction rolled back	0.00 sec
49 21:37:08	COMMIT	Transaction committed	0.00 sec
50 21:37:08	SELECT FROM Account WHERE Account_No = 1000	Transaction rolled back	0.00 sec / 0.00 sec

45. READ COMMITTED

Automatic commit disabled. Use the manually get the current card position toggle automatic

Time	Action	Range	Duration
47 21:30:39	START TRANSACTION	Transaction started	0:00:00
48 21:30:39	UPDATE Account SET Balance = Balance + 100	Transaction affected	0:00:00
49 21:30:39	COMMIT	Transaction committed	0:00:00
50 21:30:39	SELECT @Balance = Balance FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
51 21:30:39	START TRANSACTION	Transaction started	0:00:00
52 21:30:39	SELECT * FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
53 21:30:39	COMMIT	Transaction committed	0:00:00
54 21:30:39	START TRANSACTION	Transaction started	0:00:00
55 21:30:39	SELECT * FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
56 21:30:39	COMMIT	Transaction committed	0:00:00

46. REPEATABLE READ

Automatic commit disabled. Use the manually get the current card position toggle automatic


Time	Action	Range	Duration
50 21:30:39	START TRANSACTION	Transaction started	0:00:00
51 21:30:39	UPDATE Account SET Balance = Balance + 100	Transaction affected	0:00:00
52 21:30:39	COMMIT	Transaction committed	0:00:00
53 21:30:39	SELECT * FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
54 21:30:39	START TRANSACTION	Transaction started	0:00:00
55 21:30:39	SELECT * FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
56 21:30:39	COMMIT	Transaction committed	0:00:00
57 21:30:39	START TRANSACTION	Transaction started	0:00:00
58 21:30:39	SELECT * FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
59 21:30:39	COMMIT	Transaction committed	0:00:00

47. SERIALIZABLE


Automatic commit disabled. Use the manually get the current card position toggle automatic

Time	Action	Range	Duration
50 21:30:39	START TRANSACTION	Transaction started	0:00:00
51 21:30:39	UPDATE Account SET Balance = Balance + 100	Transaction affected	0:00:00
52 21:30:39	COMMIT	Transaction committed	0:00:00
53 21:30:39	SELECT * FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
54 21:30:39	START TRANSACTION	Transaction started	0:00:00
55 21:30:39	SELECT * FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
56 21:30:39	COMMIT	Transaction committed	0:00:00
57 21:30:39	START TRANSACTION	Transaction started	0:00:00
58 21:30:39	SELECT * FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
59 21:30:39	COMMIT	Transaction committed	0:00:00
60 21:30:39	START TRANSACTION	Transaction started	0:00:00
61 21:30:39	SELECT * FROM Account WHERE Account_No = 10001	Transaction returned	0:00:00
62 21:30:39	COMMIT	Transaction committed	0:00:00


48. DEPOSIT TRANSACTION



49. WITHDRAWAL TRANSACTION



50. CANCEL WITHDRAWAL



51. TRANSFER WITH SAVEPOINT

The screenshot shows the SQL Workbench interface with a script titled '252009055_Script'. The script contains the following SQL statements:

```

CONNECT;
START TRANSACTION;
UPDATE Account SET Balance = Balance + 250;
UPDATE Account SET Balance = Balance - 10000;
UPDATE Account SET Balance = 10000;
SAVEPOINT AfterUpdate;
UPDATE Account SET Balance = Balance + 10000;
UPDATE Account SET Balance = 10000;
CONNECT;

```


On the right side, a message states: "Automatic control is disabled. Use the tool manually get help to current caret position toggle automatic is".

Below the script, the 'Execution' tab shows the results of the script execution. The table below represents the data shown in the execution results:


Line	Text	Message	Execution Time
1	CONNECT	1 row affected Rows matched: 1 Changed: 1	0.000 sec
2	START TRANSACTION	0 row affected	0.000 sec
3	UPDATE Account SET Balance = Balance + 250	1 row affected Rows matched: 1 Changed: 1	0.000 sec / 0.000
4	UPDATE Account SET Balance = Balance - 10000	0 row affected	0.000 sec
5	UPDATE Account SET Balance = 10000	1 row affected Rows matched: 1 Changed: 1	0.000 sec
6	SAVEPOINT AfterUpdate	0 row affected	0.000 sec
7	UPDATE Account SET Balance = Balance + 10000	1 row affected Rows matched: 1 Changed: 1	0.000 sec
8	UPDATE Account SET Balance = 10000	0 row affected	0.000 sec
9	CONNECT	1 row affected Rows matched: 1 Changed: 1	0.000 sec

Skill-3_Triggers


1.CREATE DATABASE AND TABLES




2.. INSERT DATA INTO TABLES




10. DISPLAY TABLE DATA




11. PROCEDURE TO DISPLAY ALL CUSTOMERS




12. PROCEDURE TO DISPLAY ACCOUNT DETAILS




13. PROCEDURE TO FIND CUSTOMER ACCOUNTS




14. PROCEDURE TO DEPOSIT MONEY




15. PROCEDURE TO WITHDRAW MONEY




16. TRIGGER – PREVENT NEGATIVE BALANCE




17. TRIGGER – PREVENT NEGATIVE DEPOSIT




18. CREATE TRANSACTION AUDIT TABLE




19. TRIGGER – TRANSACTION AUDIT



20. TRIGGER – AUTOMATICALLY UPDATE ACCOUNT BALANCE




21. TRIGGER – PREVENT WITHDRAWAL ABOVE BALANCE




ADVANCED STORED PROCEDURES


22. PROCEDURE – ACCOUNT TRANSFER



23. PROCEDURE – CUSTOMER LOAN DETAILS



24. PROCEDURE – HIGH BALANCE ACCOUNTS



25. PROCEDURE WITH IN, OUT PARAMETERS

