



VIEWS


1. CREATE DATABASE / 2. CREATE CUSTOMER TABLE




3. CREATE ACCOUNT TABLE





4. CREATE BANK TRANSACTION TABLE



5. CREATE LOAN TABLE



6-9. INSERT CUSTOMER DATA / ACCOUNT DATA / TRANSACTION DATA / LOAN DATA



[illegible]

The screenshot displays the Microsoft Access 2016 interface. The main window shows the SQL View of a query named '2020050015_Survey'. The query is a SELECT statement with columns: Customer_ID, Customer_Name, City, and Order_Customer. The design grid shows fields from 'Customers' and 'Orders' tables. The SQL View shows the following query: SELECT Customer_ID, Customer_Name, City, Order_Customer FROM Customers INNER JOIN Orders ON Customers.Customer_ID = Orders.Customer_ID. The bottom pane shows the query results with columns: #, Time, Action, Message, Duration. The results show 15 records, including '2020050015_Survey' and '2020050015_Survey_1'.

13. CREATE A VIEW FOR ACCOUNT INFORMATION

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the database structure, including tables and views. The right pane shows the 'Script' window with the following SQL code:

```
USE 20200905_Storage;
GO
CREATE VIEW IF NOT EXISTS Account_Info
AS
SELECT Account_ID, Account_Type, Balance, Branch
FROM Account;
GO
```

The 'Script' window also displays a list of objects and their status, including 'Account_Info' which is marked as 'Created'.

14. CREATE A VIEW FOR SAVINGS ACCOUNTS

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the database structure, including tables and views. The right pane shows the 'Script' window with the following SQL code:

```
USE 20200905_Storage;
GO
CREATE VIEW IF NOT EXISTS Savings_Account_Info
AS
SELECT Account_ID, Account_Type, Balance, Branch
FROM Account;
GO
```

The 'Script' window also displays a list of objects and their status, including 'Savings_Account_Info' which is marked as 'Created'.

15. CREATE A VIEW FOR CURRENT ACCOUNTS

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the database structure, including tables and views. The right pane shows the 'Script' window with the following SQL code:


```
USE 20200905_Storage;
GO
CREATE VIEW IF NOT EXISTS Current_Account_Info
AS
SELECT Account_ID, Account_Type, Balance, Branch
FROM Account;
GO
```

The 'Script' window also displays a list of objects and their status, including 'Current_Account_Info' which is marked as 'Created'.


The screenshot shows the Microsoft Dynamics CRM 2011 interface. The left-hand navigation pane is open, showing a tree view of the system. The '2010000000_Script' is selected under the 'Accounts' folder. The main window displays a list of accounts with columns for Name, Address, and Phone. The '2010000000_Script' is selected, and the list shows accounts with various details like '2010000000_Script', '2010000000_Script', '2010000000_Script', etc. The right-hand pane shows a 'Details' view for the selected account, displaying fields like 'Name', 'Address', and 'Phone'.

[illegible]


19. CUSTOMER + ACCOUNT VIEW



20. HYDERABAD CUSTOMER ACCOUNT VIEW



21. CUSTOMER LOAN VIEW



22. COMPLETE CUSTOMER BANKING VIEW


23. TOTAL BANK BALANCE

The screenshot shows the SAP Fiori 'Manage Customer' app interface. The 'Customer Name' column in the table is highlighted in blue, indicating it is the selected field for a comparison. The table lists customer records with columns for ID, Name, and Address. The 'Customer Name' column is highlighted in blue, indicating it is the selected field for a comparison.


24. AVERAGE ACCOUNT BALANCE

[illegible]


25. MAXIMUM ACCOUNT BALANCE




26. MINIMUM ACCOUNT BALANCE



27. TOTAL NUMBER OF ACCOUNTS



28. BRANCH-WISE ACCOUNT COUNT




Automatic content help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Branch	Number of Accounts
Hyderabad	2
Mysore	2
Chennai	1
Delhi	1
Mumbai	1
Pune	1

Information: No object selected

Log: 1 21:00:21 CREATE VIEW Branch_Account_Count AS SELECT... 0.00 sec
 2 21:00:21 USE 2020090191_Jessica... 0.00 sec
 3 21:00:40 INSERT INTO Customer_Customer_ID Customer... 0.00 sec
 4 21:00:42 CREATE VIEW Branch_Account_Count AS SELECT... 0.00 sec
 5 21:00:42 SELECT FROM Branch_Account_Count LIMIT 5... 0.00 sec

29. BRANCH-WISE TOTAL BALANCE




Automatic content help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Branch	Total Balance
Hyderabad	22000.00
Mysore	22000.00
Chennai	10000.00
Delhi	10000.00
Mumbai	10000.00
Pune	10000.00

Information: No object selected

Log: 1 21:00:21 CREATE VIEW Branch_Account_Count AS SELECT... 0.00 sec
 2 21:00:21 USE 2020090191_Jessica... 0.00 sec
 3 21:00:40 INSERT INTO Customer_Customer_ID Customer... 0.00 sec
 4 21:00:42 CREATE VIEW Branch_Account_Count AS SELECT... 0.00 sec
 5 21:00:42 SELECT FROM Branch_Account_Count LIMIT 5... 0.00 sec
 6 21:00:42 CREATE VIEW Branch_Total_Balance AS SELECT... 0.00 sec
 7 21:00:42 SELECT FROM Branch_Total_Balance LIMIT 5... 0.00 sec

30. ACCOUNT TYPE COUNT




Automatic content help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Account Type	Number of Accounts
Checking	4


Information: No object selected

Log: 1 21:00:21 CREATE VIEW Branch_Account_Count AS SELECT... 0.00 sec
 2 21:00:21 USE 2020090191_Jessica... 0.00 sec
 3 21:00:40 INSERT INTO Customer_Customer_ID Customer... 0.00 sec
 4 21:00:42 CREATE VIEW Branch_Account_Count AS SELECT... 0.00 sec
 5 21:00:42 SELECT FROM Branch_Account_Count LIMIT 5... 0.00 sec
 6 21:00:42 CREATE VIEW Branch_Total_Balance AS SELECT... 0.00 sec
 7 21:00:42 SELECT FROM Branch_Total_Balance LIMIT 5... 0.00 sec
 8 21:00:42 CREATE VIEW Account_Type_Count AS SELECT... 0.00 sec
 9 21:00:42 SELECT FROM Account_Type_Count LIMIT 5... 0.00 sec


31. ACCOUNT TYPE TOTAL BALANCE



32. BRANCHES WITH MORE THAN ONE ACCOUNT



33. BRANCHES WITH TOTAL BALANCE ABOVE 100000



34. DEPOSIT TRANSACTION VIEW

Automatic context help is disabled, use the toolbar to manually get help for the current context position or to toggle automatic help.

Transaction ID	Amount	Transaction Type	Transaction Date
1	1000	Deposit	2020-01-01 10:00
2	2000	Deposit	2020-01-02 10:00
3	3000	Deposit	2020-01-03 10:00
4	4000	Deposit	2020-01-04 10:00
5	5000	Deposit	2020-01-05 10:00
6	6000	Deposit	2020-01-06 10:00
7	7000	Deposit	2020-01-07 10:00
8	8000	Deposit	2020-01-08 10:00
9	9000	Deposit	2020-01-09 10:00
10	10000	Deposit	2020-01-10 10:00

35. WITHDRAWAL TRANSACTION VIEW

Automatic context help is disabled, use the toolbar to manually get help for the current context position or to toggle automatic help.

Transaction ID	Amount	Transaction Type	Transaction Date
1	1000	Withdrawal	2020-01-01 10:00
2	2000	Withdrawal	2020-01-02 10:00
3	3000	Withdrawal	2020-01-03 10:00
4	4000	Withdrawal	2020-01-04 10:00
5	5000	Withdrawal	2020-01-05 10:00
6	6000	Withdrawal	2020-01-06 10:00
7	7000	Withdrawal	2020-01-07 10:00
8	8000	Withdrawal	2020-01-08 10:00
9	9000	Withdrawal	2020-01-09 10:00
10	10000	Withdrawal	2020-01-10 10:00

36. TRANSACTION DETAILS WITH CUSTOMER

Automatic context help is disabled, use the toolbar to manually get help for the current context position or to toggle automatic help.

Transaction ID	Amount	Transaction Type	Transaction Date
1	1000	Deposit	2020-01-01 10:00
2	2000	Deposit	2020-01-02 10:00
3	3000	Deposit	2020-01-03 10:00
4	4000	Deposit	2020-01-04 10:00
5	5000	Deposit	2020-01-05 10:00
6	6000	Deposit	2020-01-06 10:00
7	7000	Deposit	2020-01-07 10:00
8	8000	Deposit	2020-01-08 10:00
9	9000	Deposit	2020-01-09 10:00
10	10000	Deposit	2020-01-10 10:00

37. HIGH VALUE TRANSACTION VIEW

The screenshot shows the 'High Value Transaction View' with a list of transactions. The 'Transaction Type' column is filtered to show 'High Value Transaction'. The 'Amount' column is sorted in descending order.

Transaction ID	Account No.	Transaction Type	Amount	Transaction Date
1	00001	High Value Transaction	10000.00	2020-08-12 10:00
2	00002	High Value Transaction	5000.00	2020-08-12 10:00
3	00003	High Value Transaction	2500.00	2020-08-12 10:00
4	00004	High Value Transaction	1250.00	2020-08-12 10:00
5	00005	High Value Transaction	625.00	2020-08-12 10:00

38. ACCOUNTS ORDERED BY BALANCE

The screenshot shows the 'Accounts Ordered by Balance' view. The 'Account Type' column is filtered to show 'Current'. The 'Balance' column is sorted in descending order.

Account No.	Customer No.	Account Type	Balance
00001	001	Current	10000.00
00002	002	Current	5000.00
00003	003	Current	2500.00
00004	004	Current	1250.00
00005	005	Current	625.00

39. CUSTOMERS ORDERED BY NAME

The screenshot shows the 'Customers Ordered by Name' view. The 'Customer Name' column is filtered to show 'Customer'. The 'Customer Name' column is sorted in ascending order.

Customer No.	Customer Name	Customer Type
001	John Doe	Customer
002	Jane Smith	Customer
003	Mike Johnson	Customer
004	Sarah Brown	Customer
005	David Wilson	Customer

40. LOAN INTEREST CALCULATION VIEW

The screenshot displays the SAP HANA Studio interface. The left pane shows the project tree with the 'Loan Interest Calculation View' selected. The main editor shows the SQL script for the view, which includes a SELECT statement with columns: loan_id, customer_id, loan_type, loan_amount, interest_rate, and term. The script is as follows:

```

SELECT * FROM Loan, Interest_Rate
WHERE loan_id = Interest_Rate / 1000

```

The right pane shows the 'Result List' with a table of data. The table has columns: loan_id, customer_id, loan_type, loan_amount, interest_rate, and term. The data is as follows:

loan_id	customer_id	loan_type	loan_amount	interest_rate	term
101	101	Home Loan	100000.00	7.50	2400
102	102	Business Loan	50000.00	8.50	1200
103	103	Car Loan	20000.00	6.50	3600
104	104	Personal Loan	30000.00	10.50	1800
105	105	Home Loan	40000.00	7.50	2400
106	106	Car Loan	15000.00	6.50	3600
107	107	Business Loan	60000.00	8.50	1200

The bottom pane shows the 'Execution' tab with a table of execution statistics. The table has columns: step, action, status, message, and execution_time. The data is as follows:

step	action	status	message	execution_time
1	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
2	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
3	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
4	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
5	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
6	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
7	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
8	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
9	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
10	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec

41. LOAN TOTAL AMOUNT VIEW

The screenshot displays the SAP HANA Studio interface. The left pane shows the project tree with the 'Loan Total Amount View' selected. The main editor shows the SQL script for the view, which includes a SELECT statement with columns: loan_id, customer_id, loan_type, loan_amount, interest_rate, and term. The script is as follows:

```

SELECT * FROM Loan, Interest_Rate
WHERE loan_id = Interest_Rate / 1000

```

The right pane shows the 'Result List' with a table of data. The table has columns: loan_id, customer_id, loan_type, loan_amount, interest_rate, and term. The data is as follows:

loan_id	customer_id	loan_type	loan_amount	interest_rate	term
101	101	Home Loan	100000.00	7.50	2400
102	102	Business Loan	50000.00	8.50	1200
103	103	Car Loan	20000.00	6.50	3600
104	104	Personal Loan	30000.00	10.50	1800
105	105	Home Loan	40000.00	7.50	2400
106	106	Car Loan	15000.00	6.50	3600
107	107	Business Loan	60000.00	8.50	1200

The bottom pane shows the 'Execution' tab with a table of execution statistics. The table has columns: step, action, status, message, and execution_time. The data is as follows:

step	action	status	message	execution_time
1	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
2	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
3	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
4	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
5	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
6	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
7	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
8	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
9	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
10	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec

42. DISPLAY HIGH BALANCE ACCOUNTS FROM VIEW

The screenshot displays the SAP HANA Studio interface. The left pane shows the project tree with the 'Display High Balance Accounts From View' selected. The main editor shows the SQL script for the view, which includes a SELECT statement with columns: account_id, customer_id, account_type, and balance. The script is as follows:

```

SELECT * FROM Loan, Interest_Rate
WHERE loan_id = Interest_Rate / 1000

```

The right pane shows the 'Result List' with a table of data. The table has columns: account_id, customer_id, account_type, and balance. The data is as follows:

account_id	customer_id	account_type	balance
10001	101	Current	10000.00


The bottom pane shows the 'Execution' tab with a table of execution statistics. The table has columns: step, action, status, message, and execution_time. The data is as follows:

step	action	status	message	execution_time
1	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
2	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
3	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
4	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
5	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
6	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
7	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
8	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
9	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec
10	SELECT FROM Loan, Interest_Rate	Success	0 rows affected	0.00 sec - 0.00 sec

The screenshot displays the SAP S/4HANA Fiori 'Manage Customer Data' application. The interface includes a top navigation bar with the SAP logo and a search bar. Below the navigation bar, there is a 'Customer Data' section with a table listing customer information. The table has columns for 'Customer ID', 'Customer Name', 'Customer Type', and 'Status'. The table is currently empty. To the right of the table, there is a 'Customer Data' section with a table listing customer information. The table has columns for 'Customer ID', 'Customer Name', 'Customer Type', and 'Status'. The table is currently empty. Below the table, there is a 'Customer Data' section with a table listing customer information. The table has columns for 'Customer ID', 'Customer Name', 'Customer Type', and 'Status'. The table is currently empty.

[illegible]

46. DISPLAY CUSTOMER ACCOUNTS ORDERED BY BALANCE



Microsoft Access - Query1


Query1

SELECT Customer_ID, Customer_Name, City, Account_ID, Account_Type FROM Customer ORDER BY Account_Type, Account_ID

Results:

Customer_ID	Customer_Name	City	Account_ID	Account_Type
101	John Smith	London	1001	Current
102	John Smith	London	1002	Current
103	John Smith	London	1003	Current
104	John Smith	London	1004	Current
105	John Smith	London	1005	Current
106	John Smith	London	1006	Current
107	John Smith	London	1007	Current
108	John Smith	London	1008	Current
109	John Smith	London	1009	Current
110	John Smith	London	1010	Current

47. DISPLAY LOANS ABOVE 1000000



Microsoft Access - Query2


Query2

SELECT Loan_ID, Loan_Amount, Loan_Type, Loan_Status FROM Loan ORDER BY Loan_Amount DESC

Results:

Loan_ID	Loan_Amount	Loan_Type	Loan_Status
101	1000000	Personal	Active
102	1000000	Personal	Active
103	1000000	Personal	Active
104	1000000	Personal	Active
105	1000000	Personal	Active
106	1000000	Personal	Active
107	1000000	Personal	Active
108	1000000	Personal	Active
109	1000000	Personal	Active
110	1000000	Personal	Active

48. UPDATE ACCOUNT BALANCE THROUGH VIEW



Microsoft Access - Query3


Query3

SELECT Account_ID, Customer_ID, Account_Type, Balance FROM Account ORDER BY Account_Type, Account_ID


Results:

Account_ID	Customer_ID	Account_Type	Balance
101	101	Current	1000000
102	101	Current	1000000
103	101	Current	1000000
104	101	Current	1000000
105	101	Current	1000000
106	101	Current	1000000
107	101	Current	1000000
108	101	Current	1000000
109	101	Current	1000000
110	101	Current	1000000


49. INSERT USING SIMPLE VIEW




50. DELETE USING SIMPLE VIEW




51. SHOW ALL VIEWS




52. SHOW VIEW DEFINITION



53. DESCRIBE VIEW



54. DROP ONE VIEW



55. DROP MULTIPLE VIEWS

The screenshot displays the SQL Server Enterprise Manager interface. The left pane shows the database structure, including tables and views. The central pane contains a SQL script with the following commands:

```
SELECT *
FROM Account;

SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW';

SHOW CREATE VIEW Customer_Account_View;

SELECT * FROM Customer_Account_View;

DROP VIEW Customer_Video;

DROP VIEW;


Customer_Basic_Video;
Savings_Account_Video;
Current_Account_Video;
```

The right pane shows a message: "Automatic content help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help." Below the script, the "Query Output" pane shows the results of the execution, including error messages and execution statistics.


Line	Text	Message	Severity	State	Time
42	22:10:12 INSERT INTO Single_Account_New VALUES (1)	1 row(s) affected	0	0	0:00:00
43	22:10:13 SELECT FROM Single_Account_LMT (1, 100)	11 row(s) returned	0	0	0:00:00 / 0:00:00
44	22:10:13 DELETE FROM Single_Account_New WHERE	1 row(s) affected	0	0	0:00:00
45	22:10:13 SELECT FROM Single_Account_LMT (1, 100)	10 row(s) returned	0	0	0:00:00 / 0:00:00
46	22:10:13 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW'	20 row(s) returned	0	0	0:00:00 / 0:00:00
47	22:10:13 SHOW CREATE VIEW Customer_Account_New	1 row(s) returned	0	0	0:00:00 / 0:00:00
48	22:10:13 SELECT * FROM Customer_Account_View	7 row(s) returned	0	0	0:00:00 / 0:00:00
49	22:10:13 DROP VIEW Customer_Video	1 row(s) affected	0	0	0:00:00
50	22:10:13 DROP VIEW Customer_Video	1 row(s) affected	0	0	0:00:00
51	22:10:13 DROP VIEW Customer_Basic_Video	1 row(s) affected	0	0	0:00:00
52	22:10:13 DROP VIEW Customer_Savings_Account_Video	1 row(s) affected	0	0	0:00:00

Skill-ACID Properties


1. CREATE DATABASE




2. CREATE CUSTOMER TABLE




3. CREATE ACCOUNT TABLE




4. CREATE TRANSACTION TABLE




5. INSERT CUSTOMER DATA




6. INSERT ACCOUNT DATA




7. INSERT BANK TRANSACTION DATA




8. DISPLAY DATA




9. START A TRANSACTION




10. DEPOSIT MONEY



11. CHECK BALANCE



12. COMMIT TRANSACTION



13. CHECK BALANCE AFTER COMMIT

The screenshot shows the Microsoft Dynamics CRM 2011 interface. The left-hand pane displays the 'Accounts' entity selected under the 'Sales & Marketing' category. The main pane shows a list of accounts with columns: Name, Type, Status, and Address. The list includes accounts like 'ABC Company', 'XYZ Corporation', and 'DEF Inc.'. The right-hand pane shows the 'Details' view for the selected account, displaying fields like 'Name', 'Type', 'Status', and 'Address'.

14. START TRANSACTION

[illegible]

15. WITHDRAW MONEY

[illegible]

The screenshot displays the MYOB AccountRight software interface. The top menu bar includes 'File', 'Edit', 'View', 'Tools', 'Display', and 'Help'. Below the menu is a toolbar with icons for various functions. The main window is divided into two panes. The left pane shows a list of accounts, including '15/09/2019_Sales', '15/09/2019_Purchase', '15/09/2019_Expense', and '15/09/2019_Income'. The right pane shows a detailed view of the '15/09/2019_Sales' account, including a 'Balances' table and a 'Transactions' table. The 'Balances' table has columns for 'Account No.', 'Balance', 'Debit', and 'Credit'. The 'Transactions' table has columns for 'Date', 'Description', 'Debit', and 'Credit'. The 'Balances' table shows a balance of 1000.00. The 'Transactions' table shows several transactions, including '15/09/2019 Sales' and '15/09/2019 Sales - Balance'.

Accounts List:

- 15/09/2019_Sales
- 15/09/2019_Purchase
- 15/09/2019_Expense
- 15/09/2019_Income

15/09/2019_Sales Account Details:

Balances:


Account No.	Balance	Debit	Credit
15/09/2019_Sales	1000.00		

Transactions:


Date	Description	Debit	Credit
15/09/2019	Sales		1000.00
15/09/2019	Sales - Balance	1000.00	

[illegible][illegible]


19. START TRANSACTION



20. FIRST UPDATE



21. CREATE SAVEPOINT



[illegible][illegible][illegible]

25. ROLLBACK TO SAVEPOINT

Automatic control help disabled. Use the toolbar manually get help for current caret position or toggle automatic help.

```

-- Rollback to savepoint
ROLLBACK TO SAVEPOINT savepoint1;

```

Time	Message	Duration
21:25:00	ROLLBACK TO SAVEPOINT savepoint1	0:00:00
21:25:01	Transaction committed	0:00:00

26. COMMIT

Automatic control help disabled. Use the toolbar manually get help for current caret position or toggle automatic help.

```

-- Commit
COMMIT;

```

Time	Message	Duration
21:25:00	COMMIT	0:00:00
21:25:01	Transaction committed	0:00:00

27. CHECK ACCOUNTS

Automatic control help disabled. Use the toolbar manually get help for current caret position or toggle automatic help.


```

-- Check Accounts
CHECK ACCOUNTS;


```

Time	Message	Duration
21:25:00	CHECK ACCOUNTS	0:00:00
21:25:01	Transaction committed	0:00:00


28. TRANSFER MONEY




29. DEDUCT FROM SENDER




30. ADD TO RECEIVER




31. CHECK BOTH ACCOUNTS




32. COMMIT TRANSFER




33. FINAL BALANCES




34. START TRANSACTION




35. DEDUCT MONEY




36. ADD MONEY




37. CANCEL TRANSACTION



38. CHECK BALANCES



39. ATOMICITY



The screenshot displays the SQL Server Enterprise Manager interface. The top menu bar includes File, View, Tools, Database, Server, Tools, Scripting, and Help. The toolbar contains icons for various database operations. The main window shows a query plan for a SELECT statement. The query is: `SELECT * FROM Adventureworks2008.Account WHERE AccountID = 1000000000`. The query plan shows a single row with a cost of 0.00. The results pane shows a single row with columns: AccountID, Name, Balance, and CreditLimit. The values are: 1000000000, '1000000000', 1000000000, and 1000000000. The interface includes a menu bar (File, View, Tools, Database, Server, Tools, Scripting, Help), a toolbar, and a status bar at the bottom.

45. READ COMMITTED

Automatic commit disabled. Use the manually get the current commit point toggle button.

Time	Transaction	Operation	Duration
2010-01-01 10:00:00	START TRANSACTION	Transaction started	0:00:00
2010-01-01 10:00:01	SELECT FROM Account WHERE Account_No = 10001	Transaction affected	0:00:00
2010-01-01 10:00:02	COMMIT	Transaction committed	0:00:00

46. REPEATABLE READ

Automatic commit disabled. Use the manually get the current commit point toggle button.


Time	Transaction	Operation	Duration
2010-01-01 10:00:00	START TRANSACTION	Transaction started	0:00:00
2010-01-01 10:00:01	SELECT FROM Account WHERE Account_No = 10001	Transaction affected	0:00:00
2010-01-01 10:00:02	COMMIT	Transaction committed	0:00:00

47. SERIALIZABLE


Automatic commit disabled. Use the manually get the current commit point toggle button.

Time	Transaction	Operation	Duration
2010-01-01 10:00:00	START TRANSACTION	Transaction started	0:00:00
2010-01-01 10:00:01	SELECT FROM Account WHERE Account_No = 10001	Transaction affected	0:00:00
2010-01-01 10:00:02	COMMIT	Transaction committed	0:00:00


48. DEPOSIT TRANSACTION



49. WITHDRAWAL TRANSACTION



50. CANCEL WITHDRAWAL



51. TRANSFER WITH SAVEPOINT

The screenshot shows the SQL Developer interface with a PL/SQL script in the main editor and its execution results in the Results window.

Script Content:

```

1  BEGIN
2    COMMIT;
3    START TRANSACTION;
4    UPDATE Account
5    SET Balance = Balance - 10000;
6    UPDATE Account_No = (20001);
7    SAVEPOINT AFTERMATH;
8    UPDATE Account
9    SET Balance = Balance + 10000;
10   UPDATE Account_No = (20001);
11   COMMIT;
12 END;
  
```

Execution Results:

Row	Text	Message	Execution Time
1	UPDATE Account SET Balance = Balance - 10000;	1 row affected Rows matched: 1 Changed: 1	0.00 sec
2	UPDATE Account_No = (20001);	1 row affected	0.00 sec
3	SAVEPOINT AFTERMATH;	1 row affected	0.00 sec
4	UPDATE Account SET Balance = Balance + 10000;	1 row affected Rows matched: 1 Changed: 1	0.00 sec
5	UPDATE Account_No = (20001);	1 row affected	0.00 sec
6	COMMIT;	1 row affected	0.00 sec

Annotations:

- Line 3: **START TRANSACTION;**
- Line 7: **SAVEPOINT AFTERMATH;**

Right Panel Note: Automatic control is disabled. Use the tool manually get help to correct caret position toggle automatic is