


DBMS


SKILL – 5



GET:

FastAPI **0.1.0** **OAS 3.1**

/openapi.json



Code

Details

200

Response body

```
[
  {
    "id": 101,
    "name": "Ravi",
    "department": "CSE"
  },
  {
    "id": 102,
    "name": "Priya",
    "department": "ECE"
  }
]
```

 Download

Response headers

```
content-length: 90
content-type: application/json
date: Thu, 17 Sep 2026 16:35:11 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

POST:

default

GET /students Get Students

POST /students Create Student

Parameters

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "id": 103,
  "name": "Arun",
  "department": "CSE"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/students' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 103,
    "name": "Arun",
    "department": "CSE"
  }'
```

Request URL

http://127.0.0.1:8000/students

Server response

Code	Details
200	Response body <pre>{ "message": "Student created", "student": { "id": 103, "name": "Arun", "department": "CSE" } }</pre> Response headers <pre>content-length: 83 content-type: application/json date: Thu, 17 Sep 2026 16:39:50 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header

GET request displaying all students after successful insertion:

default

GET /students Get Students

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/students' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json'
```

Request URL

http://127.0.0.1:8000/students

Server response

Code	Details
200	Response body <pre>{ "students": [{ "id": 101, "name": "Ravi", "department": "CSE" }, { "id": 102, "name": "Priya", "department": "ECE" }, { "id": 103, "name": "Arun", "department": "CSE" }] }</pre> Response headers <pre>content-length: 134 content-type: application/json date: Thu, 17 Sep 2026 16:42:29 GMT server: uvicorn</pre>

Responses

Code	Description	Links
------	-------------	-------

Final MySQL students table after successful FastAPI operations:

The screenshot displays the MySQL Workbench interface. On the left, the 'Navigator' pane shows the 'MANAGEMENT' section with options like 'Server Status', 'Client Connections', 'Users and Privileges', 'Status and System Variables', 'Data Export', and 'Data Import/Restore'. Below this is the 'INSTANCE' section with 'Startup / Shutdown', 'Server Logs', and 'Options File'. The 'PERFORMANCE' section includes 'Dashboard', 'Performance Reports', and 'Performance Schema Setup'. The 'Administration' tab is selected, showing 'Schemas'. The 'Information' pane at the bottom left indicates 'No object selected'.

The main workspace shows 'Query 1' with the following SQL code:

```
1 • USE university;
2
3 • SELECT * FROM students;
```

The 'Result Grid' displays the data from the 'students' table:

id	name	department
101	Ravi	CSE
102	Priya	ECE
103	Arun	CSE

The 'Output' pane at the bottom right shows the 'Action Output' table:

#	Time	Action	Message
1	22:14:57	USE university	0 row(s) affected
2	22:14:57	SELECT * FROM students LIMIT 0, 1000	3 row(s) returned