

GNU nano 7.2

```
#include <stdio.h>
#include <string.h>

int main()
{
    char input[200];

    printf("Enter a string with escape sequences: ");
    fgets(input, sizeof(input), stdin);

    printf("\nOriginal input:\n");
    printf("%s", input);

    printf("\nEscaped examples:\n");
    printf("Newline: Hello\\nWorld\\n");
    printf("Tab: Hello\\tWorld\\n");
    printf("Backslash: C:\\\\Users\\\\Sravya\\n");
    printf("Special symbols: \\$ \\* \\? \\!\\n");

    printf("\nPreserved characters:\n");
    for (int i = 0; input[i] != '\\0'; i++)
    {
        if (input[i] != '\\n')
            printf("[%c]", input[i]);
    }

    printf("\n");

    return 0;
}
```

```
sravya@Sravya1955:~/os$ gcc escape.c -o escape
sravya@Sravya1955:~/os$ ./escape
Enter a string with escape sequences: Hello World $HOME * test

Original input:
Hello World $HOME * test

Escaped examples:
Newline: Hello\nWorld
Tab: Hello\tWorld
Backslash: C:\\Users\\Sravya
Special symbols: \$ \\* \\? \\!

Preserved characters:
[H][e][l][l][o][ ][W][o][r][l][d][ ][$][H][O][M][E][ ][*][ ][t][e][s][t]
```

```
sravya@Sravya1955:~/os$ touch My\ File.txt
sravya@Sravya1955:~/os$ ls
1      'My File.txt'      filecopy      os1.1.2.c      os1.3.c      os6.c      project      signal1      signal6      tokenizer
1.1.1c MyProject          filecopy.c    os1.1.3.c      os1.4.c      os7.c      quotes      signal1.c    signal6.c    tokenizer.c
1.c    bin                memory1.c     os1.1.4.c.save os1.c        os8.c      quotes.c     signal2.c    signal7.c
2      destination.txt    memory1.c     os1.1.5.c      os1.xc       parser      quotes.sh    signal2.c    signal7.c
2.c    docs              mermory.c     os1.1.6.c      os14.c       parser.c    sample.txt   signal3.c    source.txt
3      escape           mermory.c     os1.1.6.c      os15.c       parser1.c   shell        signal3.c    src
3.c    escape.c          new           os1.1.7.c      os2.c        parser1.c   shell.c      signal4.c    std
4.c    exec              op.save       os1.1.8.c      os3.c        program1.c  shell_history signal4.c    std.c
FileDescriptors fifo_project   os.c          os1.1.c        os4.c        program7.c  shell_history.c save signal4.c    std.c.save
LinuxLab file1.txt       os1.1.1.c     os1.2.c        os5.c        program7.c  shell_history.c.save signal5.c    test.txt
sravya@Sravya1955:~/os$ cat My\ File.txt
sravya@Sravya1955:~/os$ touch "Another File.txt"
ls
1      'My File.txt'      filecopy.c    os1.1.4.c.save os1.xc       parser.c     shell        signal4      std.c
1.1.1c MyProject          memory1.c     os1.1.5.c      os14.c       parser1.c    shell.c      signal4.c    std.c.save
1.c    bin                memory1.c     os1.1.6.c      os15.c       parser1.c    shell_history signal5      test.txt
2      destination.txt    memory1.c     os1.1.6.c      os2.c        program1.c   shell_history signal5.c    tokenizer
2.c    docs              mermory.c     os1.1.7.c      os3.c        program7.c   shell_history.c.save signal6      tokenizer.c
3      escape           new           os1.1.8.c      os4.c        program7.c   signal1      signal6.c
3.c    escape.c          op.save       os1.1.c        os5.c        project      signal1.c    signal7
4.c    exec              os.c          os1.2.c        os6.c        quotes       signal2.c    signal7.c
'Another File.txt' fifo_project   os1.1.1.c     os1.3.c      os7.c        quotes.c     signal2.c    source.txt
FileDescriptors file1.txt       os1.1.2.c     os1.4.c      os8.c        quotes.sh    signal3      src
LinuxLab filecopy    os1.1.3.c     os1.c        parser       sample.txt   signal3.c    std
```

```
LinuxLab filecopy
sravya@Sravya1955:~/os$ echo \$HOME
$HOME
sravya@Sravya1955:~/os$ echo \*
*
sravya@Sravya1955:~/os$ echo \?
?
sravya@Sravya1955:~/os$ echo \!
!
sravya@Sravya1955:~/os$ |
```

```
[H][e][l][l][o][ ] [W][o][r][l][d] [\\$][H][O][M][E] [*] \? "Linux Test"[  
sravya@Sravya1955:~/os$ ./escape  
Enter a string with escape sequences: Hello\ World \$HOME \* \? "Linux Test"  
  
Original input:  
Hello\ World \$HOME \* \? "Linux Test"  
  
Escaped examples:  
Newline: Hello\nWorld  
Tab: Hello\tWorld  
Backslash: C:\\Users\\Sravya  
Special symbols: \\$ \\* \\? \\!  
  
Preserved characters:  
[H][e][l][l][o][ ] [W][o][r][l][d] [\\$][H][O][M][E] [\\[*] [\\[?] [\["] [L][i][n][u][x][ ] [T][e][s][t]"
```

Parent process exiting: PID = 674

sravya@Sravya1955:~/os\$ ls -l

```
total 640
-rwxr-xr-x 1 sravya sravya 16096 Aug 27 09:08 1
-rw-r--r-- 1 sravya sravya 927 Aug 27 09:28 1.1.1c
-rw-r--r-- 1 sravya sravya 676 Aug 27 09:07 1.c
-rwxr-xr-x 1 sravya sravya 16096 Aug 27 09:22 2
-rw-r--r-- 1 sravya sravya 927 Aug 27 09:22 2.c
-rwxr-xr-x 1 sravya sravya 16096 Aug 27 09:33 3
-rw-r--r-- 1 sravya sravya 927 Aug 27 09:33 3.c
-rw-r--r-- 1 sravya sravya 1 Aug 27 09:34 4.c
-rw-r--r-- 1 sravya sravya 0 Sep 26 04:01 'Another File.txt'
drwxr-xr-x 2 sravya sravya 4096 Aug 26 03:15 FileDescriptors
drwxr-xr-x 2 sravya sravya 4096 Aug 7 09:19 LinuxLab
-rw-r--r-- 1 sravya sravya 0 Sep 26 04:00 'My File.txt'
drwxr-xr-x 8 sravya sravya 4096 Aug 1 03:46 MyProject
drwxr-xr-x 2 sravya sravya 4096 Aug 7 13:28 bin
-rwxrwxrwx 1 sravya sravya 70 Aug 5 03:48 destination.txt
drwxr-xr-x 2 sravya sravya 4096 Aug 7 13:28 docs
-rwxr-xr-x 1 sravya sravya 16184 Sep 26 04:02 escape
-rw-r--r-- 1 sravya sravya 645 Sep 26 03:56 escape.c
drwxr-xr-x 2 sravya sravya 4096 Jul 31 09:34 exec
drwxr-xr-x 2 sravya sravya 4096 Sep 9 04:10 fifo_project
-rw-r--r-- 1 sravya sravya 12 Aug 7 09:26 file1.txt
-rwxr-xr-x 1 sravya sravya 16224 Aug 5 03:48 filecopy
-rw-r--r-- 1 sravya sravya 681 Aug 5 03:32 filecopy.c
-rwxr-xr-x 1 sravya sravya 16344 Sep 26 03:11 memory1
-rw-r--r-- 1 sravya sravya 797 Sep 26 03:10 memory1.c
-rwxr-xr-x 1 sravya sravya 16344 Sep 26 03:10 mermory
-rw-r--r-- 1 sravya sravya 797 Sep 26 03:08 mermory.c
drwxr-xr-x 2 sravya sravya 4096 Aug 7 09:36 new
-rw-r--r-- 1 sravya sravya 2 Aug 8 04:23 op.save
-rw-r--r-- 1 sravya sravya 93 Jul 29 03:11 os.c
-rw-r--r-- 1 sravya sravya 207 Aug 5 04:00 os1.1.1.c
-rw-r--r-- 1 sravya sravya 422 Aug 5 04:01 os1.1.2.c
-rw-r--r-- 1 sravya sravya 169 Aug 5 04:03 os1.1.3.c
-rw-r--r-- 1 sravya sravya 0 Aug 5 04:05 os1.1.4.c.save
-rw-r--r-- 1 sravya sravya 708 Aug 5 04:10 os1.1.5.c
-rw-r--r-- 1 sravya sravya 507 Aug 7 09:00 os1.1.6
-rw-r--r-- 1 sravya sravya 507 Aug 7 09:03 os1.1.6.c
-rw-r--r-- 1 sravya sravya 1025 Aug 28 08:12 os1.1.7.c
-rw-r--r-- 1 sravya sravya 1066 Aug 28 08:18 os1.1.8.c
-rw-r--r-- 1 sravya sravya 872 Aug 5 03:22 os1.1.c
-rw-r--r-- 1 sravya sravya 713 Aug 5 03:27 os1.2.c
-rw-r--r-- 1 sravya sravya 680 Aug 5 03:34 os1.3.c
-rw-r--r-- 1 sravya sravya 508 Aug 5 03:53 os1.4.c
-rw-r--r-- 1 sravya sravya 89 Jul 29 03:17 os1.c
-rw-r--r-- 1 sravya sravya 0 Jul 29 03:16 os1.xc
-rw-r--r-- 1 sravya sravya 203 Aug 1 02:49 os14.c
-rw-r--r-- 1 sravya sravya 243 Aug 1 02:50 os15.c
-rw-r--r-- 1 sravya sravya 154 Aug 11 06:33 os2.c
-rw-r--r-- 1 sravya sravya 279 Jul 29 03:23 os3.c
-rw-r--r-- 1 sravya sravya 214 Jul 29 03:26 os4.c
-rw-r--r-- 1 sravya sravya 116 Jul 29 03:26 os5.c
-rw-r--r-- 1 sravya sravya 220 Jul 29 03:29 os6.c
-rw-r--r-- 1 sravya sravya 132 Jul 29 03:30 os7.c
-rw-r--r-- 1 sravya sravya 623 Jul 29 03:38 os8.c
-rwxr-xr-x 1 sravya sravya 16272 Sep 20 13:06 parser
-rw-r--r-- 1 sravya sravya 977 Aug 11 06:59 parser.c
-rwxr-xr-x 1 sravya sravya 16176 Sep 20 13:12 parser1
-rw-r--r-- 1 sravya sravya 2145 Sep 20 13:16 parser1.c
-rwxr-xr-x 1 sravya sravya 16256 Sep 26 04:05 process
-rw-r--r-- 1 sravya sravya 817 Sep 26 04:05 process.c
```

```
-rw-r--r-- 1 sravya sravya 817 Sep 26 04:05 process.c
-rw-r--r-- 1 sravya sravya 98 Aug 25 06:47 program1.c
-rwxr-xr-x 1 sravya sravya 16088 Aug 29 03:09 program7
-rw-r--r-- 1 sravya sravya 301 Aug 29 03:07 program7.c
drwxr-xr-x 2 sravya sravya 4096 Aug 7 09:36 project
-rwxr-xr-x 1 sravya sravya 16272 Aug 11 07:03 quotes
-rw-r--r-- 1 sravya sravya 756 Aug 11 07:03 quotes.c
-rwxr-xr-x 1 sravya sravya 435 Sep 26 03:35 quotes.sh
-rw-r--r-- 1 sravya sravya 28 Aug 29 03:09 sample.txt
-rwxr-xr-x 1 sravya sravya 16224 Aug 11 06:56 shell
-rw-r--r-- 1 sravya sravya 423 Aug 11 06:56 shell.c
-rwxr-xr-x 1 sravya sravya 19888 Aug 11 06:57 shell_history
-rw-r--r-- 1 sravya sravya 1308 Aug 11 06:57 shell_history.c
-rw-r--r-- 1 sravya sravya 1308 Aug 11 08:00 shell_history.c.save
-rwxr-xr-x 1 sravya sravya 16088 Sep 1 06:31 signal1
-rw-r--r-- 1 sravya sravya 239 Sep 1 06:30 signal1.c
-rwxr-xr-x 1 sravya sravya 16008 Sep 1 06:44 signal2
-rw-r--r-- 1 sravya sravya 123 Sep 1 06:43 signal2.c
-rwxr-xr-x 1 sravya sravya 16168 Sep 1 06:49 signal3
-rw-r--r-- 1 sravya sravya 448 Sep 1 06:49 signal3.c
-rwxr-xr-x 1 sravya sravya 16136 Sep 1 06:59 signal4
-rw-r--r-- 1 sravya sravya 205 Sep 1 06:58 signal4.c
-rwxr-xr-x 1 sravya sravya 16200 Sep 1 07:00 signal5
-rw-r--r-- 1 sravya sravya 424 Sep 1 07:00 signal5.c
-rwxr-xr-x 1 sravya sravya 16008 Sep 1 07:02 signal6
-rw-r--r-- 1 sravya sravya 129 Sep 1 07:02 signal6.c
-rwxr-xr-x 1 sravya sravya 15960 Sep 1 07:03 signal7
-rw-r--r-- 1 sravya sravya 119 Sep 1 07:03 signal7.c
-rw-r--r-- 1 sravya sravya 70 Aug 5 03:30 source.txt
drwxr-xr-x 2 sravya sravya 4096 Aug 7 13:28 src
-rwxr-xr-x 1 sravya sravya 15960 Aug 25 06:46 std
-rw-r--r-- 1 sravya sravya 96 Aug 25 06:45 std.c
-rw-r--r-- 1 sravya sravya 97 Aug 25 06:47 std.c.save
-rw-r--r-- 1 sravya sravya 0 Jul 28 06:58 test.txt
-rwxr-xr-x 1 sravya sravya 16264 Sep 20 08:58 tokenizer
-rw-r--r-- 1 sravya sravya 1454 Sep 20 08:57 tokenizer.c
sravya@Sravya1955:~/os$ |
```