1 CUA

1.1 BASIC SHORTCUTS

| | Shortcut | Output | Explanations |
|---|----------|-----------------|--------------|
| 1 | Ctrl+r | buffer-view | |
| 2 | Alt+x | command-execute | |

1.2 UNIVERSAL SHORTCUTS

| | Shortcut | Output | Explanations |
|----|----------------|--------------------------------|--------------|
| 1 | Ctrl+n | buffer-new | |
| 2 | Ctrl+Shift+N | dialog-show lyxfiles templates | |
| 3 | Ctrl+o | file-open | |
| 4 | Ctrl+w | view-close | |
| 5 | Ctrl+s | buffer-write | |
| 6 | Ctrl+Shift+S | buffer-write-as | |
| 7 | Ctrl+Next | buffer-next | |
| 8 | Ctrl+Tab | buffer-next | |
| 9 | Ctrl+Prior | buffer-previous | |
| 10 | Ctrl+Shift+Tab | buffer-previous | |
| 11 | Alt+F4 | lyx-quit | |
| 12 | Ctrl+F4 | buffer-close | |
| 13 | F11 | ui-toggle fullscreen | |
| 14 | Ctrl+0 | buffer-zoom | |
| 15 | Ctrl+= | buffer-zoom-in | |
| 16 | Ctrl+- | buffer-zoom-out | |
| 17 | Ctrl+f | dialog-show findreplace | |
| 18 | Ctrl+Shift+F | dialog-show findreplaceadv | |
| 19 | Ctrl+a | inset-select-all | |
| 20 | Ctrl+c | copy | |
| 21 | Ctrl+x | cut | |
| 22 | Ctrl+v | paste | |
| 23 | Ctrl+Alt+v | clipboard-paste | |
| 24 | Ctrl+Shift+V | clipboard-paste-simple | |
| 25 | Ctrl+z | undo | |
| 26 | Ctrl+y | redo | |

1.3 MOTION & SELECTION

| | Shortcut | Output | Explanations |
|----|--|-----------------------|--------------|
| 1 | Ctrl+KP_Insert | paragraph-up | |
| 2 | $Ctrl+KP_Delete$ | paragraph-down | |
| 3 | Ctrl+Home | buffer-begin | |
| 4 | $\operatorname{Ctrl}+\operatorname{End}$ | buffer-end | |
| 5 | Ctrl+Alt+Home | inset-begin | |
| 6 | Ctrl+Alt+End | inset-end | |
| 7 | Ctrl+Alt+0 | screen-recenter | |
| 8 | Shift+Right | char-right-select | |
| 9 | Shift+Left | char-left-select | |
| 10 | Shift+Up | up-select | |
| 11 | $\mathbf{Shift} + \mathbf{Down}$ | down-select | |
| 12 | Ctrl+Shift+Up | paragraph-up-select | |
| 13 | Ctrl + Shift + Down | paragraph-down-select | |
| 14 | Shift+Home | line-begin-select | |
| 15 | $\mathbf{Shift} + \mathbf{End}$ | line-end-select | |
| 16 | Shift+Prior | screen-up-select | |
| 17 | Shift+Next | screen-down-select | |
| 18 | Shift+Ctrl+Home | buffer-begin-select | |
| 19 | Shift+Ctrl+End | buffer-end-select | |
| 20 | Shift+Alt+Ctrl+Home | inset-begin-select | |
| 21 | Shift+Alt+Ctrl+End | inset-end-select | |

1.4 TEXT EDIT

| | Shortcut | Output | Explanations |
|---|----------------------------|------------------------|--------------|
| 1 | F12 | language hebrew | |
| 2 | Return | paragraph-break | |
| 3 | ${\bf Shift}{\bf +Return}$ | newline-insert newline | |
| 4 | $Ctrl{+}Alt{+}Right$ | depth-decrement | |
| 5 | $Ctrl{+}Alt{+}Left$ | depth-increment | |
| 6 | $Ctrl{+}Alt{+}Up$ | command-alternative | |
| 7 | $Ctrl{+}Alt{+}Down$ | command-alternative | |
| 8 | Ctrl+space | space-insert normal | |
| 9 | Ctrl+Shift+Space | space-insert thin | |

1.5 NUMERIC KEYPAD

| | Shortcut | Output | Explanations |
|----|------------------------|-----------------------|--------------|
| 1 | Shift+KP_Right | char-right-select | |
| 2 | $Shift+KP_Left$ | char-left-select | |
| 3 | $\rm Shift + KP_Up$ | up-select | |
| 4 | $Shift + KP_Down$ | down-select | |
| 5 | $Shift+Ctrl+KP_Right$ | word-right-select | |
| 6 | $Shift+Ctrl+KP_Left$ | word-left-select | |
| 7 | Shift+Ctrl+KP_Up | paragraph-up-select | |
| 8 | $Shift+Ctrl+KP_Down$ | paragraph-down-select | |
| 9 | Shift+KP_Home | line-begin-select | |
| 10 | Shift+KP_End | line-end-select | |
| 11 | Shift+KP_Prior | screen-up-select | |
| 12 | $Shift+KP_Next$ | screen-down-select | |
| 13 | $Shift+Ctrl+KP_Home$ | buffer-begin-select | |
| 14 | $Shift+Ctrl+KP_End$ | buffer-end-select | |
| 15 | Shift+Ctrl+KP_Prior | buffer-move-previous | |
| 16 | Shift+Ctrl+KP_Next | buffer-move-next | |

2 DESIGN

2.1 FONT SIZE

| | Shortcut | Output | Explanations |
|----|-------------------------------|------------------------|--------------|
| 1 | Alt+s t | font-size tiny | |
| 2 | Alt+s Ctrl+s | font-size scriptsize | |
| 3 | Alt+s Shift+S | font-size footnotesize | |
| 4 | Alt+s s | font-size small | |
| 5 | Alt+s n | font-size normal | |
| 6 | Alt+s l | font-size large | |
| 7 | Alt+s Shift+L | font-size larger | |
| 8 | Alt+s Ctrl+L | font-size largest | |
| 9 | Alt+s h | font-size huge | |
| 10 | Alt+s Shift+H | font-size giant | |
| 11 | Alt+s 1 | font-size tiny | |
| 12 | Alt+s 2 | font-size scriptsize | |
| 13 | Alt+s 3 | font-size footnotesize | |
| 14 | Alt+s 4 | font-size small | |
| 15 | Alt+s 5 | font-size normal | |
| 16 | Alt+s 6 | font-size large | |
| 17 | Alt+s 7 | font-size larger | |
| 18 | Alt+s 8 | font-size largest | |
| 19 | Alt+s 9 | font-size huge | |
| 20 | Alt+s 0 | font-size giant | |
| 21 | $\mathrm{Alt} + \mathrm{s} =$ | font-size increase | |
| 22 | Alt+s - | font-size decrease | |

2.2 TEXT PROPERTIES

| | Shortcut | Output | Explanations |
|----|----------------------------|---------------------|--------------|
| 1 | Ctrl+b | font-boldsymbol | |
| 2 | Ctrl+u | font-underline | |
| 3 | $\mathrm{Ctrl}\mathrm{+i}$ | font-ital | |
| 4 | Ctrl+e | font-emph | |
| 5 | Ctrl+Alt+b | font-bold | |
| 6 | Ctrl+Shift+O | font-strikeout | |
| 7 | Alt+c c | font-noun | |
| 8 | Alt+cr | font-roman | |
| 9 | Alt+c s | font-sans | |
| 10 | Alt+c p | font-typewriter | |
| 11 | Alt+c w | font-underwave | |
| 12 | Alt+c d | font-underunderline | |
| 13 | Alt+c Down | word-lowcase | |
| 14 | Alt+c Up | word-upcase | |
| 15 | Alt+c Right | word-capitalize | |
| 16 | Alt+c space | font-default | |
| 17 | Alt+c l | textstyle-apply | |

2.3 PARAGRAPH SETTINGS

| | Shortcut | Output | Explanations |
|----|----------|------------------|--------------|
| 1 | Alt+a l | paragraph-params | |
| 2 | Alt+a r | paragraph-params | |
| 3 | Alt+a c | paragraph-params | |
| 4 | Alt+a j | paragraph-params | |
| 5 | Alt+a e | paragraph-params | |
| 6 | Alt+a i | paragraph-params | |
| 7 | Alt+a s | paragraph-params | |
| 8 | Alt+a o | paragraph-params | |
| 9 | Alt+a d | paragraph-params | |
| 10 | Alt+a f | paragraph-params | |

2.4 DIALOGS

| | Shortcut | Output | Explanations |
|---|----------|--------------------------|--------------|
| 1 | Ctrl+d s | inset-settings | |
| 2 | Ctrl+d t | dialog-show toc | |
| 3 | Ctrl+d c | dialog-show spellchecker | |

2.5 INSERT

| | Shortcut | Output | Explanations |
|----|----------|----------------------------|--------------|
| 1 | Alt+r a | float-insert algorithm | |
| 2 | Alt+r b | box-insert | |
| 3 | Alt+r c | { | |
| 4 | Alt+r d | dialog-show mathdelimiter | |
| 5 | Alt+r f | command-sequence | |
| 6 | Alt+r g | command-sequence | |
| 7 | Alt+r h | dialog-show-new-inset line | |
| 8 | Alt+r k | href-insert | |
| 9 | Alt+r l | label-insert | |
| 10 | Alt+r n | note-insert | |
| 11 | Alt+r o | footnote-insert | |
| 12 | Alt+r p | newpage-insert newpage | |
| 13 | Alt+r r | dialog-show-new-inset ref | |
| 14 | Alt+r t | command-sequence | |

2.6 LAYOUTS

| | Shortcut | Output | Explanations |
|----|----------------|-----------------------|--------------|
| 1 | Alt+p space | drop-layouts-choice | |
| 2 | Alt+p s | layout Standard | |
| 3 | Alt+p c | layout LyX-Code | |
| 4 | Alt+p q | layout Quote | |
| 5 | Alt+p Shift+Q | layout Quotation | |
| 6 | Alt+p v | layout Verse | |
| 7 | Alt+p l | layout Labeling | |
| 8 | Alt+p n | layout Enumerate | |
| 9 | Alt+p e | layout Enumerate | |
| 10 | Alt+p i | layout Itemize | |
| 11 | Alt+p b | layout Itemize | |
| 12 | Alt+p d | layout Description | |
| 13 | Alt+p 0 | layout Part | |
| 14 | Alt+p 1 | layout Chapter | |
| 15 | Alt+p 2 | layout Section | |
| 16 | Alt+p 3 | layout Subsection | |
| 17 | Alt+p 4 | layout Subsubsection | |
| 18 | Alt+p 5 | layout Paragraph | |
| 19 | Alt+p 6 | layout Subparagraph | |
| 20 | Alt+p 7 | layout Subparagraph | |
| 21 | Alt+p 8 | layout Standard | |
| 22 | Alt+p Shift+(| layout Part* | |
| 23 | Alt+p Shift+! | layout Chapter* | |
| 24 | Alt+p Shift+@ | layout Section* | |
| 25 | Alt+p Shift+# | layout Subsection* | |
| 26 | Alt+p Shift+\$ | layout Subsubsection* | |
| 27 | Alt+p Shift+% | layout Paragraph* | |
| 28 | Alt+p Shift+& | layout Subparagraph* | |
| 29 | Alt+p t | layout Title | |
| 30 | Alt+p Shift+A | layout Author | |
| 31 | Alt+p a | layout Abstract | |
| 32 | Alt+p Shift+D | layout Date | |
| 33 | Alt+p Alt+a | layout Address | |
| 34 | Alt+p Ctrl+a | layout Right_Address | |
| 35 | Alt+p Shift+B | layout Bibliography | |
| 36 | Alt+e d | layout Definition | |
| 37 | Alt+e t | layout Theorem | |
| 38 | Alt+e x | layout Corollary | |
| 39 | Alt+e c | layout Claim | |
| 40 | Alt+e l | layout Lemma | |
| 41 | Alt+e e | layout Example | |
| 42 | Alt+e p | layout Problem | |
| 43 | Alt+e s | layout Solution | |
| 44 | Alt+e , | layout Exercise | |
| 45 | Alt+e g | layout Remark | |

2.7 COLORS

| | Shortcut | Output | Explanations |
|----|--------------------|--|--------------|
| 1 | Alt+o 0 | textstyle-update family 16 series 2 shape 4 size 12 color 0 language ignore | |
| 2 | Alt+o 1 | textstyle-update family 16 series 2 shape 4 size 12 color 1 language ignore | |
| 3 | Alt+o 2 | textstyle-update family 16 series 2 shape 4 size 12 color 2 language ignore | |
| 4 | Alt+o b | textstyle-update family 16 series 2 shape 4 size 12 color 3 language ignore | |
| 5 | Alt+o n | textstyle-update family 16 series 2 shape 4 size 12 color 4 language ignore | |
| 6 | Alt+o c | textstyle-update family 16 series 2 shape 4 size 12 color 5 language ignore | |
| 7 | Alt+o Ctrl+y | textstyle-update family 16 series 2 shape 4 size 12 color 6 language ignore | |
| 8 | Alt+o y | textstyle-update family 16 series 2 shape 4 size 12 color 7 language ignore | |
| 9 | Alt+o g | textstyle-update family 16 series 2 shape 4 size 12 color 8 language ignore | |
| 10 | Alt+o Alt+y | textstyle-update family 16 series 2 shape 4 size 12 color 9 language ignore | |
| 11 | Alt+o Alt+g | textstyle-update family 16 series 2 shape 4 size 12 color 10 language ignore | |
| 12 | Alt+o m | textstyle-update family 16 series 2 shape 4 size 12 color 11 language ignore | |
| 13 | Alt+o l | textstyle-update family 16 series 2 shape 4 size 12 color 12 language ignore | |
| 14 | Alt+o o | textstyle-update family 16 series 2 shape 4 size 12 color 13 language ignore | |
| 15 | Alt+o Alt+p | textstyle-update family 16 series 2 shape 4 size 12 color 14 language ignore | |
| 16 | Alt+o p | textstyle-update family 16 series 2 shape 4 size 12 color 15 language ignore | |
| 17 | Alt+o r | textstyle-update family 16 series 2 shape 4 size 12 color 16 language ignore | |
| 18 | Alt+o t | textstyle-update family 16 series 2 shape 4 size 12 color 17 language ignore | |
| 19 | Alt+o v | textstyle-update family 16 series 2 shape 4 size 12 color 18 language ignore | |
| 20 | Alt+o w | textstyle-update family 16 series 2 shape 4 size 12 color 19 language ignore | |
| 21 | Alt+o Shift+) | textstyle-update family 16 series 1 shape 4 size 12 color 0 language ignore | |
| 22 | Alt+o Shift+! | textstyle-update family 16 series 1 shape 4 size 12 color 1 language ignore | |
| 23 | Alt+o Shift+@ | textstyle-update family 16 series 1 shape 4 size 12 color 2 language ignore | |
| 24 | Alt+o Shift+B | textstyle-update family 16 series 1 shape 4 size 12 color 3 language ignore | |
| 25 | Alt+o Shift+N | textstyle-update family 16 series 1 shape 4 size 12 color 4 language ignore | |
| 26 | Alt+o Shift+C | textstyle-update family 16 series 1 shape 4 size 12 color 5 language ignore | |
| 27 | Alt+o Ctrl+Shift+Y | textstyle-update family 16 series 1 shape 4 size 12 color 6 language ignore | |
| 28 | Alt+o Shift+Y | textstyle-update family 16 series 1 shape 4 size 12 color 7 language ignore | |
| 29 | Alt+o Shift+G | textstyle-update family 16 series 1 shape 4 size 12 color 8 language ignore | |
| 30 | Alt+o Alt+Shift+Y | textstyle-update family 16 series 1 shape 4 size 12 color 9 language ignore | |
| 31 | Alt+o Alt+Shift+G | textstyle-update family 16 series 1 shape 4 size 12 color 10 language ignore | |
| 32 | Alt+o Shift+M | textstyle-update family 16 series 1 shape 4 size 12 color 11 language ignore | |
| 33 | Alt+o Shift+L | textstyle-update family 16 series 1 shape 4 size 12 color 12 language ignore | |
| 34 | Alt+o Shift+O | textstyle-update family 16 series 1 shape 4 size 12 color 13 language ignore | |
| 35 | Alt+o Alt+p | textstyle-update family 16 series 1 shape 4 size 12 color 14 language ignore | |
| 36 | Alt+o Shift+P | textstyle-update family 16 series 1 shape 4 size 12 color 15 language ignore | |
| 37 | Alt+o Shift+R | textstyle-update family 16 series 1 shape 4 size 12 color 16 language ignore | |
| 38 | Alt+o Shift+T | textstyle-update family 16 series 1 shape 4 size 12 color 17 language ignore | |
| 39 | Alt+o Shift+V | textstyle-update family 16 series 1 shape 4 size 12 color 18 language ignore | |
| 40 | Alt+o Shift+W | textstyle-update family 16 series 1 shape 4 size 12 color 19 language ignore | |

3 ENVIRONMENTS

$3.1 \ \ ARRAYS: TABLES, MATRICES, VECTORS, etc...$

| | Shortcut | Output | Explanations |
|----|-------------------|--|--------------|
| 1 | Ctrl+Alt+' | command-sequence | Laplanations |
| 2 | Ctrl+Alt+; | command-sequence | |
| 3 | Ctrl+Shift+" | command-sequence | |
| 4 | Ctrl+' | command-sequence | |
| 5 | Ctrl+Shift+Return | command-sequence | |
| 6 | Alt+\\ | command-sequence | |
| 7 | Alt+v | command-sequence | |
| 8 | Alt+Shift+V | command-sequence | - |
| 9 | Ctrl+Shift+! | command-sequence | _ |
| 10 | Ctrl+Shift+@ | | |
| | | command-sequence | |
| 11 | Ctrl+Shift+# | command-sequence | - |
| 12 | Ctrl+Shift+\$ | command-sequence | |
| 13 | Alt+m a | | |
| 14 | Alt+m m | command-sequence | |
| 15 | Alt+m e | command-sequence | |
| 16 | Alt+m d | | |
| 17 | Alt+m Shift+A | $ \begin{array}{ c c c c c } \hline & 00\rangle & 01\rangle & 10\rangle & 11\rangle \\ \hline & \langle 00 & & & \\ & \langle 01 & & & \\ & \langle 10 & & & \\ & \langle 11 & & & \\ \hline \end{array} $ | |
| 18 | Alt+] | tabular-feature append-row | |
| 19 | Alt+[| tabular-feature delete-row | |
| 20 | Ctrl+t Ctrl+c | tabular-feature copy-row | |
| 21 | Ctrl+t Shift+R | command-alternative | |
| 22 | Ctrl+t Alt+r | command-alternative | |
| 23 | Ctrl+t Up | tabular-feature add-hline-above | |
| 24 | Ctrl+t Shift+Up | tabular-feature delete-hline-above | |
| 25 | Ctrl+t Down | tabular-feature add-hline-below | |
| 26 | Ctrl+t Shift+Down | tabular-feature delete-hline-below | |
| 27 | Ctrl+t t | tabular-feature valign-top | |
| 28 | Ctrl+t m | tabular-feature valign-middle | |
| 29 | Ctrl+t b | tabular-feature valign-bottom | |
| 30 | Ctrl+Alt+] | tabular-feature append-column | |
| 31 | Ctrl+Alt+[| tabular-feature delete-column | |
| 32 | Ctrl+t Ctrl+Alt+c | tabular-feature copy-column | |
| 33 | Ctrl+t Shift+C | command-alternative | |
| 34 | Ctrl+t Shift+C | command-alternative | |
| 35 | Ctrl+t Left | tabular-feature add-vline-left | |
| 36 | Ctrl+t Shift+Left | tabular-feature delete-vline-left | 1 |
| 37 | Ctrl+t Right | tabular-feature add-vline-right | 1 |

3.2 COMMON MATH ENVIRONMENTS

| | Shortcut | Output | Explanations |
|----------------|---------------|---------------------------------------|--------------|
| 1 | Ctrl+m | math-mode | Explanations |
| 2 | Ctrl+Shift+M | math-display | |
| 3 | Ctrl+Alt+m | matir dispiay | |
| 4 | Ctrl+l | ert-insert | |
| | Alt+m n | math-number-toggle | |
| 6 | Alt+m Shift+N | math-number-line-toggle | |
| 7 | Ctrl+Alt+n | command-sequence | |
| 8 | Alt+f | command-sequence | |
| 9 | Ctrl+Alt+f | / | |
| $\frac{3}{10}$ | Alt+Shift+F | / | |
| 11 | Ctrl+Alt+s | / | |
| 12 | Ctrl+Alt+r | √ | |
| | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | |
| 13 | Ctrl+Alt+c | (| |
| 14 | Shift+& | _ | |
| 15 | Ctrl+; | command-sequence | |
| 16 | Ctrl+p | command-sequence | |
| 17 | Alt+Shift+P | command-sequence | |
| 18 | Ctrl+Shift+: | command-sequence | |
| 19 | Ctrl+Shift+P | command-sequence | |
| 20 | Alt+' | command-sequence | |
| 21 | Ctrl+Alt+2 | command-sequence | |
| 22 | Ctrl+Alt+8 | command-sequence | |
| 23 | Ctrl+Alt+t | command-sequence | |
| 24 | Ctrl+Shift+(| () | |
| 25 | Ctrl+9 | () | |
| 26 | Ctrl+[| | |
| 27 | Ctrl+Shift+{ | {} | |
| 28 | Ctrl+Shift+ | | |
| 29 | Ctrl+, | $\langle \rangle$ | |
| 30 | Ctrl+Shift+< | $\langle \rangle$ | |
| 31 | Ctrl+Shift+> | \\ (| |
| 32 | Ctrl+Shift+? | | |
| 33 | Ctrl+] | LJ | |
| 34 | Ctrl+Shift+} | П | |
| 35 | Alt+Shift+{ | [) | |
| 36 | Alt+Shift+(| (] | |
| 37 | Alt+Shift+< | ⟨ | |
| 38 | Alt+Shift+> | } | |
| 39 | Alt+h | ^ | |
| 40 | Alt+' | ~ | |
| 41 | Alt+; | • | |
| 42 | Alt+Shift+: | | |
| 43 | Alt+- | - 14 | |
| 44 | Ctrl+Shift+Q | command-sequence | |
| 45 | Ctrl+q | command-sequence | |

3.3 ADDITIONAL MATH ENVIRONMENTS

| | Shortcut | Output | Explanations |
|----|---------------|------------------|--------------|
| 1 | Alt+m Shift+V | ~ | |
| 2 | Alt+m h | ^ | |
| 3 | Alt+m ' | ~ | |
| 4 | Alt+m v | → | |
| 5 | Alt+m \ | ` | |
| 6 | Alt+m / | , | |
| 7 | Alt+m . | • | |
| 8 | Alt+m Alt+. | | |
| 9 | Alt+m Ctrl+u | U | |
| 10 | Alt+m - | - | |
| 11 | Alt+m Shift+H | ^ | |
| 12 | Alt+m Shift+~ | ~ | |
| 13 | Alt+m Left | ← | |
| 14 | Alt+m Right | \rightarrow | |
| 15 | Alt+m Shift+B | | |
| 16 | Alt+m b | | |
| 17 | Alt+m Shift+Q | command-sequence | |
| 18 | Alt+m q | command-sequence | |
| 19 | Alt+m Ctrl+c | / | |
| 20 | Alt+m s | | |
| 21 | Alt+m r | | |
| 22 | Alt+m Ctrl+s | command-sequence | |
| 23 | Alt+m Alt+[| command-sequence | |
| 24 | Alt+m Alt+] | command-sequence | |
| 25 | Alt+m u | command-sequence | |
| 26 | Alt+m x | | |
| 27 | Alt+m c | () | |

4 SYMBOLS

4.1 COMMON MATH SYMBOLS

| | Shortcut | Output | Explanations |
|----|---|------------------|--------------|
| 1 | Ctrl+Shift++ | <i>≠</i> | |
| 2 | Ctrl+Alt+= | 土 | |
| 3 | Ctrl+Alt+- | 干 | |
| 4 | Alt+, | <u>≤</u> | |
| 5 | $\mathrm{Alt}+.$ | <u> </u> | |
| 6 | Ctrl+Alt+, | \leq | |
| 7 | Ctrl+Alt+. | ≥ | |
| 8 | Ctrl+' | \cong | |
| 9 | Ctrl+Shift+~ | ≇ | |
| 10 | Alt+= | ≡ | |
| 11 | Alt+Shift++ | ≢ | |
| 12 | Shift+* | • | |
| 13 | $\operatorname{Ctrl}+.$ | | |
| 14 | $\operatorname{Ctrl}+/$ | : | |
| 15 | Alt+/ | | |
| 16 | Ctrl+Alt+/ | ··. | |
| 17 | Alt+8 | ∞ | |
| 18 | Ctrl+8 | * | |
| 19 | $\operatorname{Ctrl}+ackslash$ | | |
| 20 | $\text{Ctrl} + \text{Alt} + \backslash$ | † | |
| 21 | Ctrl+Shift+D | ∂ | |
| 22 | Ctrl+k | command-sequence | |

4.2 ARROWS

| | Shortcut | Output | Explanations |
|----|---|-----------------------|--------------|
| 1 | Alt+Up | † | Emplanations |
| | | | |
| 2 | Alt+Down | ↓ | |
| 3 | Alt+Right | \rightarrow | |
| 4 | Alt+Left | ← | |
| 5 | Alt + Shift + Up | \longleftrightarrow | |
| 6 | Alt+Shift+Down | \longleftrightarrow | |
| 7 | Alt+Shift+Right | \longrightarrow | |
| 8 | Alt+Shift+Left | | |
| 9 | $\operatorname{Ctrl}+\operatorname{Up}$ | ↑ | |
| 10 | Ctrl+Down | \ | |
| 11 | Ctrl+Right | \Rightarrow | |
| 12 | Ctrl+Left | (| |
| 13 | Ctrl+Shift+Up | \iff | |
| 14 | Ctrl + Shift + Down | \iff | |
| 15 | Ctrl + Shift + Right | \Longrightarrow | |
| 16 | Ctrl+Shift+Left | = | |
| 17 | Alt+a Right | \mapsto | |
| 18 | Alt+a Alt+Right | <i>→</i> > | |
| 19 | Alt+a Ctrl+Right | \hookrightarrow | |

4.3 FUNCTIONS & LIMITS

| | Shortcut | Output | Explanations |
|----|--------------------|----------------------|--------------|
| 1 | Alt+q Shift+Z | Id | |
| 2 | Alt+q Shift+< | Im | |
| 3 | Alt+q - | sgn | |
| 4 | Alt+q Alt+n | min | |
| 5 | Alt+q Alt+x | max | |
| 6 | Alt+q m | mod | |
| 7 | Alt+q g | gcd | |
| 8 | Alt+q 1 | lcm | |
| 9 | Alt+q k | ker | |
| 10 | Alt+q Alt+d | dim | |
| 11 | Alt+q Shift+D | deg | |
| 12 | Alt+q d | det | |
| 13 | Alt+q Alt+t | tr | |
| 14 | Alt+q r | rk | |
| 15 | Alt+q e | exp | |
| 16 | Alt+q n | ln | |
| 17 | Alt+q Shift+N | log | |
| 18 | Alt+q Shift+A | arg | |
| 19 | Alt+q i | inf | |
| 20 | Alt+q u | sup | |
| 21 | Alt+q s | sin | |
| 22 | Alt+q c | cos | |
| 23 | Alt+q t | tan | |
| 24 | Alt+q Shift+S | arcsin | |
| 25 | Alt+q Shift+C | arccos | |
| 26 | Alt+q Shift+T | arctan | |
| 27 | Alt+q Ctrl+s | sinh | |
| 28 | Alt+q Ctrl+c | cosh | |
| 29 | Alt+q Ctrl+t | tanh | |
| 30 | Alt+q Ctrl+Shift+S | arsinh | |
| 31 | Alt+q Ctrl+Shift+C | arcosh | |
| 32 | Alt+q Ctrl+Shift+T | artanh | |
| 33 | Alt+q Shift+I | command-sequence | |
| 34 | Alt+q Shift+U | command-sequence | |
| 35 | Alt+q Shift+L | command-sequence | |
| 36 | Alt+q Alt+l | $\lim_{\to 0}$ | |
| 37 | Alt+q Shift+? | command-sequence | |
| 38 | Alt+q / | command-sequence | |

4.4 SET THEORY

| | Shortcut | Output | Explanations |
|----|-------------------|------------------|--------------|
| 1 | Alt+i e | Ø | |
| 2 | Alt+i n | N | |
| 3 | Alt+i z | \mathbb{Z} | |
| 4 | Alt+i q | Q | |
| 5 | Alt+i r | \mathbb{R} | |
| 6 | Alt+i c | \mathbb{C} | |
| 7 | Alt+i f | F | |
| 8 | Alt+i Ctrl+t | × | |
| 9 | Alt+i Ctrl+c | コ | |
| 10 | Alt+i Ctrl+d | J | |
| 11 | Alt+i Ctrl+s | ٦ | |
| 12 | Alt+i Alt+a | a | |
| 13 | Alt+i Alt+b | b | |
| 14 | Alt+i Alt+c | c | |
| 15 | Alt+i - | \ | |
| 16 | Alt+i m | \ | |
| 17 | Ctrl+Shift+* | × | |
| 18 | Alt+i v | 0 | |
| 19 | Alt+i i | € | |
| 20 | Alt+i b | \subseteq | |
| 21 | Alt+i p | 2 | |
| 22 | Alt+i Alt+b | C | |
| 23 | Alt+i Alt+p | D | |
| 24 | Alt+i , | ⊴ | |
| 25 | Alt+i . | ⊵ | |
| 26 | Alt+i Alt+, | △ | |
| 27 | Alt+i Alt+. | ▷ | |
| 28 | Alt+i Shift+I | ∉ | |
| 29 | Alt+i Shift+B | ⊈ ⊉ | |
| 30 | Alt+i Shift+P | ⊉ | |
| 31 | Alt+i Alt+Shift+B | Ç | |
| 32 | Alt+i Alt+Shift+P | ⊋ | |
| 33 | Alt+i Shift+< | ⊉ | |
| 34 | Alt+i Shift+> | ₽ | |
| 35 | Alt+i Alt+Shift+< | ⋪ | |
| 36 | Alt+i Alt+Shift+> | $ \nearrow $ | |
| 37 | Alt+i u | U | |
| 38 | Alt+i d | ⊍ | |
| 39 | Alt+i j | n | |
| 40 | Alt+i 8 | \otimes | |
| 41 | Alt+i = | ⊕ | |
| 42 | Alt+i Shift+U | command-sequence | |
| 43 | Alt+i Shift+D | command-sequence | |
| 44 | Alt+i Shift+J | command-sequence | |
| 45 | Alt+i Shift+* | command-sequence | |

4.5 LOGIC

| | Shortcut | Output | Explanations |
|----|---------------|----------|--------------|
| 1 | Alt+l n | _ | |
| 2 | Alt+l a | \wedge | |
| 3 | Alt+l o | V | |
| 4 | Alt+l Shift+O | V | |
| 5 | Alt+l Shift+A | \wedge | |
| 6 | Alt+l f | A | |
| 7 | Alt+l e | 3 | |
| 8 | Alt+l Shift+E | ∄ | |
| 9 | Alt+l 0 | False | |
| 10 | Alt+l 1 | True | |

4.6 GEOMETRY

| | Shortcut | Output | Explanations |
|---|---------------|--------|--------------|
| 1 | Alt+g t | 上 | |
| 2 | Alt+g p | | |
| 3 | Alt+g Shift+P | # | |
| 4 | Alt+g a | 4 | |

4.7 INTEGRALS

| | Shortcut | Output | Explanations |
|----|-------------------|------------------|--------------|
| 1 | Ctrl+Alt+p | command-sequence | |
| 2 | Ctrl+Alt+u | command-sequence | |
| 3 | Ctrl+Alt+i | command-sequence | |
| 4 | Ctrl+Alt+o | command-sequence | |
| 5 | Ctrl+Shift+U | command-sequence | |
| 6 | Ctrl+Shift+I | command-sequence | |
| 7 | Alt+Shift+U 1 | command-sequence | |
| 8 | Alt+Shift+U 0 | command-sequence | |
| 9 | Alt+Shift+U a | | |
| 10 | Alt+Shift+U Alt+a | | |
| 11 | Alt+Shift+I | command-sequence | |
| 12 | Alt+Shift+O | command-sequence | |

5 LETTERS

5.1 GREEK LETTERS

| | Shortcut | Output | Explanations |
|----|------------------|----------------|--------------|
| 1 | Alt+w a | α | 1 |
| 2 | Alt+w b | β | |
| 3 | Alt+w g | γ | |
| 4 | Alt+w d | δ | |
| 5 | Alt+w Alt+e | ϵ | |
| 6 | Alt+w e | ε | |
| 7 | Alt+w z | ζ | |
| 8 | Alt+w h | η | |
| 9 | Alt+w v | θ | |
| 10 | Alt+w Alt+v | ϑ | |
| 11 | Alt+w i | ι | |
| 12 | Alt+w k | κ | |
| 13 | Alt+w Alt+k | × | |
| 14 | Alt+w l | λ | |
| 15 | Alt+w m | μ | |
| 16 | Alt+w n | ν | |
| 17 | Alt+w x | ξ | |
| 18 | Alt+w p | π | |
| 19 | Alt+w Alt+p | \overline{w} | |
| 20 | Alt+w r | ρ | |
| 21 | Alt+w Alt+r | ρ | |
| 22 | Alt+w s | σ | |
| 23 | Alt+w Alt+s | ς | |
| 24 | Alt+w t | τ | |
| 25 | Alt+w u | v | |
| 26 | Alt+w f | φ | |
| 27 | Alt+w j | φ | |
| 28 | Alt+w Alt+f | φ | |
| 29 | Alt+w c | χ | |
| 30 | Alt+w y | ψ | |
| 31 | Alt+w o | ω | |
| 32 | Alt+w w | ω | |
| 33 | Alt+w Shift+G | Γ | |
| 34 | Alt+w Shift+D | Δ | |
| 35 | Alt+w Shift+V | Θ | |
| 36 | Alt+w Shift+L | Λ | |
| 37 | Alt+w Shift+X | Ξ | |
| 38 | Alt+w Shift+P | П | |
| 39 | Alt+w Shift+S | Σ | |
| 40 | Alt+w Shift+U | Υ | |
| 41 | Alt+w Shift+F 21 | Φ | |
| 42 | Alt+w Shift+Y | Ψ | |
| 43 | Alt+w Shift+O | Ω | |

5.2 FONTS

| | Shortcut | Output | Explanations |
|----|---------------|---------------|--------------|
| 1 | Alt+b Shift+A | A | |
| 2 | Alt+b Shift+B | \mathbb{B} | |
| 3 | Alt+b Shift+C | \mathbb{C} | |
| 4 | Alt+b Shift+D | \mathbb{D} | |
| 5 | Alt+b Shift+E | \mathbb{E} | |
| 6 | Alt+b Shift+F | F | |
| 7 | Alt+b Shift+G | G | |
| 8 | Alt+b Shift+H | H | |
| 9 | Alt+b Shift+I | I | |
| 10 | Alt+b Shift+J | J | |
| 11 | Alt+b Shift+K | K | |
| 12 | Alt+b Shift+L | L | |
| 13 | Alt+b Shift+M | M | |
| 14 | Alt+b Shift+N | N | |
| 15 | Alt+b Shift+O | 0 | |
| 16 | Alt+b Shift+P | \mathbb{P} | |
| 17 | Alt+b Shift+R | Q | |
| 18 | Alt+b Shift+C | \mathbb{R} | |
| 19 | Alt+b Shift+S | S | |
| 20 | Alt+b Shift+T | T | |
| 21 | Alt+b Shift+U | U | |
| 22 | Alt+b Shift+V | \mathbb{V} | |
| 23 | Alt+b Shift+W | W | |
| 24 | Alt+b Shift+X | X | |
| 25 | Alt+b Shift+Y | Y | |
| 26 | Alt+b Shift+Z | Z | |
| 27 | Alt+c Shift+A | \mathcal{A} | |
| 28 | Alt+c Shift+B | \mathcal{B} | |
| 29 | Alt+c Shift+C | C | |
| 30 | Alt+c Shift+D | \mathcal{D} | |
| 31 | Alt+c Shift+E | <i>E</i> | |
| 32 | Alt+c Shift+F | F | |
| 33 | Alt+c Shift+G | G | |
| 34 | Alt+c Shift+H | \mathcal{H} | |
| 35 | Alt+c Shift+I | I | |
| 36 | Alt+c Shift+J | J | |
| 37 | Alt+c Shift+K | K | |
| 38 | Alt+c Shift+L | L | |
| 39 | Alt+c Shift+M | M | |
| 40 | Alt+c Shift+N | N | |
| 41 | Alt+c Shift+O | 0 | |
| 42 | Alt+c Shift+P | P | |
| 43 | Alt+c Shift+Q | Q = 23 | |
| 44 | Alt+c Shift+R | R | |
| 45 | Alt+c Shift+S | S | |

6 RETROACTIVE

6.1 COLORS

| | Shortcut | Output | Explanations |
|----|----------------------|------------------|--------------|
| 1 | Alt+d o 0 | command-sequence | |
| 2 | Alt+d o 1 | command-sequence | |
| 3 | Alt+d o 2 | command-sequence | |
| 4 | Alt+d o b | command-sequence | |
| 5 | Alt+d o n | command-sequence | |
| 6 | Alt+d o c | command-sequence | |
| 7 | Alt+d o Ctrl+y | command-sequence | |
| 8 | Alt+d o y | command-sequence | |
| 9 | Alt+d o g | command-sequence | |
| 10 | Alt+d o Alt+y | command-sequence | |
| 11 | Alt+d o Alt+g | command-sequence | |
| 12 | Alt+d o m | command-sequence | |
| 13 | Alt+d o l | command-sequence | |
| 14 | Alt+d o o | command-sequence | |
| 15 | Alt+d o Alt+p | command-sequence | |
| 16 | Alt+d o p | command-sequence | |
| 17 | Alt+d o r | command-sequence | |
| 18 | Alt+d o t | command-sequence | |
| 19 | Alt+d o v | command-sequence | |
| 20 | Alt+d o w | command-sequence | |
| 21 | Alt+d o Shift+(| command-sequence | |
| 22 | Alt+d o Shift+! | command-sequence | |
| 23 | Alt+d o Shift+@ | command-sequence | |
| 24 | Alt+d o Shift+B | command-sequence | |
| 25 | Alt+d o Shift+N | command-sequence | |
| 26 | Alt+d o Shift+C | command-sequence | |
| 27 | Alt+d o Ctrl+Shift+Y | command-sequence | |
| 28 | Alt+d o Shift+Y | command-sequence | |
| 29 | Alt+d o Shift+G | command-sequence | |
| 30 | Alt+d o Alt+Shift+Y | command-sequence | |
| 31 | Alt+d o Alt+Shift+G | command-sequence | |
| 32 | Alt+d o Shift+M | command-sequence | |
| 33 | Alt+d o Shift+L | command-sequence | |
| 34 | Alt+d o Shift+O | command-sequence | |
| 35 | Alt+d o Alt+Shift+P | command-sequence | |
| 36 | Alt+d o Shift+P | command-sequence | |
| 37 | Alt+d o Shift+R | command-sequence | |
| 38 | Alt+d o Shift+T | command-sequence | |
| 39 | Alt+d o Shift+V | command-sequence | |
| 40 | Alt+d o Shift+W | command-sequence | |

6.2 MATH ENVIRONMENTS

| | Shortcut | Output | Explanations |
|----|----------------------|------------------|--------------|
| 1 | Alt+d f | command-sequence | |
| 2 | Alt+d Ctrl+Alt+f | command-sequence | |
| 3 | Alt+d Alt+Shift+F | command-sequence | |
| 4 | Alt+d s | command-sequence | |
| 5 | Alt+d r | command-sequence | |
| 6 | Alt+d 2 | command-sequence | |
| 7 | Alt+d 8 | command-sequence | |
| 8 | Alt+d Shift+T | command-sequence | |
| 9 | Alt+d Shift+& | command-sequence | |
| 10 | Alt+d Shift+(| command-sequence | |
| 11 | Alt+d [| command-sequence | |
| 12 | Alt+d Shift+{ | command-sequence | |
| 13 | Alt+d Shift+ | command-sequence | |
| 14 | Alt+d , | command-sequence | |
| 15 | Alt+d Shift+> | command-sequence | |
| 16 | Alt+d / | command-sequence | |
| 17 | Alt+d] | command-sequence | |
| 18 | Alt+d Shift+} | command-sequence | |
| 19 | Alt+d Alt+Shift+{ | command-sequence | |
| 20 | Alt+d Alt+Shift+(| command-sequence | |
| 21 | Alt+d Alt+Shift+< | command-sequence | |
| 22 | $Alt+d\ Alt+Shift+>$ | command-sequence | |
| 23 | Alt+d Shift+V | command-sequence | |
| 24 | Alt+d h | command-sequence | |
| 25 | Alt+d ' | command-sequence | |
| 26 | Alt+d v | command-sequence | |
| 27 | Alt+d \ | command-sequence | |
| 28 | Alt+d Shift+? | command-sequence | |
| 29 | Alt+d . | command-sequence | |
| 30 | Alt+d Alt+. | command-sequence | |
| 31 | Alt+d Ctrl+u | command-sequence | |
| 32 | Alt+d - | command-sequence | |
| 33 | Alt+d Shift+H | command-sequence | |
| 34 | Alt+d Shift+~ | command-sequence | |
| 35 | Alt+d Left | command-sequence | |
| 36 | Alt+d Right | command-sequence | |
| 37 | Alt+d Shift+B | command-sequence | |
| 38 | Alt+d b | command-sequence | |
| 39 | Alt+d Shift+Q | command-sequence | |
| 40 | Alt+d q | command-sequence | |
| 41 | Alt+d c | command-sequence | |
| 42 | Alt+d Ctrl+s | command-sequence | |
| 43 | Alt+d Alt+[| command-sequence | |
| 44 | Alt+d Alt+] | command-sequence | |
| 45 | Alt+d u | command-sequence | |

6.3 RELATION CHANGER

| | Shortcut | Output | Explanations |
|---|--------------------|------------------|--------------|
| 1 | Alt+d i | command-sequence | |
| 2 | Alt+d Ctrl+b | command-sequence | |
| 3 | Alt+d Ctrl+Shift+B | command-sequence | |
| 4 | Alt+d Alt+Shift+B | command-sequence | |
| 5 | Alt+d= | command-sequence | |
| 6 | Alt+d Shift+< | command-sequence | |
| 7 | Alt+d Shift+> | command-sequence | |
| 8 | Alt+d Right | command-sequence | |
| 9 | Alt+d $Alt+=$ | command-sequence | |