













AI Flaky Test Analysis

test_suite ▾	test_case ▾	Type ▾	Confidence + ▾	reasoning ▾
Install a package on the SLES minion with staging enabled	Install patch in the future and check for staging	FLAKY	1	OSCILLATION: Flipped state 4 times.
CVE Audit on SLE Salt Minions	Pre-requisite: downgrade milkyway-dummy to lower versk	FLAKY	1	OSCILLATION: Flipped state 4 times.
Bootstrap a Red Hat-like minion and do some basic operations on it	Subscribe the Red Hat-like minion to a base channel	FLAKY	0.722	SPORADIC: Low failure rate (2.2%) but unstable.
Bootstrap a Debian-like minion and do some basic operations on it	Subscribe the Debian-like minion to a base channel	FLAKY	0.722	SPORADIC: Low failure rate (2.2%) but unstable.
Bootstrap a build host via the GUI	Detect latest Salt changes on the SLES build host	FLAKY	0.722	SPORADIC: Low failure rate (2.2%) but unstable.

- Restores CI stability by accurately identifying flaky test patterns.
- **Code rules catch most flakes**, pragmatically saving AI tokens.
- LLM analyzes only complex patterns, exporting JSON for Grafana dashboards.

Queries 1 Transformations 3

Data source

FlakyTests



Query options

MD = auto = 2016

interval = 10s



(FlakyTests)

Type

JSON

Parser

JSONata

Source

URL

Format

Table

Help

GitHub

Method

GET

URL

http://localhost:9184/flaky_tests.json

Headers, Request params



```
INPUT:    history[] (0 = Pass, >0 = Fail)
METRICS:  fail_rate, transitions, max_streak, recency

// 1. INFRASTRUCTURE DEAD
IF fail_rate == 100%
    → RETURN  ENVIRONMENTAL


// 2. INSTABILITY / FLAKINESS
IF transitions >= 3
    → RETURN  FLAKY (Oscillation)

IF (fail_rate < 30%) OR (max_streak <= 6 AND passing_now):
    IF recency > 48 runs
        → RETURN  FIXED (Healed)
    ELSE
        → RETURN  FLAKY (Sporadic / Cluster)

// 3. HARD REGRESSIONS
IF passing_now AND max_streak > 6
    → RETURN  FIXED (Resolved Regression)

IF failing_now AND current_fails >= 3
    → RETURN  REGRESSION (Active)

// 4. CATCH-ALL
ELSE
    → RETURN  AMBIGUOUS
```



 `srbarrios/jenkins-flaky-tests-detector`

“AI” Flaky Test Detector

AI Flaky Test Analysis				
test_suite ▾	test_case ▾	Type ▾	Confidence + ▾	reasoning ▾
Install a package on the SLES minion with staging enabled	Install patch in the future and check for staging	FLAKY	 1	OSCILLATION: Flipped state 4 times.
CVE Audit on SLE Salt Minions	Pre-requisite: downgrade milkyway-dummy to lower version	FLAKY	 1	OSCILLATION: Flipped state 4 times.
Bootstrap a Red Hat-like minion and do some basic operations on it	Subscribe the Red Hat-like minion to a base channel	FLAKY	 0.722	SPORADIC: Low failure rate (2.2%) but unstable.
Bootstrap a Debian-like minion and do some basic operations on it	Subscribe the Debian-like minion to a base channel	FLAKY	 0.722	SPORADIC: Low failure rate (2.2%) but unstable.
Bootstrap a build host via the GUI	Detect latest Salt changes on the SLES build host	FLAKY	 0.722	SPORADIC: Low failure rate (2.2%) but unstable.

- Restores CI stability by accurately identifying flaky test patterns.
- **Code rules catch most flakes**, pragmatically saving AI tokens.
- LLM analyzes only complex patterns, exporting JSON for Grafana dashboards.

Smart Test Selection

