

Ai notes

14 November 2024

23:41

- "example if i intend to have a text and button over an image in its centre how do i make sure it stays that way for all sizes of a monitor screens and mobile phones "

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Centered Text and Button on Image</title>
  <link rel="stylesheet" href="styles.css">
  <style>
    /* Container for the image, text, and button */
    .image-container {
      position: relative;
      width: 100%;
      max-width: 100%; /* ensures image doesn't exceed container width */
      overflow: hidden;
    }

    /* Style for the image */
    .image-container img {
      width: 100%;
      height: auto;
      display: block;
    }

    /* Overlay text and button */
    .overlay-content {
      position: absolute;
      top: 50%;
      left: 50%;
      transform: translate(-50%, -50%);
      text-align: center;
      color: white;
    }

    /* Button styling */
    .overlay-content button {
      padding: 10px 20px;
      font-size: 16px;
      background-color: #007BFF;
      color: white;
      border: none;
      cursor: pointer;
    }

    /* Responsive adjustments */
    @media (max-width: 768px) {
      .overlay-content h2 {
        font-size: 1.5rem;
      }
      .overlay-content button {

```

```

        font-size: 1rem;
        padding: 8px 16px;
    }
}
</style>
</head>
<body>

```

```

<!-- Image Container with Overlay Text and Button -->
<div class="image-container">
    
    <div class="overlay-content">
        <h2>Decide What to Eat</h2>
        <button onclick="window.location.href='menu.html'">Menu</button>
    </div>
</div>

```

```

</body>
</html>

```

- // didn't use all this code but used it to understand how to get this working so I can apply where relevant
- Used this code from gpt as a base for all pages to work with

```

/* Reset and Base Styles */
:root {
    --primary-color: #2c3e50;
    --secondary-color: #34495e;
    --accent-color: #e67e22;
    --text-color: #333;
    --light-bg: #f8f9fa;
    --spacing: 2rem;
}

```

- "In html i have a link to a Instagram account and i have create an icon that when clicked it will direct me to that url , it there a way i can display its live content in a mini window that i can display on my web page with the icon overlayed ontop ? "

```

<!-- Instagram Embed Container -->
<div style="position: relative; width: 300px; height: 400px; border: 1px solid #ddd; overflow: hidden;">
    <!-- Instagram Post Embed Code -->
    <blockquote class="instagram-media" data-instgrm-permalink="https://www.instagram.com/p/your_post_link/" data-instgrm-version="14" style="max-width: 100%;"></blockquote>
    <script async src="//www.instagram.com/embed.js"></script>

    <!-- Icon Overlay -->
    <a href="https://www.instagram.com/your_instagram_username" target="_blank" style="position: absolute; top: 10px; right: 10px; background-color: rgba(0,0,0,0.7); padding: 8px; border-radius: 50%;">
        
    </a>
</div>
<div id="instagram-feed" style="width: 300px; height: 400px; overflow: hidden; border: 1px solid #ddd;">
    <!-- Instagram feed will be populated here -->

```

</div>

```
<a href="https://www.instagram.com/your_instagram_username" target="_blank"
style="position: absolute; top: 10px; right: 10px; background-color: rgba(0,0,0,0.7); padding:
8px; border-radius: 50%;">
  
</a>
```

```
<script>
  // Fetch recent posts and display in #instagram-feed div
  async function fetchInstagramFeed() {
    const response = await fetch('/your-backend-endpoint'); // Endpoint calling your backend
    const data = await response.json();

    let htmlContent = '';
    data.forEach(post => {
      htmlContent += ``;
    });

    document.getElementById('instagram-feed').innerHTML = htmlContent;
  }
  fetchInstagramFeed();
</script>
```

- "id also like to do this for youtube"

```
<!-- YouTube Embed with Icon Overlay -->
<div class="social-icon" style="position: relative; width: 100%; max-width: 540px; margin-top:
20px;">
  <!-- YouTube Video Embed Code -->
  <iframe width="100%" height="315" src="https://www.youtube.com/embed/VIDEO_ID"
frameborder="0" allowfullscreen style="border-radius: 3px; box-shadow: 0 0 1px 0
rgba(0,0,0,0.5), 0 1px 10px 0 rgba(0,0,0,0.15);"></iframe>
```

- give me an example on how i can embed tiktok videos

```
<!-- TikTok Video Embed -->
<div class="tiktok-video" style="position: relative; width: 100%; max-width: 325px;">
  <blockquote class="tiktok-embed" cite="https://www.tiktok.com/
@fallow_restaurant/video/7413742264175889696"
data-video-id="7413742264175889696"
style="width: 100%; max-width: 325px;">
    <section></section>
  </blockquote>
  <script async src="https://www.tiktok.com/embed.js"></script>
</div>
```

- How can I space my review boxes nicely

```
.testimonials-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(300px, 1fr));
  gap: 20px;
}
```

```
.reviews-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(300px, 1fr));
  gap: 20px;
}
```

- "add a feature when when i click on the image it will go pull screen with an x symbol on the top left to get back out ?"

```
/* Modal Container */
.modal {
  display: none; /* Hidden by default */
  position: fixed;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background-color: rgba(0, 0, 0, 0.8); /* Semi-transparent background */
  justify-content: center;
  align-items: center;
  z-index: 1000; /* Ensure it appears above all other elements */
}
```

```
/* Modal Image */
.modal-content {
  max-width: 90%; /* Fit within viewport */
  max-height: 90%;
  border-radius: 10px;
  box-shadow: 0 8px 15px rgba(0, 0, 0, 0.5);
}
```

```
/* Close Button */
.close {
  position: absolute;
  top: 10px;
  right: 15px;
  font-size: 24px;
  font-weight: bold;
  color: white;
  cursor: pointer;
  transition: color 0.3s;
}
```

```
.close:hover {
  color: red;
}
```

```
// Select all images in the gallery
const images = document.querySelectorAll('.gallery-row img');
```

```
// Reference to the modal and its components
const modal = document.getElementById('imageModal');
const modalImage = document.getElementById('modalImage');
const closeButton = modal.querySelector('.close');
```

```
// Add click event listeners to each image
```

```
images.forEach((img) => {
  img.addEventListener('click', () => {
    modal.style.display = 'block'; // Show modal
    modalImage.src = img.src; // Set clicked image in the modal
  });
});
```

```
// Add click event to close the modal
closeButton.addEventListener('click', () => {
  modal.style.display = 'none'; // Hide modal
});
```

```
// Close modal when clicking outside the image
modal.addEventListener('click', (e) => {
  if (e.target === modal) {
    modal.style.display = 'none';
  }
});
```

```
<!-- Modal Structure -->
<div id="imageModal" class="modal">
  <span class="close" onclick="closeModal()">&times;</span>
  <img class="modal-content" id="modalImage">
</div>
```

20 January 2025

18:23

```
"
SELECT
  s.id,
  s.service_name,
  s.day_of_week,
  s.start_time,
  s.end_time,
  s.total_tables,
  COALESCE(SUM(CEIL(r.guest_count / 2)), 0) AS reserved_tables,
  s.total_tables - COALESCE(SUM(CEIL(r.guest_count / 2)), 0) AS available_tables
FROM services s
LEFT JOIN reservations r
  ON s.id = r.service_id
  AND r.reservation_date BETWEEN CURDATE() AND DATE_ADD(CURDATE(), INTERVAL 6 DAY)
GROUP BY s.id, s.service_name, s.day_of_week, s.start_time, s.end_time, s.total_tables
HAVING available_tables > 0
ORDER BY FIELD(s.day_of_week, 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday',
'Sunday'), s.start_time;"
```

- Asked ai to help create an sql command that displays total available tables based on reservations

"

```
<?php
require_once ('/var/www/html/courseworkWD/courseworkWD/website/html/twig.php'); // Load the
Twig environment
// Start the session and set user/session variables for Twig
```

```

if (session_status() === PHP_SESSION_NONE) {
    session_start();
}
// Dynamically get the current page name
$current_page = basename($_SERVER['PHP_SELF']); // e.g., 'index.php', 'menu.php'
// Define dynamic variables to pass into Twig
$variables = [
    'current_page' => $current_page, // Dynamically set the current page
    'user_is_logged_in' => isset($_SESSION['user_id']), // Check if user is logged in
    'user_role' => $_SESSION['role'] ?? null, // User role (if logged in)
];
// Render the Twig template
echo $twig->render('header.twig', $variables);
?>
"

```

- Asked ai to help me fix an error to render the twig templates

"

```

<?php
//require_once 'vendor/autoload.php'; // Autoload Composer dependencies
require_once ('/var/www/html/courseworkWD/vendor/autoload.php');
// Specify the directory for Twig templates
$loader = new \Twig\Loader
\FileSystemLoader('/var/www/html/courseworkWD/courseworkWD/templates');
$twig = new \Twig\Environment($loader, [
    'cache' => '/var/www/html/courseworkWD/courseworkWD/cache', // Enable caching for
performance (optional during development)
    'debug' => true, // Enable debugging
]);
// Return the Twig environment to use in other scripts
return $twig;
require_once ('/var/www/html/courseworkWD/courseworkWD/website/html/db_connect.php');

```

"

- Twig.php with help of ai because I could fix loading issues