A Thousand Alerts a Day, and One Real Incident Hiding In Them

Let's connect


Girish Konda
Principal Software Engineer, Microsoft
SREday Dallas 2026 Q4 · 23 October 2026

go.girishkonda.com/dal

The views expressed in this talk are my own and do not represent those of my employer, Microsoft Corporation.

1,000 Alerts a Day

A thousand alerts. Twenty shapes. **One of them is real.**



… and 992 more today

One of These Is Not Benign.

One Agent for the Whole Queue

Point an agent at the queue and let it triage.

We tried it.

Confidence Without Evidence

Not wrong sometimes.

Wrong at the same volume as it is right.

Three Alerts, One Verdict

Three different amounts of work. **One indistinguishable answer.**

Benign · 0.94

Pulled the telemetry and compared the known-benign set

Benign · 0.94

Matched the title against something seen before


Benign · 0.94

Read nothing at all

Nothing downstream can tell these apart.

Errors on Unfamiliar Alerts

The errors land on the unfamiliar ones. **That is where the real incidents live.**



… and 992 more today


All Closed — Including the One That Was Real.

Earlier Attempts

- Better prompts.
- Model confidence scores.
- Human review of a sample.

Two Jobs: Routing and Judgement

Two different jobs. **We had been buying them in one package.**



Triage Permissions

It groups by signature and hands off. **We removed the rest.**

CAN	CANNOT
✓ **Group Alerts by Signature**	✕ Conclude
✓ **Hand Off to a Domain**	✕ Close
	✕ Declare Benign

One Agent per Failure Domain


Each one knows only its own domain. **That is what makes “no evidence” reachable.**

Storage
Its own telemetry

Network
Its own known-benign set

Deployment
Its own escalation bar

Refusal, Not Narrower Guessing



Two Acceptable Outcomes, One Not

Two are fine. **One is not.**

✓ **Supported Investigation**

✓ **Deliberate Escalation**

✗ Closed With a Guess

Human Checkpoints

- Anything unfamiliar.
- Anything with customer impact.
- **Anything an agent declined.**

Worked Example: A Usage Charge

The most routine shape in the queue. **Caught because an agent would not answer.**

One Generalist Agent

1. A recurring usage charge on one account

2. Consumption in normal range. Closed benign.

✕ **Missed it**

Routed to a Domain Agent

3. No activity behind the charge

4. An upstream loop kept re-opening the record

5. Repeating quietly wherever that loop ran

✓ **Caught it**

Recall, Not Closure Rate

Recall on the rare real incident. **Not how much of the queue got closed.**

Queue Closure Rate

Rewards closing what you do not understand

Recall on the Rare Real Incident

The only one that matches the goal

Domain Agent Test Setup

- Replay past incidents with known answers.
- Each agent tested alone.
- **Routing scored separately from judgement.**

Three Costs of the Split

- More agents to maintain.
- Routing is now a thing that can be wrong.
- **The alert volume is unchanged.**

Three Takeaways

- Split routing from judgement.
- Remove the capability, don’t prompt it away.
- **Measure recall on the rare one.**



Questions

Triage should route, never conclude.

Girish Konda · Microsoft

Let's connect

go.girishkonda.com/dal

The views expressed in this talk are my own and do not represent those of my employer, Microsoft Corporation.
Nothing here is an endorsement, a commitment, or a statement of product direction. Examples are generalised and contain no customer data.