INTRODUCTION

1.INTRODUCTION

Gobetween means any roadway, railway, transit system, building, structure, appurtenance, or other real property used directly or indirectly in the transportation of persons or the transportation or storage of goods, substances, or vehicles. Gobetween also includes services related to the transportation of persons or the transportation or storage of goods, substances, or vehicles. The bill excludes from the definition a bridge or other infrastructure directly associated with an international border crossing.

1.1 OBJECTIVE

This platform aims to conduct a comprehensive examination of go-between, encompassing all facets of its definition, including roadways, railways, transit systems, buildings, structures, appurtenances, and related services utilized in the transportation or storage of people, goods, substances, or vehicles. Through detailed analysis, the study aims to elucidate the functional applications and operational dynamics of go-between, exploring its significance in facilitating seamless mobility and logistical efficiency. By considering both the direct and indirect elements contributing to transportation infrastructure, the project seeks to evaluate the holistic impact of go-between on urban and regional connectivity, accessibility, and sustainability. Additionally, the research endeavors to provide insights into potential policy implications and strategic interventions for enhancing the effectiveness and inclusivity of go-between networks, while also considering the exclusionary criteria outlined in the bill pertaining to international border crossings.

SYSTEM ANALYSIS

2. SYSTEM ANALYSIS

System analysis is the process of gathering and interpreting facts, diagnosing problem and using the fact to improve the system. Analysis is the detail study of various operations performed by the system and their relationship with in and outside of the system. This involves gathering information and using structured tools for analysis. System analysis is the way of studying a system with an eye on solving its problem using computer. To analyse a system, one has to study the working of the system in detail. The system analyst has to understand the functioning and concept of system in detail. The system analyst has to understand the functioning and concept of system in detail, before designing the appropriate computebased system that will meet all the requirements of the existing system

2.1 EXISTING SYSTEM.

In the current transportation and logistics landscape, communication and coordination between various stakeholders such as manufacturers, carriers, freight forwarders, and customers often rely on traditional methods and manual processes. These methods include phone calls, emails, paper-based documentation, and face-to-face interactions. While these approaches may have been sufficient in the past, they often result in inefficiencies, delays, and missed opportunities for optimization. For instance, manual scheduling of shipments can lead to suboptimal routing and utilization of resources, resulting in increased costs and longer delivery times. Furthermore, the lack of real-time visibility into the status of shipments can lead to uncertainties and challenges in managing supply chain operations effectively. As a result, there is a pressing need for digitalization and automation in transportation and logistics management to enhance communication, streamline processes, improve decision-making, and ultimately deliver a better customer experience.

2.2 PROPOSED SYSTEM

Transportation serves as a cornerstone for fostering communication, trade, and the evolution of civilizations. Its role in driving economic growth and facilitating globalization is undeniable, yet many traditional transportation methods come at the cost of air pollution and extensive land use. Distinguishing itself from transportation, logistics orchestrates the intricate

dance of goods from production to end-user, encompassing storage, transportation, cataloging, handling, and packaging. However, the prevailing manual approach to logistics management is fraught with inefficiencies, lacking the support of software solutions and hindering adaptability. Despite the disruptive forces shaping industries like retail and eCommerce, logistics operations remain sluggish to evolve. Enter digitalization – a transformative force poised to revolutionize both warehousing and transportation. By embracing automation and leveraging logistics management systems, businesses stand to elevate customer experiences, optimize operations, and foster an ecosystem of efficient supply chain providers comprising manufacturers, carriers, freight forwarders, and more. This shift towards digitalization promises to unlock untapped potential, driving greater value creation and resilience across the logistics landscape.

KEY FEATURES AND BENEFITS:

Efficiency and Accessibility with Real-Time Updates: Digitalization and automation in transportation and logistics enhance efficiency and accessibility, with real-time updates enabling immediate insights for informed decision-making.

Optimized Resource Utilization: By automating processes such as routing and scheduling, logistics management systems maximize resource utilization, reducing empty truck journeys and alleviating warehouse congestion in real time.

Enhanced Customer Experience: Real-time tracking and visibility of shipments enabled by digitalization ensure timely delivery and improved communication with customers, ultimately enhancing their experience through up-to-date information and transparency.

Streamlined Operations: Logistics management systems automate tasks such as inventory management and order processing, streamlining operations and reducing manual errors. Real-time updates facilitate smoother processes, leading to greater efficiency and cost savings across the supply chain.

SYSTEM REQUIREMENTS

3. SYSTEM REQUIREMENTS

Frame work	**:**	**HTML 5**
Language	**:**	**JSP**
IDE	**:**	**NetBeans IDE 8.0**
Front End Design	**:**	**HTML 5, CSS 3.0**
Validation	**:**	**JavaScript 1.1**
Server	**:**	**Apache Server**
Back End Database	**:**	**MySQL 5.1**
Database IDE	**:**	**phpMyAdmin**
Processor	**:**	**Intel CORE i3**
RAM	**:**	**4 GB**

Item	Requirements
Hardware	Memory of 4 GB or more Intel Pentium III or more 1 GB (or more) available hard disk space
Operating System	Windows 10 or above
Software Development Kit	HTML 5
Database ODBC Driver	MySQL

FEASIBILITY STUDY

4. FEASIBILITY STUDY

The main objective of this study is to determine whether the proposed system is feasible or not. Mainly there are three types of feasibility study to which the proposed system is subjected to as described below:

- Economic feasibility
- Technical feasibility
- Behavioural feasibility

The proposed system must be evaluated from a technical view point first, and if technically feasible then their impact on organization must be accessed. If compatible, the behavioural system can be devised. Then those must be tested for economic feasibility.

4.1 ECONOMIC FEASIBILITY

Economic analysis is used for evaluating the cost effectiveness of a proposed system. Economically saying, our application is never cost related. It is easy to implement and the user can conveniently use our application without any kind of exceptions or errors. Our application is very simple to interact is economically feasible.

4.2 TECHNICAL FEASIBILITY

The technical requirements of our system are highly affordable. There is no any difficulty in migrating from the existing to our proposed system. It is platform independent the application will run smoothly on any kernel without causing any trouble to end user.

4.3 BEHAVIORAL FEASIBILITY

The system is intended for personal uses. Since the software is simple and provides a good Graphical User Interface, it provides high level user.

SYSTEM IMPLEMENTATION

5. SYSTEM IMPLEMENTATION

The implementation and the maintenance are the last phase of software development life cycle. After testing is performed, that is checked whether the system works in the proper manner by putting realistic data items, the system is implemented in the client's computer. Here is the most important part that is user training. The working of the system is explained to the user. The main objective of their part is that the user will be able to understand the different process. Only the external working is implemented system satisfies the user various needs. Implementation is the stage of the project where the theoretical design is turned into working system, in this stage the installation of the package in the real environment, to the satisfaction of the intended user and the operation of the system. Implementation includes all those activities that take place to convert from the old system to new one. The new system may be totally new, replacing an existing system manual automates system or it may be a major modification to an existing system. Proper implementation is essential to provide reliable system to meet organization requirements, successful implementation may not guarantee improvement in the organization using the new system, but improper installation will prevent it.

The process of putting the developed system in actual use is called system implementation. This include all those activities that take place convert from the old system to new system can be implemented only after through testing is done and if it is found to be working according to the specification. The system personnel check the feasibility of the system.

The most crucial stage is achieving a new system for the user that will work efficiently. It involves careful planning, investigation of the current system and its constraints on implementation, design of methods achieve the changeover. The complex system being implemented, more involved will be the system analysis and the design required effort required just for implementation. The implementation stage involves the following tasks:

- Careful planning.
- Investigating of system and constraint. 16
- Design of methods to achieve the changeover.
- Training of staff in the changeover phase.
- Evaluation of the changeover method.

5.1 TRAINING

After providing the necessary basic training on the computer awareness the users will have to be trained on the new system such as screen flow, screen design, type of help on the screen, type of errors while entering the data the corresponding validation check at each entry and the ways to correct the data entered. It should then cover information needed by the specific user/group to use the system while imparting the training of the program on the application

5.2 CONVERSION

It is the process of performing all of the operation that result directly in the turnover of the new system to the user conversion has two parts:

- The creation of the conversion plan at the start of the development phase and the implementation of the plan throughout the development phase.
- The creation of a system changes over plan at the end of the development phase and the implementation of the plan at the beginning of the operation phase.

5.3 POST IMPLEMENTATION REVIEW

The post implementation review in the implementation process as a whole is conducted after the implementation of the actual software in the site. It is conducted using the review document. This may contain the answers to the following question.

- What was the purpose of the project?
- What would you like about the implementation process?
- What thinks would you change if you had to do it again tomorrow?

5.4 SYSTEM MAINTENANCE

Once the software is fully developed and implemented, the company starts to use the software. The company also goes and more division can be attached to the company, or the database of the company can grow in size. So after sometime the software, which has been

installed, needs some modification. If the software need modification all the step needed to develop new software has to be executed.

The need has to be studied, the design has to be made and coding has to be done. Then the new module has to be connected to the existing software modules. Once the software is working perfect also, we have to do routine testing and any new bug is found out, immediately it has to be fixed. No software ever developed will be bug free forever. When a new situation arises, the software can create an error, but if it is found out and repaired the software will not causing more problems. Always maintenance has to be done on the software, for to make the software work perfectly without any errors. Maintenance of the software is one of major step in the computer animation software which is developed by the engineer, should undergo maintenance process in regular interval of time goes on new problems arise and it must be corrected accordingly.

Maintenance and enhancement are a long-term process. Various types of maintenance that can be made:

- Corrective Maintenance
- Adaptive Maintenance
- Prefecture Maintenance
- Reverse Engineering
- Re Engineering

DATA FLOW DIAGRAM

6.DATA FLOW DIAGRAM

6.1 INTRODUCTION TO DATA FLOW DIAGRAM

A **data-flow diagram** (DFD) is a way of representing a flow of a data of a process or a system (usually an information system). The DFD also provides information about the outputs and inputs of each entity and the process itself. A data-flow diagram has no control flow, there are no decision rules and no loops.

Specific operations based on the data can be represented by a flowchart. There are several notations for displaying data-flow diagrams.

For each data flow, at least one of the endpoints (source and / or destination) must exist in a process. The refined representation of a process can be done in another data-flow diagram, which subdivides this process into sub-processes.

A DFD shows what kind of information will be input to and output from the system, how the data will advance through the system, and where the data will be stored. It does not show information about the timing of process or information about whether processes will operate in sequence or in a parallel unlike a flowchart which also shows this information

To construct a Data Flow Diagram, we use:




It represents data source or destination



It represents the data store




It represents flow of data




It represents a process that transforms the data


6.2 CONTEXT LEVEL




6.3 LEVEL 1: ADMIN




6.4 LEVEL 1: COMPANY



6.5 LEVEL 1: DRIVER



6.6 LEVEL 1: USER



SYSTEM DESIGN

7.SYSTEM DESIGN

7.1 INTRODUCTION TO SOFTWARE DESIGN

System design is the creative act of invention developing new inputs, a database offline files, method, procedures and output for processing business data to meet organization objectives. The design phase focuses on the detailed implementation of the system recommended in the feasibility study. The design phase is a transition from useroriented document to a document oriented to the programmers or database personnel.

Characteristics of a well-designed system are:

- Accessibility
- Decision making ability
- Economy
- Flexibility
- Reliability
- Simplicity

The design will determine the success of the system. System design is based on the information gathered during system analysis. System design goes through two phases of development.

- Logical design- DFD shows the logical flow of a system and defines the boundaries of the system. For the candidate the system it describes the input, outputs, databases and procedures-all in a format that meets the user's requirements.

- Physical design – This produces the working system by defining the design specification that tells programmers exactly what the candidate system must do.

7.2 INPUT DESIGN

Input design is the link that ties the information system into the world of its users. The input design involves determining what the inputs are, how the data should be performed, how to validate data, how minimize data entry and how to provide a multi-user facility

inaccurate. Input data are the most common cause of error in data processing. Errors entered by data entry operators can be controlled by input design. Input design is the process of converting user.

Originated inputs to a computer-based format. Input data are collected and organized into groups of similar data. Once identified, appropriate input media are selected for processing. All the input data validated in the order and if any data violates any condition, he user is warned by a message. If the data satisfies all the conditions, then it is transferred to the appropriate tables in the database.

7.3 OUTPUT DESIGN

Output design involves specifying how production of onscreen reports and pagebased reports will occur. Output may occur to database or file for storing information entered or also for use by other systems. Computer output is the most important and direct source of information to the user. Output design is a very important phase because the output needs to be in an attractive manner. Efficient, intelligible output design improves the system relationship with the user and help in decision making. A major form of the output is the hard copy from the printer and screen reports. Printouts are designed around the output requirements of the user. Allowing the user to view to the sample screen is important because the user is ultimate judge of the quality of output. The output model of this system is the user-friendly window.

These user-friendly windows are meant for the purpose of easy view of the stored information.

7.4 DATABASE DESIGN

A database is a collection of data. Database design refers to the design of the tables used to store data. The database involves name of records, data item with its name, type and size.

In the design of the database program first we have to thoroughly look into the requirements of the program for the design of database. Then we have to design how much tables are required in the database. Thereafter as per the requirement of the end users we can decide which fields that must be in this table. As per a general rule a provision must be taken in the design for the future enhancement of the program. Some of important tables are

TABLE NO: 1

Table name: tbl_admin
Primary key: admin_id
Foreign key: Null
Table description: Details of admin

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
admin_id	Int(11)	Primary key	Admin ID
admin_name	Varchar(50)	Not null	Admin Name
admin_email	Varchar(50)	Not null	Admin Email
admin_password	Varchar(50)	Not null	Admin Password

TABLE NO: 2

Table name: tbl_state
Primary key: state_id
Foregin key: Null
Table description: Including states

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
state_id	Int(11)	Primary key	State ID
state_name	Varchar(50)	Not null	State name

TABLE NO: 3

Table name: tbl_district
Primary key: district_id
Foreign key: state_id
Table description: including districts

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
district_id	Int(11)	Primary key	District ID
district_name	Varchar(50)	Not null	District name
state_id	Int(10)	Foreign key	State ID

TABLE NO: 4

Table name: tbl_location
Primary key: location_id
Foreign key: district_id
Table description: including locations

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
location _id	Int(11)	Primary key	Location ID
location_name	Varchar(50)	Not null	Location Name
location_latitude	Varchar(50)	Not null	Location Latitude
location_longitude	Varchar(50)	Not null	Location Longitude
location_pincode	Varchar(50)	Not null	Location Pincode
district_id	Int(10)	Foreign Key	District ID

TABLE NO: 5

Table name: tbl_category
Primary key: category_id
Foreign key: Null
Table description: including category

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
category_id	Int(10)	Primary key	Category ID
category_name	Varchar(50)	Not null	Category Name

TABLE NO: 6

Table name: tbl_complainttype
Primary key: complainttype _id
Foreign key: Null
Table description: including complaint types

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
complainttype_id	Int(11)	Primary key	Complaint Type ID
complainttype_name	Varchar(50)	Not null	Complaint Type name

TABLE NO: 7

Table name: tbl_vehicletype
Primary key: vehicletype _id
Foreign key: Null
Table description: including vehicle types

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
vehicletype_id	Int(11)	Primary key	Vehicletype ID
vehicletype_name	Varchar(50)	Not null	Vehicletype Name

TABLE NO: 8

Table name: tbl_vehiclesubtype
Primary key: vehiclesubtype_id
Foreign key: vehicle _id
Table description: including vehicle sub types

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
vehiclesubtype_id	Int(11)	Primary key	Vehiclesubtype ID
vehiclesubtype_name	Varchar(50)	Not null	Vehiclesubtype Name
vehicletype_id	Int(10)	Not null	Vehicletype ID

TABLE NO: 9

Table name: tbl_user
Primary key: user_id
Foreign key: location_id
Table description: User details

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
user_id	Int(11)	Primary key	User ID
user_name	Varchar(50)	Not null	User Name
user_email	Varchar(50)	Not null	User Email
user_contact	Varchar(50)	Not null	User Contact
user_dob	Varchar(50)	Not null	User DOB
user_doj	Varchar(50)	Not null	User DOJ
user_address	Varchar(50)	Not null	User Address
user_password	Varchar(50)	Not null	User Password
user_aadhar_number	Varchar(50)	Not null	User Aadhar Number
user_status	int(10)	Not null	User Status
location_id	int(10)	Foreign key	Location ID

TABLE N0: 10

Table name: tbl_ transport_update
Primary key: transport_update _id
Foregin key: transport_schedule _id
Table description: Details of Transport Updations

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
transport_update_id	Int(11)	Primary key	TransportUpdation ID
transport_update_datetime	Varchar(50)	Not null	Transport Updation Date and Time
transport_update_location	Varchar(50)	Not null	Transport Updation Location
transport_update_status	Varchar(50)	Not null	Transport Updation Status
transport_schedule_id	Int(10)	Foregin key	Transport Schedule ID

TABLE N0: 11

Table name: tbl_company
Primary key: company _id
Foreign key: location_id
Table description: Company details

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
company_id	Int(11)	Primary key	Company ID
company_name	Varchar(50)	Not null	Company name
company_email	varchar(50)	Not null	Company Email
company_contact	Varchar(50)	Not null	Company Contact
company_since	varchar(50)	Not null	Company Since
company_doj	varchar(50)	Not null	Company DOJ
company_address	Varchar(50)	Not null	Company Address
company_logo	Varchar(50)	Not null	Company Logo
company_proof	Varchar(50)	Not null	Company Proof
location_id	int(10)	Foreign Key	Location ID
owner_name	Varchar(50)	Not null	Owner Name
owner_email	Varchar(50)	Not null	Owner Email
owner_contact	Varchar(50)	Not null	Owner Contact
owner_password	Varchar(50)	Not null	Owner Password
company_status	int(10)	Not null	Company Status

TABLE N0: 12

Table name: tbl_driver
Primary key: driver_id
Foreign key: location_id
Table description: Driver details

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
driver_id	Int(11)	Primary key	Driver ID
driver_name	Varchar(50)	Not null	Driver Name
driver_primary_contact	Varchar(50)	Not null	Driver Primary Contact
driver_secondary_contact	Varchar(50)	Not null	Driver Secondary Contact
driver_email	Varchar(50)	Not null	Driver Email
driver_photo	Varchar(50)	Not null	Driver Photo
driver_proof	Varchar(50)	Not null	Driver Proof
driver_dob	Varchar(50)	Not null	Driver DOB
driver_doj	Varchar(50)	Not null	Driver DOJ
driver_password	Varchar(50)	Not null	Driver Password
driver_address	Varchar(50)	Not null	Driver Address
driver_experience	Varchar(50)	Not null	Driver Experience
location_id	int(10)	Foreign Key	Location ID
driver_status	Varchar(50)	Not null	Driver Status

TABLE NO: 13

Table name: tbl_company_driver
Primary key: company_driver_id
Foregin key: driver_id,company_id
Table description: Company Driver Details

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
company_driver_id	Int(10)	Primary key	Company Driver ID
driver_id	Int(10)	Foregin key	Driver ID
company_id	Int(10)	Foregin key	Company ID
company_driver_status	Int(10)	Not null	Company Driver Status
company_driver_date	Varchar(50)	Not null	Company Driver Date

TABLE NO: 14

Table name: tbl_ transport_schedule
Primary key: transport_schedule _id
Foregin key: college_id,department_id,teacher_id,student_id
Table description: Details of Transport Schedules

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
transport_schedule_id	Int(10)	Primary key	Transport Schedule ID
transport_schedule_date	Varchar(50)	Not null	Transport Schedule Date
transport_request_id	int(10)	Foreign key	Transport Request ID
transport_schedule_status	Varchar(50)	Not null	Transport Schedule Status
vehicle_id	int(10)	Foreign key	Vehicle ID
driver_id	int(10)	Foreign key	Driver ID
driver_id2	int(11)	Foreign key	Driver ID2
transport_amount	Varchar(50)	Not null	Transport Amount

TABLE N0: 15

Table name: tbl_driver_request
Primary key: request_id
Foregin key: driver_id,company_id
Table description: Driver Request Details

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
request_id	Int(11)	Primary key	Request ID
request_date	varchar(50)	Not null	Request Date
request_status	varchar(10)	Not null	Request Status
company_id	Int(11)	Foreign key	Company ID
driver_id	Int(11)	Foreign key	Driver ID

TABLE NO: 16

Table name: tbl_complaint

Primary key: complaint_id

Foregin key: driver_id, user_id, company_id

Table description: Including Complaint

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
complaint_id	Int(11)	Primary key	Complaint ID
complaint_content	Varchar(50)	Not null	Complaint Content
complaint_date	Varchar(50)	Not null	Complaint Date
complaint_status	Varchar(50)	Not null	Complaint Status
complainttype_id	Varchar(50)	Not null	Complaint Type ID
complaint_reply	Varchar(50)	Not null	Complaint Reply
complaint_reply_date	Varchar(50)	Not null	Complaint Reply Date
company_id	Int(10)	Foreign key	Company ID
user_id	Int(10)	Foreign key	User ID
driver_id	Int(10)	Foreign key	Driver ID

TABLE N0: 17

Table name: tbl_vehicle

Primary key: vehicle_id

Foregin key: vehiclesubtype_id,company_id

Table description: Vehicle details

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
vehicle_id	Int(11)	Primary key	Vehicle ID
vehicle_name	Varchar(50)	Not null	Vehicle Name
vehicle_chase_no	Varchar(50)	Not null	Vehicle Chase No
vehicle_reg_no	Varchar(50)	Not null	Vehicle Registration No
vehicle_insurance_date	Varchar(50)	Not null	Vehicle Insurance Date
vehicle_ insurance_exp	Varchar(50)	Not null	Vehicle Insurance Expiration Date
vehicle_status	Varchar(50)	Not null	Vehicle Status
vehiclesubtype_id	Int(10)	Foregin key	Vehiclesubtype ID
company_id	Int(10)	Foregin key	Company ID
vehicle_details	Varchar(50)	Not null	Vehicle Details
vehicle_amount	Varchar(50)	Not null	Vehicle Amount

TABLE NO: 18

Table name: tbl_driver_license
Primary key: driver_license_id
Foreign key: driver_id
Table description: details of students

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
driver_license_id	Int(11)	Primary key	Driver License ID
driver_license_number	Varchar(50)	Not null	Driver License Number
driver_license_class	Varchar(50)	Not null	Driver License Class
driver_license_front_photo	Varchar(50)	Not null	Driver License Front Photo
driver_license_back_photo	Varchar(50)	Not null	Driver License Back Photo
driver_license_date	Varchar(50)	Not null	Driver License Date
driver_license_exp_date	Varchar(50)	Not null	Driver License Expiration Date
driver_license_badge_exp_date	Varchar(50)	Not null	Driver License Badge Expiration Date
driver_id	Int(10)	Foreign key	Driver ID

TABLE NO: 19

Table name: tbl_feedback
Primary key: feedback_id
Foregin key: driver_id, user_id, company_id
Table description: Including Feedback

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
Feedback_id	Int(11)	Primary key	Feedback ID
feedback_content	Varchar(50)	Not null	Feedback Content
feedback_date	Varchar(50)	Not null	Feedback Date
company_id	Int(10)	Foreign key	Company ID
user_id	Int(10)	Foreign key	User ID
driver_id	Int(10)	Foreign key	Driver ID

TABLE NO: 20

Table name: tbl_transport_request

Primary key: transport_request_id

Foreign key: user_id,from_location_id,to_location_id,company_id,category_id

Table description: Details of Transport Requests

FIELD	DATA TYPE	CONSTRAINTS	DESCRIPTION
transport_request_id	Int(11)	Primary key	Transport Request ID
transport_request_description	Varchar(50)	Not null	Transport Request Description
transport_request_date	Varchar(50)	Not null	Transport Request Date
transport_request_qty	Varchar(50)	Not null	Transport Request Quantity
transport_request_for_date	Varchar(50)	Not null	Transport Request For Date
transport_request_status	Varchar(50)	Not null	Transport Request Status
user_id	Int(10)	Foreign key	User ID
transport_request_reply	Varchar(80)	Not null	Transport Request Reply
from_location_id	Int(10)	Foreign key	Location ID
to_location_id	Int(10)	Foreign key	Location ID
company_id	Int(10)	Foreign key	Company ID
category_id	Int(10)	Foreign Key	Category ID
transport_request_time	Varchar(50)	Not null	Transport Request Time
delivery_time	Varchar(50)	Not null	Delivery Time
delivery_date	Varchar(50)	Not null	Delivery Date
pickup_address	Varchar(200)	Not null	Pickup Address
delivery_address	Varchar(200)	Not null	Delivery Address

SECURITY TECHNOLOGIES

8. SECURITY TECHNOLOGIES

8.1 SECURITY TECHNOLOGIES AND POLICIES

Maintenance involves the software industry captive, typing up system resources. It means restoring something to its original condition. Maintenance follows conversion to the extend. That change is necessary to maintain satisfactory operations relative to changes in the user's environment. Maintenance often includes minor enhancements or corrections to problems that surface in the system's operation. Maintenance is also done based on fixing the problems reported, changing the interface with other software or hardware enhancing the software.

Any system developed should be secured and protected against possible hazards. Security measures are provided to prevent unauthorized access of the database at various levels. An uninterrupted power supply should be so that the power failure or voltage fluctuations will not erase the data in the files. Password protection and simple procedure to prevent the unauthorized access are provided to the users. The system allows the user to enter the system only through proper username and password.

MAINTENANCE

9. MAINTENANCE

In "GO-BETWEEN," maintenance encompasses a broad spectrum of tasks aimed at ensuring optimal functionality and adapting to evolving needs. This includes rectifying coding and design errors, updating documentation and test data, and enhancing user support. Maintenance involves efficiently utilizing system resources within the software industry. It entails restoring the system to its original condition and follows conversion processes as necessary. Additionally, maintenance addresses issues reported by users, adjusts interfaces with other software or hardware, and incorporates enhancements to meet evolving standards and requirements. It enables future updates and modifications even after deployment, ensuring the software remains adaptable to changing environments and user needs.

CONCLUSION AND FUTURE ENHANCEMENT

10. CONCLUSION AND FUTURE ENHANCEMENT

In conclusion, the integration of digitalization and automation into logistics operations presents immense opportunities for efficiency gains and improved customer experiences. With our project "GO-BETWEEN," we aim to leverage advanced logistics management systems to revolutionize supply chain operations. By embracing real-time tracking, data analytics, and automation, we can optimize routes, reduce waste, and enhance resource utilization. Collaborative digital platforms and integration with IoT and AI technologies will further enhance our capabilities, paving the way for predictive maintenance, smart routing, and seamless communication among stakeholders.

Looking ahead, the future enhancements for "GO-BETWEEN" involve continuous innovation in digital technologies to stay ahead in a rapidly evolving logistics landscape. This includes exploring blockchain for transparent and secure transactions, harnessing machine learning for predictive analytics, and adopting sustainable practices to reduce environmental impact. Through these strategic advancements, "GO-BETWEEN" aims to set new standards in logistics efficiency, customer satisfaction, and environmental responsibility.

APPENDIX

11.APPENDIX

11.1 CODES

LOGIN PAGE

```
<%@page import="java.sql.ResultSet"%>
<!DOCTYPE html>
<html lang="en">

   <head>
      <!-- Required meta tags -->
      <jsp:useBean class="DB.ConnectionClass" id="con"></jsp:useBean>

         <meta charset="utf-8">
         <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
         <meta http-equiv="x-ua-compatible" content="ie=edge">

         <title>Login</title>

         <!-- Core CSS -->
         <link rel="stylesheet" href="../Assets/Templates/Templates/friendskit/assets/css/bulma.css">
         <link rel="stylesheet" href="../Assets/Templates/friendskit/assets/css/app.css">
         <link rel="stylesheet" href="../Assets/Templates/friendskit/assets/css/core.css">

         <title>Go-Between</title>
      </head>
   <%
      if (request.getParameter("btn_login") != null) {

         String email = request.getParameter("txt_email");
         String password = request.getParameter("txt_password");

         String seladmin = "select * from tbl_admin where admin_email='" + email + "' and admin_password='" + password + "'";
         ResultSet rsadmin = con.selectCommand(seladmin);

         String selcompany = "select * from tbl_company where company_status='1' and owner_email='" + email + "' and owner_password='" + password + "'";
         ResultSet rscompany = con.selectCommand(selcompany);
```

```
        String seldriver = "select * from tbl_driver where driver_status='1' and driver_email='"
+ email + "' and driver_password='" + password + "'";
        ResultSet rsdriver = con.selectCommand(seldriver);

        String seluser = "select * from tbl_user where user_status='1' and user_email='" + email
+ "' and user_password='" + password + "'";
        ResultSet rsuser = con.selectCommand(seluser);

        if (rsadmin.next()) {

            response.sendRedirect("../Admin/index.jsp");

        } else if (rscompany.next()) {

            session.setAttribute("cid", rscompany.getString("company_id"));
            session.setAttribute("cname", rscompany.getString("company_name"));
            response.sendRedirect("../Company/index.jsp");

        } else if (rsdriver.next()) {

            session.setAttribute("did", rsdriver.getString("driver_id"));
            session.setAttribute("dname", rsdriver.getString("driver_name"));
            response.sendRedirect("../Driver/index.jsp");

        } else if (rsuser.next()) {

            session.setAttribute("uid", rsuser.getString("user_id"));
            session.setAttribute("uname", rsuser.getString("user_name"));
            response.sendRedirect("../User/index.jsp");

        } else {
    %>
    <script type="text/javascript">
        alert("Invalid Login Credentials");
        setTimeout(function() {
            window.location.href = 'Login.jsp'
        }, 100);
    </script>
    <%
            }
        }
    %>
    <body>
```

```
    <!--        Pageloader
          <div class="pageloader"></div>
          <div class="infraloader is-active"></div>-->
    <div class="signup-wrapper">

        <!--        Fake navigation
            <div class="fake-nav">
              <a  href="/"  class="logo"  style="font-weight:bolder;font-size:  xx-large;color:
dimgray;" >
               College-Connect

              </a>
            </div>-->

        <div class="container">
          <!--Container-->
          <div class="login-container">
            <div class="columns is-vcentered">
              <div class="column is-6 image-column">
                <!--Illustration-->
                <img                    class="light-image                    login-image"
src="../Assets/Templates/friendskit/assets/img/illustrations/login.svg" alt="">
                <img                    class="dark-image                    login-image"
src="../Assets/Templates/friendskit/assets/img/illustrations/login-dark.svg" alt="">
              </div>
              <div class="column is-6">

                <h2 class="form-title">Welcome </h2>
                <h3 class="form-subtitle">Enter your credentials to sign in.</h3>

                <!--Form-->

                <form method="post">
                  <div class="login-form">
                    <div class="form-panel">
                      <div class="field">
                        <label>Email</label>
                        <div class="control">
                          <input  type="email"  id="input"  pattern="[a-z0-9._%+-]+@[a-
z0-9.-]+\.[a-z]{2,}$"
                                 class="input"    autocomplete="off"        name="txt_email"
placeholder="Enter your Email" required="required"/>
                        </div>
                      </div>
                      <div class="field">
```

```
                                <label>Password</label>
                                <div class="control">
                                   <input type="password" class="input" pattern="(?=.*\d)(?=.*[a-
z])(?=.*[A-Z]).{8,}"
                                          title="Must contain at least one  number and one uppercase
and lowercase letter, and at least 8 or more characters"
                                          name="txt_password" placeholder="Enter your password"
required="required"/>
                                </div>

                             </div>
                             <br><br>

                          </div>
                          <div class="buttons">
                             <button class="button is-solid primary-button is-fullwidth raised"
type="submit"  name="btn_login"><span>Login</span></button>
                          </div>
                          <div align="right" style="font-size: 10dp;">
                             <a href="../index.jsp" >return to home</a>
                          </div>


                       </div>
                    </form>
                 </div>
              </div>
           </div>
        </div>
     </div>

     <!-- Concatenated js plugins and jQuery -->
     <script src="../Assets/Templates/friendskit/assets/js/app.js"></script>

     <!-- Core js -->
     <script src="../Assets/Templates/friendskit/assets/data/tipuedrop_content.js"></script>
     <script src="../Assets/Templates/friendskit/assets/js/global.js"></script>
     <script src="../Assets/Templates/friendskit/assets/js/main.js"></script>

     <!-- Page and UI related js -->
     <script src="../Assets/Templates/friendskit/assets/js/signup.js"></script>
  </body>
</html>
```

SEARCH COMPANY PAGE

```
<%@page import="java.sql.ResultSet"%>
<jsp:useBean class="DB.ConnectionClass" id="con"></jsp:useBean>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <%@include file="Head.jsp" %>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
  </head>
  <body>
    <div id="tab" align="center">
      <h1>Search Company</h1>
      <form method="post">
        <table border="1">
          <tr>
            <td>State
              <select id="sel_state" name="sel_state" onchange="getDistrict(this.value)">
                <option value="">Select</option>
                <%
                  String selQry = "select * from tbl_state";
                  ResultSet rs = con.selectCommand(selQry);
                  while (rs.next()) {
                %>
                <option
value="<%=rs.getString("state_id")%>"><%=rs.getString("state_name")%></option>
                <%
                  }
                %>
              </select>
            </td>
            <td>District
              <select id="sel_district" name="sel_district"
onchange="getPlace(this.value)">
                <option value="">Select</option>
              </select>
            </td>
            <td>
              Location
              <select id="sel_location" name="sel_location"
onchange="getPlaceCompany()">
                <option value="">Select</option>
              </select>
            </td>
          </tr>
```

```
        </table>
    </form>
    <div id="search_result">

    </div>
</div>
<script src="../Assets/JQuery/jQuery.js"></script>
<script>

                function getDistrict(sid)
                {

                    $.ajax({
                        type: "POST",
                        data: {sid: sid},
                        url: "../Assets/AjaxPages/AjaxDistrict.jsp",
                        success: function(result) {
                            $("#sel_district").html(result);
                            getStateCompany();
                        }});
                }
                function getPlace(did)
                {

                    $.ajax({
                        type: "POST",
                        data: {did: did},
                        url: "../Assets/AjaxPages/AjaxLocation.jsp",
                        success: function(result) {
                            $("#sel_location").html(result);
                            getDistrictCompany();
                        }});
                }

                function getStateCompany()
                {
                    var sid = document.getElementById("sel_state").value;
                    $.ajax({url: "../Assets/AjaxPages/AjaxStateCompany.jsp?sid=" + sid,
                        success: function(result) {
                            document.getElementById("search_result").innerHTML = result;
                        }});

                }
                function getDistrictCompany()
```

```
                    {
                        var did = document.getElementById("sel_district").value;
                        $.ajax({url:    "../Assets/AjaxPages/AjaxDistrictCompany.jsp?did="    +
did,
                            success: function(result) {
                                document.getElementById("search_result").innerHTML = result;
                            }});
                    }
                    function getPlaceCompany()
                    {
                        var lid = document.getElementById("sel_location").value;
                        $.ajax({url:    "../Assets/AjaxPages/AjaxLocationCompany.jsp?lid="    +
lid,
                            success: function(result) {
                                document.getElementById("search_result").innerHTML = result;
                            }});
                    }
        </script>
        <%@include file="Foot.jsp" %>
    </body>


</html>
```

11.2 SCREENSHOTS


LOGIN PAGE




ADMIN HOMEPAGE



ACCEPTED COMPANY LIST



USER REQUEST LIST



DRIVER HOMEPAGE



COMPANY TRANSPORT LIST



BIBLIOGRAPHY

12.BIBLIOGRAPHY

1. www.google.com
2 .www.youtube.com
3. w3schools.com
4. stackoverflow.com
5. github.com
6. developer.android.com