
Duration : 8.603 s Start: Sep 03, 6:24:31.459 PM End: Sep 03, 6:24:40.062 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 4 SKIPPED - 0 SKIPPED - 0 SKIPPED - 3 9 40 50 60 30 Pass % 70 40 50 60 40 50 60 Pass % 70 Pass % 70 20 20 20 80 80 80 90 90 10 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	This is login feature of SauceDemo	1	0	1	0	3.492 s
2	Google Search	1	0	1	0	5.085 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	This is login feature of SauceDemo	Verify user is able to login the application	5	3	1	1	3.488 s
2	Google Search	Verify wheather user is able to search	4	1	1	2	5.085 s

DETAILED SECTION -- 4 --

(F)- This is login feature of SauceDemo

FAILED	DURATION - 3.492 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 6:24:31.459 PN	M // 6:24:34.951 PM /	Pass - 0	1	Pass - 3	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Verify user is able to login the application




#	Step / Hook Details	Status	Duration
1	Given setup and launch the application with valid URL	PASSED	0.278 s
2	When Enter username	PASSED	0.117 s
3	And Enter password	PASSED	0.109 s
4	And Click Login button	FAILED	0.025 s
	java.lang.NullPointerException at stepDefenition.SauceDemoLogin.click_login_button(SauceDemoLogin.java:23) at ?.Click Login button(file:///C:/Users/AES%20Tech/IdeaProjects/CucumberPractice/src/test/java/Features/Login.feature:8) * Not displayable characters are replaced by '?'. AFTER_STEP - hooks.HooksClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.160 s
	Verify user is able to login the application		
	## Particulars ## Particulars		
5	Then Verify the user is abe to login and see the products	SKIPPED	0.001 s

DETAILED SECTION -- 5 --

(F)- Google Search

FAILED	DURATION - 5.085 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 6:24:34.977 PI	M // 6:24:40.062 PM /	Pass - 0	1	Pass - 1	4
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Verify wheather user is able to search



#	Step / Hook Details	Status	Duration
1	Given User is going to Launch to App	PASSED	1.171 s
2	When Type "Sree Ravindhar" in Search	FAILED	0.047 s
	java.lang.NullPointerException at stepDefenition.StepDefinition.type_in_search(StepDefinition.java:20) at ?.Type "Sree Ravindhar" in Search(file:///C:/Users/AES%20Tech/IdeaProjects/CucumberPractice/src/test/java/Features/Test.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.HooksClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.116 s
	erify wheather user is able to search		
	Google Waster Strategy and Mark Mark and Ap Cold of Strategy and Mark Mark Mark Mark Mark Mark Mark Mark		
3	And Enter click to Search	SKIPPED	0.000 s
4	Then Verify the related results is shown	SKIPPED	0.001 s

(Step) AFTER_STEP - hooks.HooksClass. tearDown(io.cucumber.java.Scenario)


(S) Verify user is able to login the application

(F) This is login feature of SauceDemo


(Step) AFTER_STEP - hooks.HooksClass. tearDown(io.cucumber.java.Scenario)

(S) Verify wheather user is able to search

(F) Google Search







India

About Advertising Business How Search works

Privacy Terms Settings