Project Name: Aster Pharmacy Website
Date of Testing: 24 mar 2024
Tester: [BEVAN SAHA]

Overview

This report outlines the results of manual testing conducted on the Aster Pharmacy website following the resolution of alignment issues. All functionalities were tested across relevant pages and modules to ensure that the fixes are implemented correctly and that there are no residual issues.

Testing Scope

The following areas were tested:

1. **UI/UX Alignment**
   - Header, footer, and content alignment across all pages.
   - Responsiveness across devices (mobile, tablet, desktop).
2. **Functional Testing**
   - Navigation menus and page links.
   - Forms (e.g., contact form, prescription upload).
   - Payment gateway and checkout process.
3. **Performance**
   - Page loading time.
   - Browser compatibility (Chrome, Firefox, Edge, Safari).
4. **Content Verification**
   - Correct display of text and images.
   - Proper formatting of tables and grids.
5. **Fix Verification**
   - Review of all alignment issues mentioned in the earlier document.

Detailed Test Results

Test Case ID	Test Description	Expected Result	Actual Result	Status
TC-001	Header alignment (desktop)	Header should be properly aligned and responsive.	As expected	Passed
TC-002	Footer alignment (mobile)	Footer elements should align correctly on mobile.	As expected	Passed
TC-003	Product page grid view	All products should display in a neat grid.	As expected	Passed
TC-004	Navigation menu functionality	Navigation links should lead to the correct pages.	As expected	Passed

Test Case ID	Test Description	Expected Result	Actual Result	Status
TC-005	Contact form submission	Form should submit data and show confirmation.	As expected	Passed
TC-006	Payment gateway	Successful payment redirection.	As expected	Passed
TC-007	Browser compatibility (Chrome)	Site should display consistently.	As expected	Passed
TC-008	Page loading time (<2s)	All pages should load within 2 seconds.	As expected	Passed

Summary of Findings

- **Issues Identified:** None
- **Issues Fixed:** All previously reported alignment issues have been resolved.
- **Testing Outcome:** The website passed all test cases and is now ready for Phase 2 activities.