

THE RAMNIK GROUP

Primary lockup



Placed at 74 mm wide — the largest size at which this file is a true 300 dpi. Reproduce at or below this width. Keep clear space of at least the height of the hexagon on every side. Do not recolour, outline, rotate or add effects.

THE RAMNIK GROUP

Mark only



Placed at 52 mm wide — 300 dpi. Use where the name already appears beside or above the mark. Minimum reproduction 15 mm; below that the ingot and rock detail closes up.

THE RAMNIK GROUP

On a dark ground



The wordmark is dark grey and will not hold on a dark ground — on backdrops darker than about 40% grey, set the name in white type beside the mark rather than using this lockup. Shown here to demonstrate the problem, not as approved artwork.

Colour, and what this file can and cannot do

Navy		#0C325C — the wordmark, the rock in the mark, icon tiles
Amber		#E58F03 — the sun
Silver		#C8C9CD — the ingot

Those three are the logo. The website is set in a separate, quieter palette so photographs carry the colour; do not substitute one set for the other.

Ink		#15181C — body text and dark grounds on the site
Ember		#B4611F — the site accent, rules and fills
Paper		#FAF9F7 — the site's light ground

These are the screen values used across theramnikgroup.com. They are RGB. Ask the printer to convert to CMYK on their own profile rather than guessing a conversion here.

This PDF contains a bitmap, not vector artwork. The highest-resolution original available is 1024 × 1536 pixels, in which the mark itself is 615 pixels wide. That sets a hard ceiling:

300 dpi — print	mark up to 52 mm · lockup up to 74 mm
150 dpi — large format, read at about a metre	mark up to 104 mm · lockup up to 149 mm
100 dpi — banner, read at two to three metres	mark up to 156 mm · lockup up to 223 mm

A stage backdrop or a roll-up banner needs more than this. For anything above roughly A3, ask whoever produced the logo for the original vector file — an .ai, .svg, .eps or layered source. Scaling this bitmap up will show soft, stepped edges, and the fine highlights on the ingot will break up first.