

Power Apps Interview Preparation – Day 1 Final Answers

Introduction to Power Platform

Definition: Microsoft Power Platform is a low-code platform used to build apps, automate workflows, analyze data, and create chatbots, enabling faster business solution development.

Features / Application: Low-code app development and workflow automation.

Example: Leave request automation system.

Project Usage: Used platform to automate asset request approvals.

Power Platform Overview

Definition: Power Platform combines Power Apps, Power Automate, Power BI, Dataverse, and Copilot tools to deliver complete business solutions in one ecosystem.

Features / Application: Integrated apps, automation, and analytics.

Example: App connected with reporting dashboards.

Project Usage: Asset request solution integrated with automation.

Power BI

Definition: Power BI is Microsoft's analytics tool used to build dashboards and reports for business insights and decision making.

Features / Application: Data visualization and reporting.

Example: Sales performance dashboard.

Project Usage: Request analytics dashboard created.

Power Apps

Definition: Power Apps enables creation of custom business applications connected to enterprise data with minimal coding effort.

Features / Application: Rapid application development.

Example: Employee request management app.

Project Usage: Employees submit asset requests through app.

Power Automate

Definition: Power Automate automates business workflows by triggering actions such as approvals and notifications across systems.

Features / Application: Workflow automation and approvals.

Example: Automatic approval notification flow.

Project Usage: Triggered approval after request submission.

Power Pages

Definition: Power Pages allows creation of secure external websites that allow customers or vendors to access business data.

Features / Application: External user portals.

Example: Vendor service portal.

Project Usage: Suppliers accessed procurement data online.

Copilot Studio

Definition: Copilot Studio helps build AI chatbots that automate conversations and provide intelligent assistance.

Features / Application: AI conversational automation.

Example: HR support chatbot.

Project Usage: Planned asset policy chatbot.

Dataverse

Definition: Dataverse is a secure cloud database storing structured business data with relationships and security.

Features / Application: Centralized relational data storage.

Example: Customer and order data storage.

Project Usage: Stored employee asset requests.

Environments

Definition: Environments separate development, testing, and production resources within Power Platform.

Features / Application: Lifecycle environment separation.

Example: Sandbox for testing.

Project Usage: Tested new features before production deployment.

Default vs Sandbox vs Production

Definition: Default is for personal development, sandbox for testing, and production for live applications.

Features / Application: Deployment lifecycle control.

Example: Testing changes in sandbox.

Project Usage: Production environment hosted live request app.

Solutions

Definition: Solutions package apps, flows, and tables for safe deployment across environments.

Features / Application: Component migration and deployment.

Example: Export solution for production.

Project Usage: Moved asset app using solution.

Canvas Apps

Definition: Canvas Apps allow full UI customization using drag and drop controls connected to data sources.

Features / Application: Flexible UI design.

Example: Inspection mobile app.

Project Usage: Custom request submission screens built.

Model Driven Apps

Definition: Model Driven Apps generate UI automatically from Dataverse tables and workflows for enterprise scenarios.

Features / Application: Process driven applications.

Example: CRM system example.

Project Usage: Admin tracking app built.

Canvas App Designer

Definition: Canvas App Designer is the workspace used to build and configure app screens and logic.

Features / Application: Drag and drop development interface.

Example: Adding galleries and forms.

Project Usage: Designed request entry screens.

Screens

Definition: Screens act as pages in apps that organize application workflow and navigation.

Features / Application: Multi screen navigation.

Example: Home and detail screens.

Project Usage: Separated request list and details.

Controls

Definition: Controls are UI elements like buttons, forms, and inputs used for user interaction.

Features / Application: User input and action triggers.

Example: Submit button control.

Project Usage: Approval buttons implemented.

Properties

Definition: Properties control appearance and behavior of controls such as visibility and actions.

Features / Application: Dynamic UI behavior control.

Example: Hide controls for users.

Project Usage: Approval buttons visible only to managers.

Data Sources & Connectors

Definition: Connectors link apps with external systems such as Dataverse, SharePoint, or SQL for data access.

Features / Application: External data integration.

Example: SharePoint list connection.

Project Usage: Dataverse connected for request storage.

EditForm

Definition: EditForm switches a form into edit mode allowing modification of existing records.

Features / Application: Record editing capability.

Example: Edit employee details.

Project Usage: Managers updated request information.

NewForm

Definition: NewForm prepares forms to create new records instead of editing existing ones.

Features / Application: New record creation.

Example: Create new request record.

Project Usage: Employees created asset requests.

SubmitForm

Definition: SubmitForm validates and saves form data to the connected data source automatically.

Features / Application: Automatic data submission.

Example: Save request data.

Project Usage: Request saved after submission.

ResetForm

Definition: ResetForm clears form inputs or restores previous values after cancellation or submission.

Features / Application: Form reset capability.

Example: Clear entered fields.

Project Usage: Form cleared after submission.

ViewForm

Definition: ViewForm displays records in read-only mode without allowing changes.

Features / Application: Read-only record viewing.

Example: View request details.

Project Usage: Employees tracked submitted request status.

Power Apps Interview Preparation – Day 2 Final Answers (Canvas Apps)

Canvas App Designer Overview

Definition: Canvas App Designer is the interface where developers visually build applications by adding screens, controls, and logic.

Features / Application: Visual UI design and formula configuration.

Example: Designing employee request screens.

Project Usage: Used designer to build asset request workflow.

Workspace

Definition: Workspace is the main design area where screens and controls are arranged during development.

Features / Application: Visual layout arrangement.

Example: Placing forms and buttons.

Project Usage: Organized request submission UI.

Tree View

Definition: Tree View shows screens and controls hierarchically, helping developers manage components easily.

Features / Application: Component navigation and management.

Example: Selecting gallery control quickly.

Project Usage: Managed complex request screens efficiently.

Properties Pane

Definition: Properties pane allows modification of control appearance and behavior settings.

Features / Application: UI customization and behavior control.

Example: Changing button color and size.

Project Usage: Styled request form controls consistently.

Formula Bar

Definition: Formula bar is used to write Power Fx formulas to implement control logic and actions.

Features / Application: Logic implementation and event handling.

Example: Writing Navigate function.

Project Usage: Configured submission and navigation logic.

Screens Management

Definition: Screens organize different functionalities of the app into separate pages.

Features / Application: Multi-screen workflow control.

Example: Separate home and details screens.

Project Usage: Created request list and edit screens.

Navigation Between Screens

Definition: Navigation allows users to move between screens using Navigate or Back functions.

Features / Application: Workflow transitions.

Example: Home to details navigation.

Project Usage: Opened request details from gallery.

Label Control

Definition: Label control displays static or dynamic text to communicate information to users.

Features / Application: Text and status display.

Example: Welcome message.

Project Usage: Displayed request approval status.

Text Input Control

Definition: Text input allows users to enter text or numeric information within forms.

Features / Application: User data entry.

Example: Enter employee name.

Project Usage: Users entered asset request details.

Button Control

Definition: Button control performs actions such as saving data or navigating screens when clicked.

Features / Application: Action trigger control.

Example: Submit button.

Project Usage: Triggered request submission process.

Gallery Control

Definition: Gallery control displays multiple records dynamically allowing record selection.

Features / Application: Dynamic record listing.

Example: Customer record list.

Project Usage: Displayed asset request records.

Form Control

Definition: Form control enables creation, editing, or viewing of records connected to data sources.

Features / Application: Data entry and editing.

Example: Employee data form.

Project Usage: Used to submit and edit requests.

Add & Configure Controls

Definition: Controls can be added and configured to capture user inputs and display data appropriately.

Features / Application: UI configuration flexibility.

Example: Adding dropdown lists.

Project Usage: Configured asset selection controls.

Text Property

Definition: Text property determines what text appears on controls and can change dynamically.

Features / Application: Dynamic text updates.

Example: Show logged-in username.

Project Usage: Displayed employee information.

Color Property

Definition: Color property controls the visual color of controls for readability or alerts.

Features / Application: UI styling.

Example: Red warning label.

Project Usage: Highlighted overdue requests.

Visible Property

Definition: Visible property determines whether a control is displayed based on conditions.

Features / Application: Conditional UI display.

Example: Hide admin-only controls.

Project Usage: Approval button shown only to managers.

OnSelect Property

Definition: OnSelect defines the action executed when a control is clicked.

Features / Application: Event handling logic.

Example: Submit or navigate actions.

Project Usage: Triggered approval submission logic.

Items Property

Definition: Items property defines which data source or records are displayed in galleries or dropdowns.

Features / Application: Data binding control.

Example: Display customer records.

Project Usage: Displayed asset request data.

Connect Excel/SharePoint/Dataverse

Definition: Canvas apps can connect to multiple data platforms to read or update business information.

Features / Application: Multi-source data integration.

Example: Excel-based employee data.

Project Usage: Stored request data in Dataverse.

Power Fx Basics

Definition: Power Fx is the formula language used to create calculations and logic inside Power Apps.

Features / Application: Conditional and calculation logic.

Example: Validate empty fields.

Project Usage: Prevented invalid request submission.

Referencing Controls

Definition: Controls can reference values from other controls to dynamically update content.

Features / Application: Dynamic control interaction.

Example: Display selected record details.

Project Usage: Displayed selected request information.

Conditional Logic

Definition: Conditional logic changes app behavior using formulas like If based on conditions.

Features / Application: Decision-based logic control.

Example: Show error when field empty.

Project Usage: Blocked submission when mandatory fields missing.

Power Apps Interview Preparation – Day 3 Final Answers (Advanced Canvas)

Variables in Power Apps

Definition: Variables temporarily store values during app runtime and help share data between screens or logic steps.

Features / Application: Temporary state management and data sharing.

Example: Store selected employee or request ID.

Project Usage: Stored selected asset request before editing.

Collections

Definition: Collections are temporary in-memory tables used to store and manipulate local data before saving it to a data source.

Features / Application: Local data storage and manipulation.

Example: Shopping cart storing selected items.

Project Usage: Stored selected assets before final submission.

Advanced Power Fx

Definition: Advanced Power Fx formulas allow developers to filter, search, and sort data dynamically to create responsive applications.

Features / Application: Dynamic data filtering and manipulation.

Example: Filter pending requests.

Project Usage: Displayed only manager-pending requests.

Conditional Formatting

Definition: Conditional formatting changes UI appearance dynamically based on data conditions.

Features / Application: Visual highlighting and alert indication.

Example: Highlight overdue tasks in red.

Project Usage: Highlighted delayed requests in approval dashboard.

Reusable Components

Definition: Components allow reuse of UI and logic across screens, ensuring consistent design and easier maintenance.

Features / Application: Reusable UI and logic blocks.

Example: Common header component.

Project Usage: Used reusable header across request screens.

Patch Function

Definition: Patch function updates or creates records directly in a data source without using forms.

Features / Application: Manual record update control.

Example: Update request approval status.

Project Usage: Managers updated approval status via Patch.

Remove & RemoveIf Functions

Definition: Remove deletes selected records while RemoveIf deletes records meeting specified conditions.

Features / Application: Conditional record deletion.

Example: Delete cancelled requests.

Project Usage: Removed invalid asset requests.

UpdateContext Function

Definition: UpdateContext creates screen-level variables used to manage temporary UI state or logic.

Features / Application: Screen-level state control.

Example: Show confirmation popup.

Project Usage: Displayed confirmation dialog before deleting records.

Error Handling

Definition: Error handling functions capture and manage errors during data operations, improving application reliability.

Features / Application: Improves app stability.

Example: Show message if data save fails.

Project Usage: Displayed error message if request submission failed.

Power Automate Integration

Definition: Power Apps integrates with Power Automate flows to trigger workflows like notifications and approvals automatically.

Features / Application: Workflow automation integration.

Example: Send approval email automatically.

Project Usage: Triggered approval flow after request submission.

Power Apps Interview Preparation – Dataverse Fundamentals Final Answers

Dataverse Introduction

Definition: Dataverse is Microsoft's secure cloud data platform used to store structured business data with relationships and security controls.

Features / Application: Centralized relational data storage.

Example: Store customer and order data.

Project Usage: Stored asset requests and employee records.

Tables

Definition: Tables in Dataverse store structured business data where each row represents a record and columns store attributes.

Features / Application: Structured data storage.

Example: Customer table storing client records.

Project Usage: Created Asset Request table.

Columns

Definition: Columns define fields in tables used to store specific information such as text, numbers, or lookups.

Features / Application: Data structure definition.

Example: Name and Email columns.

Project Usage: Stored asset type and approval status.

Standard vs Custom Tables

Definition: Standard tables are prebuilt Microsoft entities while custom tables are created to meet business needs.

Features / Application: Extendable business data model.

Example: Standard Account vs custom Asset table.

Project Usage: Created custom Request table.

Relationships

Definition: Relationships connect tables allowing records to reference each other for structured business data management.

Features / Application: Table linking and data integrity.

Example: Customer linked to orders.

Project Usage: Employee linked to asset requests.

One-to-Many Relationship (1:N)

Definition: One record in a table can connect to multiple related records in another table.

Features / Application: Parent-child data structure.

Example: One customer with many orders.

Project Usage: One employee submitting multiple requests.

Many-to-One Relationship (N:1)

Definition: Multiple records in one table can reference a single record in another table.

Features / Application: Lookup-based record linking.

Example: Many orders linked to one customer.

Project Usage: Requests linked to a single employee.

Many-to-Many Relationship (N:N)

Definition: Records in one table can be linked with multiple records in another table simultaneously.

Features / Application: Complex cross-table linking.

Example: Employees assigned to many projects.

Project Usage: Assets shared across departments.

Business Rules

Definition: Business rules apply validation and automation logic to forms without writing code.

Features / Application: No-code validation and automation.

Example: Make email mandatory.

Project Usage: Request reason required before saving.

Solutions in Dataverse

Definition: Solutions package tables and components for safe migration between environments.

Features / Application: Deployment and migration support.

Example: Export solution to production.

Project Usage: Moved request system tables safely.

Create Custom Table

Definition: Custom tables are created to store organization-specific data not available in standard tables.

Features / Application: Business-specific data storage.

Example: Create Customer table.

Project Usage: Created Asset Request table.

Add Columns

Definition: Columns are added to tables to store additional attributes required for business records.

Features / Application: Extend data model.

Example: Add phone number field.

Project Usage: Added asset category and approval status.

Business Rule Example

Definition: Business rules enforce logic such as making fields required based on conditions.

Features / Application: Conditional validation logic.

Example: Email required if phone missing.

Project Usage: Description mandatory before submission.

Package Table into Solution

Definition: Tables and related components are packaged into solutions to deploy them across environments.

Features / Application: Deployment packaging.

Example: Export custom table solution.

Project Usage: Migrated custom tables to production environment.

Power Apps Interview Preparation – Day 4 Final Answers (Model-Driven Apps & ALM)

Model-Driven Apps Overview

Definition: Model-Driven Apps generate application UI automatically from Dataverse tables and business processes, focusing on structured data management.

Features / Application: Process-driven enterprise application development.

Example: CRM or case management system.

Project Usage: Used admin app to track asset requests and approvals.

Forms

Definition: Forms display and allow editing of table records within model-driven apps and can be customized for usability.

Features / Application: Record viewing and editing.

Example: Customer information form.

Project Usage: Managers reviewed request records using forms.

Customize Forms

Definition: Forms can be customized by arranging fields, adding tabs, and controlling visibility for better user experience.

Features / Application: Improved data entry and layout organization.

Example: Group address or approval details.

Project Usage: Separated approval data in request forms.

Views

Definition: Views display filtered record lists helping users access relevant records quickly.

Features / Application: Filtered and sorted record display.

Example: Pending requests view.

Project Usage: Admins monitored pending approvals.

Customize Views

Definition: Views can be configured by selecting columns and filters to match business requirements.

Features / Application: Data visibility customization.

Example: Show approved records only.

Project Usage: Created manager-specific approval views.

Charts

Definition: Charts visually represent business data using graphs to help analyze trends and performance.

Features / Application: Data visualization and analytics.

Example: Requests by status chart.

Project Usage: Managers analyzed request volumes monthly.

Dashboards

Definition: Dashboards combine views and charts to provide business data summaries for monitoring performance.

Features / Application: Business metrics overview.

Example: Sales performance dashboard.

Project Usage: Dashboard tracked asset request trends.

Business Process Flow

Definition: Business Process Flow guides users through defined business stages ensuring process consistency.

Features / Application: Stage-based workflow control.

Example: Lead qualification stages.

Project Usage: Asset request approval stages implemented.

Security Roles

Definition: Security roles define user permissions such as create, read, update, and delete operations on records.

Features / Application: Role-based access control.

Example: Admin vs employee access.

Project Usage: Only managers approved asset requests.

Field-Level Security

Definition: Field-level security restricts access to sensitive fields ensuring only authorized users can view or modify them.

Features / Application: Sensitive data protection.

Example: Salary or approval fields restricted.

Project Usage: Approval remarks visible only to managers.

Application Lifecycle Management (ALM)

Definition: ALM manages development, testing, and deployment of applications across environments safely.

Features / Application: Deployment lifecycle management.

Example: Move solution from Dev to Production.

Project Usage: Asset management app deployed safely.

Export Solutions

Definition: Solutions are exported from one environment to move components to another environment.

Features / Application: Deployment packaging capability.

Example: Export solution for testing.

Project Usage: Exported asset solution from sandbox.

Import Solutions

Definition: Imported solutions install applications and components into target environments for use or testing.

Features / Application: Environment deployment support.

Example: Import solution into production.

Project Usage: Imported tested app into production environment.

Managed vs Unmanaged Solutions

Definition: Unmanaged solutions are editable and used during development, while managed solutions are locked for production deployment.

Features / Application: Deployment control and protection.

Example: Managed solution used in production.

Project Usage: Production asset system deployed as managed solution.