Topic 10: Gmail Integration – Implementation Guide

1. Project Overview

This project demonstrates how to connect n8n with Gmail to send personalized plain-text emails automatically using dynamic data and Gmail OAuth2 authentication.

2. Workflow Details

Workflow Name: Topic 10 Gmail Integration Workflow

Workflow Sequence:

Manual Trigger → Mock Customer Data → Send Personalized Email

3. Node Configuration

3.1 Manual Trigger

- Node: Manual Trigger
- Purpose: Starts the workflow when the user clicks Execute Workflow.

3.2 Mock Customer Data

- Node: Edit Fields (Set)
- Node Name: Mock Customer Data
- Purpose: Creates sample customer information for the Gmail node.

Fields configured:

Field	Type	Value
customerName	String	Charlie Brown
customerEmail	String	Recipient email entered privately in n8n

Include Other Input Fields: OFF

3.3 Gmail – Send Personalized Email

- Node: Gmail
- Node Name: Send Personalized Email
- Resource: Message
- Operation: Send
- Authentication: Gmail OAuth2
- Email Type: Text

The Gmail account was connected using the Sign in with Google option.

Recipient (To)

```
None
{{ $json.customerEmail }}
```

Subject

```
None
{{ 'Welcome to N8N Course, ' + $json.customerName + '!' }}
```

Message Body

```
None
{{ 'Hello ' + $json.customerName + ',\n\nWelcome to the N8N Course!
This is a test email sent automatically using n8n and Gmail
integration.\n\nBest regards,\nN8N Training Team' }}
```

4. Execution Process

1. Open the Topic 10 workflow.
2. Click Execute Workflow.
3. The Manual Trigger starts the workflow.
4. Mock Customer Data generates the customer name and email.
5. The Gmail node reads the dynamic values.
6. Gmail sends the personalized plain-text email.
7. The Gmail node returns the message ID, thread ID, and SENT label.

5. Implementation Result

The workflow successfully sent the personalized email.

The Gmail output included:

- Message ID: `1a1cf8410c2bd6d6`
- Thread ID: `1a1cf8410c2bd6d6`
- Label: `SENT`

The recipient inbox was checked and email delivery was verified.

6. Conclusion

The Topic 10 Gmail Integration workflow was successfully implemented and tested. It demonstrates Gmail OAuth2 authentication, dynamic recipient selection, personalized subject generation, and plain-text email delivery using n8n.