n8n Gmail Integration

Overview

This repository contains the Topic 10 Gmail Integration workflow created using n8n.

The project demonstrates how to connect n8n to Gmail and send personalized plain-text emails using dynamic customer information.

Workflow Name

```
Topic 10 Gmail Integration Workflow
```

Workflow Architecture

```
None
Manual Trigger
      |
      v
Mock Customer Data
      |
      v
Send Personalized Email
```

Technologies Used

- n8n Cloud
- Gmail
- Gmail OAuth2 Authentication
- Dynamic Expressions
- JSON Data

Workflow Nodes

1. Manual Trigger

Starts the workflow manually.

2. Mock Customer Data

Creates the customer information used by the email node.

Sample fields:

- customerName
- customerEmail

3. Send Personalized Email

Uses the Gmail node to send a personalized plain-text email.

Recipient expression:

```
None
{{ $json.customerEmail }}
```

Subject expression:

```
None
{{ 'Welcome to N8N Course, ' + $json.customerName + '!' }}
```

Message body expression:

```
None
{{ 'Hello ' + $json.customerName + ',\n\nWelcome to the N8N Course! This is a test email sent automatically using n8n and Gmail integration.\n\nBest regards,\nN8N Training Team' }}
```

Authentication

Gmail was connected through the Gmail OAuth2 sign-in option in n8n.

No passwords, OAuth client secrets, or private credentials are included in this repository.

Testing

The workflow was executed successfully.

The Gmail node returned:

- Message ID: `1a1cf8410c2bd6d6`
- Thread ID: `1a1cf8410c2bd6d6`
- Label: `SENT`

The recipient inbox was checked and the email was verified as delivered.

Expected Result

The recipient receives a personalized plain-text email containing their name in the subject and message body.

Project Status

Completed and tested successfully.