Topic 10: Gmail Integration – Implementation Guide

1. Project Overview

This project demonstrates how to connect n8n with Gmail to send personalized plain-text emails automatically using dynamic customer information and Gmail OAuth2 authentication.

2. Workflow Details

Workflow Name: Topic 10 Gmail Integration Workflow

Repository: n8n-gmail-integration

Workflow Sequence:

Manual Trigger → Mock Customer Data → Send Personalized Email

3. Node Configuration

3.1 Manual Trigger

- Node: Manual Trigger
- Purpose: Starts the workflow when the user clicks Test Workflow.

3.2 Mock Customer Data

- Node: Edit Fields (Set)
- Node Name: Mock Customer Data
- Purpose: Creates sample customer information.

Configured fields:

Field	Type	Value
customerName	String	Alice Smith

customerEmail	String	User-accessible email address configured privately in n8n

Include Other Input Fields: OFF

3.3 Gmail – Send Personalized Email

- Node: Gmail
- Node Name: Send Personalized Email
- Resource: Message
- Operation: Send
- Authentication: Gmail OAuth2
- Email Type: Text

Gmail authentication was completed using Sign in with Google.

Recipient (To)

```
None
{{ $json.customerEmail }}
```

Subject

```
None
{{ 'Welcome to N8N Course, ' + $json.customerName + '!' }}
```

Email Body

```
None
{{ 'Hi ' + $json.customerName + ',\n\nCongratulations on completing Topic 10 of the N8N Hands-On Beginner Course!\nThis personalized email was sent automatically using dynamic content from a previous node.\n\nBest regards,\nYour Automation Engine' }}
```

4. Execution Process

1. Open the Topic 10 workflow.
2. Click Test Workflow.
3. Manual Trigger starts the workflow.
4. Mock Customer Data generates customer information.
5. Gmail reads the dynamic recipient and customer name.

6. Gmail sends the personalized plain-text email.
7. Gmail returns the message ID, thread ID, and SENT label.
8. Verify the email in the recipient inbox.

5. Execution Result

The updated workflow successfully sent the personalized email.

Latest Gmail output:

- Message ID: `1a1cfb235060892b`
- Thread ID: `1a1cfb235060892b`
- Label: `SENT`

The recipient inbox was checked and the updated email delivery was verified.

6. Conclusion

The Topic 10 Gmail Integration workflow was successfully implemented and tested according to the trainer's step-by-step guide. It demonstrates Gmail OAuth2 authentication, dynamic recipient mapping, personalized subject generation, and plain-text email delivery.