Cucumber Report

Start : Oct 08, 11:16:22.962 pm	**End : Oct 08, 11:16:34.621 pm**	**Duration : 11.659 s**
Features	Scenarios	Steps

PASSED - 1	PASSED - 1	PASSED - 3
FAILED - 0	FAILED - 0	FAILED - 0
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login	*11.659 s*	*1*	*1*	*0*	*0*	*3*	*3*	*0*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TEST-0002	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Login	1	1	0	0	11.659 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login	User unable to sign in	3	3	0	0	11.651 s

Login

PASSED	DURATION - 11.659 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:16:22.962 pm // 11:16:34.621 pm /					

User unable to sign in

PASSED	DURATION - 11.651 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:16:22.970 pm // 11:16:34.621 pm /				
Login				
@TEST-0002				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website javatpoint.com	PASSED	0.110 s
2	And there user logs in through Login Window by using Username as "SREEJITH" and Password as "PASSWORD"	PASSED	0.001 s
3	Then login must be successful	PASSED	0.002 s
	AFTER - com.org.stepDef.Common.Hooks.teardDown()	PASSED	2.205 s
	attachment		