

Jobs

Generated by Talend Data Integration

| Project Name | sai_talend_practice | GENERATION DATE | 14 Sep, 2018 3:24:10 PM |
|--------------|---------------------|---------------------------------|----------------------------|
| AUTHOR | security, security | Talend Data Integration VERSION | 6.5.1.20180116_1512 |

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

| Properties | Values |
|-------------|---------------------|
| Name | sai_talend_practice |
| Language | java |
| Description | sai_talend_practice |

Description

| Properties | Values |
|--------------|-------------------------|
| Name | JOB_JAVA |
| Author | security, security |
| Version | 0.1 |
| Purpose | |
| Status | |
| Description | |
| Creation | 21 Aug, 2018 7:58:40 AM |
| Modification | 30 Aug, 2018 8:22:26 AM |

Preview Picture



Settings

Extra settings

| Name | Value |
|------------------------|-------|
| COMP_DEFAULT_FILE_DIR | |
| Multi thread execution | true |
| Implicit tContextLoad | false |

Status & Logs

| Name | Value |
|-------------------------------|-------|
| Use statistics (tStatCatcher) | false |

| Use logs (tLogCatcher) | false |
|-------------------------------------|--------------------------|
| Use volumetrics (tFlowMeterCatcher) | false |
| On Console | false |
| On Files | false |
| On Databases | true |
| Property Type | |
| Property | BUILT_IN |
| Db Type | tOracleOutput_servername |
| Host | "localhost" |
| Port | "1521" |
| Db Name | "ex" |
| Additional parameters | ни |
| Schema | 11.11 |
| User | "system" |
| Password | ****** |
| Datasource | ш |
| Logs Table | "log_catcher_30082018" |
| Datasource | |

| Meter Table | 1111 |
|-----------------------------|-------------------------|
| Stats Table | "stat_catcher_30082018" |
| Catch components statistics | false |
| Catch runtime errors | true |
| Catch user errors | true |
| Catch user warnings | true |

Context List

ContextDefault

Component List

| Component Name | Component Type |
|-----------------------|---------------------|
| tFileInputDelimited_3 | tFileInputDelimited |
| tInfiniteLoop_1 | tInfiniteLoop |
| tLogRow_1 | tLogRow |
| tMap_1 | tMap |

Components Description

Component tFileInputDelimited

| | UNIQUE NAME | tFileInputDelimited_3 | INPUT(S) | tInfiniteLoop_1 |
|--|----------------|-----------------------|-----------|-----------------|
| | LABEL | date | OUTPUT(S) | tMap_1 |

Component Parameters:

| Component Parameters: | | |
|-------------------------|-------------------------------------|--|
| Properties | Values | |
| Unique Name | tFileInputDelimited_3 | |
| Component Name | tFileInputDelimited | |
| Version | 0.102 (ALPHA) | |
| Family | File/Input | |
| Start | false | |
| Startable | true | |
| SUBTREE_START | false | |
| END_OF_FLOW | false | |
| Activate | true | |
| DUMMY | false | |
| tStatCatcher Statistics | false | |
| Help | org.talend.help.tFileInputDelimited | |

| Update components | true |
|-------------------------------|--|
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | E:\TAC\Talend-Tools-Studio-20180116_1512-V6.5.1\confiç |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| | false |
| Property Type | Built-In |
| File name/Stream | "C:/Users/Admin/Desktop/datefile.txt" |
| CSV options | false |
| Row Separator | "\n" |
| CSV Row Separator | "\n" |
| Field Separator | n |
| Escape char | ппп |
| Text enclosure | ппп |
| Header | 1 |

| Footer | 0 |
|----------------------------------|--|
| Limit | |
| Skip empty rows | false |
| Uncompress as zip file | false |
| Die on error | false |
| REPOSITORY_ALLOW_AUTO_SWITCH | true |
| Schema | Built-In |
| Schema | Built-In |
| !!!TEMP_DIR.NAME!!! | "D:/workspace" |
| Advanced separator (for numbers) | false |
| Thousands separator | " " , |
| Decimal separator | |
| Extract lines at random | false |
| Number of lines | 10 |
| Trim all columns | false |
| Check column to trim | [{SCHEMA_COLUMN=eno, TRIM=false}, {SCHEMA_COLTRIM=false}, {SCHEMA_COLUMN=sal, TRIM=false}, {SCHEMA_COLUMN=hra, TRIM=false}, {SCHEMA_COLUTRIM=false}] |

| Check each row structure against schema | false |
|---|--|
| Check date | false |
| Encoding | "US-ASCII" |
| Split row before field | false |
| Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types | false |
| Decode table | [{SCHEMA_COLUMN=eno, DECODE=false}, {SCHEMA_COLUMN=ename, DECODE=false}, {SCHEMA_COLUMN=sal, DECODE=false}, {SCHEMA_CODECODE=false}, {SCHEMA_COLUMN=joindate, DECODE |
| !!!DESTINATION.NAME!!! | |
| Min column number of optimize code | 100 |
| Label format | date |
| Hint format | UNIQUE_NAME COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for metadata:

| Column | Key | Туре | Length | Precision | Nullable | Comment |
|----------|-------|---------|--------|-----------|----------|---------|
| eno | false | Integer | 3 | | true | |
| ename | false | String | 6 | | true | |
| sal | false | Integer | 5 | | true | |
| hra | false | Integer | 3 | | true | |
| joindate | false | String | 10 | | true | |

Original Function Parameters: Component tInfiniteLoop

| LUJ A | UNIQUE NAME | tInfiniteLoop_1 | INPUT(S) | none |
|-------|----------------|-----------------|-----------|-----------------------|
| | LABEL | UNIQUE_NAME | OUTPUT(S) | tFileInputDelimited_3 |

Component Parameters:

| Component Farameters. | | |
|-----------------------|-----------------|--|
| Properties | Values | |
| Unique Name | tInfiniteLoop_1 | |
| Component Name | tInfiniteLoop | |
| Version | 0.102 (ALPHA) | |
| Family | Orchestration | |
| Start | true | |
| Startable | true | |

| SUBTREE_START | true |
|--|--|
| END_OF_FLOW | true |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tlnfiniteLoop |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | E:\TAC\Talend-Tools-Studio-20180116_1512-V6.5.1\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| | false |
| Wait at each iteration (in milliseconds) | 10000 |
| Label format | UNIQUE_NAME |

| Hint format | UNIQUE_NAME COMMENT |
|---------------------------------|-------------------------------|
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Original Function Parameters: Component tLogRow

| | UNIQUE NAME | tLogRow_1 | INPUT(S) | tMap_1 |
|--|----------------|-------------|-----------|--------|
| | LABEL | UNIQUE_NAME | OUTPUT(S) | none |

Component Parameters:

| Properties | Values |
|----------------|---------------|
| Unique Name | tLogRow_1 |
| Component Name | tLogRow |
| Version | 0.101 (ALPHA) |
| Family | Logs_Errors |
| Startable | false |

| false |
|--|
| true |
| true |
| false |
| false |
| org.talend.help.tLogRow |
| true |
| |
| E:\TAC\Talend-Tools-Studio-20180116_1512-V6.5.1\config |
| |
| |
| false |
| 2 |
| false |
| Itrue |
| Built-In |
| false |
| |

| Table (print values in cells of a table) | true |
|---|---|
| Vertical (each row is a key/value list) | false |
| Print unique name | true |
| Print label | false |
| Print unique name and label | false |
| Field Separator | " " |
| Print header | false |
| Print component unique name in front of each output row | false |
| Print schema column name in front of each value | false |
| Use fixed length for values | false |
| Lengths | [{SCHEMA_COLUMN=seqnum, LENGTH=10}, {SCHEMA_COLUMN=eno, LENGTH=10}, {SCHEMA_COL LENGTH=10}, {SCHEMA_COLUMN=sal, LENGTH=10}, {SCHEMA_COLUMN=hra, LENGTH=10}, {SCHEMA_COL LENGTH=10}] |
| Print content with log4j | true |
| Min column number of optimize code | 100 |
| Label format | UNIQUE_NAME |
| Hint format | UNIQUE_NAME COMMENT |


| Connection format | row |
|---------------------------------|-------|
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tLogRow_1:

| Ochicina ioi | tLogRow_i | | | | | |
|--------------|-----------|---------|--------|-----------|----------|---------|
| Column | Key | Туре | Length | Precision | Nullable | Comment |
| seqnum | false | Integer | | | true | |
| eno | false | Integer | 3 | | true | |
| ename | false | String | 6 | | true | |
| sal | false | Integer | 5 | | true | |
| hra | false | Integer | 3 | | true | |
| joindate | false | String | 10 | | true | |

Original Function Parameters: Component tMap

| - 10.00 | UNIQUE NAME | tMap_1 | INPUT(S) | tFileInputDelimited_3 |
|---------|----------------|-------------|-----------|-----------------------|
| | LABEL | UNIQUE_NAME | OUTPUT(S) | tLogRow_1 |



Component Parameters:

| Component Parameters: | |
|---|--------|
| Properties | Values |
| tStatCatcher Statistics | false |
| Enable parallel execution | false |
| Mapping links display as: | AUTO |
| Temp data directory path: | |
| Max buffer size (nb of rows): | 200000 |
| Ignore trailing zeros for BigDecimal | false |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |

Mapper table for tMap_1 (input):

Mapper table Properties (row5):

| mapper table i roperties (rows). | | | |
|----------------------------------|--|--|--|
| Values | | | |
| row5 | | | |
| UNIQUE_MATCH | | | |
| false | | | |
| null | | | |
| | | | |

Metadata Table Entries(row5):

| Name | Туре | Expression | isNullable |
|----------|---------|------------|------------|
| eno | Integer | | true |
| ename | String | | true |
| sal | Integer | | true |
| hra | Integer | | true |
| joindate | String | | true |

Constraint Table Entries(row5):

| Name | Туре | Expression | isNullable |
|------|------|------------|------------|
| | | - | |

Mapper table for tMap_1 (output):

Mapper table Properties(out1):

| Properties | Values |
|-------------------|--------|
| Name | out1 |
| Matching-mode | |
| isMinimized | false |
| isReject | false |
| isRejectInnerJoin | false |
| isInnerJoin | false |
| expressionFilter | null |

Metadata Table Entries(out1):

| motadata rabio = | metadata Table Entitles (Out 1). | | | |
|------------------|----------------------------------|----------------------------|------------|--|
| Name | Туре | Expression | isNullable | |
| seqnum | Integer | Numeric.sequence("s1",1,1) | true | |
| eno | Integer | row5.eno | true | |
| ename | String | row5.ename | true | |
| sal | Integer | row5.sal | true | |
| hra | Integer | row5.hra | true | |
| joindate | String | row5.joindate | true | |

Constraint Table Entries(out1):

| Name Type | Expression | isNullable | |
|-----------|------------|------------|--|
|-----------|------------|------------|--|

Mapper table for tMap_1 (var):

| Mapper | table | Prope | erties(| (Var |): |
|---------------|-------|-------|---------|------|----|
|---------------|-------|-------|---------|------|----|

| mapper table Froperties | 5(Vai). |
|-------------------------|-----------|
| Properties | Values |
| Name | Var |
| Matching-mode | |
| isMinimized | true |
| isReject | false |
| isRejectInnerJoin | false |
| isInnerJoin | false |
| expressionFilter | null |

Metadata Table Entries(Var):

| ıme | Туре | Expression | isNullable |
|-----|------|------------|------------|
|-----|------|------------|------------|

Constraint Table Entries(Var):

| ıme | Туре | Expression | isNullable |
|-----|------|------------|------------|
|-----|------|------------|------------|