Consolidated Open Checkpoints - Test Checklist

CLOZR mobile app (Flutter) | Build: _____ | Tester: _____ | Date: _____ | Env: dev.clozr.tech (UAT)

Consolidated open checkpoints from the 5 Nov 2026 UAT pass: BLOCKED = could not be tested (missing user / permission / data), NOT RUN = no result recorded, FAIL = tested and failed. PASS, FIXED and N/A rows are left out.

Summary

Module	Blocked	Not run	Failed	Open total
Leads	4	0	0	**4**
Follow-ups	4	0	0	**4**
Tasks (CRM)	5	0	0	**5**
Customers	9	5	0	**14**
Quotes	4	0	0	**4**
Payments	3	0	0	**3**
Helpdesk & Tickets	3	15	0	**18**
Helpdesk Boards (Support Overview)	2	0	0	**2**
Operations & Projects	2	0	0	**2**
Operations Tasks	5	0	0	**5**
Total	**41**	**20**	**0**	**61**

Ref = section.row number in that module's original checklist. Tick Pass or Fail when the checkpoint is re-tested; write the defect or blocker in the notes column.

Leads — 4 open (4 blocked · 0 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 2: Add lead						
2.8	**Duplicate check**	Add a lead with an existing phone/email. Error toast 'This lead already exists'.	**BLOCKED**	☐	☐	Same as 9.5 (server-side duplicate policy off on dev)
Section 8: Permissions & edge cases						
8.1	**Module guard**	User without 'lead' module access cannot open Leads / detail / add routes.	**BLOCKED**	☐	☐	Needs a test user without the lead module; only the admin test login is available
8.2	**Read-only user**	User without update permission sees disabled actions with permission text; nothing saves.	**BLOCKED**	☐	☐	Needs a test user without lead update permission; only the admin test login is available

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 9: UAT findings - reported issues (re-test)						
9.5	**Duplicate email**	BUG REPORTED: add a lead using an email already used by another lead. EXPECTED: duplicate is blocked or warned per org policy ('This lead already exists'). CURRENT: lead gets created.	**BLOCKED**	☐	☐	Reproduced: lead with an already-used email created ('Lead created'); the server answered 201 with is_duplicate=false and no warnings - the dev org's duplicate rule does not flag email. The app shows 'This lead already exists' on a 400 block and 'Lead created — possible duplicate' on warn; enable the duplicate rule in org settings to verify

Follow-ups — 4 open (4 blocked · 0 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 5: Status, reschedule & delete						
5.9	**Delete**	Menu 'Delete follow-up'. Dialog 'Delete follow-up?' Cancel keeps; Delete shows 'Follow-up deleted' and returns to list without the row.	**BLOCKED**	☐	☐	Delete not executed in automated run (needs manual confirmation); 'Delete follow-up' in menu and trash button present
Section 6: Permissions & edge cases						
6.1	**Module guard**	User without 'followup' module cannot open list, detail or edit routes.	**BLOCKED**	☐	☐	Needs a user without the followup module
6.2	**No update permission**	'Edit follow-up' / 'Reschedule' show the permission sublabel and do not open; 403 on save shows a permission error toast.	**BLOCKED**	☐	☐	Needs a restricted-permission user
6.3	**Server-gated actions**	Complete, delete, files and people actions follow server permission; errors show the server message, no crash.	**BLOCKED**	☐	☐	Needs a restricted-permission user

Tasks (CRM) — 5 open (5 blocked · 0 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 5: Status, duplicate & delete						
5.7	**Delete**	Menu 'Delete task'. Dialog 'Delete task?' Cancel keeps; Delete: 'Task deleted' and returns to the list without the row.	**BLOCKED**	☐	☐	Delete not executed (manual confirmation)
Section 6: Permissions & edge cases						
6.1	**Module guard**	User without the 'task' module cannot open list, detail, add or edit routes.	**BLOCKED**	☐	☐	Needs a user without the task module
6.2	**Create / delete permission**	Without create: 'Duplicate task' shows the permission text and is blocked. Without delete: 'Delete task' is blocked the same way.	**BLOCKED**	☐	☐	Needs a restricted-permission user
6.3	**Update permission**	Without update: edits and status changes show a permission error toast (403) and nothing saves.	**BLOCKED**	☐	☐	Needs a restricted-permission user

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
6.5	**Admin changes**	After admin edits lanes / types / priorities / layouts, pull-to-refresh picks them up without restart.	**BLOCKED**	☐	☐	Needs someone to change lanes / types / layouts in the web admin during the test and come back; no admin session available here. Renamed catalog items already present on the dev org (e.g. 'QA2 Waiting on client (renamed)') show correctly on mobile

Customers — 14 open (9 blocked · 5 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 2: Add customer						
2.8	**Duplicate - block**	Org policy block: creating a matching customer shows 'This customer already exists' and nothing is created.	**BLOCKED**	☐	☐	Dev org duplicate policy allows duplicates: same name, same email+phone all created (201, is_duplicate=false, no warnings). App code handles 400 errors.duplicate (block) and 201 warnings (warn); needs an org with policy set to verify
2.9	**Duplicate - warn**	Org policy warn: create succeeds with 'Customer created - possible duplicate'; footer becomes a single 'Done'; re-saving is not possible.	**BLOCKED**	☐	☐	Same as 2.8 - server returned no warnings on dev org
Section 3: Edit customer						
3.6	**Load failure / no layout**	Bad id shows 'Could not load this customer'. Org without editable layout shows the 'This workspace has not configured any editable...' message.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
Section 4: Customer detail - header & info						
4.8	**Stale record banner**	Change status / assignee after the record changed elsewhere. 'Changed elsewhere - Reload' banner names what was not saved; Reload re-reads and retry works.	**BLOCKED**	☐	☐	Needs a concurrent web edit to trigger the 'Changed elsewhere - Reload' banner; not simulated
4.10	**Upsell card**	'UPSELL' section shows the upsell lead when one exists and links to it.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
Section 5: Customer detail - status & lifecycle						
5.1	**Status sheet**	Tap the status pill. 'Update customer status' lists the org statuses; pick one: 'Status updated'; pill colour follows the status type.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
5.2	**Mark Lost**	Move to a Lost status. 'Move to ' sheet: 'Lost reason (required)', optional note, list 'Marking this customer Lost closes its open deals:'; Confirm disabled until a reason is chosen.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
5.3	**Lost with invoices**	Customer with open invoices: button reads 'Issue credit notes and mark Lost'; a 409 LOST_HAS_OPEN_INVOICES reopens the sheet listing the invoices; 'Nothing is refunded automatically.' shown.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
5.4	**No lost reasons**	Org without lost reasons shows 'A lost reason is required. Ask an administrator to add lost reasons in Settings -> Leads.'	**BLOCKED**	☐	☐	Org has lost reasons configured; 'no reasons' copy exists in code, not exercised
5.7	**Delete**	Menu 'Delete'. Dialog 'Delete this customer?'; Delete customer: toast 'Customer deleted' and back to list.	**BLOCKED**	☐	☐	Irreversible delete not executed in this automated run (needs manual confirmation). Dialog 'Delete this customer?' present in menu
5.8	**Delete refused**	Customer with invoices / receipts / payments: banner 'This customer can't be deleted because accounting records ... reference it.' Customer stays. 403 and 404 show their own messages.	**BLOCKED**	☐	☐	Not executed (delete). Refusal copy for PARTY_HAS_BOOKS/403/404 exists in customer_detail_rules.dart
Section 7: Permissions & edge cases						
7.1	**Module guard**	User without the 'customer' module cannot open list, detail or edit routes.	**BLOCKED**	☐	☐	Needs a user without the customer module; only one test account available
7.2	**Create permission**	Without create: 'Add customer' hidden / blocked; Create quote, Record payment show permission text.	**BLOCKED**	☐	☐	Needs a restricted-permission user
7.3	**Update / delete permission**	Without update: inline edits, status, assignees and Generate document are blocked with permission text. Without delete: 'Delete' shows the reason sublabel.	**BLOCKED**	☐	☐	Needs a restricted-permission user

Quotes — 4 open (4 blocked · 0 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 5: Quote lifecycle						
5.8	**Delete**	'Delete' -> confirm -> ' deleted' and back to the list. Grouped quote delete message mentions the group.	**BLOCKED**	☐	☐	Delete not executed (manual confirmation)
Section 6: Discount approvals & reports						
6.4	**Rejected discount**	On a rejected quote, editing the discount and saving re-submits for approval.	**BLOCKED**	☐	☐	Rejected a discount (QTN-00094) in Discount approvals, then edited its price back to the catalog price and saved: rejection cleared ('Approval Status: Rejected → Not required'). Re-submission for approval could not be observed because the saving user is above the discount limit; needs a user with a lower limit

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 7: Permissions & edge cases						
7.1	**Module guard**	User without the 'quotation' module cannot open list, detail, add, edit or approvals routes.	**BLOCKED**	☐	☐	Needs a user without the quotation module
7.2	**Create / update permission**	Without create: Add quote, Duplicate, Revise, Renew blocked with permission text. Without update: Edit, Mark as sent, Accept, Reject, Reassign, Generate document blocked.	**BLOCKED**	☐	☐	Needs a restricted-permission user

Payments — 3 open (3 blocked · 0 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 4: Payment record detail						
4.6	**Delete**	Menu Delete: 'Delete this payment record?' -> 'Payment record deleted' and back to the list; plan balance restored. Posted / reconciled receipt refusal shows the server message.	**BLOCKED**	☐	☐	Delete of a payment not executed (manual confirmation); not offered for paid records
Section 6: Permissions & edge cases						
6.1	**Module guard**	User without the 'payment' module cannot open list, plan or payment detail routes.	**BLOCKED**	☐	☐	Needs a user without the payment module
6.2	**Create / delete permission**	Without create: 'Record payment' hidden / blocked. Without delete: Delete menu item blocked with permission text.	**BLOCKED**	☐	☐	Needs a restricted-permission user

Helpdesk & Tickets — 18 open (3 blocked · 15 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 3: Tickets list						
3.9	**Empty states**	'No tickets yet' + 'New Ticket'; 'No tickets assigned to you'; 'No tickets match your filters' + 'Clear filters'.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
3.10	**Pull to refresh**	Rows, statuses, catalogs and saved views reload.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
Section 5: Edit ticket						
5.3	**SLA recalculation**	Changing customer shows 'SLA recalculated on save' with the new 'Resolve by'; removing the customer warns 'Saving without a customer removes the SLA - the ticket will have no deadline.'	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
5.4	**Resolved ticket**	On a resolved ticket the SLA note reads 'A resolved ticket keeps the SLA it was resolved under.' and fields are locked in the UI.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 6: Ticket detail						
6.3	**Assignee access**	A ticket's assignee without the Helpdesk module can still open the ticket by link.	**BLOCKED**	☐	☐	Needs an assignee login without the Helpdesk module. Only the admin login is available, so this cannot be run.
6.18	**Pull to refresh**	Reloads ticket, children, linked tasks, files, notes and log.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
Section 7: Permissions & edge cases						
7.1	**Module guard**	Without 'issue': dashboard, boards, Tickets list, create and edit are blocked; ticket detail stays reachable for its assignee.	**BLOCKED**	☐	☐	Needs a login without the issue module. Only the admin login is available, so this cannot be run.
7.2	**Create / update permission**	Without create: 'New ticket' hidden, 'Create task from ticket' blocked. Without update: edit, status, inline edits and replies blocked with permission text.	**BLOCKED**	☐	☐	Needs a login without create/update permission. Only the admin login is available, so this cannot be run.
Section 8: UAT parity & must-not-skip checks						
8.1	**Filter operator toggle**	Apply a filter with a value, then flip the same option's slider / operator (is -> is not). EXPECTED: results re-query immediately (bug reported on Leads where the list did not update).	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
8.2	**Status chips from backend**	Confirm the status chips / lanes at the top come from the backend catalog. Rename a status in web admin, pull to refresh: chips and counts update.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
8.3	**Saved filter edit**	Open an existing saved view and edit its name / filters in place. Record if only save-new / delete is possible.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
8.4	**Edit form - stale prefill**	Change a field inline on the detail, then open the Edit screen. EXPECTED: prefilled with the latest value, no 'reload to see latest changes' error on save.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
8.5	**Discard on Cancel**	In the edit form change a field and tap Cancel. EXPECTED: 'Discard changes?' appears the same way as on back.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
8.6	**Notes - multi-line & attachments**	ticket notes: Enter adds a line break (separate Send control); images / attachments can be inserted between text as on web.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
8.7	**Notes with tags & mentions**	Note with #tag and @mention: picker appears, styled rendering, mentioned user notified; visible on web.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
8.8	**Assign / reassign**	Assign, reassign, add / remove assignees and team on ticket. Toasts shown, persists after refresh, logged in activity.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).
8.9	**File upload - rename & edit**	Upload a file, rename it via the file name dialog, replace / edit it. New name on mobile and web; preview opens the right file.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
8.10	**Create / update / save**	Create a ticket, edit every section and save; reopen to confirm. Internal notes and replies support tags and mentions; stale option values (category / status) are not offered in Edit.	**NOT RUN**	☐	☐	Not run in the UAT pass (no result recorded).

Helpdesk Boards (Support Overview) — 2 open (2 blocked · 0 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 6: Permissions & edge cases						
6.1	**Module guard**	Without the 'issue' module the boards route is blocked; deep link redirects appropriately.	**BLOCKED**	☐	☐	Needs a login without the Helpdesk (issue) module. Only the admin login is available, so this cannot be run.
6.2	**Scope**	Board figures respect the user's scope (team / org) as configured on the server; a restricted user does not see other teams' tickets.	**BLOCKED**	☐	☐	Needs a login limited to a team/scope to compare figures. Only the admin login is available, so this cannot be run.

Operations & Projects — 2 open (2 blocked · 0 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 8: Permissions & edge cases						
8.1	**Module guards**	Without 'project': dashboard, Projects, project detail / create / edit blocked. Without 'project_task': Tasks, task detail, subtask, create / edit blocked.	**BLOCKED**	☐	☐	Needs a login without the project module. Only the admin login is available.
8.2	**Create / delete permission**	Without create: 'New project' / 'New task' hidden; empty-state CTA absent. Without delete: Delete items blocked.	**BLOCKED**	☐	☐	Needs a login without create/delete permission. Only the admin login is available.

Operations Tasks — 5 open (5 blocked · 0 not run · 0 failed)

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 4: Task detail						
4.5	**View only**	User without update permission: status / edits show 'You can view this task but not change it.'	**BLOCKED**	☐	☐	Needs a login without update permission to see "You can view this task but not change it." Only the admin login is available. (A completed/cancelled task shows its own lock banner and disabled Edit — that part works.)
4.8	**Delete**	Menu Delete: dialog with 'This cannot be undone.' -> 'Task deleted' and back to list.	**BLOCKED**	☐	☐	Deletes are not run (your instruction). Menu → Delete task opens "Delete task? … will be removed for everyone. This cannot be undone." with Cancel/Delete; Cancel closes it.

Ref	Check	Steps / expected result	Status	Pass	Fail	Why open / notes
Section 7: Permissions & edge cases						
7.1	**Module guard**	Without 'project_task': Tasks list, task detail, subtask, create and edit routes blocked.	**BLOCKED**	☐	☐	Needs a user without the project_task module
7.2	**Create / delete permission**	Without create: 'New task' hidden and empty-state CTA absent. Without delete: Delete blocked with permission text.	**BLOCKED**	☐	☐	Needs a restricted-permission user
7.3	**Update permission**	Without update: edit, status, subtasks, dependencies and files show the view-only message.	**BLOCKED**	☐	☐	Needs a view-only user

Sign-off: _____ Overall result: Pass / Fail Open defects: _____